

Livebearer Literature List

Kees de Jong

Alfaro cultratus (Regan, 1908)

- E.P. Anderson et al (2006): Ecological consequences of hydropower development in central America: impacts of small dams and water diversion on neotropical stream fish assemblages. *River Res. Applic.* (22): 397-411
- A. Angulo et al (2017): Fishes from the Tirimbina biological reserve, La Virgen de Sarapiquí, Heredia, Costa Rica. *Check List* (5): 683-702
- J.C. Bagley & J.B. Johnson (2014): Testing for shared biogeographic history in the lower Central American freshwater fish assemblage using comparative phylogeography: concerned, independent or multiple evolutionary responses. *Ecology and Evolution* (9): 1686-1705
- E.H Behre (1928): A list of the fresh water fishes from western Panama between long. 81°45' and 83° 15' W. *Annals of the Carnegie Museum* (1): 305-328
- L. van der Berg (2015): Alfaro cultratus Regan, 1908. *Poecilia Nieuws* (1): 17-22
- A. Bisazza, A. Grapputo & L. Nigro (1997): Evolution of reproductive strategies and male sexual ornaments in poeciliid fishes as inferred by mitochondrial 15 rRNA gene phylogeny. *Ethology Ecology & Evolution* (9): 55-67
- L.S. Crandell (1995): On Alfaro cultratus. *Livebearers* (139): 12-12
- N. Dokoupil (1984): Een niet alledaagse levendbarende tandkarpers Alfaro cultratus. *Het Aquarium* (2): 43-45
- U. Dost & Kathrin Seegers (1994): Lebengebärende aus Costa Rica. *DATZ* (8): 485-488
- M. Espinoza Mendiola (2008): Sondeo ecológico rápido de las comunidades de peces tropicales
- V. Etzel (1994): Alfaro cultratus (Regan, 1908) - Bemerkungen zu Biotopen in West-Panama. *DGLZ-Rundschau* (2): 45-46
- D. Fromm (1974): 1973 Coas-Fin features Costa Rica expedition. *Livebearers* (17): 2-9
- D. Fromm (1975): Über Pflege und Zucht einiger Fische aus Costa Rica. *Das Aquarium* (1): 77-80
- D. Fromm (1982): About the fish I'm advertising, or, everything's different in El Valle. *Livebearers* (65): 14-17
- D. Gentzsch (2011): Waldschutzstreifen an Fließgewässern, eine effektive Möglichkeit zum Biotoperhalt. *DGLZ-Rundschau* (3): 63-69
- J. Golcher Benavides & M. Protí Quesada (2011): Fish species richness in lowland streams with a geothermal input phenomenon, Sarapiquí de Heredia, Costa Rica. *ISNR Ecology* (): 1-4
- K.B. Golden, M.C. Belk & J.B. Johnson (2021): Predator environment does not predict life history in the morphologically constrained fish Alfaro cultratus (Cyprinodontiformes: Poeciliidae). *Frontiers in Ecology and Evolution* (March): 1-11
- R.C. Griffiths (0): The knife bearers. The genus Alfaro. *Viviparous* (8): 0-14
- C.J. Heede (1917): Alfaro amazonum. *Aquatic Life* (June): 124-124
- J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. *Rev. Biol. Trop* (1): 165-170
- M. Heußen (2011): Im rechten Licht betrachtet Alfaro cultratus. *Das Lebendgebärenden Magazin* (2): 7-11
- S.F. Hildebrand (1930): Notes on a collection of fishes from Costa Rica. *Copeia* (1): 1-9
- S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. *Zoölogy, Field museum of natural history* (4): 215-359
- L. Howel Rivero & C.L. Hubbs (1936): Studies of the fishes of the order cyprinodontes. XV. The characters and relationships of *Furciperis huberi* and Alfaro cultratus. *Occasional papers of the museum of zoology University of Michigan* (339): 1-14
- A. John (1987): Alfaro cultratus - der Messerschwanzkärpfling. *ZAG Lebendgebärende Zahnkarpfen* (2): 6-7
- K. de Jong (1986): Alfaro cultratus. *Poecilia Nieuws* (3): 46-49
- K. de Jong (1987): Alfaro cultratus. *Poecilia Nieuws* (5): 0-3
- K. de Jong (1987): Alfaro cultratus. *Het Aquarium* (2): 53-54
- K. de Jong (1993): *Phallichthys amates pittieri*, de pittieri tandkarp (Meek, 1912). *Poecilia Nieuws* (1): 4-15
- H. Kaper (1998): Alfaro cultratus (Regan 1908). *Poecilia Nieuws* (3): 46-49
- M. Kempkes (1999): Enige aantekeningen betreffende de "Vredesvis", Alfaro cultratus. *Poecilia Nieuws* (5): 92-95
- D. Lambert (2000): Alfaro cultratus. *Viviparous* (49): 0-
- W.F. Langer (1913): Beiträge zur Morphologie der viviparen Cyprinodontiten. *Gegenbaurs Morphologisches Jahrbuch. Zeitschrift für Anatomie und Entwicklungsgeschichte* (1-2): 193-307
- J.K. Langhammer (1972): The knife-bellied livebearer. *Livebearers* (4): 9-10
- J.K. Langhammer (1992): Further observations on the genus Alfaro. *Livebearers* (123): 9-11
- M.R. Lehmann (1980): Livebearers the second world. *Livebearers* (49): 13-14
- M.R. Lehmann (1984): Alfaro cultratus - the knife-bellied livebearers!. *Livebearers* (75): 16-16
- M.R. Lehmann (1984): Alfaro cultratus - the knife-bellied livebearer. *Livebearers* (75): 16-16
- P. Loiselle (1986): Results of the A.C.C.A. Costa Rica collecting trip: fishes from the Rio Sixaola. *Livebearers* (91): 9-15
- C.L. Lorion (2007): Effects of deforestation and riparian buffers on lotic communities in southeastern Costa Rica: implications for biodiversity conservation in tropical streams. *PHD* (): 1-128
- W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. *Zootaxa* (2307): 1-38
- S.E. Meek (1912): New species of fishes from Costa Rica. *Publ. Field Museum of Nat. Hist. Chicago* (7): 69-75
- P.J. Mellegers (1992): Eigenaardigheden. *Poecilia Nieuws* (3): 56-56
- K. Mueller, K. Golden & J. Johnson (2020): New evidence for alternative mating strategies in Alfaro cultratus. *Poster* (): 1-1
- T. Neal (1997): Pass me the knife livebearer, please. *Livebearers* (148): 20-22
- A. van den Nieuwenhuizen (1986): Alfaro cultratus. *Het Aquarium* (1): 62-64
- A. van den Nieuwenhuizen (1987): Alfaro cultratus. *Aquariumwereld* (11): 232-235
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19

Livebearer Literature List 202201

- F.N. Poeser (2000): De Poeciliini. Poecilia Nieuws (5): 88-90
- A. Rachow (1911): Tomeurus gracilis Eigenmann. Blätter für Aquarien- und Terrarienkunde (19): 297-299
- A. Rachow (1911): Ueber Petalosoma amazonum n.sp. Regan, fälschlich Tomeurus gracilis genannt. Blätter für Aquarien- und Terrarienkunde (49): 789-790
- A. Rachow (1913): Ueber die Zahnkarpgattungen Fitzroyia (Guenther), Tomeurus (Eigenmann) und Petalurichthys (Regan). Blätter für Aquarien- und Terrarienkunde (48): 777-781
- A. Rachow (1914): Zur Nomenklatur unserer viviparen Zahnkarpfen (Poeciliinae), nebst Bemerkungen über einige neue Arten. Blätter für Aquarien- und Terrarienkunde (11): 185-200
- A. Rachow (1942): Alfaro cultratus (Regan). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cd): 698-700
- A.C. Radda & H. Fritscher (1980): Poeciliiden-Studien im karibischen Raum. Aquaria (27): 77-88
- C.T. Regan (1908): A collection of freshwater fishes made by mr. C. F. Underwood in Costa Rica. Annals and Magazine of Natural History (vol II): 455-464
- C.T. Regan (1911): A new Poeciliid Fish from the Amazon, with Notes on the Genera Petalosoma and Tomeurus. Annals and Magazine of Natural History (November): 659-660
- D. Rössel (1995): Der Messerkärpfing Erfahrungen aus der Pflege und Zucht von Alfaro cultratus. Das Aquarium (Dezember): 7-8
- O. Schindler (1935): Cyprinodontiden aus Costa Rica. Zoologischer Anzeiger (7/8): 161-172
- P. Schönfeld (1989): Alfaro cultratus (Regan, 1908) - Der Messerschwanzkärpfing. Aquarien Terrarien (2): 50-51
- E. Schraml (1978): Damals en vogue - heute tot? Lebendgebärende Zahnkarpfen aus dem Standardsortiment unserer Großväter. Aquarien Magazin (4): 186-190
- C. Sciarone (1992): Picasso onder water. Poecilia Nieuws (6): 10-11
- C. Sciarone (2008): Alfaro cultratus Regan, 1908. Poecilia Nieuws (3): 30-31
- C. Spencer (1994): Old blue eyes (the knife livebearer). Livebearers (136): 30-32
- H. Stallknecht (1982): Alfaro cultratus (Regan, 1908). Aquarien Terrarien (11): 381-384
- S. Teutloff (1986): Nachwuchs geplänt?. ZAG Lebendgebärende Zahnkarpfen (2): 6-7
- J. Villa (1982): Peces Nicaragüenses de Agua Dulce. Serie Geografia y Naturaleza (3): 125-136
- M.J. Wilson (1984): Doubling up one's aquarium. Livebearers (75): 17-19
- K.O. Winemiller (1993): Seasonality of reproduction by livebearing fishes in tropical rainforest streams. Oecologia (95): 266-276
- J.T. Wootton & M.P. Oemke (1992): Latitudinal differences in fish community trophic structure, and the role of fish herbivory in a Costa Rican stream. Environmental Biology of Fishes (35): 311-319
- J. Wylie (1992): Courtship behavior in two "non-courting" Poeciliid fishes. Livebearers (123): 20-23

Alfaro huberi (Fowler, 1923)

- H. Fowler (1923): Fishes from Nicaragua. Proc. Acad. Nat. Sci. Phila. (75): 23-32
- R.C. Griffiths (0): The knife bearers. The genus Alfaro. Viviparous (8): 0-14
- M. Hellweg (2007): Alfaro huberi The red rocket. Livebearers (198): 14-16
- L. Howel Rivero & C.L. Hubbs (1936): Studies of the fishes of the order cyprinodontes. XV. The characters and relationships of Furciperis huberi and Alfaro cultratus. Occasional papers of the museum of zoology University of Michigan (339): 1-14
- C.L. Hubbs (1931): Studies of the fishes of the order Cyprinodontes IX. A new and primitive genus of Poeciliidae from central America. Occasional papers of the museum of zoology University of Michigan (230): 1-3
- D. Lambert (0): Alfaro huberi (Fowler, 1923). Viviparous (16): 0-
- J.K. Langhammer (1992): Further observations on the genus Alfaro. Livebearers (123): 9-11
- W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. Zootaxa (2307): 1-38
- L. van der Meer (2008): Alfaro huberi (Fowler, 1923). Poecilia Nieuws (1): 21-24
- F.N. Poeser (1996): Evolutie en classificatie van de levendbarende tandkarpers Deel 6 "Alfaro huberi, de missing link". Poecilia Nieuws (5): 122-124
- A.C. Radda & E. Schlosser (1979): Poeciliiden-Studien in Guatemala. Aquaria (26): 21-30
- C. van de Sande (1987): Een verzamelreis naar Guatemala II. Poecilia Nieuws (3): 46-48
- C. van de Sande (1988): Alfaro huberi. Het Aquarium (9): 233-234
- C. van de Sande (1993): Alfaro huberi (Fowler, 1923). Poecilia Nieuws (2): 32-35
- J. Villa (1982): Peces Nicaragüenses de Agua Dulce. Serie Geografia y Naturaleza (3): 125-136

Allodontichthys hubbsi Miller & Uyeno, 1980

- O. Böhm (0): Quelques espèces intéressantes de la famille des Goodéidés. Aquarama (): 13-16
- O. Böhm (1989): Fische aus dem Hochland Mexikos. TI (93): 19-20
- O. Böhm (1990): Selten gepflegt - Lebendgebärende der Gattung Allodontichthys. TI (99): 11-13
- T.A. Grudzien & B.J. Turner (1983): Biochemical Systematics of Allodontichthys: a genus of goodeid fishes. Biochemical Systematics and ecology (4): 383-388
- M. Kempkes (2016): Jalisco Eine Exkursion zu den Hochlandkäpflingen. DATZ (Oktober): 34-40
- D. Kunath (1990): Der Vielschuppen - Hochlandkärpfing, Allodontichthys polylepis Rauchenberger, 1988 eine neue Art dieser Goodeiden-Gattung. ZAG Lebendgebärende Zahnkarpfen (4): 5-8
- F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 4. Teil. DGLZ-Rundschau (2): 61-70

- J. Lyons (1999): The darter Goodeids, Genus Allodontichthys. Livebearers (158/159): 14-18
- J. Lyons (2002): De grondaars Goodeiden, het geslacht Allodontichthys. Poecilia Nieuws (5): 91-95
- J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. Anales del Instituto de Biologica, Universidad National (2): 169-190
- J. Lyons & N. Mercado-Silva (2000): Peces dulceacuícolas Mexicanos XVIII. Allodontichthys (Cyprinodontiformes: Goodeidae). Zoologica Informa (43): 3-16
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- P.J. Mellegers (1995): De algebra van de voortplanting. Poecilia Nieuws (6): 110-113
- R.R. Miller & T. Uyeno (1980): Allodontichthys hubbsi, a new species of Goodeid fish from Southwestern Mexico. Occasional papers of the museum of zoology University of Michigan (692): 1-13
- A.C. Radda (1986): Cyprinodonten vissen in Mexico 3. Poecilia Nieuws (2): 40-43
- M. Rauchenberger (1988): A new species of Allodontichthys with comparative morphometrics for the genus. Copeia (2): 433-441
- G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. Das Lebendgebärenden Magazin (2): 8-23
- S.A. Webb (2002): Molecular systematics of the genus Allodontichthys. Reviews in Fish Biology and Fisheries (12): 193-205

Allodontichthys polylepis Rauchenberger, 1988

- (1989): Nieuws uit de wetenschap. Poecilia Nieuws (2): 31-31
- O. Böhm (0): Quelques espèces intéressantes de la famille des Goodeidés. Aquarama (0): 13-16
- O. Böhm (1990): Selten gepflegt - Lebendgebärende der Gattung Allodontichthys. TI (99): 11-13
- E. Derijst (1989): Allodontichthys polylepis. Aquariumwereld (5): 117-117
- I. Dibble (2006): Allodontichthys polylepis, an endangered Goodeid. Tropical Fish Hobbyist (april): 13-13
- H. Hieronimus (1989): Ein neuer Hochlandkäpfpling, Allodontichthys polylepis Rauchenberger, 1988. DGLZ-Rundschau (2): 22-22
- H. Hieronimus (1989): Neue Lebendgebärende. DATZ (1): 7-8
- K. de Jong (1989): Enkele nieuwe levendbarende tandkarpers. Poecilia Nieuws (3): 43-45
- K. de Jong (2008): Allodontichthys polylepis Rauchenberger, 1988. Poecilia Nieuws (3): 48-49
- K. de Jong (2010): Bijdrage aan Morelia. Poecilia Nieuws (2): 27-28
- K. de Jong (2018): Allodontichthys polylepis Rauchenberger, 1988. Het Aquarium (2): 16-17
- M. Kempkes (2016): Jalisco Eine Exkursion zu den Hochlandkäpflingen. DATZ (Oktober): 34-40
- M. Kempkes (2021): Allodontichthys polylepis: Im Rotterdam Zoo Blijdorp wird die Art sehr erfolgreich nachgezüchtet. Das Lebendgebärenden Magazin (1): 28-30
- M. Kempkes (2021): Allodontichthys polylepis. Poecilia Nieuws (1): 21-22
- M. Köck (2016): Die Geschichte einer Fischart am Rand des Aussterbens. DATZ (Oktober): 16-24
- D. Kunath (1990): Der Vielschuppen - Hochlandkäpfpling, Allodontichthys polylepis Rauchenberger, 1988 eine neue Art dieser Goodeiden-Gattung. ZAG Lebendgebärende Zahnkarpfen (4): 5-8
- D. Lambert (1991): Mexico's threatened livebearers. Livebearers (116): 21-27
- D. Lambert (1995): The livebearer world More Goodeids. Tropical Fish Hobbyist (5): 162-164
- F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 3. Teil. DGLZ-Rundschau (1): 1-29
- J. Lyons (1999): The darter Goodeids, Genus Allodontichthys. Livebearers (158/159): 14-18
- J. Lyons (2002): De grondaars Goodeiden, het geslacht Allodontichthys. Poecilia Nieuws (5): 91-95
- J. Lyons (2004): Goodeiden in de natuur, stand van zaken, januari 2004 (deel 2). Poecilia Nieuws (5): 25-27
- J. Lyons (2005): Goodeiden in de natuur (slot). Poecilia Nieuws (1): 24-27
- J. Lyons (2006): Korte update van enkele biotopen in Mexico. Poecilia Nieuws (3): 29-30
- J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. Anales del Instituto de Biologica, Universidad National (2): 169-190
- J. Lyons & N. Mercado-Silva (2000): Peces dulceacuícolas Mexicanos XVIII. Allodontichthys (Cyprinodontiformes: Goodeidae). Zoologica Informa (43): 3-16
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- A.C. Radda (1986): Cyprinodonten vissen in Mexico 3. Poecilia Nieuws (2): 40-43
- M. Rauchenberger (1988): A new species of Allodontichthys with comparative morphometrics for the genus. Copeia (2): 433-441
- G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. Das Lebendgebärenden Magazin (2): 8-23
- J. Sabisch (2007): Grundelkäpflinge als Herausforderung. Allodontichthys polylepis ist für manche Überraschung gut. Aquaristik-Aktuell (1): 50-53
- S.A. Webb (2002): Molecular systematics of the genus Allodontichthys. Reviews in Fish Biology and Fisheries (12): 193-205

Allodontichthys tamazulae Turner, 1946

- I. Dibble (2003): Mein Tagebuch der "Arche-Projekt"- Feldexkursion 2003. DGLZ-Rundschau (4): 86-97
T.A. Grudzien & B.J. Turner (1983): Biochemical Systematics of Allodontichthys: a genus of goodeid fishes. Biochemical Systematics and ecology (4): 383-388
K. de Jong (2004): Allodontichthys tamazulae Turner, 1946. Poecilia Nieuws (2): 9-12
K. de Jong (2004): Allodontichthys tamazulae Turner, 1946. Das Lebendgebärenden Magazin (4): 5-9
K. de Jong (2018): Allodontichthys tamazulae Turner, 1946. Poecilia Nieuws Atlas (): -
K. de Jong (2018): Allodontichthys tamazulae Turner, 1946. Het Aquarium (2): 18-19
J. Klungers (2008): Allodontichthys tamazulae Turner, 1946. Poecilia Nieuws (3): 50-51
D. Kunath (1990): Der Vielschuppen - Hochlandkärlpling, Allodontichthys polylepis Rauchenberger, 1988 eine neue Art dieser Goodeiden-Gattung. ZAG Lebendgebärende Zahnkarpfen (4): 5-8
D. Lambert (0): Allodontichthys tamazulae Turner, 1946. Viviparous (37): 0-
F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 4. Teil. DGLZ-Rundschau (3): 61-70
F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 4. Teil. DGLZ-Rundschau (2): 61-70
J. Lyons (1999): The darter Goodeids, Genus Allodontichthys. Livebearers (158/159): 14-18
J. Lyons (2002): De grondaars Goodeiden, het geslacht Allodontichthys. Poecilia Nieuws (5): 91-95
J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. Anales del Instituto de Biología, Universidad National (2): 169-190
J. Lyons & N. Mercado-Silva (2000): Peces dulceacuícolas Mexicanos XVIII. Allodontichthys (Cyprinodontiformes: Goodeidae). Zoologica Informa (43): 3-16
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
A.C. Radda (1986): Cyprinodont vissen in Mexico 3. Poecilia Nieuws (2): 40-43
M. Rauchenberger (1988): A new species of Allodontichthys with comparative morphometrics for the genus. Copeia (2): 433-441
C.L. Turner (1946): A contribution to the taxonomy and zoogeography of the Goodeid fishes. Occasional papers of the museum of zoology University of Michigan (495): 1-13
S.A. Webb (2002): Molecular systematics of the genus Allodontichthys. Reviews in Fish Biology and Fisheries (12): 193-205

Allodontichthys zonistius (Hubbs, 1932)

- D. Biggs (2008): Fishing adventures in the Purificación river. Livebearer News (23): 24-47
O. Böhm (0): Quelques espèces intéressantes de la famille des Goodéidés. Aquarama (): 13-16
O. Böhm (1990): Selten gepflegt - Lebendgebärende der Gattung Allodontichthys. TI (99): 11-13
R.C. Griffiths (1997): Allodontichthys zonistius (Hubbs 1932). Livebearers (146): 7-7
R.C. Griffiths (2013): The profiler Allodontichthys zonistius. Livebearers (219): 21-22
T.A. Grudzien & B.J. Turner (1983): Biochemical Systematics of Allodontichthys: a genus of goodeid fishes. Biochemical Systematics and ecology (4): 383-388
C.L. Hubbs (1932): Studies on the fishes of the order Cyprinodontes XI. Zoogoneticus zonistius, a new species from Colima, Mexico. Copeia (2): 68-71
K. de Jong (2014): Mexico 2013, deel 4 en slot Van Morelia naar Barra de Navidad en terug (2). Poecilia Nieuws (2): 22-27
K. de Jong (2015): Mexiko 2013 Vierter und letzter Teil Von Barra de Navidad zurück nach Morelia. Das Lebendgebärenden Magazin (1): 20-27
H. Kleine (2009): Bemerkungen über Allodontichthys zonistius. Das Lebendgebärenden Magazin (2): 15-16
D. Kunath (1990): Der Vielschuppen - Hochlandkärlpling, Allodontichthys polylepis Rauchenberger, 1988 eine neue Art dieser Goodeiden-Gattung. ZAG Lebendgebärende Zahnkarpfen (4): 5-8
D. Lambert (0): Allodontichthys zonistius (Hubbs, 1932). Viviparous (14): 0-
D. Lambert (1994): Introducing goodeids. Livebearers (133): 13-21
D. Lambert (1996): The search for Skiffia francesae The Aquarian Expedition 1996. Tropical Fish Hobbyist (november): 118-133
J. Lyons (1997): Fishes from the land of the trucha de tierra caliente. Freshwater & Marine Aquarium (7): 127-136
J. Lyons (1997): Tolerances of Mexican livebearers to extremes of temperature and dissolved oxygen in the wild. Livebearers (148): 16-19
J. Lyons (1999): The darter Goodeids, Genus Allodontichthys. Livebearers (158/159): 14-18
J. Lyons (2002): De grondaars Goodeiden, het geslacht Allodontichthys. Poecilia Nieuws (5): 91-95
J. Lyons (2016): Adventures among the wild livebearers of Mexico: beginnings. Livebearers (233): 14-21
J. Lyons (2020): The Insidiousness of invasive species. Livebearers (249): 5-10
J. Lyons (2021): The insidiousness of invasive species. Livebearer News (67): 7-13
J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. Anales del Instituto de Biología, Universidad National (2): 169-190
J. Lyons & N. Mercado-Silva (2000): Peces dulceacuícolas Mexicanos XVIII. Allodontichthys (Cyprinodontiformes: Goodeidae). Zoologica Informa (43): 3-16
J. Lyons & S. Navarro-Perez (1990): Fishes of the Sierra de Manantlan, West-Central Mexico. The Southwestern Naturalist (1): 32-46
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158

Livebearer Literature List 202201

- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
D. Meza Rodríguez et al (2020): Target species selection and design of fish habitat suitability curves in the Ayuquila-Armería river, western Mexico. International Journal of River Basin Management (Jun): 1-10
A.C. Radda (1986): Cyprinodont vissen in Mexico 3. Poecilia Nieuws (2): 40-43
M. Rauchenberger (1988): A new species of Allodontichthys with comparative morphometrics for the genus. Copeia (2): 433-441
C.L. Turner (1946): A contribution to the taxonomy and zoogeography of the Goodeid fishes. Occasional papers of the museum of zoology University of Michigan (495): 1-13
S.A. Webb (2002): Molecular systematics of the genus Allodontichthys. Reviews in Fish Biology and Fisheries (12): 193-205

Alloheterandria caliensis Henn, 1916

- C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. ZooKeys (708): 25-138
A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
H. Hieronimus (1986): Besprechung zu: Revision Priapichthys und Heterandria. DGLZ-Rundschau (1): 16-16
H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. DGLZ-Rundschau (3): 21-22
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
J.A. Maldonado-Ocampo, R.P. Vari & J.S. Usma (2008): Checklist of the freshwater fishes of Columbia. Biota Colombiana (2): 143-237
A.C. Radda (1985): Revision der Gattung Priapichthys Regan, 1913; sensu Rosen & Bailey (1963). Aquaria (32): 119-125

Alloheterandria nigroventralis Eigenmann & Henn, 1912

- O. Böhm (2003): The little know livebearing toothcarp. Livebearer News (3/4): 30-32
D. Bork (1994): Raritäten unter den Lebendgebärenden Zahnkarpfen Priapichthys nigroventralis. Das Aquarium (301): 6-6
C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. ZooKeys (708): 25-138
C.H. Eigenmann (1912): Some results of an ichthyological reconnaissance of Colombia, South America. Indiana Univ. Studies (8): 1-27
G. Elson (2015): Life with livebearers The ginger ale livebearer (Priapichthys nigroventralis). Tropical Fish Hobbyist (4): 26-29
V. Etzel (1994): Bemerkungen zu Biotopen von Poecilia caucana und Priapichthys nigroventralis in Kolumbien. DGLZ-Rundschau (4): 76-78
A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
J.A. Maldonado-Ocampo, R.P. Vari & J.S. Usma (2008): Checklist of the freshwater fishes of Columbia. Biota Colombiana (2): 143-237
M.K. Meyer (): Des poissons aux tons pastels originaires de la Colombie. Aquarama (): 26-27
A.C. Radda (1985): Revision der Gattung Priapichthys Regan, 1913; sensu Rosen & Bailey (1963). Aquaria (32): 119-125
A.C. Radda (1988): Poeciliiden-Studien in Ecuador und Kolumbien. DGLZ-Rundschau (4): 4-12

Alloophorus robustus (Bean, 1892)

- J. Alvarez (1963): Ictiologia Michoacana III. Los peces de San Juanico y de Tocumbo. Mich.. An. Esc. Nac. Cienc. Biol. (12): 111-138
T. H. Bean (1892): Notes on fishes collected in Mexico by prof Alfredo Dugés, with descriptions of new species. Proceedings US Nat. Museum (15): 283-287
C. A. Berlanga-Robles, J. Madrid-Vera & A. Ruiz-Luna (2002): Fish abundance and trophic structure from the commercial catch in Lake Patzcuaro, Mexico. Hydrobiologica (467): 117-122
J.G.A. Caballos Corona et al (1994): Analisis limnologico de lage de Cuitzeo, Michoacan, Mexico. Universidad Michoacana de San Nicolás de Hidalgo Facultad de Biología (): 1-45
A. Chacon-Torres & C. Rosas-Monge (1998): Water quality characteristics of a high altitude oligotrophic Mexican lake. Aquatic Ecosystem Health and Management (1): 237-243
B. & R. Clarke (1984): Goodeids we have known. Livebearers (73): 8-10
I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de veldtrip 2. Poecilia Nieuws (6): 117-126
S. Garman (1895): The Cyprinodonts. Mem. Mus. Comp. Zool. (1): 1-179
H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. DGLZ-Rundschau (3): 21-22
F. Hollenberg & J.P. Wourms (1994): Ultrastructure and protein uptake of the embryonic trophotaenia of four species of goodeid fishes. Journal of Morphology (219): 105-129
K. de Jong (2003): Op zoek naar zwaarddragers Mexico 2002 (tweede deel). Poecilia Nieuws (5): 70-82
K. de Jong (2004): Auf der Suche nach den Schwerträgern Mexiko 2002 (Teil 2). Das Lebendgebärenden Magazin (1): 5-17
K. de Jong (2014): Mexico 2013, deel 3 Van Morelia naar Barra de Navidad en weer terug (1). Poecilia Nieuws (1): 11-17
K. de Jong (2014): Von Morelia bis Barra de Navidad. Das Lebendgebärenden Magazin (2): 18-25
K. de Jong (2015): GWG bijeenkomst 2014 in Morelia. Poecilia Nieuws (1): 23-31
K. de Jong (2017): Alloophorus robustus (Bean, 1892) De grootste goodeïde: de bulldog-goodeïde. Poecilia Nieuws (4): 8-13
K. de Jong (2018): Die Bulldogge unter den Goodeiden, Alloophorus robustus (Bean, 1892) der größte Goodeide. Das Lebendgebärenden Magazin (1): 11-15
K. de Jong (2018): Buldočí gudej Alloophorus robustus - největší z gudejí. e-akvarium.cz (): 1-8
K. de Jong (2019): De bulldog-goodeïde (Alloophorus robustus) (Bean, 1892), grootste goodeïde. Het Aquarium (4): 42-49

Livebearer Literature List 202201

- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. Poecilia Nieuws (2): 22-35
- J. Lyons (2017): Adventures among the wild livebearers of Mexico: The state of Michoacán. Livebearers (235): 7-14
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- M. Medina-Nava et al (2005): Conservation of two sites in central Mexico with a high diversity of livebearing fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 499-504
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- G. Mendoza (1962): The reproductive cycles of three viviparous Teleosts, *Alloophorus robustus*, *Goodea luitpoldii* and *Neophorus diazi*. Biological Bulletin (123): 351-365
- N. Mercado-Silva et al. (2006): Long-term changes in the fish assemblage of the Laja River, Guanajuato, central Mexico. Aquatic Conservation: marine and freshwater ecosystems (16): 533-546
- R. Moncayo-Estrada et al. (2014): Status and trends in biotic integrity in a sub-tropical river drainage: analysis of the fish assemblage over a three decade period. River Res. Applic. (): -
- R. Neto (2016): Top of the food chain. Livebearers (232): 5-8
- A.A. Orbe-Mendoza, J. Acevedo-García & J. Lyons (2002): Lake Pátzcuaro fishery management plan. Reviews in Fish Biology and Fisheries (12): 207-217
- A.C. Radda (1985): De Goodeidae van Mexico; een uiterst interessante, maar aquaristisch nogal onbekende familie. TTH (43): 5-8
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
- A. Ramírez-García & O. Domínguez-Domínguez (2019): Zácapa lake, a hot spot of native fishes. American Currents (Summer): 8-10
- A. Ramírez-García et al (2021): Reproductive cycle of native viviparous fish species (Actinopterygii: Cyprinodontiformes: Goodeidae) in a subtropical Mexican lake. Neotropical Ichthyology (4): 1-20
- A. Ramírez-García, R. Moncayo-Estrada, O. Domínguez-Domínguez (2020): Small lake, high biodiversity: Lake Zácapa, México. Livebearers (246): 12-15
- J.P. Ramírez-Herrenjón et al (2010): Historical assessment of livebearing fishes in Zácapa Lake, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 476-479
- C.T. Regan (1904): XXX. Descriptions of new or little known fishes from Mexico and British Honduras. Annals and Magazine of Natural History (13): 255-259
- C.T. Regan (1911): The Osteology and Classification of the Teleostean Fishes of the order Microcyprini. Annals and Magazine of Natural History (April): 320-328
- C.T. Regan (1911): XXXV. - The osteology and classification of the teleostean fishes of the order Microcyprini. Annals and Magazine of Natural History (7): 320-327
- Z. Rodríguez Álvarez et al (2010): Current status of the viviparous fish species in the Cuitzeo basin of Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 472-475
- G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. Das Lebendgebärenden Magazin (2): 8-23
- A.J. Rothwell (2000): Observations on spawning *Aloophorus robustus*. Viviparous (48): 19-20
- C.I. Salazar-Tinoco, M. Medina-Nava & J.P. Ramírez-Herrenjón (2010): Reproductive biology of the subfamily Goodeinae in La Mintzita Dam, Morelia, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida ():
- B. Snook (1985): Goodeids. Livebearers (83): 6-8
- E. Soto-Galera et al (1990): Peces dulceacuicolas Mexicanos: III *Alloophorus robustus*. Zoológica Informa (20): 21-28
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. Aquatic Ecosystem Health and Management (1): 267-276
- E. Soto-Galera et al (1999): Change in fish fauna as indication of aquatic ecosystem condition in Río Grande de Morelia - Lago de Cuitzeo Basin, Mexico. Environmental Management (1): 133-140
- A.T. Tveteras (0): Collecting goodeids in the area near Morelia, Mexico. Viviparous (23): 0

Allotoca catarinae (De Buen, 1942)

- J. Alvarez (1959): Contribucion al conocimiento del genero *Neophorus*. Ciencia (19): 13-22
- D.K. Corona-Santiago, I. Doadrio, O. Domínguez-Domínguez (2015): Evolutionary history of the live-bearing endemic *Allotoca diazi* species complex (Actinopterygii, Goodeinae): evidence of founder effect events in the Mexican pre-Hispanic period. PlosOne (may): 1-21
- F. De Buen (1942): Una nueva subespecie del *Neophorus diazi* (Meek). Anales del Instituto de Biología, Universidad Nacional (1): 342-349
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. Poecilia Nieuws (2): 22-35
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. de Moree (2001): De Allotoca's. Poecilia Nieuws (1): 9-12
- A.C. Radda (1986): Cyprinodonte vissen in Mexico 3. Poecilia Nieuws (2): 40-43
- L. Wischnath (1996): Hooglandkarpers uit Mexico. Het Aquarium (2): 32-36

Allotoca diazi (Meek, 1902)

- J. Alvarez (1959): Contribucion al conocimiento del genero *Neophorus*. Ciencia (19): 13-22
- C. A. Berlanga-Robles, J. Madrid-Vera & A. Ruiz-Luna (2002): Fish abundance and trophic structure from the commercial catch in Lake Patzcuaro, Mexico. Hydrobiologia (467): 117-122
- A. Chacon-Torres & C. Rosas-Monge (1998): Water quality characteristics of a high altitude oligotrophic Mexican lake. Aquatic Ecosystem Health and Management (1): 237-243
- D.K. Corona-Santiago, I. Doadrio, O. Domínguez-Domínguez (2015): Evolutionary history of the live-bearing endemic *Allotoca diazi* species complex (Actinopterygii, Goodeinae): evidence of founder effect events in the Mexican pre-Hispanic period. PlosOne (may): 1-21
- F. De Buen (1942): Una nueva subespecie del *Neophorus diazi* (Meek). Anales del Instituto de Biología, Universidad Nacional (1): 342-349
- K. de Jong (2013): Mexico 2013 deel 2: rondom Morelia. Poecilia Nieuws (3): 8-13
- K. de Jong (2014): Mexiko 2013 Teil 2 Rundum Morelia. Das Lebendgebärenden Magazin (1): 26-31

- K. de Jong (2017): Mexico: levendbarende vissen en nog veel meer (deel 2/2). *Het Aquarium* (7): 54-61
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. *Poecilia Nieuws* (2): 22-35
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- S.E. Meek (1902): A contribution to the ichthyology of Mexico. *Field Columbian Museum - Zoology* (6): 63-1128
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. *Field Columbian Museum - Zoology* (5): 1-252
- E. Meinema (1989): Skiffia bilineata Bean, 1887. *Poecilia Nieuws* (3): 45-48
- G. Mendoza (1962): The reproductive cycles of three viviparous Teleosts, Alloophorus robustus, Goodea luitpoldii and Neophorus diazi. *Biological Bulletin* (123): 351-365
- J. de Moree (2001): De Allotoca's. *Poecilia Nieuws* (1): 9-12
- A.A. Orbe-Mendoza, J. Acevedo-García & J. Lyons (2002): Lake Patzcuaro fishery management plan. *Reviews in Fish Biology and Fisheries* (12): 207-217
- A.C. Radda (1986): De Goodeidae van Mexico; deel II. *TIH* (44): 11-14
- B. Slocum (2016): Walking on the wild side. Allotoca diazi: the Patzcuaro Allotoca. *Livebearers* (230): 26-27
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. *Aquatic Ecosystem Health and Management* (1): 267-276
- E. Soto-Galera et al (1999): Change in fish fauna as indication of aquatic ecosystem condition in Río Grande de Morelia - Lago de Cuitzeo Basin, Mexico. *Environmental Management* (1): 133-140

Allotoca dugesii (Bean, 1887)

- T. H. Bean (1887): Description of five new species of fishes sent by prof A. Dugés from the province of Guanajuato, Mexico. *Proceedings US Nat. Museum* (10): 370-375
- J.G.A. Caballos Corona et al (1994): Analisis limnologico de lage de Cuitzeo, Michoacan, Mexico. Universidad Michoacana de San Nicolás de Hidalgo Facultad de Biología (): 1-45
- B. & R. Clarke (1994): Allotoca dugesi: the golden bumblebee Goodeid. *Livebearers* (78): 6-6
- F. De Buen (1940): Sobre una collección de peces de los lagos de Patzcuaro y Quízaro. *Ciencia* (1): 306-308
- I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de voortgang Deel 1. *Poecilia Nieuws* (5): 105-110
- I. Dibble (2000): Fish Ark Project - Mexico. Viviparous (48): 5-10
- O. Domínguez-Domínguez, S. Nandini & S.S. Sarma (2002): Larval feeding behaviour of the endangered fish golden bubble goodeid, Allotoca dugesi, implications for conservation of an endangered species. *Fisheries Management and Ecology* (9): 285-291
- H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. *DGLZ-Rundschau* (3): 21-22
- I. Hilton (0): Allotoca dugesii. *Livebearer News* (17): 10-13
- C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. *Miscellaneous Publications University of Michigan* (16): 1-86
- D. Hughes-Phillips (2011): Freilandhaltung von Goodeiden. *DGLZ-Rundschau* (1): 19-25
- K. de Jong (1998): Verzorging en kweek van Allotoca maculata. *Poecilia Nieuws* (6): 106-109
- K. de Jong (2009): Allotoca dugesii (Bean, 1887). *Poecilia Nieuws* (5): 6-12
- K. de Jong (2013): Mexico 2013 deel 2: rondom Morelia. *Poecilia Nieuws* (3): 8-13
- K. de Jong (2014): Mexico: (2) Levendbarende vissen en nog veel meer.... Houden van Vissen (2): 1-6
- K. de Jong (2014): Mexiko 2013 Teil 2 Rundum Morelia. Das Lebendgebärenden Magazin (1): 26-31
- K. de Jong (2017): Allotoca dugesii. *Poecilia Nieuws* Atlas (): -
- K. de Jong (2017): Mexico: levendbarende vissen en nog veel meer (deel 2/2). *Het Aquarium* (7): 54-61
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. *Poecilia Nieuws* (2): 22-35
- M. Köck (2003): Allotoca dugesii. Das Lebendgebärenden Magazin (1): 18-20
- D. Lambert (0): Allotoca dugesii. Viviparous (3): 0-
- D. Lambert (0): The livebearer trail part 2. Viviparous (17): 0-
- D. Lambert (1989): Mexico '87. *Livebearers* (104): 7-9
- D. Lambert (1989): Aztec gold. *Livebearers* (107): 7-9
- D. Lambert (1990): Mexico - the livebearer trail part 2. *Aquarist & Pondkeeper* (April): 34-
- D. Lambert (1991): Mexico's threatened livebearers. *Livebearers* (116): 21-27
- D. Lambert (1993): Allotoca dugesii. *Livebearers* (129): 14-14
- D. Lambert (1994): Introducing goodeids. *Livebearers* (133): 13-21
- D. Lambert (1998): The livebearer world. *Tropical Fish Hobbyist* (February): 168-170
- D. Lambert (2004): Mexico '87. *Livebearers* (183): 16-18
- F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 3. Teil. *DGLZ-Rundschau* (1): 1-29
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158

Livebearer Literature List 202201

- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
M. Méndez-Janovitz, A. Gonzalez-Voyer, C. Macías Garcia (2019): Sexually selected sexual selection: can evolutionary retribution explain female ornamental colour?. J. Evol. Biol. (May): 1-12
J. de Moree (2001): De Allotoca's. Poecilia Nieuws (1): 9-12
A.C. Radda (1986): De Goodeidae van Mexico; deel II. TTH (44): 11-14
A.C. Radda (1986): Cyprinodonten vissen in Mexico 3. Poecilia Nieuws (2): 40-43
M. Rejliková (2021): La prese de Coíntzio Mchocán, Mexcio. Das Lebendgebärenden Magazin (2): 34-39
J. Robinson (1993): Allotoca dugesii. Livebearers (131): 7-7
M.L. Smith & R.R. Miller (1980): Allotoca maculata, a new species of goodeid fish from Western Mexico, with comments on Allotoca dugesii. Copeia (3): 408-417
B. Snook (1985): Goodeids. Livebearers (83): 6-8
E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. Aquatic Ecosystem Health and Management (1): 267-276
E. Soto-Galera et al (1999): Change in fish fauna as indication of aquatic ecosystem condition in Río Grande de Morelia - Lago de Cuitzeo Basin, Mexico. Environmental Management (1): 133-140
A.T. Tveteraas (0): Collecting goodeids in the area near Morelia, Mexico. Viviparous (23): 0-
D. Walker (2014): Who C.A.R.E.S. about SMP fish in Derek's fishroom?. Livebearers (222): 6-12

Allotoca goslinei Smith & Miller, 1987

- T. Contreras-MacBeath et al (2014): Richness and endemism of the freshwater fishes of Mexico. Journal of Threatened Taxa (2): 5421-5433
T. Crane (2008): ALA species maintenance program (SMP) spring 2008 offering Allotoca goslinei. Livebearers (200): 13-15
I. Dibble (2003): Mein Tagebuch der "Arche-Projekt"- Feldexkursion 2003. DGLZ-Rundschau (4): 86-97
I. Dibble (2007): Allotoca goslinei, the banded Allotoca. Livebearers (198): 30-33
I. Dibble (2008): Allotoca goslinei Smith & Miller, 1987. Poecilia Nieuws (1): 18-20
M. Edmonstone (2021): Overlooked & underappreciated: the world's forgotten fishes. Practical Fishkeeping (June): 28-33
C. Grist (2010): Viviparous fish programs at Chester Zoo. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 423-430
D. Hackenberg (2011): Breeding Allotocas of the species dugesii, goslenei and maculata outdoors in Erie, PA. Livebearers (214): 13-17
Matthew Helmus et al (2009): Threatened fishes of the world: Allotoca goslinei Smith and Miller, 1987 (Goodeidae). Environmental Biology of Fishes (84): 197-198
Matthew Helmus et al (2009): Threatened fishes of the world: Allotoca goslinei Smith and Miller, 1987 (Goodeidae). Environmental Biology of Fishes (84): 197-198
H. Hieronimus (1988): Ein neuer Goodeide - Allotoca goslinei Smith & Miller 1975. DGLZ-Rundschau (2): 19-19
H. Hieronimus (1989): Neue Lebendgebärende. DATZ (1): 7-8
K. de Jong (2013): Mexico 2013 deel 2: rondom Morelia. Poecilia Nieuws (3): 8-13
D. Lambert (0): Allotoca goslinei Smith & Miller, 1987. Viviparous (33): 0-
J. Lyons (2005): Goodeiden in de natuur (slot). Poecilia Nieuws (1): 24-27
J. Lyons (2006): Korte update van enkele biotopen in Mexico. Poecilia Nieuws (3): 29-30
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. de Moree (2001): De Allotoca's. Poecilia Nieuws (1): 9-12
C. van de Sande (1988): Allotoca goslinei Smith&Miller, 1987. Poecilia Nieuws (3): 42-43
M.L. Smith & R.R. Miller (1987): Allotoca goslinei, a new species of Goodeid Fish from Jalisco, Mexico. Copeia (3): 610-616
M.L. Smith & R.R. Miller (1988): Allotoca goslinei, a new species of Goodeid fish from Jalisco, Mexico. DGLZ-Rundschau (2): 12-18

Allotoca maculata Smith & Miller, 1980

- T. Contreras-MacBeath et al (2014): Richness and endemism of the freshwater fishes of Mexico. Journal of Threatened Taxa (2): 5421-5433
I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de veldtrip 2. Poecilia Nieuws (6): 117-126
I. Dibble (2000): Fish Ark Project - Mexico. Viviparous (49): 0-
I. Dibble (2003): Mein Tagebuch der "Arche-Projekt"- Feldexkursion 2003. DGLZ-Rundschau (4): 86-97
D. Hackenberg (2011): Breeding Allotocas of the species dugesii, goslenei and maculata outdoors in Erie, PA. Livebearers (214): 13-17
K. de Jong (1995): Nieuwe soorten in Nederland. Poecilia Nieuws (6): 108-109
K. de Jong (1998): Verzorging en kweek van Allotoca maculata. Poecilia Nieuws (6): 106-109
B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. Poecilia Nieuws (2): 22-35
B. Kabbes (2000): Hij is niet dood, hij leeft! (maar hoe lang nog?). Poecilia Nieuws (1): 14-16
J.K. Langhammer (1982): The lost treasure of the Aztecs Part III The bumblebee and rainbow Goodeids. Livebearers (66): 10-11

Livebearer Literature List 202201

- J.K. Langhammer (2007): De historie van Allotoca maculata in de V.S.. Poecilia Nieuws (4): 15-18
J.K. Langhammer (2013): The history of Allotoca maculata in the USA. Livebearers (218): 10-11
F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 3. Teil. DGLZ-Rundschau (1): 1-29
P. Loiselle (1992): The Grim Reaper Desert Fishes Status Report. Livebearers (124): 7-10
J. Lyons (2006): Korte update van enkele biotopen in Mexico. Poecilia Nieuws (3): 29-30
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
E. Meinema (1992): Die aus die kalte kommen. Poecilia Nieuws (4): 17-20
R.R. Miller, J.D. Williams & J.E. Williams (1989): Extinctions of north american fishes during the past century. Livebearers (114): 16-28
R.R. Miller, J.D. Williams & J.E. Williams (1989): Extinctions of north american fishes during the past century. Fisheries (6): 22-38
R.R. Miller, J.D. Williams & J.E. Williams (1990): Extinctions of North American fishes during the past century. Livebearers (113): 11-21
A. Morales (2006): Die Herausforderungen des Artenschutz. DGLZ-Rundschau (1): 8-14
J. de Moree (2001): De Allotoca's. Poecilia Nieuws (1): 9-12
J. Robinson (1993): Allotoca maculata. Livebearers (132): 22-24
M.L. Smith & R.R. Miller (1980): Allotoca maculata, a new species of goodeid fish from Western Mexico, with comments on Allotoca dugesii. Copeia (3): 408-417

Allotoca meeki (Alvarez, 1959)

- J. Alvarez (1959): Contribucion al conocimiento del genero Neophorus. Ciencia (19): 13-22
D.K. Corona-Santiago, I. Doadrio, O. Domínguez-Domínguez (2015): Evolutionary history of the live-bearing endemic Allotoca diazi species complex (Actinopterygii, Goodeinae): evidence of founder effect events in the Mexican pre-Hispanic period. PlosOne (may): 1-21
I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de voortgang Deel 1. Poecilia Nieuws (5): 105-110
I. Dibble (2008): Monterrey to Morelia, Mexico 2006. Livebearers (203): 12-25
K. de Jong (2003): Op zoek naar zwaarddragers Mexico 2002 (tweede deel). Poecilia Nieuws (5): 70-82
K. de Jong (2004): Auf der Suche nach den Schwerträgern Mexiko 2002 (Teil 2). Das Lebendgebärenden Magazin (1): 5-17
M. Köck (2015): Hin und zurück - die Geschichte zweier Österreicher in Mexiko. Das Lebendgebärenden Magazin (2): 37-43
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. de Moree (2001): De Allotoca's. Poecilia Nieuws (1): 9-12
V. Peredo-Alvarez, S. Sarma & S. Nandini (2004): Studies on the functional responses of the Mexican live bearer fish Allotoca meeki. Advances in fish in wildlife ecology and biology (): 27-40
B. Slocum (2016): Walking on the wild side. Allotoca meeki The Zirahuén Allotoca. Livebearers (231): 24-25

Allotoca zacapuensis Meyer, Radda & Domínguez Domínguez, 2001

- T. Contreras-MacBeath et al (2014): Richness and endemism of the freshwater fishes of Mexico. Journal of Threatened Taxa (2): 5421-5433
H. Hieronimus (2002): Zwei neue Lebendgebärende. DGLZ-Rundschau (2): 44-46
K. de Jong (2002): De Allotoca uit Laguna de Zacapu beschreven. Poecilia Nieuws (3): 44-45
K. de Jong (2013): Mexico 2013 deel 2: rondom Morelia. Poecilia Nieuws (3): 8-13
K. de Jong (2014): Mexiko 2013 Teil 2 Rundum Morelia. Das Lebendgebärenden Magazin (1): 26-31
B. Kohler (2003): Allotoca zacapuensis. Livebearers (179): 18-19
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
M. Medina-Nava et al (2005): Conservation of two sites in central Mexico with a high diversity of livebearing fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 499-504
M.K. Meyer, A.C. Radda & O. D. Domínguez (2001): Notes on the genera Neophorus Hubbs & Turner, 1937 and Allotoca Hubbs & Turner, 1937, with a description of a new species of Allotoca from Laguna de Zacapu, Michoacán , Mexico (Teleostei, Cyprinodontiformes):
J. de Moree (2001): De Allotoca's. Poecilia Nieuws (1): 9-12
R. Pérez Rodríguez, O. Domínguez Domínguez & K. De Jong (2002): Een bijzondere Goodeidae, Hubbsina turneri De Buen, 1941. Poecilia Nieuws (2): 26-33
R. Pérez Rodríguez, O. Domínguez Domínguez & K. De Jong (2002): Ein besonderer Goodeide, Hubbsina turneri De Buen, 1941. DGLZ-Rundschau (2): 38-44
A. Ramírez-García & O. Domínguez-Domínguez (2019): Zacapu lake, a hot spot of native fishes. American Currents (Summer): 8-10
A. Ramírez-García et al (2021): Reproductive cycle of native viviparous fish species (Actinopterygii: Cyprinodontiformes: Goodeidae) in a subtropical Mexican lake. Neotropical Ichthyology (4): 1-20
A. Ramírez-García, R. Moncayo-Estrada, O. Domínguez-Domínguez (2020): Small lake, high biodiversity: Lake Zacapu, México. Livebearers (246): 12-15
J.P. Ramírez-Herrejón et al (2010): Historical assessment of livebearing fishes in Zacapu Lake, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 476-479
G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. Das Lebendgebärenden Magazin (2): 8-23

Ameca splendens Miller & Fitzsimons, 1971

- (1990): Hooglandkarpers (vervolg). Poecilia Nieuws (5): 82-84
- (1995): Spotlight on endangered livebearers. Viviparous (32): 0-
- N.W. Bailey, C. Macías Garcia & M.G. Ritchie (2007): Beyond the point of no return? A comparison of genetic diversity in captive and wild populations of two nearly extinct species of Goodeid fish reveals that one is inbred in the wild. Heredity (98): 360-367
- P. de Batist (2000): Men vraagt ons wat. Aquariumwereld (1): 24-25
- B. Bock (2003): Auction Ameca collecting. Livebearers (175): 24-25
- O. Böhm (0): Quelques espèces intéressantes de la famille des Goodeidés. Aquarama (): 13-16
- M. Camacho-Cervantes et al (2015): Exploratory behaviour and transmission of information between the invasive guppy and native Mexican topminnows. Animal Behaviour (106): 115-120
- J.C. Clark (1997): Butterfly Goodeid Ameca splendens. Livebearers (146): 28-28
- G.M. Clayton & D.J. Price (1992): Interspecific and intraspecific variation in resistance to ichthyophthiriasis among poeciliid and goodeid fishes. Journal of Fish Biology (40): 445-453
- G.M. Clayton & D.J. Price (1994): Heterosis in resistance to Ichthyophthirius multifiliis infections in poeciliid fish. Journal of Fish Biology (44): 59-66
- T. Coletti (2010): Livebearers unlimited Six goodeids you should try this summer. Tropical Fish Hobbyist (May): 36-38
- S. Contreras-Balderas et al (2003): Freshwater fish at risk or extinct in México. A checklist and review. Reviews in Fish Biology and Fisheries (12): 241-251
- T. Contreras-MacBeath et al (2014): Richness and endemism of the freshwater fishes of Mexico. Journal of Threatened Taxa (2): 5421-5433
- J. Dawes (1980): Goodeidae. Het Aquarium (15): 467-468
- J. Dawes (1997): Goodeiden Teil 2: Die "Inside Story". Das Aquarium (341): 12-15
- J. Dawes (1997): Goodeiden Teil 3: Allgemeine Hinweise zur Pflege und Zucht sowie Kurzbeschreibungen zu einigen Arten (1). Das Aquarium (342): 16-19
- F. Derauw (2013): Ameca splendens, mon aventure. Le Vivipare (119): 4-7
- I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de veldtrip 2. Poecilia Nieuws (6): 117-126
- I. Dibble (2000): Fish Ark Project - Mexico. Viviparous (49): 0-
- U. Dost (2000): In der Heimat des Flitterkäpfchens Ameca splendens. Aquaristik-Aktuell (11-12): 56-59
- B. Durham (1979): Ameca splendens, der Strahlende aus AmecaD. Aquarien Magazin (13): 340-342
- B. Durham (1980): Ameca splendens. Livebearers (49): 15-16
- M. Edmonstone (2021): Overlooked & underappreciated: the world's forgotten fishes. Practical Fishkeeping (June): 28-33
- G. Entlinger (1978): Erst vier Jahre bei uns - Hochlandkäpflinge. Aquarien Magazin (10): 480-483
- L.H. Escalera-Vázquez & L. Zambrano (2010): Competition for food between invasive and native viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 293-302
- B. Fenner (2003): Livebearing fishes for aquaria And not. Tropical Fish Hobbyist (May): 108-114
- H. Flöthmann (1991): Beobachtungen bei der Haltung und Zucht von Goodeiden. DGLZ-Rundschau (4): 83-85
- H. Greven & M. Großherr (1992): Adelphophagy and oophagy in Ameca splendens Smith & Fitzsimons, 1971. Zeitschrift für Fischkunde (2): 193-197
- R.C. Griffiths (0): Ameca splendens. Viviparous (9): 0-5
- R.C. Griffiths (1986): Goodeids I have loved (or liked, anyway). Livebearers (85): 8-9
- R.C. Griffiths (1986): Ameca splendens, the butterfly Goodeid. Livebearers (86): 5-7
- C. Grimes (1979): Mix and match. Livebearers (43): 11-14
- C. Grimes (1992): Casual success in summer ponds. Livebearers (121): 4-7
- A. Gutjahr (1996): "Kaiserschnitt" bei einem Ameca-Weibchen. DATZ (1): 63-63
- R.M. Hamill et al (2007): Comparison of genetic diversity at microsatellite loci in near-extinct and non-endangered species of Mexican goodeine fishes and prediction of cross-amplification within the family. Journal of Fish Biology (70): 16-32
- P. Hartman (1994): Spawning Ameca splendens. Livebearers (134): 16-17
- M. van der Heijden (2021): Ameca splendens. Het Aquarium (6): 44-47
- H. Hieronimus (1984): Revierbildung bei einem Hochlandkäpfpling. DATZ (10): 341-344
- H. Hieronimus (1993): Eihüll der Goodeiden. DGLZ-Rundschau (2): 35-35
- H. Hieronimus (1993): Neues aus Wissenschaft un Forschung. DGLZ-Rundschau (4): 2-2
- N. Hill (2015): Magnificent Mexico. Practical Fishkeeping (2): 63-57
- N. Hunter (2013): Ameca splendens Fish Ark Project Mexico. Livebearers (218): 14-15
- B. Iepenga (1997): Werkgroepen van levendbarende aquariumvissen welke in hun voortbestaan bedreigd worden. Poecilia Nieuws (1): 2-7
- K. de Jong (1992): Zonnende Gambusia's (levendbarenden in de tuinvijver) deel II. Poecilia Nieuws (6): 7-8
- K. de Jong (2001): Kannibalisme in de moederschoot bij Ameca splendens Miller & Fitzsimons, 1971. Poecilia Nieuws (1): 4-5
- K. de Jong (2016): De gup en Ameca splendens trekken samen op. Poecilia Nieuws (2): 28-29
- K. de Jong (2021): Ameca splendens Miller & Fitzsimmons, 1971. Poecilia Nieuws Atlas (): -
- J.L. Kelley, A.E. Magurran & C. Macías-García (2006): Captive breeding promotes aggression in an endangered Mexican fish. Biological Conservation (133): 169-177

Livebearer Literature List 202201

- M. Kempkes (1999): Drei besonders empfehlenswerte Hochlandkärpflinge. DATZ (2): 28-33
- M. Kempkes (2001): Geburts-Anomalie beim Ameca Kärpfing. DATZ (6): 18-19
- M. Kempkes (2001): Geboorte-anomalie bij Ameca splendens. Poecilia Nieuws (1): 7-8
- M. Kempkes (2001): Schockverhalten bei Goodeiden. DGLZ-Rundschau (2): 31-32
- M. Kempkes (2001): Geburtsanomalie bei Ameca splendens Miller & Fitzsimons, 1971. DGLZ-Rundschau (1): 4-6
- M. Kempkes (2001): Shock behavior in Goodeids. Livebearers (169): 20-21
- M. Kempkes (2005): Der Schmetterlingskärpfing Ameca splendens. Aquaristik Fachmagazin (august/september): 48-52
- M. Kempkes (2007): Die aquaristisch bedeutsamen Goodeiden-Arten. Aquaristik Fachmagazin (197): 12-17
- M. Kempkes (2013): Genetische analyse van een aquariumstam van de hooglandkarper Ameca splendens Miller & Fitzsimons, 1971. Poecilia Nieuws (Special): 39-41
- M. Kempkes (2014): Genetische Analyse eines Aquarienstamms. DATZ (8): 35-36
- M. Kempkes (2016): Jalisco Eine Exkursion zu den Hochlandkärpflingen. DATZ (Oktober): 34-40
- M. Kempkes (2016): Freilandbeobachtungen am Ameca-Kärpfing. DATZ (Oktober): 28-33
- M. Kempkes (2016): 45 Jahre Amece splendens Ein Rückblick auf Entdeckung, Beschreibung und Forschung. DATZ (Oktober): 25-27
- J. Klungers (2005): Portretten van levendbarende Ameca splendens. Het Aquarium (2): 6-67
- J. Klungers (2008): Ameca splendens Miller & Fitzsimons, 1971. Poecilia Nieuws (3): 42-43
- G. Knol (1994): Problemen met mijn Ameca splendens. Poecilia Nieuws (6): 117-118
- J. Kokkala & J.P. Wourms (1994): In vivo fluorescence imaging of the functional organization of trophotaenial placental cells of goodeid fishes. Journal of Morphology (219): 35-46
- D. Lambert (1996): The search for Skiffia francesae The Aquarian Expedition 1996. Tropical Fish Hobbyist (november): 118-133
- F. Liberge (2018): Mexikanische Reise - auf der Suche nach Goodeiden - 2. Teil
- F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 3. Teil. DGLZ-Rundschau (1): 1-29
- M. Liziczaí (2014): Ein neues Goodeiden-Projekt. DATZ (8): 31-34
- J. Lombardi & J.P. Wourms (1985): The trophotaenial placenta of a viviparous Goodeid fish II Ultrastructure of trophotaeniae, the embryonic component. Journal of Experimental Biology (236): 165-179
- J. Lombardi & J.P. Wourms (1985): The trophotaenial placenta of a viviparous Goodeid fish: II Ultrastructure of trophotaeniae, the embryonic component. Journal of Morphology (184): 293-309
- E. López-López & J. E. Sedeño-Díaz (2009): Threatened fishes of the world: Ameca splendens Miller & Fitzsimons, 1971 (Cyprinodontiformes: Goodeidae). Environmental Biology of Fishes (84): 223-224
- J. Lyons (209): The sad story of the Sayula Springs (and their goodeids). Livebearers (243): 9-11
- J. Lyons (2021): Het trieste verhaal van de Sayula bronnen (en hun goodeids). Poecilia Nieuws (1): 10-14
- J. Lyons (2021): Determining optimal water temperatures for goodeids. Livebearer News (66): 22-27
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- A. Maceda-Velga, O. Domínguez-Domínguez et al (): The aquarium hobby: can sinners become saints in freshwater fish conversation?. Fish and Fisheries (): 1-15
- C. Macías García & A. Valero (2010): Sexual conflict and sexual selection in the Goodeinae, a clade of viviparous fish with effective female mate choice. In Regina Macedo, editor: Advances in the Study of Behavior, vol. 42, Burlington: Academic press (): 1-54
- C. Macías García & Y. Saldívar-Lemus (2012): Foraging costs drive female resistance to a sensory trap. Proc. R. Soc. Lond. (): -
- J. Mangan (1985): Courtship and reproduction of Goodeids. Livebearers (80): 8-9
- M.K. Meyer (1983): Levendbarende siervissen. TH (35): 8-11
- M.K. Meyer (1983): Lebendgebärende Zierfische. TI (62): 8-11
- R.R. Miller (2003): An interesting Mexican Goodeid fish. Livebearers (178): 16-18
- R.R. Miller & J.M. Fitzsimons (1971): Ameca splendens, a new genus and species of Goodeid fish from Western Mexico, with remarks on the classification of the Goodeidae. Copeia (1): 1-13
- A. van den Nieuwenhuizen (1980): Ameca splendens. DATZ (2): 37-40
- H. Norfolk (2002): Three unusual livebearers. Livebearer News (1): 10-14
- E. Ortiz-Ordoñez et al (2010): Reproductive cycle of Ameca splendens males in two localities from the upper Ameca River. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 490-494
- E. Ortiz-Ordoñez et al (2007): Reproductive cycle by histological characterization of the ovary in the butterfly goodeid Ameca splendens from the upper Río Ameca basin, Mexico. J. Appl. Ichthyol. (23): 40-45
- F. Peña-Aguado, S. Nandini & S.S.S. Sarma (2007): Observations on feed size and capture success in the larval butterfly splitfin (Ameca splendens Miller & Fitzsimons, 1971) reared on zooplankton. J. Appl. Ichthyol. (23): 264-269
- F. Peña-Aguado, S. Nandini & S.S.S. Sarma (2009): Functional response of Ameca splendens (Family Goodeidae) fed cladocerans during the early larval stage. Aquaculture Research (40): 1594-1604
- A.C. Price, C.J. Weadick, J. Shim & F.H. Rodd (2008): Pigments, patterns, and fish behavior. Zebrafish (4): 297-307
- A.C. Radda (1985): De Goodeidae van Mexico; een uiterst interessante, maar aquaristisch nogal onbekende familie. TH (43): 5-8
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, I. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
- A. Ramírez-García et al (2020): Reproductive biology of three native livebearer fish species (Actinopterygii: Cyprinodontiformes: Goodeidae) in the Teuchitlán River, Mexico. Acta ichtyologica et piscatoria (1): 1-12
- R. Riehl & H. Greven (1990): Electronmicroscopical studies on oogenesis and development of egg envelopes in two viviparous teleosts, Heterandria formosa (Poeciliidae) and Ameca splendens (Goodeidae). Zool. Beitr. N.F. (2): 247-252
- G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. Das Lebendgebärenden Magazin (2): 8-23

Livebearer Literature List 202201

- A. Routh (2013): Managing mycobacteriosis and associated biosecurity in the care and breeding of threatened freshwater fishes in public aquariums: an overview. Int. Zoo. Yb. (47): 102-111
- J. Schindler (2003): Scavenger receptors facilitate protein transport in the trophotaenial placenta of the goodeid fish, *Ameca splendens*. Journal of experimental zoology (299A): 197-212
- J. Schindler (2005): Digestion of embryotrophic proteins in goodeid Teleosts. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 263-272
- J.F. Schindler & H. Greven (2010): Respiratory strategies in Goodeid and Jenynsiid embryos: Morphologic correlates of cutaneous gas exchange. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 13-30
- P. Schubert (1988): Mitteilung einer Geburtenanomalie bei Goodeiden. DGLZ-Rundschau (3): 19-20
- P. Schubert (1989): "Eins zu Null" - Goodeiden kontra Hydra. ZAG Lebendgebärende Zahnkarpfen (4): 6-7
- P. Schubert (1991): Beobachtungen zur Farbausbildung bei Chapalichthys pardalis, dem Pantherkäpfling. DGLZ-Rundschau (1): 4-5
- P. Schubert (1991): Ein Fisch für das Schaubecken - *Ameca splendens*. DGLZ-Rundschau (4): 86-89
- A.D. Slack (1993): A splendid livebearer. Livebearers (131): 22-23
- S. Stöhr (1991): Der *Ameca*-Hochlandkäpfling, *Ameca splendens*. DATZ (6): 404-404
- G. Streibel (1982): Freilandhäuserung einiger lebendgebärender Zahnkarpfen. DGLZ-Rundschau (4): 64-65
- E.C. Taylor (1984): Hooglandkarpers (vervolg). Poecilia Nieuws (3): 4-7
- R. Tejeda-Vera, E. López-López & J. Sedeño-Díaz (2007): Biomarkers and bioindicators of the health condition of *Ameca splendens* and Goodead *atripinnis* in the Ameca River, Mexico. Environment International (33): 521-531
- A. Vega-López et al. (2007): The role of vitellogenin during gestation of Girardinichthys viviparus and *Ameca splendens*; two goodeid fish with matrotrophic viviparity. Comparative Biochemistry and Physiology (147): 731-742
- J. Vente (1985): Hooglandkarpers, Goodeidae. Het Aquarium (3): 74-78
- F. Verbeeck (1986): *Ameca splendens*. Aquariumwereld (3): 70-71
- M. Wilson (1984): Doubling up one's aquaria. Livebearers (75): 17-19
- M.J. Wilson (1984): Doubling up one's aquarium. Livebearers (75): 17-19
- R. Wilson (2010): Livebearers unlimited. Breeding livebearers. Tropical Fish Hobbyist (October): 26-28
- L. Wischnath (1996): Hooglandkarpers uit Mexico. Het Aquarium (2): 32-36
- J.P. Wourms (2005): Functional morphology, development, and evolution of trophotaeniae. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 238-262
- J. Wubbolt (1997): *Ameca splendens* The butterfly Goodeid. Livebearers (149): 11-12
- D. Yarlatt (1979): *Ameca splendens* of the family Goodeidae from Mexico. Livebearers (43): 10-11

Anableps anableps (Linné, 1758)

- M. Adriano (1995): Over vier en vierogen. Aquariumwereld (11): 250-257
- P.F. Amorim & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus *Jenynsia* on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
- J.L. Baughman (1947): An early mention of Anableps. Copeia (3): 200-200
- T. Benages (0): Anableps anableps Specialization: a study in adaptation. Viviparous (14): 0-
- M.E. Bloch & J. G. Schneider (1801): *Systema Ichthyologiae*. Berlin (vol. 1&2): 1-584
- E.A. Brehm (1993): Vieraugen. DGLZ-Rundschau (4): 78-78
- P. & T. Bridges (1982): Our anableps. Livebearers (63): 3-5
- P. & T. Bridges (1986): Who says thirteen isn't lucky?. Livebearers (90): 8-10
- G. Daul (1993): Vieraugenfische (Anableps). DGLZ-Rundschau (4): 80-82
- G. Daul (1994): Vierogenvissen. Poecilia Nieuws (1): 2-8
- G. Daul (1997): Haltung und Zucht von Anableps. DATZ (8): 506-509
- G. Daul (2009): Vieraugenfische. DGLZ-Rundschau (3): 51-67
- W. Foersch (1967): Anableps anableps - ein Fisch mit vier Augen. Aquarien Terrarien (6): 194-197
- W. Foersch (1969): Wieder einmal: Anableps anableps, der Vieraugenfisch. Aquarien Terrarien (4): 135-135
- J. Fox (2003): Birth of baby Anableps. Livebearer News (3/4): 6-7
- D. Gentzsch & W. Noack (2014): Anableps anableps - das "Vierauge". DGLZ-Rundschau (4): 160-166
- T. Gill (1861): Description of a new species of the genus Anableps of Gronovius. Proc. Acad. Nat. Sci. Phila. (13): 3-6
- H. Greven (1995): Viviparie bei Aquarienfischen (Poeciliidae, Goodeidae, Anablepidae, Hemirhamphidae). In: Fortpflanzungsbiologie des Aquarienfische, Schmettkamp Verlag, Bornhem (Greven et al ed) (): 141-160
- H.J. Grier, J.R. Burns & J.A. Flores (1981): Testis structure in three species of Teleosts with tubular gonopodia. Copeia (4): 797-801
- H. Hieronimus (1985): Geschichte der Lebendgebärenden - Teil §. DGLZ-Rundschau (4): 4-6
- H. Hieronimus (1986): De geschiedenis van de levendbarenen deel 4. Poecilia Nieuws (2): 25-27
- H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. DGLZ-Rundschau (3): 21-22
- H. Hieronimus (2009): Ungewöhnlichen Fische aufs Maul geschaut. DGLZ-Rundschau (3): 68-73
- H. Hieronimus (2009): Vieraugenfische historisch. DGLZ-Rundschau (3): 76-79

- H. Hieronimus (2009): Haltung von Vieraugenfischen. DGLZ-Rundschau (3): 74-75
- J.H. Huber (2019): A nomenclatural and systematic analysis of livebearing Cyprinodontiformes (Acanthopterygil: Anablepsinae, Goodeinae, Poeciliidae). Killi-Data Series (): 4-155
- K. Jacobs (1969): Vieraugen haben nur zwei Augen. Das Aquarium (9/10): 152-154
- K. de Jong (2008): Vierogenvissen en lijntandkarpers. Poecilia Nieuws (3): 70-71
- S. de Jong (2020): Vissen: hun ogen en hun visie. Poecilia Nieuws (5): 22-25
- D. Kaden (1988): Zijn vierogen probleemvissen?. Poecilia Nieuws (5): 71-73
- H. Kaper (2008): Anableps anableps Linnaeus, 1740. Poecilia Nieuws (3): 72-73
- M. Kempkes (2020): Auf der Suche nach Guppies und "Sumpfguppies" in Surinam. Aquaristik Fachmagazin (274): 44-47
- M. Kempkes (2021): Von Guppies und "Sumpfguppies" in Suriname. Das Lebendgebärenden Magazin (1): 40-50
- Dr. Klingelhöffer (1910): Anableps tetrophthalmus. Wochenschrift für Aquarien und Terrarienkunde (): 62-62
- C. Krajniak (1997): Anableps - not just another livebearer. Livebearers (148): 9-12
- D. Lambert (0): Anableps anableps Linnaeus, 1740. Viviparous (36): 0
- W.F. Langer (1913): Beiträge zur Morphologie der viviparen Cyprinodontiten. Gegenbaurs Morphologisches Jahrbuch. Zeitschrift für Anatomie und Entwicklungsgeschichte (1-2): 193-307
- P.R. Lepage (1984): Anableps, the four-eyed fish. Livebearers (76): 8-12
- J.-F. Lorieux (2014): Anableps anableps (Linnaeus, 1758). Le Vivipare (122): 4-10
- J.-F. Lorieux (2015): Anableps anableps (Linnaeus, 1758). Poecilia Nieuws (1): 12-16
- J. Mangan (1996): Anableps notes. Livebearers (143): 12-15
- J. Mangan (2003): Anableps notes. Livebearer News (3/4): 41-43
- J. Mangan (2014): The amazing Anableps. Tropical Fish Hobbyist (May): 66-70
- R. Mann (1984): Was Schreibt A.E. Brehm (1869) über die Lebendgebärender in seiner Ausgabe. DGLZ-Rundschau (2): 28-30
- S. Mattig & H. Greven (1994): Beobachtungen zum agonistischen Verhalten des Vieraugenfisches Anableps anableps (Linné, 1758) (Anablepidae, Cyprinodontiformes). Zeitschrift für Fischkunde (2): 113-149
- M.K. Meyer (1983): Lebendgebärende Zierfische. TI (62): 8-11
- J.H. Mol, D. Resida, J.S. Ramlal & C.R. Becker (2000): Effects of El Niño-related drought on freshwater and brackish-water fishes in Suriname, South America. Environmental Biology of Fishes (59): 429-440
- T. Neal (1996): The wonderful four eyes. Livebearers (143): 8-12
- T. Neal (2003): The wonderful four eyes. Livebearer News (3/4): 37-40
- J. Nijboer (1988): Kweek met vierogenvissen in Blijdorp. Het Aquarium (9): 219-222
- C. de Nooze (1993): Het leven in het brakke sop. Aquariumwereld (11): 226-231
- G. Ott (1978): Begegnung mit Anableps anableps (Linné 1758), dem Vierauge. DATZ (6): 193-195
- G. Ott (1979): Das Phänomen der "Vieraugigkeit" im Rahmen der Aquaristik. DATZ (6): 181-184
- G.L. Owens, D.J. Rennison, W.T. Allison & J.S. Taylor (2011): In the four-eyed fish (Anableps anableps), the regions of the retina exposed to aquatic and aerial light do not express the same set of opsin genes. Biol. Lett. (doi:10.1098/rsbl.2011.0582): 1-4
- A. Pecio, J.R. Burns & H.J. Grier (2010): Testis structure spermiogenesis and spermatozoon ultrastructure in the four-eyed fish, Anableps anableps L. 1758 (Teleostei: Atherinomorpha: Cyprinodontiformes: Anablepidae). In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes
- C.T. Regan (1911): The Osteology and Classification of the Teleostean Fishes of the order Microcyprini. Annals and Magazine of Natural History (April): 320-328
- C.T. Regan (1911): XXXV. - The osteology and classification of the teleostean fishes of the order Microcyprini. Annals and Magazine of Natural History (7): 320-327
- J. Robinson (1993): Anableps anableps. Livebearers (130): 10-11
- F.F. Schmidt (1976): Anableps tetraophthalmus De 'vierogenvis'. Het Aquarium (5): 131-132
- D.G. Stead (1919): Viviparous fishes - in - general. Aquatic Life (March): 94-98
- H. Stefan (1981): Erfahrungsbericht betreffende eine Art der Gatung Anableps. DGLZ-Rundschau (3): 28-33
- A. Stolk (1990): Voedselvoer en vijandoog. Het Aquarium (12): 338-339
- R. Swanson (1994): Breeding the Anableps anableps or the four eyed livebearer. Livebearers (133): 9-12
- K. Tschertner (1974): Die ersten "Lebendgebärenden. ZAG Lebendgebärende Zahnkarpen (1-4): 1-3
- C.L. Turner (1938): Adaptations for viviparity in embryos and ovary of Anableps anableps. Journal of Morphology (62): 323-349
- C.L. Turner (1947): Viviparity in Teleost fishes. The Scientific Monthly (6): 508-518
- B. Wiley & B. Collette (1970): Breeding tubercles and contact organs in fishes: their occurrence, structure, and significance. Bulletin American Museum of Natural History (143): 145-216
- L. Wischnath (1981): Naar Mexico, het land van de levendbarende vissen. TTH (24): 35-37
- A. Woithke & H. Greven (1998): Freilandbeobachtungen an Vieraugenfiscche, Anableps anableps, auf Trinidad. Zeitschrift für Fischkunde (5): 59-75
- J.P. Wourms (1981): Viviparity: the maternal-fetal relationship in fishes. American Zoologist (2): 473-515
- J.P. Wourms & J. Lombardi (1992): Reflections on the evolution of piscine viviparity. American Zoologist (2): 276-293

Anableps dowei Gill, 1856

- F.S. Álvarez, S. González-Murcia, C.D. McMahan & W.A. Matamoros (2021): Cyprinodontiform fishes of El Salvador. UNED Research Journal (1): 1-24
P.F. Amorin & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus Jenynsia on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
L. Brown (2015): Nächtliche Beobachtung einer Gruppe von Anableps dowi im Río Tehuantepec, Mexiko. Das Lebendgebärenden Magazin (1): 5-7
J.R. Burns & J.A. Flores (1981): Reproductive biology of the Cuatro Ojos, Anableps dowi (Pisces: Anablepidae), from El Salvador and its seasonal variations. Copeia (1): 25-32
T. Coletti (2015): 10 Livebearers for your wishlist. Tropical Fish Hobbyist (5): 60-64
G. Daul (1993): Vieraugenfische (Anableps). DGLZ-Rundschau (4): 80-82
G. Daul (1994): Vierogenissen. Poecilia Nieuws (1): 2-8
G. Daul (1997): Haltung und Zucht von Anableps. DATZ (8): 506-509
G. Daul (2009): Vieraugenfische. DGLZ-Rundschau (3): 51-67
T. Gill (1861): Description of a new species of the genus Anableps of Gronovius. Proc. Acad. Nat. Sci. Phila. (13): 3-6
H.J. Grier, J.R. Burns & J.A. Flores (1981): Testis structure in three species of Teleosts with tubular gonopodia. Copeia (4): 797-801
H. Hieronimus (2009): Ungewöhnlichen Fische aufs Maul geschaut. DGLZ-Rundschau (3): 68-73
H. Hieronimus (2009): Vieraugenfische historisch. DGLZ-Rundschau (3): 76-79
S.F. Hildebrand (1925): Fishes of the republic of El Salvador, central America. Bull. Bur. Fisheries (41): 237-287
L.E. Lauren (2014): Natural observations on an aggregation of Anableps dowi in the Río Tehuantepec. Livebearers (223): 5-8
M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, Mexico. The Southwestern Naturalist (2): 223-236
R.R. Miller (1979): Molecules, morphology, and area cladograms a cladistic and biogeographic analysis of Gambusia. Copeia (1): 82-91
P. West & C. Lydaerd (1997): De fantastische vieroogvis. Poecilia Nieuws (2): 31-33
B. Wiley & B. Collette (1970): Breeding tubercles and contact organs in fishes: their occurrence, structure, and significance. Bulletin American Museum of Natural History (143): 145-216

Anableps microlepis Müller & Troschel, 1844

- P.F. Amorin & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus Jenynsia on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
G. Daul (1993): Vieraugenfische (Anableps). DGLZ-Rundschau (4): 80-82
G. Daul (1994): Vierogenissen. Poecilia Nieuws (1): 2-8
M. van Emst & B. Vries (2012): Visreis naar Suriname 2011. Het Aquarium (5): 4-13
T. Gill (1861): Description of a new species of the genus Anableps of Gronovius. Proc. Acad. Nat. Sci. Phila. (13): 3-6
H. Hieronimus (2009): Ungewöhnlichen Fische aufs Maul geschaut. DGLZ-Rundschau (3): 68-73
H. Hieronimus (2009): Vieraugenfische historisch. DGLZ-Rundschau (3): 76-79
S. Kervath, A. Götz & H. Greven (2001): Feeding habits of Anableps microlepis from two ecologically different habitats in Trinidad, West Indies. Verhandlungen der Gesellschaft für Ichthyologie (Band 2): 119-129
B. Wiley & B. Collette (1970): Breeding tubercles and contact organs in fishes: their occurrence, structure, and significance. Bulletin American Museum of Natural History (143): 145-216

Ataeniobius toweri (Meek, 1904)

- C. Aguilera (1995): Universidad autónoma de Nuevo Leon - Programs for the endangered fish species of Mexico. Aquatic Survival (3): 14-15
P. Davies (2021): The bluetail goodeid, Ataeniobius toweri. Livebearer News (66): 5-12
J. Dawes (1980): Goodeidae. Het Aquarium (15): 467-468
J. Dawes (1997): Goodeiden Teil 2: Die "Inside Story". Das Aquarium (341): 12-15
J. Dawes (1997): Goodeiden Teil 1: Einführung in die Familie Goodeidae. Das Aquarium (340): 12-15
J. Dawes (1997): Goodeiden Teil 3: Allgemeine Hinweise zur Pflege und Zucht sowie Kurzbeschreibungen zu einigen Arten (1). Das Aquarium (342): 16-19
I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de voortgang Deel 1. Poecilia Nieuws (5): 105-110
N. Dokoupil (2012): Fast unbekannt - Towers-Hochlandkärpfeling, Ataeniobius toweri (Meek, 1904). Aquaristik Fachmagazin (6): 42-45
C. Grimes (1979): Mix and match. Livebearers (43): 11-14
H. Hieronimus (1993): Ataeniobius zu Goodea gestellt. DGLZ-Rundschau (3): 64-64
H. Hieronimus (1993): Eihüll der Goodeiden. DGLZ-Rundschau (2): 35-35
H. Hieronimus (1993): Lebendgebären - was ist das?. DGLZ-Rundschau (3): 57-59
D. Isla (1999): Zurück in Zacapu!. DGLZ-Rundschau (2): 56-60
K. de Jong (1996): De blauwstaart hooglandkarper, een geïsoleerde soort. Poecilia Nieuws (6): 138-145
K. de Jong (1997): De blauwstaart hooglandkarper, een geïsoleerde soort. Het Aquarium (10): 238-241

Livebearer Literature List 202201

- K. de Jong (2003): Op zoek naar zwaarddragers Mexico 2002 (tweede deel). Poecilia Nieuws (5): 70-82
- K. de Jong (2004): Auf der Suche nach den Schwerträgern Mexiko 2002 (Teil 2). Das Lebendgebärenden Magazin (1): 5-17
- K. de Jong (2018): Ataeniobius toweri, the bluetail goodeid. Livebearers (240): 11-12
- K. de Jong (2018): Ataeniobius toweri (Meek, 1904). Poecilia Nieuws Atlas (): -
- M. Kempkes (2001): Schockverhalten bei Goodeiden. DGLZ-Rundschau (2): 31-32
- M. Kempkes (2001): Shock behavior in Goodeids. Livebearers (169): 20-21
- M. Kempkes (2007): Die aquaristisch bedeutsamen Goodeiden-Arten. Aquaristik Fachmagazin (197): 12-17
- J. Klungers (2008): Ataeniobius toweri Meek, 1904. Poecilia Nieuws (3): 56-57
- P. Lambert (0): Aquarian endangered species expedition. Viviparous (21): 0-
- D. Lambert (1990): Goodeid, sport!. Livebearers (109): 10-12
- D. Lambert (1997): Ataeniobius toweri. Viviparous (39): 0-
- J.K. Langhammer (1976): The lost treasure of the Aztecs. Livebearers (28): 2-5
- P. Loiselle (1992): The Grim Reaper Desert Fishes Status Report. Livebearers (124): 7-10
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Mangan (1985): Courtship and reproduction of Goodeids. Livebearers (80): 8-9
- J. Mangan (1989): A new color morph of Ataeniobius toweri. Livebearers (105): 3-5
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- E. Meinema (1992): Die aus die kalte kommen. Poecilia Nieuws (4): 17-20
- R.R. Miller (1956): A new genus and species of cyprinodont fish from San Luis Potosi, Mexico with remarks on the subfamily Cyprinodontinae. Occasional papers of the museum of zoology University of Michigan (581): 1-17
- T. Neal (1997): Bluetail Goodeid. Livebearers (147): 25-27
- J. Palacio-Núñez et al (2010): Freshwater fish's spatial patterns in isolated water springs in North-eastern Mexico. Rev. Biol. Trop (1): 413-426
- A.C. Radda (1986): Cyprinodonten vissen uit Mexico 1. Poecilia Nieuws (1): 12-15
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
- A. Routh (2013): Managing mycobacteriosis and associated biosecurity in the care and breeding of threatened freshwater fishes in public aquariums: an overview. Int. Zoo. Yb. (47): 102-111
- J.F. Schindler & H. Greven (2010): Respiratory strategies in Goodeid and Jenynsiid embryos: Morphologic correlates of cutaneous gas exchange. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 13-30
- J.F. Schindler & W.C. Hamlett (1993): Maternal-embryonic relations in viviparous teleosts. Journal of Experimental Biology (266): 378-393
- C. Sciarone (2013): Ataenobius toweri de blauwstaart goodeide. Poecilia Nieuws (Special): 42-44
- L. Seegers & W. Staek (1984): Die Fische der Laguna Media Luna und der Laguna Anteojoitos, Rio Verde Mexiko 2. Die Nicht-Cichliden. DATZ (5): 164-168
- L. Seegers & W. Staek (1984): Die Fische der Laguna Media Luna und der Laguna Anteojoitos, Rio Verde Mexiko 1. Der Biotop Laguna Media Luna und seine Bedeutung. DATZ (4): 128-131
- L. Seegers & W. Staek (1984): Die Fische der Laguna Media Luna und der Laguna Anteojoitos, Rio Verde Mexiko 3. Die Cichliden. DATZ (6): 204-209
- D. Smith (2008): A half-black Ataeniobius toweri - is it possible?. Livebearers (201): 25-26
- B. Snook (1985): Goodeids. Livebearers (83): 6-8
- E.C. Taylor (1984): Hooglandkarpers (vervolg). Poecilia Nieuws (2): 5-6
- M. Tuccinardi (2013): Import report. Tropical Fish Hobbyist (5): 38-40
- M.C. Uribe, P.-I. Cerdá-Jardón & D.G. Blackburn (2021): Morphological basis for maternal nutrient provision to embryos in the viviparous fish Ataeniobius toweri (Teleostei: Goodeidae). Journal of Morphology
- D. Walker (2014): Who C.A.R.E.S. about SMP fish in Derek's fishroom?. Livebearers (222): 6-12
- L. Wischnath (1996): Hooglandkarpers uit Mexico. Het Aquarium (2): 32-36
- J.P. Wourms (2005): Functional morphology, development, and evolution of trophotaeniae. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 238-262

Belonesox belizanus Kner, 1860

- (1935): Hulpmiddelen bij het kweken van z.g. levendbarende visschen. Aqua Terra (5): 51-51
- D. & Deb King (1989): Breeding the pike top livebearer (*Belonesox belizanus*). Livebearers (105): 15-16
- B. Allen (2001): Baby Belonesox buffet. Livebearers (167): 14-16
- H.S. Andresen (2006): *Belonesox belizanus*, portrait of a piscavore. Livebearer News (13): 12-14
- J.P. Arnold (1910): *Belonesox belizanus* Kner. Wochenschrift für Aquarien und Terrarienkunde (4): 45-48
- W.L. Brind (1917): *Belonesox belizanus*. Aquatic Life (July): 143-144
- J. Brown (1986): Spawning *Belonesox belizanus*. Livebearers (85): 12-13
- H.W.E. van Bruggen (1975): Biologische waterverontreiniging in Florida. Het Aquarium (3): 63-64

Livebearer Literature List 202201

- T. Coletti (2015): 10 Livebearers for your wishlist. Tropical Fish Hobbyist (5): 60-64
- F. Córdova-Tapia & L. Zambrano (2016): Fish functional groups in a tropical wetland of the Yucatan Peninsula, Mexico. Neotropical Ichthyology (2): 1-10
- W.J.M. Deutz (1950): *Belonesox belizanus* Kner. Het Aquarium (12): 297-298
- I. Dibble (1986): Further information on *Belonesox belizanus*. Livebearers (90): 3-3
- D.J. Eliás et al (2020): Scale(s) matter: deconstructing an area of endemism for Middle American freshwater fishes. Journal of Biogeography (47): 2483-2501
- P.C. Esselman & J.D. Allan (2010): Relative influences of catchment- and reach-scale abiotic factors on freshwater fish communities in rivers of northeastern Mesoamerica. Ecology of Freshwater Fish (19): 439-454
- P.C. Esselman, M.C. Freeman & C.M. Pringle (2006): Fish-assemblage variation between geologically defined regions and across a longitudinal gradient in the Monkey River Basin, Belize. J.N.Am. Benthol. Soc. (1): 142-156
- S. Evans (1972): Livebearers found in continental U.S. waters. Livebearers (4): 11-12
- L.A. Ferry-Graham, L.P. Hernandez, A.C. Gibb & C. Pace (2010): Unusual kinematics and jaw morphology associated with piscivory in the poeciliid, *Belonesox belizanus*. Zoology (113): 140-147
- R. Fischer (1992): *Belonesox belizanus*. Livebearers (122): 23-25
- L.E. Fuiman & A.E. Magurran (1994): Development of predator defences in fishes. Reviews in Fish Biology and Fisheries (4): 145-183
- G. Gärtnér (1966): Meine Erfahrung mit dem Hechtkärpfing (*Belonesox belizanus*). DATZ (10): 295-296
- A. Gibb et al (2008): Functional significance of intramandibular bending in Poeciliid fishes. Environmental Biology of Fishes (83): 473-485
- H. Greven & M. Brenner (2008): Further notes on dentition and prey capture of the Pike killifish *Belonesox belizanus* (Poeciliidae). Bulletin of Fish Biology (1/2): 97-103
- R.C. Griffiths (1992): *Belonesox belizanus* Kner, 1860. Livebearers (126): 8-9
- J. Griffiths (1999): Pike livebearer *Belonesox belizanus*. Livebearers (155): 34-34
- J. Hansen (1982): Het levendbarende snoekje, *Belonesox belizanus* Kner 1860. Het Aquarium (10): 282-284
- J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop. (1): 165-170
- H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. DGLZ-Rundschau (4): 14-18
- H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. Poecilia Nieuws (6): 12-18
- C.L. Hubbs (1935): Fresh-water fishes collected in British Honduras and Guatemala. University of Michigan Museum of Zoology Miscellaneous Publications (28): 1-22
- C.L. Hubbs (1936): Fishes of the Yucatan peninsula. Carnegie Inst. Wash. Pub. (457): 157-287
- D. Hughes-Phillips (2009): Mexico - March 2006. Livebearer News (26): 19-32
- K. de Jong (1995): Nieuwe soorten in Nederland. Poecilia Nieuws (6): 108-109
- K. de Jong (1997): Wat een sukkel. Poecilia Nieuws (2): 36-37
- K. de Jong (2006): *Belonesox belizanus* Kner, 1860. Poecilia Nieuws (1): 7-11
- K. de Jong (2010): Mexico 2009. Poecilia Nieuws (1): 19-29
- K. de Jong (2020): *Belonesox belizanus* Kner, 1860. Poecilia Nieuws Atlas (): -
- K. de Jong (2020): Tabasco 2019 Op zoek naar Carthhubbsia en Heterophallus Deel 2. Poecilia Nieuws (2): 13-18
- W. Junghans (1919): *Belonesox belizanus* Kner., lebendgebärender Hechtkärpfing. Blätter für Aquarien- und Terrarienkunde (20): 297-298
- B. Kabbes (2000): Het levendbarende snoekje in Florida. Poecilia Nieuws (2): 27-30
- J.R. Kerfoot jr (2012): Thermal tolerance of the invasive *Belonesox belizanus*, pike killifish, throughout ontogeny. Journal of Experimental Zoology (317): 266-274
- J.R. Kerfoot jr. & R.G. Turingan (2011): Similarity and disparity in prey-capture kinematics between the invasive pike killifish (*Belonesox belizanus*) and the native Florida largemouth bass (*Micropterus salmoides*). Florida Scientist (3): 137-150
- J.R. Kerfoot jr., J.J. Lorenz & R.G. Turingan (2011): Environmental correlates of the abundance and distribution of *Belonesox belizanus* in a novel environment. Environmental Biology of Fishes (92): 125-139
- T. Kersten (2018): Der Hechtkärpfing (*Belonesox belizanus*). VDA-aktuell (1): 23-25
- R. Kner (1860): Über *Belonesox belizanus*, nov.gen. et spec. aus der Familie der Cyprinodonten. Sitzber. Der math.-naturw. Classe der K. Akad. d. Wiss. (40. Bande): 419-422
- J. Köhn (2004): Anmerkungen zur Fütterung des Hechtkärpfings *Belonesox belizanus*. DGLZ-Rundschau (4): 95-96
- D. Lambert (1995): The livebearer world: the pike livebearer. Tropical Fish Hobbyist (July): 92-96
- E. López-López et al. (2009): Spatial and seasonal distribution patterns of fish assemblages in the Río Champotón, southeastern Mexico. Reviews in Fish Biology and Fisheries (19): 127-142
- M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, México. The Southwestern Naturalist (2): 223-236
- C. Lydeard, M. C. Wootton & A. Meyer (1995): Cytochrome b sequence variation and a molecular phylogeny of the live-bearing fish genus *Gambusia*. Can. J. Zool. (73): 213-227
- J. Lyons (2017): Adventures among the wild livebearers of Mexico: part 4 the Yucatan Peninsula. Livebearers (236): 7-14
- C. Macías-García & C.A. González-Zuárriz (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications, Homestead Florida (): 289-302
- J. Mangan (1990): *Belonesox belizanus* - the pike livebearer. Livebearers (109): 7-10
- E.A. Marchio & K.R. Piller (2013): Scale-stacking in the live-bearer *Belonesox belizanus* (Poeciliidae). Journal of Fish Biology (83): 1387-1390
- E.A. Marchio & K.R. Piller (2013): Cryptic diversity in a widespread live-bearing fish (Poeciliidae: *Belonesox*). Biological Journal of the Linnean Society (109): 848-860
- W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. Zootaxa (2307): 1-38
- B. Middlebrooks (1972): The pike livebearer. Livebearers (6): 13-15
- N. Miller (1907): The fishes of the Motagua River, Guatemala. Bulletin American Museum of Natural History (23): 95-123

Livebearer Literature List 202201

- K. Möller (1966): Ich beobachte meine Hechtkäpfinge. Aquarien Terrarien (9): 306-308
- T. Neal (1993): The pike livebearer - *Belonesox belizanus*. Are they for you?. Livebearers (131): 8-9
- T. Neal (1996): The pike livebearer *Belonesox belizanus* Is it for you?. Tropical Fish Hobbyist (november): 162-164
- A. van den Nieuwenhuizen (1963): *Belonesox belizanus*. Het Aquarium (6): 132-133
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- H. Obregón-Barboza, S. Contreras-Balderas & M. Lozano-Vilano (1994): The fishes of northern and central Veracruz, Mexico. Hydrobiologica (286): 79-95
- O.C. Ogletree jr. (1979): Livebearer oddities. Livebearers (44): 10-14
- P. Ongenae (1992): *Belonesox belizanus*. Poecilia Nieuws (2): 35-38
- F. Padmos (2017): Het Yucatan schiereiland in Mexico. Poecilia Nieuws (4): 14-26
- F. Padmos (2019): Die Yucatán-Halbinsel in Mexiko. Das Lebendgebärenden Magazin (1): 15-29
- H.O. Peitzmeyer (0): Lebendgebärende Räuber: Der Hechtkäpfling. ? (): 9-9
- B. Poßeckert (1984): Meine lebendgebärender Räuber. Aquarien Terrarien (10): 344-345
- A. Rachow (1937): *Belonesox belizanus* Kner. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 157-160
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
- A.C. Radda & E. Schlosser (1979): Poeciliiden-Studien in Guatemala. Aquaria (26): 21-30
- C.T. Regan (1911): XXXV. - The osteology and classification of the teleostean fishes of the order Microcyprini. Annals and Magazine of Natural History (7): 320-327
- F. Reuter (1912): *Belonesox belizanus*. Blätter für Aquarien- und Terrarienkunde (6): 81-82
- E. Ringel (1911): Unsere Lebendgebärenden. (Schluß). Wochenschrift für Aquarien und Terrarienkunde (): 290-292
- L.R. Rivas (1965): Florida fresh water fishes and conservation. Quarterly journal of the Florida Academy of Sciences (3): 255-258
- R. Rodiles-Hernández, E. Diaz-Pardo & J. Lyons (1999): Patterns in the species diversity and composition of the fish community of the Lacanja River, Chiapas, Mexico. Journal of Freshwater Ecology (4): 455-468
- L.E. Ruiz-Cauich et al (2016): Stability vs organization: Potential of a trophic model for the management of shallow tropical streams. Food Webs (6): 38-47
- C. van de Sande (1987): Een verzamelreis naar Guatemala II. Poecilia Nieuws (3): 46-48
- C. van de Sande (1988): Guatemala, land van levendbarende tandkarpers. Het Aquarium (9): 210-215
- C. Schick (1912): Weitere Beiträger zur Zucht und Pflege des *Belonesox belizanus* Kner. Blätter für Aquarien- und Terrarienkunde (22): 357-358
- F.F. Schmidt (1978): Mexico - een vissenparadijs. Het Aquarium (5): 121-125
- J.J. Schmitter-Soto (1999): Distribution of continental fishes in northern Quintana Roo, Mexico. The Southwestern Naturalist (2): 166-172
- W. Schreitmüller (1921): *Belonesox belizanus* Kner., seine Zucht udn Pflege und anderes. Blätter für Aquarien- und Terrarienkunde (22): 337-340
- B. Slocum (2020): Walking on the wild side. Which fish?. Livebearers (246): 6-7
- H. Stallknecht (1970): *Belonesox belizanus*. Aquarien Terrarien (9): 0-0
- H. Stallknecht (1973): Der größte Vertreter der Gattung *Gambusia*: *Belonesox belizanus*. Aquarien Terrarien (9): 302-307
- F.H. Stoye (1998): The fishes of the order Cyprinodontes Part 3. The livebearers. Livebearers (152): 23-31
- D.J. Sweet (1982): Everything you always wanted to know about *Belonesox* but were afraid to ask. Livebearers (63): 9-11
- D.J. Sweet (1983): Everything you always wanted to know about *Belonesox*. Livebearers (72): 10-12
- C. Tolmeijer (1942): 909. Aqua Terra (februari): 0-
- C. Tolmeijer (1989): *Belonesox belizanus* Kner, 1860. Poecilia Nieuws (6): 93-95
- G. Träber (1911): *Belonesox belizanus* Kner. Blätter für Aquarien- und Terrarienkunde (8): 117-119
- J.C. Trexler et al (2000): Empirical assessment of fish introductions in a subtropical wetland: an evaluation of contrasting views. Biological Invasions (2): 265-277
- R. Turingan & T. Sloan (2016): Thermal resilience of feeding kinematics may contribute to the spread of invasive fishes in light of climate change. Biology (5): 1-15
- J.S. Turner & F.F. Snelson jr. (1984): Population structure, reproduction and laboratory behavior of the introduced *Belonesox belizanus* (Poeciliidae) in Florida. Environmental Biology of Fishes (1/2): 89-100
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
- J. Vente (1976): Het levendbarende snoekje *Belonesox belizanus*. Het Aquarium (6): 149-150
- J. Villa (1982): Peces Nicaragüenses de Agua Dulce. Serie Geografía y Naturaleza (3): 125-136
- U. Werner (1986): Ein Räuber unter den Lebendgebärenden: Der Hechtkäpfling *Belonesox belizanus*. Das Aquarium (April): 170-172
- L. Wischnath (1981): Naar Mexico, het land van de levendbarende vissen. TTH (24): 35-37

Brachyrhaphis episcomi (Steindachner, 1878)

- P.L. Angermeier & J.R. Karr (1983): Fish communities along environmental gradients in a system of tropical streams. in: Zaret T.M. Evolutionary ecology of neotropical freshwater fishes (): 39-57
- G.A. Archard & V.A. Braithwaite (2011): Variation in aggressive behaviour in the poeciliid fish *Brachyrhaphis episcomi*: population and sex differences. Behavioural Processes (86): 52-57
- C.M. Breder jr. (1944): A revised list of the fishes of Barro Colorado, Gatun Lake, Panama. Copeia (2): 86-89

Livebearer Literature List 202201

- W.L. Brind (1919): *Gambusia episopi*. Aquatic Life (June): 131-132
- C. Brown & V.A. Braithwaite (2004): Size matters: a test of boldness in eight populations of the poeciliid *Brachyrhaphis episopi*. *Animal Behaviour* (68): 1325-1329
- C. Brown & V.A. Braithwaite (2005): Effects of predation pressure on the cognitive ability of the poeciliid *Brachyrhaphis episopi*. *Behavioral Ecology* (16): 482-487
- C. Brown, C. Gardner, V.A. Braithwaite (2004): Population variation in lateralized eye use in the poeciliid *Brachyrhaphis episopi*. *Proc. R. Soc. Lond.* (271): 455-457
- C. Brown, C. Gardner, V.A. Braithwaite (2005): Differential stress responses in fish from areas of high- and low-predation pressure. *J Comp Physiol* (175): 305-312
- C. Brown, F. Burgess & V.A. Braithwaite (2007): Heritable and experiential effects on boldness in a tropical poeciliid. *Behav Ecol Sociobiol* (62): 237-243
- C. Brown, F. Jones & V. Braithwaite (2005): In situ examination of boldness-shyness traits in the tropical poeciliid, *Brachyrhaphis episopi*. *Anim. Behav.* (70): 1003-1009
- C. Brown, F. Jones & V. Braithwaite (2007): Correlation between boldness and body mass in natural populations of the poeciliid *Brachyrhaphis episopi*. *Journal of Fish Biology* (71): 1590-1601
- M.E. Cummings (2018): Sexual conflict and sexually dimorphic cognition - reviewing their relationship in poeciliid fishes. *Behavioral Ecology and Sociobiology* (97): 1-12
- R.L. Dressler (1971): Local polymorphism in *Brachyrhaphis episopi* (Poeciliidae). *Copeia* (1): 170-171
- V. Etzel (2002): *Brachyrhaphis roswithae* Meyer & Etzel, 1998 - Eine farbschöne Neueinführung aus Panama. *DGLZ-Rundschau* (2): 29-37
- D. Fromm (0): Notes on *Brachyrhaphis episopi*. *Viviparous* (38): 0-
- D. Fromm (1982): About the fish I'm advertising, or, everything's different in El Valle. *Livebearers* (65): 14-17
- D. Fromm (1983): Notes on *Brachyrhaphis episopi* with remarks on other *Brachyrhaphis* species. *Livebearers* (67): 3-7
- D. Fromm (1983): Behavior of *Brachyrhaphis episopi* and its relatives. *Tropical Fish Hobbyist* (October): 30-37
- D. Fromm (1984): Het gedrag van *Brachyrhaphis episopi* en zijn verwanten (vervolg). *Poecilia Nieuws* (5): 4-6
- D. Fromm (1984): Het gedrag van *Brachyrhaphis episopi* en zijn verwanten. *Poecilia Nieuws* (4): 0-3
- R.C. Griffiths (1990): *Brachyrhaphis episopi* (Steindachner 1878). *Livebearers* (110): 7-10
- H. Hieronimus (1988): Der Einfluß der Tageslänge auf die Produktiviteit lebendgebärender Fische. *DGLZ-Rundschau* (4): 19-20
- H. Hieronimus (1989): Daglengte en productiviteit. *Poecilia Nieuws* (1): 0-2
- S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. *Zoölogy*, Field museum of natural history (4): 215-359
- S.J. Ingleby, J. Rehm & J.B. Johnson (2014): Size doesn't matter, seks does: a test for boldness in sister species of *Brachyrhaphis* fishes. *Ecology and Evolution* (22): 4361-4369
- S.J. Ingleby, R.G. Reina, E. Birmingham & J.B. Johnson (2015): Phylogenetic analyses provide insights into the historical biogeography and evolution of *Brachyrhaphis* fishes. *Molecular Phylogenetics and Evolution* (89): 104-114
- M.D. Jennions & C.D. Kelly (2002): Geographical variation in male genitalia in *Brachyrhaphis episopi* (Poeciliidae): is it sexually or naturally selected?. *Oikos* (97): 79-86
- M.D. Jennions & S.R. Telford (2002): Life-history phenotypes in populations of *Brachyrhaphis episopi* (Poeciliidae) with different predator communities. *Oecologia* (132): 44-50
- M.D. Jennions et al (2006): Life-history phenotypes in a live-bearing fish *Brachyrhaphis episopi* living under different predator regimes: seasonal effects?. *Environmental Biology of Fishes* (76): 211-219
- D. Lambert (1995): *Brachyrhaphis episopi* (Steindachner, 1878). *Viviparous* (31): 0-
- D. Lambert (1995): The livebearer world *Brachyrhaphis*. *Tropical Fish Hobbyist* (11): 116-118
- D. Lambert (1997): Zelden gezien: de *Brachyrhaphis*-soorten. *Poecilia Nieuws* (6): 119-122
- D. Macallister (2008): *Brachyrhaphis* and their habitats. *Livebearer News* (25): 26-37
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 289-302
- S.E. Meek & S.F. Hildebrand (1913): New species from Panama. *Field museum of natural history - Zoölogy* (8): 77-91
- S.E. Meek & S.F. Hildebrand (1916): The fishes of these fresh waters of Panama. *Publ. Field Museum of Nat. Hist. Chicago* (15): 217-374
- M.K. Meyer (1983): Die Gattung *Brachyrhaphis* 1. DATZ (2): 47-50
- C.L. Mojica (1998): Comparative ecology and historical biogeography of the genus *Brachyrhaphis*. *Environmental Biology of Fishes* (51): 117-127
- A. Müller (1988): *Brachyrhaphis episopi*, der Bischofskärpfling. *Aquarien Terrarien* (4): 125-126
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- A. Rachow (1911): *Gambusia episopi*. *Blätter für Aquarien- und Terrarienkunde* (33): 527-529
- A. Rachow (1939): *Brachyrhaphis episopi* (Steindachner). *Die Aquarienfische in Wort und Bild* (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 419-420
- A.C. Radda (1981): Synopsis der Gattung *Brachyrhaphis* Regan. *Aquaria* (28): 177-184
- G. Rickling (1988): Enkele *Brachyrhaphis*-soorten. *Het Aquarium* (12): 307-309
- R. Riesch, R.A. Martin & R.B. Langerhans (2013): Predation's role in life-history evolution of a livebearing fish and a test of the Trexler-DeAngelis model of maternal provisioning. *The American Naturalist* (1): 78-93
- O. Schindler (1935): Cyprinodontiden aus Costa Rica. *Zoologischer Anzeiger* (7/8): 161-172
- H. Simcox et al (2005): Context-dependent male mating preferences for unfamiliar females. *Anim. Behav.* (70): 1429-1437
- B. Stallsmith (2018): Reproductive differences between three species of *Brachyrhaphis* livebearing fishes in Panamá. *Neotropical Biodiversity* (1): 62-69
- F. Steindachner (1878): Ichthyologische Beiträge. *Sitzber. K. Akad. Wiss. Wien* (77): 386-388
- F.H. Stoye (1998): The fishes of the order Cyprinodontes Part 3. The livebearers. *Livebearers* (152): 23-31
- R. Suttner (0): Schwierigkeiten mit dem Bischofskärpfling. ? (): 109-110
- R. Suttner (1989): Der eine lieb und goldig, der andere ruppig und silbrig. *Das Aquarium* (Januar): 9-10

- C.L. Turner (1938): The reproductive cycle of *Brachyrhaphis episcopi*, an ovoviparous poeciliid fish, in the natural tropical habitat. *Biological Bulletin* (75): 56-65
J. Wengel (1986): *Brachyrhaphis episcopi* - der Bischofskärpling. *ZAG Lebendgebärende Zahnkarpen* (3): 6-7

Brachyrhaphis hartwegi Rosen & Bailey, 1963

- O. Böhm (1979): Lebendgebärenden Arten aus Belize und Guatemala. *DATZ* (3): 78-80
J. Griffiths (1998): *Brachyrhaphis hartwegi*. *Livebearers* (151): 7-7
K. de Jong (2014): *Brachyrhaphis hartwegi*. *Poecilia Nieuws* (Special): 4-4
H. van der Kooy (2008): *Brachyrhaphis hartwegi* Rosen & Bailey, 1963. *Poecilia Nieuws* (3): 14-15
H. van der Kooy (2018): *Brachyrhaphis hartwegi* (Rosen & Bailley, 1963). *Poecilia Nieuws Atlas* (): -
D. Lambert (1997): *Brachyrhaphis hartwegi* Rosen & Bailey, 1967. *Viviparous* (39): 0-
D. Lambert (1997): Zelden gezien: de *Brachyrhaphis*-soorten. *Poecilia Nieuws* (6): 119-122
M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeografica y ecologica de la ictiofauna continental de Chiapas, Mexico. *The Southwestern Naturalist* (2): 223-236
D. Macallister (2008): *Brachyrhaphis* and their habitats. *Livebearer News* (25): 26-37
M.K. Meyer (1983): Die Gattung *Brachyrhaphis* I. *DATZ* (2): 47-50
C.L. Mojica (1998): Comparative ecology and historical biogeography of the genus *Brachyrhaphis*. *Environmental Biology of Fishes* (51): 117-127
C.L. Mojica, A. Meyer & G.W. Barlow (1997): Phylogenetic relationships of species of the genus *Brachyrhaphis* inferred from partial mitochondrial DNA sequences. *Copeia* (2): 298-305
A.C. Radda (1981): Synopsis der Gattung *Brachyrhaphis* Regan. *Aquaria* (28): 177-184
A.C. Radda & E. Schlosser (1979): Poeciliiden-Studien in Guatemala. *Aquaria* (26): 21-30
D.E. Rosen & R.M. Bailey (1963): The poeciliid fishes (Cyprinodontiformes), their structure, zoogeography, and systematics. *American Museum of Natural History* (126): 1-176
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. *ZooKeys* (632): 99-120

Brachyrhaphis hessfeldi Meyer & Etzel, 2001

- P. Cottle (0): My experiences with *Brachyrhaphis hessfeldi*. *Livebearer News* (5): 18-19
V. Etzel (2001): Ergänzende Bemerkungen zu Verbreitung und Biotopen von Hessfelds Kärpfling, *Brachyrhaphis hessfeldi* Meyer & Etzel, 2001. *DGLZ-Rundschau* (2): 28-31
V. Etzel (2002): Zwei farbschöne neue Lebendgebärende aus Panama und ihre natürlichen Biotope. *Aquaristik-Aktuell* (1): 66-69
V. Etzel (2011): Ökologische Untersuchungen an Fundorten von *Brachyrhaphis*-Arten in Panama - ein Beitrag zur artgerechten Haltung. *DGLZ-Rundschau* (2): 36-44
H. Hieronimus (2001): *Brachyrhaphis hessfeldi* Meyer & Etzel, 2001, ein neuer Lebendgebärender aus Panama. *DGLZ-Rundschau* (1): 6-7
S.J. Ingleby, R.G. Reina, E. Bermingham & J.B. Johnson (2015): Phylogenetic analyses provide insights into the historical biogeography and evolution of *Brachyrhaphis* fishes. *Molecular Phylogenetics and Evolution* (89): 104-114
K. de Jong (2001): Twee levendbarende tandkarpers beschreven. *Poecilia Nieuws* (3): 41-43
D. Macallister (2008): *Brachyrhaphis* and their habitats. *Livebearer News* (25): 26-37
D. McAllister (2002): *Brachyrhaphis hessfeldi*. *Livebearer News* (1): 21-22
M.K. Meyer & V. Etzel (2001): Additional notes on the genus *Brachyrhaphis* Regan, 1913, with description of a new species from Panama. *Staatliches Museum für Tierkunde Dresden* (4): 33-39

Brachyrhaphis holdridgei Bussing, 1966

- W.A. Bussing (1966): New species and new records of Costa Rican freshwater fishes with a tentative list of species. *Rev. Biol. Trop.* (14(2)): 205-249
W.A. Bussing (1993): Fish communities and environmental characteristics of a tropical rain forest river in Costa Rica. *Rev. Biol. Trop.* (3): 791-809
W.A. Bussing & M.I. López S. (1977): Distribución y aspectos ecológicos de los peces de las cuencas hidrográficas de Arenal, Bebedero y Tempisque, Costa Rica. *Rev. Biol. Trop.* (1): 13-37
H. Fritscher (1981): Fische aus Costa Rica. *DATZ* (4): 120-123
D. Fromm (1977): Expedition nach Costa Rica II. *DATZ* (8): 262-265
D. Fromm (1978): The 1976 C.O.A.S. - fin features expedition to Costa Rica. *Livebearers* (40): 2-15
D. Fromm (1983): Behavior of *Brachyrhaphis episcopi* and its relatives. *Tropical Fish Hobbyist* (October): 30-37
D. Fromm (1984): Het gedrag van *Brachyrhaphis episcopi* en zijn verwant(en). *Poecilia Nieuws* (4): 0-3
R.C. Griffiths (1997): *Brachyrhaphis holdridgei* Bussing, 1967. *Livebearers* (145): 23-23
J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. *Rev. Biol. Trop.* (1): 165-170
H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. *DGLZ-Rundschau* (3): 21-22
S.J. Ingleby, R.G. Reina, E. Bermingham & J.B. Johnson (2015): Phylogenetic analyses provide insights into the historical biogeography and evolution of *Brachyrhaphis* fishes. *Molecular Phylogenetics and Evolution* (89): 104-114
K. de Jong (1993): *Brachyrhaphis roseni* Bussing, 1988, een fraai gekleurde levendbarende tandkarpertje. *Poecilia Nieuws* (5): 128-137
K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 4. *Het Aquarium* (6): 152-155
K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 3. *Het Aquarium* (5): 129-132

- D. Lambert (0): Brachyrhaphis holdridgei Bussing, 1967. Viviparous (12): 0-2
D. Macallister (0): Brachyrhaphis holdridgei. Livebearer News (15): 14-15
D. Macallister (2008): Brachyrhaphis and their habitats. Livebearer News (25): 26-37
M.K. Meyer (1983): Die Gattung Brachyrhaphis 2. DATZ (3): 85-87
C.L. Mojica (1998): Comparative ecology and historical biogeography of the genus Brachyrhaphis. Environmental Biology of Fishes (51): 117-127
A.C. Radda (1981): Synopsis der Gattung Brachyrhaphis Regan. Aquaria (28): 177-184
A.C. Radda & H. Fritscher (1980): Poeciliiden-Studien im karibischen Raum. Aquaria (27): 77-88
E. Sosna (1994): Costa Rica Links und rechts der Cordilleren de Talamanca Teil I. T.I. Magazin (117): 48-52
E. Sosna (1994): Costa Rica Links und rechts der Cordilleren de Talamanca Teil II. T.I. Magazin (119): 53-55
J. Villa (1982): Peces Nicarguenses de Agua Dulce. Serie Geografia y Naturaleza (3): 125-136
R. Wilson (2008): Livebearers unlimited. Brachyrhaphis. Tropical Fish Hobbyist (4): 38-40
L. Wischnath (0): Un splendide Poeciliide du Costa Rica: Brachyrhaphis holdridgei. Aquarama (): 16-16

***Brachyrhaphis olomina* (Meek 1914)**

- C.A. Garita-Alvarado, B. Naranjo-Elizondo & G. Barrantes (2018): Mating and aggressive behaviour of Brachyrhaphis olomina (Cyprinodontiformes: Poeciliidae). J Ethol (36): 1-13
D. Gentzsch, U. Roldeutscher & P. Uhlig (2012): Geschichte, Verbreitung und Aquarienhaltung der Buckelkäpfplinge Brachyrhaphis rhabdophora und Brachyrhaphis olomina. DGLZ-Rundschau (2): 51-61
J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop (1): 165-170
H. Hieronimus (1993): Brachyrhaphis olomina evtl. gute Art. DGLZ-Rundschau (3): 64-64
H. Hieronimus (1994): Brachyrhaphis olomina mogelijk een erkende soort. Poecilia Nieuws (2): 39-39
S.F. Hildebrand (1930): Notes on a collection of fishes from Costa Rica. Copeia (1): 1-9
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
S.E. Meek (1914): An annotated list of fishes known to occur in the fresh waters of Costa Rica. Field museum of natural history - Zoölogy (174): 101-134
M.K. Meyer & V. Etzel (1998): Notes on the genus Brachyrhaphis Regan 1913, with the description of a new species from Panama. Senckenbergiana biol. (77): 155-160

***Brachyrhaphis punctifer* (Hubbs, 1926)**

- E.H Behre (1928): A list of the fresh water fishes from western Panama between long. 81°45' and 83° 15' W. Annals of the Carnegie Museum (1): 305-328
S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. Zoölogy, Field museum of natural history (4): 215-359
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
S.J. Ingle, R.G. Reina, E. Birmingham & J.B. Johnson (2015): Phylogenetic analyses provide insights into the historical biogeography and evolution of Brachyrhaphis fishes. Molecular Phylogenetics and Evolution (89): 104-114
D. Macallister (2008): Brachyrhaphis and their habitats. Livebearer News (25): 26-37
M.K. Meyer (1983): Die Gattung Brachyrhaphis 2. DATZ (3): 85-87
C.L. Mojica (1996): The re-discovery of Brachyrhaphis punctifer (Poeciliidae). The Southwestern Naturalist (1): 67-69
C.L. Mojica (1998): Comparative ecology and historical biogeography of the genus Brachyrhaphis. Environmental Biology of Fishes (51): 117-127
C.L. Mojica, A. Meyer & G.W. Barlow (1997): Phylogenetic relationships of species of the genus Brachyrhaphis inferred from partial mitochondrial DNA sequences. Copeia (2): 298-305
A.C. Radda (1981): Synopsis der Gattung Brachyrhaphis Regan. Aquaria (28): 177-184

***Brachyrhaphis rhabdophora* (Regan, 1908)**

- A.L. Basolo (2004): Variation between and within the sexes in body size preferences. Anim. Behav. (68): 75-82
D. Bork (1995): Costa Rica 1995 - Teil I. DGLZ-Rundschau (4): 76-80
H.N. Brown, B.H. Gale, J.B. Johnson & M.C. Belk (2018): Testes mass in the livebearing fish Brachyrhaphis rhabdophora (Poeciliidae) varies hypoallometrically with body size but not between predation environments. Ecology and Evolution (8): 11656-11662
W.A. Bussing (1988): A new fish, Brachyrhaphis roseni (Poeciliidae) from Costa Rica and Panama. Rev. Biol. Trop (36(1)): 81-
B. & R. Clarke (1984): Brachyrhaphis rhabdophora. Livebearers (74): 3-3
G.D. Constantz, W.A. Bussing & W.G. Saul (1981): Freshwater fishes of Corcovado National Park, Costa Rica. Proc. Acad. Nat. Sci. Phila. (133): 15-19
G. Dietrich (1992): Poeciliiden in Costa Rica. DGLZ-Rundschau (4): 82-84
U. Dost (1993): Der Bullenkäpfpling Brachyrhaphis rhabdophora. Das Aquarium (294): 18-19
U. Dost (1996): Der Bullenkäpfpling. Aquaristik-Aktuell (3): 58-59
U. Dost (2010): Brachyrhaphis rhabdophora en zijn verwantten in Costa Rica - deel 1. Het Aquarium (4): 34-39
U. Dost (2010): Brachys from Costa Rica. Tropical Fish Hobbyist (April): 76-78
M. Espinoza Mendiola (2008): Sondeo ecológico rápido de las comunidades de peces tropicales

Livebearer Literature List 202201

- K.M. Flanary & J.B. Johnson (2018): Anal fin pigmentation in *Brachyrhaphis* fishes is not used for sexual mimicry. *PlosOne* (March): 1-13
- H. Flöthmann (2007): Aquarienbedingte Aggressionen und Verhaltensweisen Lebendgebärender. *DGLZ-Rundschau* (2): 64-67
- H. Fowler (1932): Notes on fresh water fishes from central America. *Proc. Acad. Nat. Sci. Phila.* (84): 379-385
- D. Fromm (0): Notes from the field. *Livebearer News* (5): 20-21
- D. Fromm (1974): 1973 Coas-Fin features Costa Rica expedition. *Livebearers* (17): 2-9
- D. Fromm (1976): Survival of *Brachyrhaphis* spp in the hobby. *Livebearers* (29): 8-9
- D. Fromm (1984): Het gedrag van *Brachyrhaphis episcopi* en zijn verwant (vervolg). *Poecilia Nieuws* (5): 4-6
- D. Fromm (1999): Notes from the field; look, and sometimes you'll find. *Livebearers* (158/159): 25-27
- D. Gentzsch, U. Roßdeutscher & P. Uhlig (2012): Geschichte, Verbreitung und Aquarienhaltung der Buckelkärpfinge *Brachyrhaphis rhabdophora* und *Brachyrhaphis olomina*. *DGLZ-Rundschau* (2): 51-61
- R.C. Griffiths (1997): *Brachyrhaphis rhabdophora* (Regan, 1908). *Livebearers* (149): 9-10
- E.M.A. Hassell et al (2012): Ontogeny and sex alter the effect of predation on body shape in a livebearing fish: sexual dimorphism, parallelism, and costs of reproduction. *Ecology and Evolution* (7): 1738-1746
- J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. *Rev. Biol. Trop.* (1): 165-170
- C.L. Hubbs (1935): Studies of the fishes of the order cyprinodontes. XIV *Plectrophenax* regarded as a distinct species. University of Michigan Museum of Zoology Miscellaneous Publications (302): 1-3
- S.J. Ingleby & J.B. Johnson (2016): Divergent natural selection promotes immigrant inviability at early and late stages of evolutionary divergence. *Evolution* (3): 600-616
- S.J. Ingleby & J.B. Johnson (2016): Selection is stronger in early-versus-late stages of divergence in a Neotropical livebearing fish. *Biol. Lett.* (12): 1-6
- S.J. Ingleby, E.J. Billman, M.C. Belk & J.B. Johnson (2014): Morphological divergence driven by predation environment within and between species of *Brachyrhaphis* fishes. *PlosOne* (2): 1-11
- S.J. Ingleby, H. Camarillo, H. Willis & J.B. Johnson (2016): Repeated evolution of local adaptation in swimming performance: population-level trade-offs between burst and endurance swimming in *Brachyrhaphis* freshwater fish. *Biological Journal of the Linnean Society* (119):
- S.J. Ingleby, J. Rehm & J.B. Johnson (2014): Size doesn't matter, seks does: a test for boldness in sister species of *Brachyrhaphis* fishes. *Ecology and Evolution* (22): 4361-4369
- S.J. Ingleby, R.G. Reina, E. Bermingham & J.B. Johnson (2015): Phylogenetic analyses provide insights into the historical biogeography and evolution of *Brachyrhaphis* fishes. *Molecular Phylogenetics and Evolution* (89): 104-114
- J.B. Johnson (2001): Hierarchical organization of genetic variation in the Costa Rican livebearing fish *Brachyrhaphis rhabdophora* (Poeciliidae). *Biological Journal of the Linnean Society* (72): 519-527
- J.B. Johnson (2001): Adaptive life-history evolution in the livebearing fish *Brachyrhaphis rhabdophora*: genetic basis for parallel divergence in age and size at maturity and a test of predator-induced plasticity. *Evolution* (7): 1486-1491
- J.B. Johnson (2002): Divergent life histories among populations of the fish *Brachyrhaphis rhabdophora*: detecting putative agents of selection by candidate model analysis. *Oikos* (96): 82-91
- J.B. Johnson & J.J. Zúñiga-Vega (2009): Differential mortality drives life-history evolution and population dynamics in the fish *Brachyrhaphis rhabdophora*. *Ecology* (8): 2243-2252
- J.B. Johnson & M.C. Belk (2001): Predation environment predicts divergent life-history phenotypes among populations of the livebearing fish *Brachyrhaphis rhabdophora*. *Oecologia* (126): 142-149
- D. Lambert (0): *Brachyrhaphis rhabdophora* (Regan, 1908). *Viviparous* (43): 0-
- D. Lambert (1995): The livebearer world *Brachyrhaphis*. *Tropical Fish Hobbyist* (11): 116-118
- R. B. Langerhans & T.J. DeWitt (2004): Shared and unique features of evolutionary diversification. *The American Naturalist* (3): 335-349
- D. Macallister (2008): *Brachyrhaphis* and their habitats. *Livebearer News* (25): 26-37
- E. Meinema (1987): *Brachyrhaphis rhabdophora* (REGAN). *Poecilia Nieuws* (2): 21-24
- M.K. Meyer (1983): Die Gattung *Brachyrhaphis* 2. *DATZ* (3): 85-87
- C.L. Mojica (1998): Comparative ecology and historical biogeography of the genus *Brachyrhaphis*. *Environmental Biology of Fishes* (51): 117-127
- H. Mück (1993): *Brachyrhaphis rhabdophora* (Regan, 1908) - Fragen und Probleme bei der Zucht. *DGLZ-Rundschau* (4): 76-77
- H. Mück (1995): Weitere Beobachtungen an *Brachyrhaphis rhabdophora* (Regan, 1908). *DGLZ-Rundschau* (2): 30-31
- H. Mück (1997): Probleme mit *Brachyrhaphis*? *DGLZ-Rundschau* (2): 37-37
- A.C. Radda (1981): Synopsis der Gattung *Brachyrhaphis* Regan. *Aquaria* (28): 177-184
- J.E. Rasmussen & M.C. Belk (2017): Predation environment affects boldness temperament of neotropical livebearers. *Ecology and Evolution* (7): 3059-3066
- C.T. Regan (1908): A collection of freshwater fishes made by mr. C. F. Underwood in Costa Rica. *Annals and Magazine of Natural History* (vol II): 455-464
- C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. *Proc. Zool. Soc.* (): 977-1018
- D. Reznick, A. Meyer & D. Frear (1993): Life History of *Brachyrhaphis rhabdophora* (Pisces: Poeciliidae). *Copeia* (1): 103-111
- G. Rickling (1988): Enkele Brachyrhaphis-soorten. *Het Aquarium* (12): 307-309
- R. Riesch, R.A. Martin & R.B. Langerhans (2013): Predation's role in life-history evolution of a livebearing fish and a test of the Trexler-DeAngelis model of maternal provisioning. *The American Naturalist* (1): 78-93
- R. Wilson (2008): Livebearers unlimited. *Brachyrhaphis*. *Tropical Fish Hobbyist* (4): 38-40
- J. Wylie (1992): Courtship behavior in two "non-courtting" Poeciliid fishes. *Livebearers* (123): 20-23

Brachyrhaphis rosei Bussing, 1988

- H.S. Andresen (2005): *Brachyrhaphis rosei* (Bussing, 1988). *Das Lebendgebärenden Magazin* (1&2): 14-19
- A. Bisazza, R. Pignatti & G. Vallortigara (1997): Laterality in detour behaviour: interspecific variation in poeciliid fish. *Anim. Behav.* (54): 1273-1281
- D. Bork (1996): Costa Rica 1995 - Teil II. *DGLZ-Rundschau* (1): 4-8
- W.A. Bussing (1988): A new fish, *Brachyrhaphis rosei* (Poeciliidae) from Costa Rica and Panama. *Rev. Biol. Trop.* (36(1)): 81-

Livebearer Literature List 202201

- T. Coletti (2003): What's in a name? The cardinal Brachy. Livebearers (180): 8-11
- K. & U. Dost (2002): Rosens Kärpfeling. Das Aquarium (9): 16-19
- U. Dost (2010): Brachyrhaphis rhabdophora en zijn verwanten in Costa Rica - deel 1. Het Aquarium (4): 34-39
- U. Dost (2010): Brachys from Costa Rica. Tropical Fish Hobbyist (April): 76-78
- U. Dost & Kathrin Seegers (1994): Lebendgebärende aus Costa Rica. DATZ (8): 485-488
- V. Etzel (1994): Biotopen en verspreiding van Brachyrhaphis roseni in Panama. Aquarium & Terrarium Hobbyist (3): 35-37
- K.M. Flanary & J.B. Johnson (2018): Anal fin pigmentation in Brachyrhaphis fishes is not used for sexual mimicry. PlosOne (March): 1-13
- D. Fromm (1985): Het gedrag van Brachyrhaphis episcopi en zijn verwanten (vervolg). Poecilia Nieuws (1): 6-8
- R.C. Griffiths (1991): Brachyrhaphis roseni. Livebearers (120): 5-6
- J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop. (1): 165-170
- H. Hieronimus (1989): Zwei neue (?) Lebendgebärende. DATZ (5): 266-266
- S.J. Ingle (2014): Sympatric populations of sister species of Brachyrhaphis. Journal of Fish Biology (): 1-87
- S.J. Ingle & J.B. Johnson (2016): Selection is stronger in early-versus-late stages of divergence in a Neotropical livebearing fish. Biol. Lett. (12): 1-6
- S.J. Ingle & J.B. Johnson (2016): Divergent natural selection promotes immigrant inviability at early and late stages of evolutionary divergence. Evolution (3): 600-616
- S.J. Ingle, E.J. Billman, M.C. Belk & J.B. Johnson (2014): Morphological divergence driven by predation environment within and between species of Brachyrhaphis fishes. PlosOne (2): 1-11
- S.J. Ingle, H. Camarillo, H. Willis & J.B. Johnson (2016): Repeated evolution of local adaptation in swimming performance: population-level trade-offs between burst and endurance swimming in Brachyrhaphis freshwater fish. Biological Journal of the Linnean Society (119):
- S.J. Ingle, J. Rehm & J.B. Johnson (2014): Size doesn't matter, seks does: a test for boldness in sister species of Brachyrhaphis fishes. Ecology and Evolution (22): 4361-4369
- S.J. Ingle, R.G. Reina, E. Bermingham & J.B. Johnson (2015): Phylogenetic analyses provide insights into the historical biogeography and evolution of Brachyrhaphis fishes. Molecular Phylogenetics and Evolution (89): 104-114
- K. de Jong (1992): Een reactie op een reactie. Poecilia Nieuws (3): 65-67
- K. de Jong (1993): Brachyrhaphis roseni Bussing, 1988, een fraai gekleurde levendbarende tandkarper. Poecilia Nieuws (5): 128-137
- K. de Jong (2017): Brachyrhaphis roseni Bussing, 1988. Poecilia Nieuws Atlas (): -
- K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 4. Het Aquarium (6): 152-155
- P. Koppenaer (1996): Brachyrhaphis roseni Bussing, 1988. Aquarama (149): 8-9
- P. Koppenaer (1997): Brachyrhaphis roseni Bussing, 1988. Aquariumwereld (11): 285-285
- P. Koppenaer (2002): Brachyrhaphis roseni Bussing, 1988. Het Aquarium (9): 272-273
- D. Lambert (0): Brachyrhaphis roseni Bussing, 1988. Viviparous (7): 0-2
- D. Lambert (1993): The cardinal Brachy. Livebearers (130): 6-7
- D. Lambert (1995): The livebearer world Brachyrhaphis. Tropical Fish Hobbyist (11): 116-118
- D. Macallister (2005): Brachyrhaphis roseni. Livebearer News (12): 26-27
- D. Macallister (2008): Brachyrhaphis and their habitats. Livebearer News (25): 26-37
- P.J. Mellegers (1992): Eigenaardigheden van Poeciliidae. Poecilia Nieuws (2): 46-47
- C.L. Mojica (1998): Comparative ecology and historical biogeography of the genus Brachyrhaphis. Environmental Biology of Fishes (51): 117-127
- A. Savastio (1990): Combinations & compatibility. Livebearers (113): 26-27
- T. Schulz (1995): Brachyrhaphis roseni. DATZ (9): 552-554
- B. Slocum (2013): Brachyrhaphis roseni. Livebearer News (221): 8-9
- G. Streibel (1997): Probleme mit Brachyrhaphis. DGLZ-Rundschau (4): 75-75
- A.T. Tweteras (0): Look out! Look out! There's a scientist about. Viviparous (7): 0-2
- R. Wilson (2008): Livebearers unlimited. Brachyrhaphis. Tropical Fish Hobbyist (4): 38-40

Brachyrhaphis roswithae Meyer & Etzel 1998

- V. Etzel (2002): Brachyrhaphis roswithae Meyer & Etzel, 1998 - Eine farbschöne Neueinführung aus Panama. DGLZ-Rundschau (2): 29-37
- V. Etzel (2002): Zwei farbschöne neue Lebendgebärende aus Panama und ihre natürlichen Biotope. Aquaristik-Aktuell (1): 66-69
- V. Etzel (2011): Ökologische Untersuchungen an Fundorten von Brachyrhaphis-Arten in Panama - ein Beitrag zur artgerechten Haltung. DGLZ-Rundschau (2): 36-44
- H. Hieronimus (1998): Ein neuer Lebendgebärender: Brachyrhaphis roswithae. DGLZ-Rundschau (2): 29-30
- S.J. Ingle, R.G. Reina, E. Bermingham & J.B. Johnson (2015): Phylogenetic analyses provide insights into the historical biogeography and evolution of Brachyrhaphis fishes. Molecular Phylogenetics and Evolution (89): 104-114
- K. de Jong (1998): Het genus Brachyrhaphis: +2 -1. Poecilia Nieuws (5): 81-82
- K. de Jong (2009): Brachyrhaphis roswithae Meyer & Etzel, 1998. Poecilia Nieuws (4): 7-10
- K. de Jong (2019): Brachyrhaphis roswithae Meyer & Etzel, 1998. Poecilia Nieuws Atlas (): -
- D. Macallister (2002): Brachyrhaphis roswithae (Meyer & Etzel, 1998). Livebearer News (2): 19-20

- D. Macallister (2008): Brachyrhaphis and their habitats. Livebearer News (25): 26-37
M.K. Meyer & V. Etzel (1998): Notes on the genus Brachyrhaphis Regan 1913, with the description of a new species from Panama. Senckenbergiana biol. (77): 155-160
B. Stallsmith (2018): Reproductive differences between three species of Brachyrhaphis livebearing fishes in Panamá. Neotropical Biodiversity (1): 62-69
R. Wilson (2008): Livebearers unlimited. Brachyrhaphis. Tropical Fish Hobbyist (4): 38-40

Brachyrhaphis sp

- T. Liebig (1913): Ein neuer lebendgebärender Käpfpling aus Colon. Blätter für Aquarien- und Terrarienkunde (27): 433-434

Brachyrhaphis terrabensis (Regan, 1907)

- M. Bauermeister (1998): Costa Rica Aquaristische Eindrücke zwischen Karibik und Pazifik. Das Aquarium (354): 24-29
E.H Behre (1928): A list of the fresh water fishes from western Panama between long. 81°45' and 83° 15' W. Annals of the Carnegie Museum (1): 305-328
G. Dietrich (1992): Poeciliiden in Costa Rica. DGLZ-Rundschau (4): 82-84
K. & U. Dost (2002): Rosens Käpfling. Das Aquarium (9): 16-19
U. Dost (2010): Brachyrhaphis rhabdophora en zijn verwanten in Costa Rica - deel 1. Het Aquarium (4): 34-39
V. Etzel (2002): Fischfangabenteuer in West-Panama Zur Verbreitung und den Biotopen von Brachyrhaphis terrabensis. DGLZ-Rundschau (4): 89-97
K.M. Flanary & J.B. Johnson (2018): Anal fin pigmentation in Brachyrhaphis fishes is not used for sexual mimicry. PlosOne (March): 1-13
D. Fromm (0): Notes from the field. Livebearer News (5): 20-21
D. Fromm (1974): 1973 Coas-Fin features Costa Rica expedition. Livebearers (17): 2-9
D. Fromm (1983): Behavior of Brachyrhaphis episopi and its relatives. Tropical Fish Hobbyist (October): 30-37
D. Fromm (1984): Het gedrag van Brachyrhaphis episopi en zijn verwanten (vervolg). Poecilia Nieuws (5): 4-6
D. Fromm (1999): Notes from the field; look, and sometimes you'll find. Livebearers (158/159): 25-27
J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop (1): 165-170
S.F. Hildebrand (1928): On a small collection of fishes from Chiriquí, Panama. Copeia (168): 81-84
S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. Zoölogy, Field museum of natural history (4): 215-359
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
S.J. Ingle (2014): Sympatric populations of sister species of Brachyrhaphis. Journal of Fish Biology (): 1-87
S.J. Ingle & J.B. Johnson (2016): Divergent natural selection promotes immigrant inviability at early and late stages of evolutionary divergence. Evolution (3): 600-616
S.J. Ingle & J.B. Johnson (2016): Selection is stronger in early-versus-late stages of divergence in a Neotropical livebearing fish. Biol. Lett. (12): 1-6
S.J. Ingle, E.J. Billman, M.C. Belk & J.B. Johnson (2014): Morphological divergence driven by predation environment within and between species of Brachyrhaphis fishes. PlosOne (2): 1-11
S.J. Ingle, H. Camarillo, H. Willis & J.B. Johnson (2016): Repeated evolution of local adaptation in swimming performance: population-level trade-offs between burst and endurance swimming in Brachyrhaphis freshwater fish. Biological Journal of the Linnean Society (119):
S.J. Ingle, J. Rehm & J.B. Johnson (2014): Size doesn't matter, sex does: a test for boldness in sister species of Brachyrhaphis fishes. Ecology and Evolution (22): 4361-4369
S.J. Ingle, R.G. Reina, E. Birmingham & J.B. Johnson (2015): Phylogenetic analyses provide insights into the historical biogeography and evolution of Brachyrhaphis fishes. Molecular Phylogenetics and Evolution (89): 104-114
K. de Jong (1993): Brachyrhaphis rosei Bussing, 1988, een fraai gekleurde levendbarende tandkarper. Poecilia Nieuws (5): 128-137
K. de Jong & E. Meinenma (1994): De levendbarende tandkarpers van Costa Rica 4. Het Aquarium (6): 152-155
D. Lambert (0): Brachyrhaphis terrabensis. Viviparous (4): 0-
D. Macallister (2008): Brachyrhaphis and their habitats. Livebearer News (25): 26-37
S.E. Meek (1907): Notes on the fresh-water fishes from Mexican and central America. Field Columbian Museum - Zoology (5): 1-157
C.L. Mojica (1998): Comparative ecology and historical biogeography of the genus Brachyrhaphis. Environmental Biology of Fishes (51): 117-127
A.C. Radda (1981): Synopsis der Gattung Brachyrhaphis Regan. Aquaria (28): 177-184
A.C. Radda & H. Fritscher (1980): Poeciliiden-Studien im karibischen Raum. Aquaria (27): 77-88
C.T. Regan (1907): XXX. Descriptions of six new freshwater fishes from Mexico and Central America. Annals and Magazine of Natural History (XIX): 258-262
C.T. Regan (190608): Pisces. Biologia Centrali-Americanana (): 1-203
G. Rickling (1988): Enkele Brachyrhaphis-soorten. Het Aquarium (12): 307-309
A.J. Rothwell (0): Observations on breeding Brachyrhaphis terrabensis. Viviparous (16): 0-
B. Stallsmith (2018): Reproductive differences between three species of Brachyrhaphis livebearing fishes in Panamá. Neotropical Biodiversity (1): 62-69

Carlhubbsia kidderi (Hubbs, 1936)

- C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. ZooKeys (708): 25-138
C.L. Hubbs (1936): Fishes of the Yucatan peninsula. Carnegie Inst. Wash. Pub. (457): 157-287
K. de Jong (2014): Carlhubbsia kidderi. Poecilia Nieuws (Special): 5-5
K. de Jong (2018): Carlhubbsia kidderi Hubbs, 1936. Poecilia Nieuws Atlas (): -
K. de Jong (2020): Tabasco 2019 - auf der Suche nach Carlhubbsia und Heterophallus. Das Lebendgebärenden Magazin (2): 23-31
E. López-López et al. (2009): Spatial and seasonal distribution patterns of fish assemblages in the Río Champotón, southeastern Mexico. Reviews in Fish Biology and Fisheries (19): 127-142
M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, México. The Southwestern Naturalist (2): 223-236
L. van der Meer (2008): Carlhubbsia kidderi (Hubbs, 1936). Poecilia Nieuws (2): 7-9
A.C. Radda (1985): Studien an cyprinodonten Fischen in Mexiko 5. Die Tribus Heterandriini. Aquaria (32): 81-92
A.C. Radda & E. Schlosser (1979): Poeciliiden-Studien in Guatemala. Aquaria (26): 21-30
D.E. Rosen & R.M. Bailey (1959): Middle-American Poeciliid Fishes of the Genera Carlhubbsia and Phallichthys, with Descriptions of Two New Species. Zoologica (44): 1-50
N.S. Scrimshaw (1945): Development in Poeciliid fishes. Biological Bulletin (3): 233-246
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120

Carlhubbsia stuarti Rosen & Bailey, 1959

- I. Dibble (1982): Carlhubbsia stuarti. Livebearers (64): 14-15
N. Dokoupil (1987): Carlhubbsia stuarti. Poecilia Nieuws (6): 85-90
D. Lambert (0): Carlhubbsia stuarti Rosen & Bailey, 1959. Viviparous (24): 0-
D. Lambert (1997): Carlhubbsia stuarti - a valuable lesson. Tropical Fish Hobbyist (June): 150-153
D. Macallister (2005): Carlhubbsia stuarti (Rosen & Bailey 1959). Livebearer News (9): 22-23
A.C. Radda (1985): Studien an cyprinodonten Fischen in Mexiko 5. Die Tribus Heterandriini. Aquaria (32): 81-92
A.C. Radda & E. Schlosser (1979): Poeciliiden-Studien in Guatemala. Aquaria (26): 21-30
D.E. Rosen & R.M. Bailey (1959): Middle-American Poeciliid Fishes of the Genera Carlhubbsia and Phallichthys, with Descriptions of Two New Species. Zoologica (44): 1-50
C. van de Sande (1987): Een verzamelreis naar Guatemala II. Poecilia Nieuws (3): 46-48
C. van de Sande (1988): Guatemala, land van levendbarende tandkarpers. Het Aquarium (9): 210-215
C. van de Sande (1989): Carlhubbsia stuarti Rosen & Bailey, 1959. Poecilia Nieuws (4): 57-60
C. van de Sande (1992): Carlhubbsia stuarti (Rosen & Bailey, 1959). Picasso onder water (): 0-
C. van de Sande (1993): Carlhubbsia stuarti Rosen & Bailey, 1959. Poecilia Nieuws (5): 107-111
C. van de Sande (1994): Carlhubbsia stuarti Rosen & Bailey, 1959. DGLZ-Rundschau (4): 91-93
S. Teutloff (1987): Carlhubbsia stuarti Rosen & Bailey 1959 - Ein Lebendgebärender ohne Probleme. ZAG Lebendgebärende Zahnkarpfen (1): 6-8
M.E. Valdez-Moreno, J. Pool-Canul & S. Contreras-Balderas (2005): A checklist of the freshwater ichthyofauna from El Petén and Alta Verapaz, Guatemala, with notes for its conservation and management. Zootaxa (1072): 43-60
L. Wischnath (1995): Kleine soorten levendbarende tandkarpers. Het Aquarium (6): 127-129
L. Wischnath (2000): Levendbarende tandkarpers, een bont palet deel 2. Het Aquarium (9): 241-245

Chapalichthys encaustus (Jordan & Snyder, 1900)

- (1990): Hooglandkarpers (vervolg). Poecilia Nieuws (5): 82-84
J. Alvarez (1963): Ictiología Michoacana III. Los peces de San Juanico y de Tocumbo. Mich. An. Esc. Nac. Cienc. Biol. (12): 111-138
O. Böhm (1985): Het Mexicaanse hoogland; leefgebied van de Goodeidae. TIH (41): 9-11
J. Dawes (1997): Goodeiden Teil 3: Allgemeine Hinweise zur Pflege und Zucht sowie Kurzbeschreibungen zu einigen Arten (1). Das Aquarium (342): 16-19
I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de veldtrip 2. Poecilia Nieuws (6): 117-126
I. Dibble (2000): Fish Ark Project - Mexico. Viviparous (49): 0-
C.H. Eigenmann (1940): Catalogue of the freshwater fishes of tropical and south temperate Americas. Reports of the Princeton University Expeditions to Patagonia (): 1896-1899
A. Giroche (2013): Souche d'anthologie de l'AFV Chapalichthys encaustus <Lago de Chapala 2001>. Le Vivipare (115): 14-18
S.M. Guerrero-Estévez & E. López-López (2016): Effects of endocrine disruptors on reproduction in viviparous teleosts with intraluminal gestation. Reviews in Fish Biology and Fisheries (26): 563-587
S. Guerrero-Estévez & Moreno-Mendoza (2012): Gonadal morphogenesis and sex differentiation in the viviparous fish Chapalichthys
H. Hieronimus (1993): Biochemische Systematik der Goodeiden. DGLZ-Rundschau (3): 63-63
K. de Jong (1995): Nieuwe soorten in Nederland. Poecilia Nieuws (6): 108-109

Livebearer Literature List 202201

- K. de Jong (2004): Auf der Suche nach den Schwerträgern Mexiko 2002 (Teil 2). Das Lebendgebärenden Magazin (1): 5-17
- K. de Jong (2014): Mexico 2013, deel 3 Van Morelia naar Barra de Navidad en weer terug (1). Poecilia Nieuws (1): 11-17
- K. de Jong (2014): Von Morelia bis Barra de Navidad. Das Lebendgebärenden Magazin (2): 18-25
- K. de Jong (2021): Het genus Chapalichthys onderzocht. Poecilia Nieuws (1): 7-9
- D.S. Jordan & J.O. Snyder (1900): Notes on a collection of fishes from the rivers of Mexico with description of twenty new species. Bulletin of the United States Fish Commission (): 115-147
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. Poecilia Nieuws (2): 22-35
- D. Lambert (1995): Chapalichthys encaustus. Viviparous (29): 0-
- J. Lyons (2017): Adventures among the wild livebearers of Mexico: The state of Michoacán. Livebearers (235): 7-14
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- V. Mar Silva et al (2019): Translocación de Chapalichthys encaustus (Actinopterygii: Goodeidae) en el río Teuchitlán, Jalisco, México. Hidrobiológica (1): 45-47
- V. Mar Silva et al (2019): Translocación de Chapalichthys encaustus (Actinopterygii: Goodeidae) en el río Teuchitlán, Jalisco, México. Hidrobiológica (29): 45-47
- S.E. Meek (1902): A contribution to the ichthyology of Mexico. Field Columbian Museum - Zoology (6): 63-1128
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- N. Mercado-Silva et al. (2015): Stable evidence for trophic overlap of sympatric Mexican Lake Chapala silversides (Teleostei: Atherinopsidae: Chirostoma spp.). Neotropical Ichthyology (): -
- R. Moncayo-Estrada et al. (2014): Status and trends in biotic integrity in a sub-tropical river drainage: analysis of the fish assemblage over a three decade period. River Res. Appl. (): -
- J. de Moree (2001): Chapalichthys encaustus. Poecilia Nieuws (2): 25-26
- J. Novák, L. Kalouš & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- K.R. Piller, D. Bloom, J. Lyons & N. Mercado-Silva (2020): Systematics and taxonomy of Chapalichthys (Cyprinodontiformes: Goodeidae), a small genus of live-bearers from central Mexico. Copeia (4): 1004-1011
- G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. Das Lebendgebärenden Magazin (2): 8-23
- W. Schreitmüller (1934): Drei Neuimporte. Wochenschrift für Aquarien und Terrarienkunde (47): 737-739
- M.L. Smith, T.M. Cavender & R.R. Miller (1975): Climatic and biogeographic significance of a fish fauna from the late pliocene-early pleistocene of the lake Chapala basin. Papers on paleontology Univ. Michigan (12): 29-38
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. Aquatic Ecosystem Health and Management (1): 267-276
- E.C. Taylor (1984): Hooglandkarpers (vervolg). Poecilia Nieuws (3): 4-7
- B. Thiry (2013): Chapalichthys encaustus Jordan, D.S. & Snijder, J.O. (1900). Poecilia Nieuws (Special): 9-9

Chapalichthys pardalis Alvarez, 1963

- (1990): Hooglandkarpers (vervolg). Poecilia Nieuws (5): 82-84
- J. Alvarez (1963): Ictiología Michoacana III. Los peces de San Juanico y de Tocumbo. Mich.. An. Esc. Nac. Cienc. Biol. (12): 111-138
- P. de Batist (2000): Men vraagt ons wat. Aquariumwereld (1): 24-25
- F. Blondeau (2013): Chapalichthys pardalis. Le Vivipare (18): 7-9
- O. Böhm (0): Quelques espèces intéressantes de la famille des Goodéidés. Aquarama (): 13-16
- O. Böhm (1989): Fische aus dem Hochland Mexikos. TI (93): 19-20
- A.L. Carbajal-Hernández et al (2017): Maternal-embryonic metabolic and antioxidant response of Chapalichthys pardalis (Teleostei: Goodeidae) induced by exposure to 3,4-dichloroaniline. Environ Sci Pollut Res (24): 17534-17546
- B. & R. Clarke (1984): Goodeids we have known. Livebearers (73): 8-10
- I. Dibble (2003): Mein Tagebuch der "Arche-Projekt"- Feldexkursion 2003. DGLZ-Rundschau (4): 86-97
- G. Eckstein (1982): Beauty is in the eye of the beholder, or, why bother showing Goodeids?. Livebearers (66): 2-4
- A. Groiche (2013): Chapalichthys pardalis <Tocumbo>. Le Vivipare (118): 4-6
- K. de Jong (1985): Hooglandkarpers. Poecilia Nieuws (2): 14-15
- K. de Jong (1990): Een oude bekende Chapalichthys pardalis (Alvarez, 1963). Poecilia Nieuws (4): 57-58
- K. de Jong (2017): Chapalichthys peraticus Alvarez, 1963. Poecilia Nieuws Atlas (): -
- K. de Jong (2021): Het genus Chapalichthys onderzocht. Poecilia Nieuws (1): 7-9
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. Poecilia Nieuws (2): 22-35
- D. Lambert (2000): Chapalichthys pardalis Alvarez, 1963. Viviparous (48): 1-3
- F. Liberge (2018): Mexikanische Reise - auf der Suche nach Goodeiden - 2. Teil
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- C. Macías García & Y. Saldívar-Lemus (2012): Foraging costs drive female resistance to a sensory trap. Proc. R. Soc. Lond. (): -
- P. Melady (2001): Chapalichthys pardalis - the polka dot Goodeid. Livebearers (167): 10-11

Livebearer Literature List 202201

- B. Pels (2013): Mijn ervaringen met..... Poecilia Nieuws (Special): 26-29
- K.R. Piller, D. Bloom, J. Lyons & N. Mercado-Silva (2020): Systematics and taxonomy of Chapalichthys (Cyprinodontiformes: Goodeidae), a small genus of live-bearers from central Mexico. Copeia (4): 1004-1011
- A.C. Radda (1986): Cyprinodonte vissen in Mexico 2. Poecilia Nieuws (2): 28-30
- F. Schäfer (2010): Chapalichthys pardalis Alvarez, 1963. Aquaristik Fachmagazin (4): 100-100
- J.F. Schindler & H. Greven (2010): Respiratory strategies in Goodeid and Jenynsiid embryos: Morphologic correlates of cutaneous gas exchange. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 13-30
- P. Schubert (1989): Eine undursichtige Sache. DGLZ-Rundschau (3): 8-10
- P. Schubert (1991): Beobachtungen zur Farbausbildung bei Chapalichthys pardalis, dem Pantherkärpfling. DGLZ-Rundschau (1): 4-5
- P. Schubert (1991): Hochlandkärplinge Goodeiden: Ein Feuerwerk an Farbe bei grauer Fischen. Das Aquarium (2): 4-9
- C. Sciarone (2008): Chapalichthys peratus Alvarez, 1963. Poecilia Nieuws (3): 54-55
- B. Slocum (2015): Walking on the wild side Chapalichthys peratus. Livebearers (229): 22-23
- D. Speirs (1991): Chapalichthys pardalis. Livebearers (115): 13-14
- E.C. Taylor (1984): Hooglandkarpers (vervolg). Poecilia Nieuws (3): 4-7
- R. Valerio-García et al (2017): Exposure to silver nanoparticles produces oxidative stress and affects macromolecular and metabolic biomarkers in the goodeid fish Chapalichthys pardalis. Science of the Total Environment (538): 308-318
- J. Vente (1985): Hooglandkarpers, Goodeidae. Het Aquarium (3): 74-78
- C. Walker (2014): Chapalichthys pardalis. Livebearers (223): 17-23
- L. Wischnath (1996): Hooglandkarpers uit Mexico. Het Aquarium (2): 32-36

Characodon audax Smith & Miller, 1986

- J.M. Artigas Azas (2002): Characodon Pradawni przodkowie rodziny Goodeidae. Akwa Forum (april): 5-13
- J.M. Artigas Azas (2003): Characodon, the ancient Goodeids. Tropical Fish Hobbyist (May): 72-76
- J.M. Artigas Azas (2014): Characodon Habitate 2013 - eine Bestandsaufnahme. DATZ (8): 16-30
- T. Bauer (2007): Beobachtungen zur einfacher Unterscheidung von Weibchen einiger Goodeidenarten. DGLZ-Rundschau (1): 41-41
- R.G. Beltrán-López et al (2021): Genetic differentiation in the genus Characodon: implications for conservation and taxonomy. PeerJ (): 1-22
- F. Bitter (1987): Zur Haltung und Zucht zweier Hochlandkärplinge. DATZ (3): 107-110
- D. Bork (1986): Ein neue Goodeiden-Art. ZAG Lebendgebärende Zahnkarpfen (3): 5-5
- T. Contreras-MacBeath et al (2014): Richness and endemism of the freshwater fishes of Mexico. Journal of Threatened Taxa (2): 5421-5433
- I. Dibble (1999): Goodeiden im Norden Mexikos. DGLZ-Rundschau (2): 61-63
- I. Dibble (2008): Know your fish: Characodon audax. Bulletin of the Fed. Of British Aquatic Societies (2): 22-23
- U. Dost (2001): Schwarzer Prinz und Regenbogen-Goodeide. Aquaristik-Aktuell (7-8): 53-58
- U. Dost (2008): Op zoek naar de 'zwarte prins' en de regenbooggoodeiden. Het Aquarium (6): 4-9
- A. Groiche (2016): Het genus Characodon, de bijgewerkte versie. Poecilia Nieuws (2): 14-17
- C. Grist (2010): Viviparous fish programs at Chester Zoo. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 423-430
- A. Groiche (2015): Le point sur le genre Characodon. Le Vivipare (124): 26-30
- R.M. Hamill et al (2007): Comparison of genetic diversity at microsatellite loci in near-extinct and non-endangered species of Mexican goodeine fishes and prediction of cross-amplification within the family. Journal of Fish Biology (70): 16-32
- M. Heußen (2013): Characodon audax wiederentdeckt. Das Lebendgebärenden Magazin (1): 17-17
- H. Hieronimus (1987): Characodon audax, Smith & Miller, een nieuwe goodeidae. Poecilia Nieuws (4): 52-55
- H. Hieronimus (1987): Characodon audax, Smith & Miller, 1986. DGLZ-Rundschau (1): 4-7
- H. Hieronimus (2011): Characodon audax in der Natur ausgestorben?. DGLZ-Rundschau (2): 35-36
- H. Hieronimus (2014): Unterschiede bei Characodon. DGLZ-Rundschau (1): 5-9
- H. Hieronimus (2021): Neues zu den Goodeiden der Gattung Characodon. DGLZ-Rundschau (3): 129-136
- K. de Jong (1992): Hoe lang nog?. Picasso onder water (): 0-
- K. de Jong (1994): Bijeenkomst van Poecilia Scandinavië. Poecilia Nieuws (4): 72-75
- B. Kabbes (2001): Characodon audax in de natuur uitgestorven?. Poecilia Nieuws (2): 34-35
- M. Kempkes (2007): Die aquaristisch bedeutsamen Goodeiden-Arten. Aquaristik Fachmagazin (197): 12-17
- M. Köck (2003): Goodeiden im Tiergarten Schönbrunn. Das Lebendgebärenden Magazin (1): 13-14
- M. Köck (2005): Das Mexiko-Haus im Wiender Tiergarten Schönbrunn. Das Lebendgebärenden Magazin (3&4): 15-20
- M. Köck (2006): Lebendgebärende in Zoologische Gärten VIII: Das Mexiko-Haus im Tiergarten Schönbrunn im Wien. DGLZ-Rundschau (3): 98-102
- D. Kunath (1990): Die Kreuzung von Characodon lateralis Günther, 1866 mit Characodon audax Smith & Miller, 1986. DGLZ-Rundschau (4): 4-5
- D. Kunath (1990): Die Kreuzung Characodon lateralis Günther, 1866 mit Characodon audax Smith & Miller, 1986. ZAG Lebendgebärende Zahnkarpfen (2): 7-9

Livebearer Literature List 202201

- D. Lambert (0): Characodon audax Smith & Miller, 1986. Viviparous (15): 0-
- D. Lambert (1992): Forgotten rainbows. Practical Fishkeeping (Februari): 54-
- D. Lambert (1994): Introducing goodeids. Livebearers (133): 13-21
- D. Lambert (1995): The livebearer world More Goodeids. Tropical Fish Hobbyist (5): 162-164
- D. Lambert (1997): The livebearer world: Goodeids of the genus Characodon. Tropical Fish Hobbyist (September): 146-150
- J.K. Langhammer (1986): The lost treasure of the Aztecs Part VII- an update on the goodeids. Livebearers (91): 5-8
- J. Lyons (2005): Goodeiden in de natuur (slot). Poecilia Nieuws (1): 24-27
- J. Lyons (2021): Determining optimal water temperatures for goodeids. Livebearer News (66): 22-27
- D. Macallister (2007): Characodon audax. Livebearer News (18): 18-19
- C. Macías Garcia & Y. Saldívar-Lemus (2012): Foraging costs drive female resistance to a sensory trap. Proc. R. Soc. Lond. (): -
- A. Martínez-Aquino et al (2007): Helminth parasite communities of Characodon audax and C. lateralis (Pisces: Goodeidae), endemic freshwater fishes from Durango, Mexico. The Southwestern Naturalist (1): 125-130
- L. van der Meer (2013): Characodon audax Smith, M.L. & Miller 1986. Poecilia Nieuws (Special): 35-38
- E. Meinema (1990): Kleine hooglandkarpers. Het Aquarium (9): 209-212
- P.J. Mellegers (1996): Ervaringen met Characodon audax. Poecilia Nieuws (2): 30-33
- P.J. Mellegers (1998): Characodon audax, de 'Zwarte Prins'. Het Aquarium (10): 263-265
- J. de Moree (1999): De zwarte prins van zwarte regenboog is terug. Poecilia Nieuws (1): 11-13
- H. Mück (2011): Den Traum gelebt: Mexikorundreise - Endziel Characodon-Habitate im zentralen Hochland von Durango. DGLZ-Rundschau (4): 91-108
- A.J. Rothwell (0): Observations on spawning Characodon audax. Viviparous (4): 0-
- A.J. Rothwell (0): My favorite livebearer. Viviparous (45): 0-
- R.A. Rueda-Jasso et all (2010): Food selectivity of Characodon audax during the first four weeks of life. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 480-483
- G. Schleussner (2011): Fünf nach zwölf für den "Schwarzen Prinzen"? Amazonas (6): 8-9
- G. Schleussner (2012): Five after midnight for the Black Prince?. Amazonas (mar/apr): 16-18
- G. Schleussner (2012): Five after midnight for the Black Prince?. Amazonas (march/april): 16-17
- B. Seemann (1853): Narrative of the voyage of H.M.S. Herald during the years 1845-51. (): 1-302
- M.L. Smith & R.R. Miller (1986): Mexican Goodeid fish of the genus Characodon, with description of a new species. American Museum Novitates (2851): 1-14
- D. Speirs (1988): Livebearer taxonomy: a race between discovery and extinction. Livebearers (97): 6-8
- G. Teichmann (2009): Die Gattung Characodon. Das Lebendgebärenden Magazin (1): 9-14
- G. Teichmann (2010): Die Gattung Characodon Teil II. Das Lebendgebärenden Magazin (1): 8-14
- G. Teichmann (2011): Ist Characodon audax "El Toboso" in der Natur ausgestorben?. Das Lebendgebärenden Magazin (2): 12-13
- R.L. Tiedemann & S.A. Webb (2009): Morphological status and taxonomy of Characodon (Goodeidae) from the high plateau of central Mexican. Georgia Journal of Science (Abstract Issue) (67): 20-21
- M. Tobler & N. Bertrand (2014): Morphological variation in vanishing Mexican desert fishes of the genus Characodon (Goodeidae). Journal of Fish Biology (): 1-14
- D. Walker (2014): Who C.A.R.E.S. about SMP fish in Derek's fishroom?. Livebearers (222): 6-12
- A. Weissenbacher (2009): Erhaltungszucht von Fischen im Tiergarten Schönbrunn. Aquaristik Fachmagazin (6): 8-13
- U. Werner (2001): Der schwarze Prinz. Das Aquarium (380): 13-15
- U. Werner (2006): Der schwarze Prinz. VDA-aktuell (2): 12-15

Characodon garmani Jordan & Evermann, 1898

- J.M. Artigas Azas (2014): Characodon Habitate 2013 - eine Bestandsaufnahme. DATZ (8): 16-30
- R.G. Beltrán-López et al (2021): Genetic differentiation in the genus Characodon: implications for conservation and taxonomy. PeerJ (): 1-22
- S. Contreras-Balderas et al (2003): Freshwater fish at risk or extinct in México. A checklist and review. Reviews in Fish Biology and Fisheries (12): 241-251
- H. Hieronimus (1987): Characodon audax, Smith & Miller, een nieuwe goodeidae. Poecilia Nieuws (4): 52-55
- D.S. Jordan & B.W. Evermann (1898): The fishes of north and middle America: A descriptive catalogue. Smithsonian Institution (Part III): 2184-3136
- D. Lambert (1997): The livebearer world: Goodeids of the genus Characodon. Tropical Fish Hobbyist (September): 146-150
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- S.E. Meek (1903): Distribution of the fresh-water fishes of Mexico. The American Naturalist (443): 771-784
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- R.R. Miller, J.D. Williams & J.E. Williams (1989): Extinctions of north american fishes during the past century. Livebearers (114): 16-28
- R.R. Miller, J.D. Williams & J.E. Williams (1989): Extinctions of north american fishes during the past century. Fisheries (6): 22-38

- R.R. Miller, J.D. Williams & J.E. Williams (1990): Extinctions of North American fishes during the past century. *Livebearers* (113): 11-21
M. Tobler & N. Bertrand (2014): Morphological variation in vanishing Mexican desert fishes of the genus Characodon (Goodeidae). *Journal of Fish Biology* (): 1-14
J.E. Williams & R.R. Miller (1990): Conservation status of the north American fish fauna in fresh water. *Journal of Fish Biology* (37): 79-85
WWF (2021): The world's forgotten fishes. (): 1-48

Characodon lateralis Günther, 1866

- (1990): Hooglandkarpers (vervolg). *Poecilia Nieuws* (5): 82-84
J.M. Artigas Azas (2002): Characodon Pradawni przodkowie rodziny Goodeidae. *Akwa Forum* (april): 5-13
J.M. Artigas Azas (2003): Characodon, the ancient Goodeids. *Tropical Fish Hobbyist* (May): 72-76
J.M. Artigas Azas (2014): Characodon Habitate 2013 - eine Bestandsaufname. *DATZ* (8): 16-30
T. Bauer (2007): Beobachtungen zur einfacher Unterscheidung von Weibchen einiger Goodeidenarten. *DGLZ-Rundschau* (1): 41-41
R.G. Beltrán-López et al (2021): Genetic differentiation in the genus Characodon: implications for conservation and taxonomy. *PeerJ* (): 1-22
F. Bitter (1987): Zur Haltung und Zucht zweier Hochlandkärpfinge. *DATZ* (3): 107-110
O. Böhm (0): Quelques espèces intéressantes de la famille des Goodeidés. *Aquarama* (): 13-16
T. Coletti (2010): Livebearers unlimited Six goodeids you should try this summer. *Tropical Fish Hobbyist* (May): 36-38
T. Coletti (2015): 10 Livebearers for your wishlist. *Tropical Fish Hobbyist* (5): 60-64
J. Dawes (1997): Goodeiden Teil 3: Allgemeine Hinweise zur Pflege und Zucht sowie Kurzbeschreibungen zu einigen Arten (1). *Das Aquarium* (342): 16-19
I. Dibble (1999): Goodeiden im Norden Mexikos. *DGLZ-Rundschau* (2): 61-63
I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de veldtrip 2. *Poecilia Nieuws* (6): 117-126
I. Dibble (2000): Fish Ark Project - Mexico. *Viviparous* (48): 5-10
I. Dibble (2000): Fish Ark Project - Mexico. *Viviparous* (49): 0-
U. Dost (2001): Schwarzer Prinz und Regenbogen-Goodeide. *Aquaristik-Aktuell* (7-8): 53-58
U. Dost (2008): Op zoek naar de 'zwarte prins' en de regenbooggoodeiden. *Het Aquarium* (6): 4-9
K.-H. Eckhardt (1997): 5 bis 35° - Freilandhaltung von Juni bis Oktober. *DGLZ-Rundschau* (4): 77-79
G. Eckstein (1984): Rainbow goodeid. *Livebearers* (74): 10-11
R. Fischer (1992): *Characodon lateralis*. *Livebearers* (123): 3-5
J.M. Fitzsimons (1972): A revision of two genera of goodeid fishes from the Mexican plateau. *Copeia* (4): 728-756
H. Flöthmann (1991): Beobachtungen bei der Haltung und Zucht von Goodeiden. *DGLZ-Rundschau* (4): 83-85
D. Gentzsch (1990): *Characodon lateralis* Günther, 1866 ein hübscher Pflegling für gehobene Ansprüche. *ZAG Lebendgebärende Zahnkarpfen* (4): 11-12
R.C. Griffiths (1986): Goodeids I have loved (or liked, anyway). *Livebearers* (85): 8-9
C. Grimes (1973): A goodeidae. *Livebearers* (12): 11-11
C. Grimes (1993): A Goodeidae. *Livebearers* (132): 4-5
A. Groiche (2016): Het genus Characodon, de bijgewerkte versie. *Poecilia Nieuws* (2): 14-17
A. Groiche (2015): Le point sur le genre Characodon. *Le Vivipare* (124): 26-30
A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
R.M. Hamill et al (2007): Comparison of genetic diversity at microsatellite loci in near-extinct and non-endangered species of Mexican goodeine fishes and prediction of cross-amplification within the family. *Journal of Fish Biology* (70): 16-32
M. Heußen (2013): Kurz berichtet. *Das Lebendgebärenden Magazin* (2): 7-8
H. Hieronimus (1987): *Characodon audax*, Smith & Miller, 1986. *DGLZ-Rundschau* (1): 4-7
H. Hieronimus (1987): *Characodon audax*, Smith & Miller, een nieuwe goodeidae. *Poecilia Nieuws* (4): 52-55
H. Hieronimus (1997): Member's forum. *Livebearers* (150): 3-5
H. Hieronimus (2014): Unterschiede bei Characodon. *DGLZ-Rundschau* (1): 5-9
H. Hieronimus (2021): Neues zu den Goodeiden der Gattung Characodon. *DGLZ-Rundschau* (3): 129-136
I. Hilton (2006): *Characodon lateralis*. *Livebearer News* (13): 22-24
L. Hutchings (1979): A different kind of livebearer - *Characodon lateralis*. *Livebearers* (44): 9-10
K. de Jong (2008): *Characodon lateralis* Günther, 1866. *Poecilia Nieuws* (3): 44-45
K. de Jong (2015): GWG bijeenkomst 2014 in Morelia. *Poecilia Nieuws* (1): 23-31
M. Kempkes (1999): Drei besonders empfehlenswerte Hochlandkärpfinge. *DATZ* (2): 28-33
M. Kempkes (2007): Die aquaristisch bedeutsamen Goodeiden-Arten. *Aquaristik Fachmagazin* (197): 12-17
G. Knol (1994): Problemen met mijn Ameca splendens. *Poecilia Nieuws* (6): 117-118

Livebearer Literature List 202201

- D. Kunath (1990): Die Kreuzung von Characodon lateralis Günther, 1866 mit Characodon audax Smith & Miller, 1986. DGLZ-Rundschau (4): 4-5
- D. Kunath (1990): Die Kreuzung Characodon lateralis Günther, 1866 mit Characodon audax Smith & Miller, 1986. ZAG Lebendgebärende Zahnkarpen (2): 7-9
- D. Lambert (0): Characodon lateralis. Viviparous (2): 0-
- P. Lambert (0): An exciting parcel of fish. Viviparous (2): 0-
- D. Lambert (1992): Forgotten rainbows. Practical Fishkeeping (Februari): 54-
- D. Lambert (1994): Introducing goodeids. Livebearers (133): 13-21
- D. Lambert (1997): The livebearer world: Goodeids of the genus Characodon. Tropical Fish Hobbyist (September): 146-150
- J.K. Langhammer (1976): The lost treasure of the Aztecs. Livebearers (28): 2-5
- J.K. Langhammer (1982): The lost treasure of the Aztecs Part III The bumblebee and rainbow Goodeids. Livebearers (66): 10-11
- J.K. Langhammer (1986): The lost treasure of the Aztecs Part VII- an update on the goodeids. Livebearers (91): 5-8
- J. Lyons (2005): Goodeiden in de natuur (slot). Poecilia Nieuws (1): 24-27
- A. Martínez-Aquino et al (2007): Helminth parasite communities of Characodon audax and C. lateralis (Pisces: Goodeidae), endemic freshwater fishes from Durango, Mexico. The Southwestern Naturalist (1): 125-130
- Patrick Meder (2015): Souche d'anthologie de l'AFV: Characodon lateralis (souche 01 AFV 1992). Le Vivipare (125): 17-21
- S.E. Meek (1903): Distribution of the fresh-water fishes of Mexico. The American Naturalist (44): 771-784
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- E. Meinema (1990): Kleine hooglandkarpers. Het Aquarium (9): 209-212
- P.J. Mellegers (1994): Een moeizame bevalling. Poecilia Nieuws (3): 50-55
- J.C. Merino (1991): Characodon lateralis. Poecilia Nieuws (5): 81-84
- J.C. Merino (1992): Characodon lateralis (Günther, 1866). Picasso onder water (): 0-
- R.R. Miller (1962): Man and the changing fish fauna of the American Southwest. Papers of the Michigan Academy of Science, Arts, and Letters (46): 365-404
- J. de Moree (1998): Van de werkgroep zuid-west: Characodon lateralis. Poecilia Nieuws (6): 94-96
- H. Mück (2011): Den Traum gelebt: Mexikorundreisde - Endziel Characodon-Habitate im zentralen Hochland von Durango. DGLZ-Rundschau (4): 91-108
- G.G. Nelson (1975): Anatomy of the male urogenital organs of Goodea atripinnis and Characodon lateralis and G. atripinnis courtship. Copeia (3): 475-482
- E. Philippi (1906): Ein neuer, deszendenztheoretisch inleressanter Fall von Viviparität bei einem Teleostier. Sitzungs-Berichte der Gesellschaft naturforschender Freunde (9): 235-237
- A.C. Radda (1986): De Goodeidae van Mexico; deel II. TI'H (44): 11-14
- A.C. Radda (1986): Cyprinodonten vissen in Mexico 3. Poecilia Nieuws (2): 40-43
- M.G. Ritchie et al (2007): Sex and differentiation: population genetic divergence and sexual dimorphism in Mexican goodeid fish. European Society for Evolutionary Biology (20): 2048-2055
- A. Routh (2013): Managing mycobacteriosis and associated biosecurity in the care and breeding of threatened freshwater fishes in public aquariums: an overview. Int. Zoo. Yb. (47): 102-111
- D. Sanford (2002): The "red flash" livebearer. Livebearer News (1): 28-29
- G. Schleussner (2010): Fische und Wirbellose neu importiert: Characodon audax "Guadalupe Aguilera". Amazonas (6): 76-77
- P. Schubert (1989): Eine undursichtige Sache. DGLZ-Rundschau (3): 8-10
- P. Schubert (1990): Gedanken zur Vergesellschaftung von Goodeiden. DGLZ-Rundschau (1): 18-22
- P. Schubert (1991): Wie schützt man Jungfische von Goodeiden vor dem Gefressenwerden?. DGLZ-Rundschau (2): 41-43
- P. Schubert (1992): Characodon lateralis Ein Juwel mit besonderen Reizen. Das Aquarium (11): 20-21
- P. Schubert (1992): Characodon lateralis - Ein Juwel mit besonderen Reizen. Das Aquarium (november): 20-
- B. Seemann (1853): Narrative of the voyage of H.M.S. Herald during the years 1845-51. (): 1-302
- M.L. Smith & R.R. Miller (1986): Mexican Goodeid fish of the genus Characodon, with description of a new species. American Museum Novitates (2851): 1-14
- D. Speirs (1988): Livebearer taxonomy: a race between discovery and extinction. Livebearers (97): 6-8
- E.C. Taylor (1984): Hooglandkarpers (vervolg). Poecilia Nieuws (2): 5-6
- G. Teichmann (2009): Die Gattung Characodon. Das Lebendgebärenden Magazin (1): 9-14
- G. Teichmann (2010): Die Gattung Characodon Teil II. Das Lebendgebärenden Magazin (1): 8-14
- G. Teichmann (2011): Ist Characodon audax "El Toboso" in der Natur ausgestorben?. Das Lebendgebärenden Magazin (2): 12-13
- G. Teichmann & B. Kaubisch (2013): Characodon lateralis "Los Berros" Zwei Aufsammlungen im Vergleich. Das Lebendgebärenden Magazin (1): 5-9
- R.L. Tiedemann & S.A. Webb (2009): Morphological status and taxonomy of Characodon (Goodeidae) from the high plateau of central Mexican. Georgia Journal of Science (Abstract Issue) (67): 20-21
- M. Tobler & N. Bertrand (2014): Morphological variation in vanishing Mexican desert fishes of the genus Characodon (Goodeidae). Journal of Fish Biology (): 1-14
- M. Vestergaard (2001): LBB-Status für die Jahre 1999-2000. DGLZ-Rundschau (2): 35-35
- D. Walker (2014): Who C.A.R.E.S. about SMP fish in Derek's fishroom?. Livebearers (222): 6-12
- E. Weiand (2019): Characodon lateralis "Los Berros". Das Lebendgebärenden Magazin (1): 40-41
- F. Winter (2020): Levendbarende vissen in het aquarium - een ondergewaardeerde groep-. Het Aquarium (8): 48-55

- L. Wischnath (1996): Hooglandkarpers uit Mexico. Het Aquarium (2): 32-36
J. Wubbolt (2000): Characodon lateralis: the rainbow Goodeid. Livebearers (163): 21-22

Characodon sp

- U. Dost (2001): Schwarzer Prinz und Regenbogen-Goodeide. Aquaristik-Aktuell (7-8): 53-58
W.F. Langer (1913): Beiträge zur Morphologie der viviparen Cyprinodontiten. Gegenbaurs Morphologisches Jahrbuch. Zeitschrift für Anatomie und Entwicklungsgeschichte (1-2): 193-307
J. Lyons (2005): Goodeiden in de natuur (slot). Poecilia Nieuws (1): 24-27
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
R.L. Tiedemann & S.A. Webb (2009): Morphological status and taxonomy of Characodon (Goodeidae) from the high plateau of central Mexican. Georgia Journal of Science (Abstract Issue) (67): 20-21

Cnesterodon alle

- J. Chambers (1990): The gonopodia of the fishes of the tribe Cnesterodontini (Cyprinodontiformes, Poeciliidae). Journal of Fish Biology (36): 903-916
H. Hieronimus (2006): Brasilianische Verwandtschaften bei Cnesterodontini. DGLZ-Rundschau (4): 133-135
P.H.F. Lucinda & R.E. Reis (2005): Systematics of the subfamily Poeciliinae Bonaparte (Cyprinodontiformes: Poeciliidae), with an emphasis on the tribe Cnesterodontini Hubbs. Neotropical Ichthyology (1): 1-60
M.K. Meyer & V. Etzel (2001): Description of Cnesterodon raddai sp.n from a swamp near Resistencia, Rio Paraná basin, Argentina. Staatliches Museum für Tierkunde Dresden (17): 247-252
D.E. Rosen (1967): New Poeciliid fishes from Guatemala, with comments on the origins of some South and Central American forms. American Museum Novitates (2303): 1-15

Cnesterodon brevirostratus Rosa & Costa, 1993

- (1994): Revisie van het geslacht Cnesterodon, met beschrijving van twee nieuwe soorten. Aquarium & Terrarium Hobbyist (1): 43-43
G. Aguilar, J.M. Mirand & M. de las Mercedes Azpelicuet (2009): A new species of Cnesterodon (Cyprinodontiformes: Poeciliidae) from a small tributary of arroyo Cuñá-Pirú, río Paraná basin, Misiones, Argentina. Zootaxa (2195): 34-42
K. de Jong (1994): Twee nieuwe Cnesterodon-soorten uit Brazilië. Poecilia Nieuws (1): 15-18
J.K. Langhammer (0): Look out look out there's a scientist about. Viviparous (25): 0-1
J.K. Langhammer (1993): New species of Cnesterodon described. Livebearers (131): 11-11
R.S. Rosa & Wilson J.E.M. Costa (1993): Systematic Revision of the genus Cnesterodon (Cyprinodontiformes: Poeciliidae) with the description of two new species from Brazil. Copeia (3): 696-708

Cnesterodon carnegiei Haseman, 1911

- J. Chambers (1990): The gonopodia of the fishes of the tribe Cnesterodontini. J. Fish Biology (36): 903-916
G. Daul (1988): Lebendgebärende Zahnkarpfen aus Brasilien. Das Aquarium (Juli): 397-399
K. Dryden (1979): The origin of the fish we call Cnesterodon carnegiei. Livebearers (47): 7-8
J.D. Haseman (1911): Some new species of fishes from the Rio Iguassú. Annals of the Carnegie Museum (3-4): 374-387
H. Hieronimus (2001): Zwei neue Cnesterodon-Arten aus dem Gebiet des oberen Paraná mit Bemerkungen zur Identität von C. Carnegie. DGLZ-Rundschau (3): 57-58
K. de Jong (1994): Twee nieuwe Cnesterodon-soorten uit Brazilië. Poecilia Nieuws (1): 15-18
J.K. Langhammer (1987): The genus Cnesterodon. Livebearers (92): 3-4
P.H.F. Lucinda & J.C. Garavello (2000): Two new species of Cnesterodon Garman, 1895 from the upper Paraná drainage. Comun. Mus. Ciênc. Tecnol., Sér Zool, Porto Alegre (2): 119-138
J. Novák, L. Kalouš & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
A.C. Radda (1979): Die Tribus Cnesterodontini eine Übersicht. Aquaria (26): 129-134
R.S. Rosa & Wilson J.E.M. Costa (1993): Systematic Revision of the genus Cnesterodon (Cyprinodontiformes: Poeciliidae) with the description of two new species from Brazil. Copeia (3): 696-708

Cnesterodon decemmaculatus (Jenyns, 1843)

- A.F. Bonifacio et al (2016): Alterations in the general condition, biochemical parameters and locomotor activity in Cnesterodon decemmaculatus exposed to commercial formulations of chlorpyrifos, glyphosate and their mixtures. Ecological Indicators (67): 88-97
A. Butfcher (1901): Unser freund, der Girardinus decemmaculatus. Blätter für Aquarien- und Terrarienkunde (22): 281-282
J. Chambers (1990): The gonopodia of the fishes of the tribe Cnesterodontini (Cyprinodontiformes, Poeciliidae). Journal of Fish Biology (36): 903-916
J. Chambers (1990): The gonopodia of the fishes of the tribe Cnesterodontini. J. Fish Biology (36): 903-916
G. Daul (1988): Lebendgebärende Zahnkarpfen aus Brasilien. Das Aquarium (Juli): 397-399
L. Ferrari (2017): Manual de procedimiento básico para la cría de Cnesterodon decemmaculatus en laboratorio. EdUnLu (): 1-49
R. France (1920): Aquarium microscopy. Aquatic Life (May): 49-53
D. Frank (1913): Bericht aus Argentinien. Ueber drei Lebendgebärende Zahnkarpfen aus Argentinien. Blätter für Aquarien- und Terrarienkunde (23): 370-373
G. Gerlach (1902): Girardinus decemmaculatus (echte Form). Blätter für Aquarien- und Terrarienkunde (14): 161-161

- G. Gerlach (1902): Girardinus decemmaculatus (echte Form) 2. Blätter für Aquarien- und Terrarienkunde (15): 167-169
- C. Grimes (1984): Cnesterodon decemmaculatus The 10 spot livebearer - or you better get yours quick!. Livebearers (75): 6-7
- C. Grimes (1984): Cnesterodon decemmaculatus The 10 spot livebearer. Livebearers (75): 6-7
- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
- A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
- R. Hensel (1868): Beiträge zur kenntnis der Wirbeltiere Sudbrasiliens. Archiv für Naturgeschichte (vol. 34): 356-376
- H. Hieronimus (1986): Geschichte der Lebendgebärenden Teil 5 - L. Jenyns: fishes. DGLZ-Rundschau (2): 4-6
- H. Hieronimus (1986): De geschiedenis van de levendbarende tandkarpers deel 5. Poecilia Nieuws (6): 78-82
- H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. DGLZ-Rundschau (4): 14-18
- H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. Poecilia Nieuws (6): 12-18
- K. Jacobs (1967): Der Kaudi und der Dezi, begehrte Raritäten zu Zeiten unserer Vorfävter. Aquarien Terrarien (10): 350-351
- K. Jacobs (1972): Kennen Sie den noch? Cnesterodon decemmaculatus. Das Aquarium (1): 686-686
- L. Jenyns (1842): Fish. In Darwin, C. (ed.), The Zoology of the voyage of H.M.S. Beagle London (): 1-172
- K. de Jong (1994): Twee nieuwe Cnesterodon-soorten uit Brazilië. Poecilia Nieuws (1): 15-18
- K. de Jong (1995): Nieuwe soorten in Nederland. Poecilia Nieuws (5): 98-100
- K. de Jong (2016): Cnesterodon decemmaculatus (Jenyns, 1842). Poecilia Nieuws Atlas (): -
- P. Kammerer (1908): Donaubarsche. Blätter für Aquarien- und Terrarienkunde (16): 185-188
- D. Knelson (1976): Cnesterodon decemmaculatus (Jenyns 1842). Livebearers (30): 7-8
- W. Köhler (1906): Nomenklaturfragen. IV. Unsere beiden Girardinus-Arten. Blätter für Aquarien- und Terrarienkunde (4): 35-37
- W. Krauß-Bargmann (1924): Ueber das Gonopodium der Zahnkarpfen. Wochenschrift für Aquarien und Terrarienkunde (30): 644-645
- J.K. Langhammer (1987): The genus Cnesterodon. Livebearers (92): 3-4
- A. Liebscher (1902): Der echte Girardinus decemmaculatus. Blätter für Aquarien- und Terrarienkunde (18): 207-207
- T.O. Litz & S. Koerber (2014): Check list of the freshwater fishes of Uruguay (CLOFF-UY). Ichthyological Contributions of PecesCriollos (28): 1-40
- K.H. Lülling (1983): De leefgebieden van de seizoenvissen Cynolebias viarius en Cynolebias melanotaenia in oostelijk Uruguay. TIH (32): 7-10
- K.H. Lülling (1984): "Gepekelde" Poeciliiden in Argentijnse meren. TIH (36): 5-8
- P. Matte (1900): Ueber Girardinus decemmaculatus, einen lebendig gebären Fisch. Blätter für Aquarien- und Terrarienkunde (3): 29-30
- A. Mayer (1912): Importreise nach Brasilien und Argentinien. Blätter für Aquarien- und Terrarienkunde (26): 421-424
- E. Meinema (1986): Miljoenenvisje?. Poecilia Nieuws (6): 82-83
- E. Meinema (1988): Een geschikt visje voor kleinere aquaria. Het Aquarium (10): 260-261
- J.C. Merino (1992): Cnesterodon decemmaculatus (Jenyns, 1843). Picasso onder water (): 0-
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- N.A. Ossana et al (2016): Multibiomarker response in ten spotted live-bearer fish Cnesterodon decemmaculatus (Jenyns, 1842) exposed to Reconquista river water. Ecotoxicology and Environmental Safety (133): 73-81
- N.A. Ossana et al (2019): Histological, genotoxic, and biochemical effects on Cnesterodon decemmaculatus (Jenyns 1842) (Cyprinodontiformes, Poeciliidae): early response bioassays to assess the impact of receiving waters. Journal of Toxicology (4687685): 1-13
- J. Peter (1905): Lebendig gebärende Kärpfelinge. Blätter für Aquarien- und Terrarienkunde (5): 62-66
- F. Quintans, F. Scasso & O. Defeo (2010): Unsuitability of Cnesterodon decemmaculatus (Jenyns, 1842) for mosquito control in Uruguay: evidence from food-preference experiments. Journal of Vector Ecology (2): 333-338
- F. Quintans, F. Scasso, M. Loureiro & A. Yafe (2009): Diet of Cnesterodon decemmaculatus (Poeciliidae) and Jenynsia multidentata (Anablepidae) in a hypertrophic shallow lake of Uruguay. Iheringia Ser. Zool. (1): 99-105
- A. Rachow (1914): Zur Nomenklatur unserer viviparen Zahnkarpfen (Poeciliidae), nebst Bemerkungen über einige neue Arten. Blätter für Aquarien- und Terrarienkunde (11): 185-200
- A. Rachow (1940): Cnesterodon decemmaculatus (Jenyns). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca)): 541-544
- A.M.C. Ramos-Fregonezi, L.R. Malabarba & N.J.R. Fagundes (2017): Population genetic structure of Cnesterodon decemmaculatus (Poeciliidae): a freshwater look at the Pampa Biome in Southern South America. Frontiers in Genetics (Dec): 1-10
- E. Ringel (1911): Unsere Lebendgebärenden. Wochenschrift für Aquarien und Terrarienkunde (): 248-250
- R.S. Rosa & Wilson J.E.M. Costa (1993): Systematic Revision of the genus Cnesterodon (Cyprinodontiformes: Poeciliidae) with the description of two new species from Brazil. Copeia (3): 696-708
- C.J. Santamaría-Martín et al (2021): Structure of the gonoduct of the viviparous teleost Cnesterodon decemmaculatus (Jenyns, 1842) (Poeciliidae). Journal of Morphology
- F.H. Stoye (1998): The fishes of the order Cyprinodontes Part 3. The livebearers. Livebearers (152): 23-31
- B. Wichand (1906): Diesjährige Neuheiten in Wort und Bild. II Neuimportierte bzw. erstmalig nachgezüchtete Zahnkarpfen (Poeciliidae). Blätter für Aquarien- und Terrarienkunde (47): 463-469
- J. van der Wind (2004): Cnesterodon decemmaculatus (Jenyns, 1843). Poecilia Nieuws (5): 11-13
- J.J. Zúñiga-Vega, C. Macías-García & J.B. Johnson (2010): Hypotheses to explain the evolution of superfetation in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 241-254

Cnesterodon holopterus Lucinda, Litz & Recuero, 2006

- H. Hieronimus (2007): Cnesterodon holopteris Eine neue Cnesterodon-Art aus Uruguay. DGLZ-Rundschau (1): 37-38
K. de Jong (2008): Even voorstellen. Poecilia Nieuws (1): 25-27
T.O. Litz & S. Koerber (2014): Check list of the freshwater fishes of Uruguay (CLOFF-UY). Ichthyological Contributions of PecesCriollos (28): 1-40
P. Lucinda, T. Litz & R. Recuero (2006): Cnesterodon holopterus, a new species from the Republic of Uruguay. Zootaxa (1350): 21-31

Cnesterodon hypselurus Lucinda & Garavello, 2000

- G. Aguilar, J.M. Mirand & M. de las Mercedes Azpelicuet (2009): A new species of Cnesterodon (Cyprinodontiformes: Poeciliidae) from a small tributary of arroyo Cuñá-Pirú, río Paraná basin, Misiones, Argentina. Zootaxa (2195): 34-42
H. Hieronimus (2001): Zwei neue Cnesterodon-Arten aus dem Gebiet des oberen Paraná mit Bemerkungen zur Identität von C. Carnegie. DGLZ-Rundschau (3): 57-58
K. de Jong (2002): Ontwikkelingen in het genus Cnesterodon. Poecilia Nieuws (5): 82-84
P.H.F. Lucinda & J.C. Garavello (2000): Two new species of Cnesterodon Garman, 1895 from the upper Paraná drainage. Comun. Mus. Ciênc. Tecnol., Sér Zool, Porto Alegre (2): 119-138

Cnesterodon iguape Lucinda, 2005

- G. Aguilar, J.M. Mirand & M. de las Mercedes Azpelicuet (2009): A new species of Cnesterodon (Cyprinodontiformes: Poeciliidae) from a small tributary of arroyo Cuñá-Pirú, río Paraná basin, Misiones, Argentina. Zootaxa (2195): 34-42
H. Hieronimus (2006): Cnesterodon iguape - Ein neuer Lebendgebärender aus Brasilien. DGLZ-Rundschau (4): 135-136
P.H. Lucinda (2005): Systematics of the genus Cnesterodon Garman, 1895. Neotropical Ichthyology (3): 259-270

Cnesterodon omorgmatus Lucinda & Garavello, 2000

- H. Hieronimus (2001): Zwei neue Cnesterodon-Arten aus dem Gebiet des oberen Paraná mit Bemerkungen zur Identität von C. Carnegie. DGLZ-Rundschau (3): 57-58
K. de Jong (2002): Ontwikkelingen in het genus Cnesterodon. Poecilia Nieuws (5): 82-84
P.H.F. Lucinda & J.C. Garavello (2000): Two new species of Cnesterodon Garman, 1895 from the upper Paraná drainage. Comun. Mus. Ciênc. Tecnol., Sér Zool, Porto Alegre (2): 119-138

Cnesterodon pirai Aguilar, Mirand & de las Mercedes Azpelicuet, 2009

- G. Aguilar, J.M. Mirand & M. de las Mercedes Azpelicuet (2009): A new species of Cnesterodon (Cyprinodontiformes: Poeciliidae) from a small tributary of arroyo Cuñá-Pirú, río Paraná basin, Misiones, Argentina. Zootaxa (2195): 34-42
K. de Jong (2009): Een nieuwe Cnesterodon uit Argentinië. Poecilia Nieuws (5): 21-22
S. Koerber (2014): List of freshwater fishes from Argentina - update 15. Ichthyological Contributions of PecesCriollos (32): 1-15

Cnesterodon raddai Meyer & Etzel, 2001

- H. Hieronimus (2002): Zwei neue Lebendgebärende. DGLZ-Rundschau (2): 44-46
K. de Jong (2002): Ontwikkelingen in het genus Cnesterodon. Poecilia Nieuws (5): 82-84
S. Koerber (2014): List of freshwater fishes from Argentina - update 15. Ichthyological Contributions of PecesCriollos (32): 1-15
M.K. Meyer & V. Etzel (2001): Description of Cnesterodon raddai sp.n from a swamp near Resistencia, Rio Paraná basin, Argentina. Staatliches Museum für Tierkunde Dresden (17): 247-252

Cnesterodon septentrionalis Rosa & Costa, 1993

- (1994): Revisie van het geslacht Cnesterodon, met beschrijving van twee nieuwe soorten. Aquarium & Terrarium Hobbyist (1): 43-44
G. Aguilar, J.M. Mirand & M. de las Mercedes Azpelicuet (2009): A new species of Cnesterodon (Cyprinodontiformes: Poeciliidae) from a small tributary of arroyo Cuñá-Pirú, río Paraná basin, Misiones, Argentina. Zootaxa (2195): 34-42
K. de Jong (1994): Twee nieuwe Cnesterodon-soorten uit Brazilië. Poecilia Nieuws (1): 15-18
J.K. Langhammer (0): Look out look out there's a scientist about. Viviparous (25): 0-1
J.K. Langhammer (1993): New species of Cnesterodon described. Livebearers (131): 11-11
R.S. Rosa & Wilson J.E.M. Costa (1993): Systematic Revision of the genus Cnesterodon (Cyprinodontiformes: Poeciliidae) with the description of two new species from Brazil. Copeia (3): 696-708

Crenichthys sp

- D.C. Campbell & K.R. Piller (2017): Let's jump in: a phylogenetic study of the great basin springfishes and poolfishes, Crenichthys and Empetrichthys (Cyprinodontiformes: Goodeidae). PlosOne (10): 1-21
K.L. Foster & K.P. Piller (2018): Disentangling the drivers of diversification in an emperiled group of freshwater fishes (Cyprinodontiformes: Goodeidae). BMC Evolutionary Biology (116): 1-12
S.C. Goodchild (2021): Enigma Fische in den Wüste. Amazonas (5): 22-27
E.C. Grant & B.R. Riddle (1995): Are the Endangered Springfish (Crenichthys Hubbs) and Poolfish (Empetrichthys Gilbert)
E.C. Grant & B.R. Riddle (1995): Are the endangered springfish (Crenichthys Hubbs) and poolfish (Emeptrichthys Gilbert) fundulines or goodeids? A mitochondrial DNA assessment. Copeia (1): 209-212
M. Heußen (2011): Ein eierlegender Goodeide: Crenichthys baileyi (Gilbert 1893). Das Lebendgebärenden Magazin (2): 14-15

- C.L. Hubbs (1932): Studies of the order Cyprinodontes. XII. A new genus related to Empetrichthys. Occasional papers of the museum of zoology University of Michigan (252): 1-5
C.L. Hubbs & R.R. Miller (1941): Studies of the fishes of the order Cyprinodontes, XVII: Genera and species of the Colorado River system. Occasional papers of the museum of zoology University of Michigan (433): 1-9
M. Jimenez, S.C. Goodchild, C.A. Stockwell & S.C. Lema (2017): Characterization and phylogenetic analysis of complete mitochondrial genomes for two deser cyprinodontoid fishes, *Empetrichthys latos* and *Crenichthys baileyi*. *Gene* (626): 163-172
R.R. Miller (1962): Relationships of *Empetrichthys erdisi*, a Pliocene Cyprinodontid Fish from California, with Remarks on the Fundulinae and Cyprinodontinae. *Copeia* (3): 520-532
M.C. Uribe, H.J. Grier & L.R. Parenti (2012): Ovarian structure and oogenesis of the oviparous goodeids *Crenichthys baileyi* (Gilbert, 1893) and *Empetrichthys latos* Miller, 1948 (teleostei, Cyprinodontiformes). *Journal of Morphology*
M.C. Uribe, H.J. Grier & L.R. Parenti (2018): Testicular structure and spermatogenesis of the oviparous goodeids *Crenichthys baileyi* (Gilbert, 1893) and *Empetrichthys latos* Miller, 1948 (Teleostei, Cyprinodontiformes). *Journal of Morphology*
J.E. Williams & G.R. Wilde (1981): Taxonomic status and morphology of isolated populations of the white river springfish, *Crenichthys baileyi* (Cyprinodontidae). *The Southwestern Naturalist* (4): 485-503
C.D. Williams & J.E. Williams (1982): Summer Food Habits of Fishes from Two Springs in East-Central Nevada. *The Southwestern Naturalist* (4): 437-445

Dermogenys bispina Meisner & Colette, 1998

- H. Hieronimus (2003): Neues bei Halbschnäblern. *DGLZ-Rundschau* (1): 3-12
A.D. Meisner & B.B. Collette (1998): A new species of viviparous halfbeak, *Dermogenys bispina* from Sabah (North Borneo). *Raffles Bulletin of Zoology* (2): 373-380

Dermogenys brachynotoperus (Bleeker, 1853)

- H. Hieronimus (2003): Neues bei Halbschnäblern. *DGLZ-Rundschau* (1): 3-12
U. Korte (2016): Vergleichende Betrachtung zur unterschiedlichen Fortpflanzungsstrategie zweier *Dermogenys*-Arten. *DGLZ-Rundschau* (2): 45-55
U. Korte (2017): Comparing two different reproductive strategies in the genus *Dermogenys*. *Livebearers* (235): 15-23

Dermogenys bruneiensis Meisner, 2001

- M. de Bruyn et al (2013): Paleo-drainage basin connectivity predicts evolutionary relationships across three southeast Asian biodiversity hotspots. *Systematic biology* (3): 398-410
H. Hieronimus (2003): Neues bei Halbschnäblern. *DGLZ-Rundschau* (1): 3-12
A.D. Meisner (2001): Phylogenetic systematics of the viviparous halfbeak genera *Dermogenys* and *Nomorhamphus*. *Zoological Journal of the Linnean Society* (133): 199-283

Dermogenys burmanica Mukerji, 1935

- M. de Bruyn et al (2013): Paleo-drainage basin connectivity predicts evolutionary relationships across three southeast Asian biodiversity hotspots. *Systematic biology* (3): 398-410
H. Hieronimus (2003): Neues bei Halbschnäblern. *DGLZ-Rundschau* (1): 3-12
U. Korte (2017): Comparing two different reproductive strategies in the genus *Dermogenys*. *Livebearers* (235): 15-23
D. Reznick, R. Meredith & B.B. Collette (2007): Independent evolution of complex life history adaptations in two families of fishes, livebearing halfbeaks (Zenarchopteridae, Beloniformes) and Poeciliidae (Cyprinodontiformes). *Evolution* (11): 2570-2583

Dermogenys collettei Meisner, 2001

- M. de Bruyn et al (2013): Paleo-drainage basin connectivity predicts evolutionary relationships across three southeast Asian biodiversity hotspots. *Systematic biology* (3): 398-410
D. Gentzsch (2008): Bilder von zwei Farbschlägen des Campona-Guppys. *DGLZ-Rundschau* (2): 39-40
D. Gentzsch (2019): Beobachtungen zu drei *Dermogenys*-Herkünften. *Das Lebendgebärenden Magazin* (2): 19-23
H. Hieronimus (2003): Neues bei Halbschnäblern. *DGLZ-Rundschau* (1): 3-12
H. Hieronimus (2015): Unerwartetes Schwarmverhalten bei einem Halbschnäbler. *DGLZ-Rundschau* (2): 95-95
J.K.I. Ho et al (2015): Shoaling behaviour in the pygmy halfbeak *Dermogenys collettei* (Beloniformes: Zenarchopteridae): comparing populations from contrasting predation regimes. *Raffles Bulletin of Zoology* (63): 237-245
T.H. Hui (2019): Fishes observed at Windsor Nature Park. *Singapore Biodiversity Records* (February): 20-21
A.D. Meisner (2001): Phylogenetic systematics of the viviparous halfbeak genera *Dermogenys* and *Nomorhamphus*. *Zoological Journal of the Linnean Society* (133): 199-283
F. Schäfer (2015): Fischimporte aus Südostasien unter besonderer Berücksichtigung der Halbschnäbler. *Das Lebendgebärenden Magazin* (2): 18-28

Dermogenys orientalis (Weber, 1894)

- M. Brembach (1982): Drei neue *Dermogenys*-Arten aus Sulawesi: *D. montanus*, *D. vogti*, *D. megarrhamphus*. *DATZ* (2): 51-55
H.-G. Evers (2014): The halfbeaks of Sulawesi. *Amazonas* (jan/feb): 30-47
R. Fischer (1995): Introduction to halfbeaks. *Livebearers* (139): 19-21
H. Hieronimus (2003): Neues bei Halbschnäblern. *DGLZ-Rundschau* (1): 3-12
U. Korte (2016): Vergleichende Betrachtung zur unterschiedlichen Fortpflanzungsstrategie zweier *Dermogenys*-Arten. *DGLZ-Rundschau* (2): 45-55
U. Korte (2017): Comparing two different reproductive strategies in the genus *Dermogenys*. *Livebearers* (235): 15-23
M. Weber & L.F. de Beaufort (1922): The fishes of the Indo-Australian archipelago IV. Heromi, Solenichthyes, Synentognathi, Percesoces, Labyrinthici, Microcyprini. () 135-170

Dermogenys palawanensis Meisner, 2001

- S.W. Coleman, A. Harlin-Cognato & A.G. Jones (2009): Reproductive isolation, reproductive mode, and sexual selection: empirical tests of the viviparity driven conflict hypothesis. *The American Naturalist* (3): 291-303
H. Hieronimus (2003): Neues bei Halbschnäblern. *DGLZ-Rundschau* (1): 3-12
A.D. Meisner (2001): Phylogenetic systematics of the viviparous halfbeak genera *Dermogenys* and *Nomorhamphus*. *Zoological Journal of the Linnean Society* (133): 199-283

Dermogenys pectoralis Fowler, 1933

- H. Fowler (1933): Descriptions of new fishes obtained 1907 to 1910, chiefly in the Philippine islands and adjacent seas. *Proc. Acad. Nat. Sci. Phila.* (85): 233-367

Dermogenys pusilla Kuhl & Van Hasselt in Van Hasselt, 1823

- (1986): Halfsnabelbekje *Dermogenys pusillus*. *Het Aquarium* (10): 261-261
U. Berten & H. Greven (1991): Beobachtungen zum agonistischen Verhalten von *Dermogenys pusillus* van Hasselt, 1837 I. Das Verhaltensrepertoire. *Zeitschrift für Fischkunde* (1): 47-67
H. van der Bijl (2001): Halfsnabelbekje *Dermogenys pusillus*. *Het Aquarium* (2): 64-65
R.M. Biow (1949): Meer gegevens over halfsnabelbekken. *Het Aquarium* (12): 290-291
E. Blewett (2018): *Dermogenys pusillus*: the wrestling halfbeak. *Livebearers* (239): 5-7
L. Bolick (1984): *Dermogenys pusillus*. The wrestling halfbeak. *Livebearers* (76): 6-7
D. Bork (1988): Wieder häufiger gepflegt - *Dermogenys pusillus*. *Aquarien Terrarien* (4): 127-127
W.L. Brind (1918): *Hemirhamphus fluviatilis*. *Aquatic Life* (October): 17-18
M. de Bruyn et al (2013): Paleo-drainage basin connectivity predicts evolutionary relationships across three southeast Asian biodiversity hotspots. *Systematic biology* (3): 398-410
M. de Bruyn, W. Grail & G.R. Carvalho (2011): Anonymous nuclear markers for halfbeak fishes of the genus *Hemirhamphodon*. *Conservation Genet Resour* (3): 155-157
A. Burbat (1986): Gemeinsame Zucht von *Dermogenys pusillus* und *Orconectes limorus*. *Aquarien Terrarien* (8): 265-267
S.W. Coleman, A. Harlin-Cognato & A.G. Jones (2009): Reproductive isolation, reproductive mode, and sexual selection: empirical tests of the viviparity driven conflict hypothesis. *The American Naturalist* (3): 291-303
T. Coletti (2010): Livebearers Unlimited. The wrestling halfbeaks. *Tropical Fish Hobbyist* (8): 32-34
T. Coletti (2015): 10 Livebearers for your wishlist. *Tropical Fish Hobbyist* (5): 60-64
S. Dasgupta et al (2017): The impact of aquatic salinization on fish habitats and poor communities in a changing climate: evidence from southwest coastal Bangladesh. *Ecological Economics* (139): 128-139
W.J.M. Deutz (1954): *Dermogenys pusillus*. *Waterweelde* (juli): 73-74
W.J.M. Deutz (1989): *Dermogenys pusillus* Kuhl & van Hasselt, 1822. *Poecilia Nieuws* (6): 0-2
N. Dokoupil (1988): *Dermogenys pusillus* Ergänzungen - Richtigstellungen - Neues. *Das Aquarium* (Mai): 276-279
A. Dorn (1999): Beobachtungen am "Hechtköpfchen" Halbschnäbler. *DATZ* (6): 24-26
K. Ealy (1993): *Dermogenys pusillus* - wrestling halfbeaks. *Livebearers* (129): 9-11
K. van Eeden (1971): Het halfsnabelbeksnokje, *Dermogenys pusillus*. *Het Aquarium* (6): 145-146
M. Eikeboom (2013): Over bastaardgepen en halfsnabelbekken Hemiramphodon tengah Colette, 1991. *Het Aquarium* (12): 30-35
P. Embregts (1997): Het kweken van de halfsnabelbek (*Dermogenys pusillus*). *Het Aquarium* (6): 180-180
C. Flegler (1977): Electron microscopic studies on the development of the chorion of the viviparous teleost *Dermogenys pusillus* (Hemiramphidae). *Cell Tissue Res* (179): 255-270
R.B. Forward Jr. & T.H. Waterman (1973): Evidence for E-vector and light intensity pattern discrimination by the teleost *Dermogenys*. *J. comp. Physiol.* (87): 189-202
H. Greven (2010): What do we know about reproduction of internally fertilizing halfbeaks (Zenarchopteridae)? In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 121-142
H. Greven & N. Nehrig (2004): Beobachtungen zur Balz und Paarung von *Dermogenys pusilla* Van Hasselt, 1837 (Hemiramphidae, Teleostei). *Zeitschrift für Fischkunde* (1): 9-29
H. Greven & Ute Berten (1992): Beobachtungen zum agonistischen Verhalten von *Dermogenys pusillus* Van Hasselt, 1837 II Kämpfe zwischen Männchen. *Zeitschrift für Fischkunde* (2): 135-150
R.C. Griffiths (1991): *Dermogenys pusillus* - the wrestling halfbeak. *Livebearers* (119): 8-10
R.C. Griffiths (1992): *Dermogenys pusillus* the wrestling halfbeak. *Livebearers* (122): 31-33
R.C. Griffiths (2002): *Dermogenys pusilla* The wrestling halfbeak. *Livebearers* (174): 26-28
H. Hieronimus (1986): Keep them cool. *Livebearers* (90): 7-8
H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. *DGLZ-Rundschau* (4): 14-18
H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. *DGLZ-Rundschau* (3): 21-22
H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. *Poecilia Nieuws* (6): 12-18
H. Hieronimus (2002): Neues bei Halbschnäblern. *DGLZ-Rundschau* (3): 65-68
H. Hieronimus (2003): Neues bei Halbschnäblern. *DGLZ-Rundschau* (1): 3-12
M.Y. Hossain et al (2016): Length-weight relationship of *Dermogenys pusilla* Kuhl & van Hasselt, 1823 (Zenarchopteridae) and *Labeo bata* (Hamilton, 1822) from the Ganges river (NW Bangladesh). *J. Appl. Ichthyol.* (32): 744-746
J.M. Hromada (2012): Die Halbschnäbler *Dermogenys pusilla* und *Dermogenys siamensis*. *DGLZ-Rundschau* (1): 3-9

Livebearer Literature List 202201

- J. Huylebrouck (2014): Viviparous halfbeaks of the family Zenarchopteridae. Amazonas (jan/feb): 20-28
- B. Iepenga (2001): Zomaar over vissies houden, deel 3. Poecilia Nieuws (1): 15-18
- K. Jacobs (1972): Hechtköpfiger Halbschnabel Dermogenys. Das Aquarium (8): 950-951
- B.G.M. Jamieson & H.J. Grier (1993): Influence of phylogenetic position and fertilization biology on spermatozoal ultrastructure exemplified by exocoetoid and poeciliid fish. Hydrobiologica (271): 11-25
- B.G.M. Jamieson & H.J. Grier (1993): Influences of phylogenetic position and fertilization biology on spermatozoal ultrastructure exemplified by exocoetoid and poeciliid fish. Hydrobiologica (271): 11-25
- D.S. Johnson (1967): Distributional patterns of Malayan freshwater fish. Ecology (5): 722-730
- J. Kahle (1976): Meine Beobachtungen bei Dermogenys pusillus van Hasselt 1823. ZAG Lebendgebärende Zahnkarpfen (4): 19-20
- G.G. Kwint (1936): Hemirhamphus fluviatilis (Halfsnavelige).. Aqua Terra (8): 79-79
- J.K. Langhammer (0): The livebearing halfbeaks. Viviparous (18): 0-
- J.K. Langhammer (1985): The livebearing halfbeaks. Livebearers (80): 18-19
- G. Lucas (1974): Fighting fish of Siam.... Livebearers?. Livebearers (16): 5-6
- G. Lucas (2000): Fighting fish of Siam....livebearers?. Livebearers (163): 25-27
- F. Maas (1997): Roofgierig brekebekken (2). Het Aquarium (4): 102-106
- H. Magnee (1988): Dermogenys pusillus, mijn ervaringen bij de kweek. Poecilia Nieuws (1): 11-13
- J. Mangan (1989): The common halfbeak (Dermogenys sp.). Livebearers (107): 3-4
- F. Maulhardt (1969): Dermogenys pusillus ein Problemfisch?. Aquarien Terrarien (7): 236-237
- F. Maulhardt (1977): Dermogenys pusillus ein Problemfisch?. ZAG Lebendgebärende Zahnkarpfen (2): 25-25
- R. Merrit (0): My experiences with halfbeaks. Viviparous (21): 0-
- M.K. Meyer (1983): Lebendgebärende Zierfische. TI (62): 8-11
- M. Neumann (1967): Warum nicht einmal Halbschnabelhechte?. DATZ (8): 233-234
- J. Nobis (1913): Hemirhamphus fluviatilis, seine Behandlung und Zucht.. Wochenschrift für Aquarien und Terrarienkunde (40): 0-
- C. de Nooze (1993): Het leven in het brakke sop. Aquariumwereld (11): 226-231
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- K. von Oertzen Becker (1996): Dermogenys pusillus. Das Aquarium (Februar): 24-25
- O.C. Ogletree jr. (1979): Livebearer oddities. Livebearers (44): 10-14
- H.C. Oskam (1954): Een interessante verschijning het halfsnavelbekje. Het Aquarium (4): 74-78
- N.V. Parin & D.A. Astakhov (1982): Studies on the acoustico-lateralis system of Beloniform fishes in connection with their systematics. Copeia (2): 276-291
- V. Parish (1974): Have beak - will bite. Livebearers (14): 10-11
- C. Petain (2013): Dermogenys pusilla un poisson qui a du bec!. Le Vivipare (117): 4-12
- J. Reichelt (1911): Reisebericht von einer Exkursion nach Hinterindien. Blätter für Aquarien- und Terrarienkunde (21): 336-340
- E. Ringel (1911): Unsere Lebendgebärenden. (Schluß). Wochenschrift für Aquarien und Terrarienkunde (): 290-292
- C. van de Sande (1992): Halfsnavelbekken. Poecilia Nieuws (1): 20-21
- C. van de Sande (1992): Dermogenys ebrardti (Popta, 1912). Poecilia Nieuws (5): 9-12
- G. Schacht (0): Meine Erfahrungen mit dem Hechtkopf-Halbschnäbler Dermogenys pusillus. Das Aquarium (Februar): 6-8
- W. Schreitmüller (1910): Hemirhamphus fluviatilis Bleek. aus Malakka, Singapore etc. Blätter für Aquarien- und Terrarienkunde (2): 17-20
- W. Schreitmüller (1910): Hemirhamphus fluviatilis Bleek, und seine Zucht. Wochenschrift für Aquarien und Terrarienkunde (37): 514-515
- W. Schreitmüller (1911): Nochmals Hemirhamphus fluviatilis Bleek. (= halbschnäbiger Hecht). Wochenschrift für Aquarien und Terrarienkunde (14): 197-198
- P. Schubert (1985): Dermogenys pusillus - der kleine Halbschnäbler. Aquarien Terrarien (3): 86-87
- R. Serva & G. Tash (1997): The Malayan halfbeak Dermogenys pusilla. Livebearers (146): 8-8
- H. Stallknecht (1970): Ein neuer Halbschnabelhecht der Gattung Dermogenys?. Aquarien Terrarien (10): 328-331
- K. Stansch (1910): Hemirhamphus fluviatilis Bleek, der halbschnäbelige Hecht. Wochenschrift für Aquarien und Terrarienkunde (46): 641-642
- J. van der Stelt (1969): Het halfsnavelbekje (Dermogenys pusillus). Het Aquarium (10): 235-236
- W.A. Tomey (1965): Het halfsnavelbekje Dermogenys pusillus Van Hasselt 1823. Het Aquarium (6): 137-140
- W.A. Tomey (2007): Halfsnavelbekken uit de volgelkop van Indonesisch Papua. Het Aquarium (4): 10-14
- S. Tongnunui & F.W.H. Beamish (2009): Habitat and relative abundance of fishes in small rivers in eastern Thailand. Environmental Biology of Fishes (85): 209-220
- C.L. Turner (1942): Diversity of endocrine function in the reproduction of viviparous fishes. The American Naturalist (763): 179-190
- D.R. Ullisch (1984): Spawning the common half beak. Livebearers (73): 7-7
- K. Urban (2010): Erfahrungen mit Dermogenys pusilla (Kuhl & Van Hasselt, 1823). Das Lebendgebärenden Magazin (1): 6-7
- L.E. Valster (1977): Dermogenys pusillus (Halfsnavelbekje). Het Aquarium (6): 156-156

Livebearer Literature List 202201

- J. Vente (1956): Dermogenys pusillus. NGK mededelingen (Jubileumboek): 22-24
J. Vente (1976): Vissen die je niet vergeet. Het Aquarium (5): 134-136
E.A. Vicol (1973): Dermogenys pusillus, Malayan halfbeak. Livebearers (10): 2-3
W. Vrijenhoek (1964): Visvangst in de tropen. Het Aquarium (1): 7-12
M. Weber & L.F. de Beaufort (1922): The fishes of the Indo-Australian archipelago IV. Heromi, Solenichthyes, Synentognathi, Percesoces, Labyrinthici, Microcyprini. (): 135-170
J. Wiegert (2015): Halfbeaks: a whole lot of fun for the home aquarium. Tropical Fish Hobbyist (5): 48-52
J.P.A. Wilhelm (1949): Dermogenys pusillus (van Hasselt). Het Aquarium (1): 12-12
L. Wischnath (1979): Het halfsnavelbekje, Dermogenys pusillus. Ti'H (17): 16-16
K. Zanger & H. Greven (2013): The "nasal barbel" of the halfbeak Dermogenys pusilla (Teleostei: Zenarchopteridae) - an organ with dual function. Vertebrate Zoology (2): 183-191

Dermogenys robertsi Meisner, 2001

- H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12
A.D. Meisner (2001): Phylogenetic systematics of the viviparous halfbeak genera Dermogenys and Nomorhamphus. Zoological Journal of the Linnean Society (133): 199-283

Dermogenys siamensis Fowler, 1934

- M. de Bruyn et al (2013): Paleo-drainage basin connectivity predicts evolutionary relationships across three southeast Asian biodiversity hotspots. Systematic biology (3): 398-410
S.W. Coleman, A. Harlin-Cognato & A.G. Jones (2009): Reproductive isolation, reproductive mode, and sexual selection: empirical tests of the viviparity driven conflict hypothesis. The American Naturalist (3): 291-303
H. Fowler (1934): Zoological results of the third De Schauensee Siamese expedition. Part I: Fishes. Proc. Acad. Nat. Sci. Phila. (86): 67-163
H. Fowler (1937): Zoological results of the third Schauensee Siamese expedition. Part VIII: Fishes obtained in 1936. Proc. Acad. Nat. Sci. Phila. (89): 125-264
D. Gentzsch (2019): Beobachtungen zu drei Dermogenys-Herkünften. Das Lebendgebärenden Magazin (2): 19-23
H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12
J.M. Hromada (2012): Die Halbschnäbler Dermogenys pusilla und Dermogenys siamensis. DGLZ-Rundschau (1): 3-9
F. Schäfer (2015): Fischimporte aus Südostasien unter besonderer Berücksichtigung der Halbschnäbler. Das Lebendgebärenden Magazin (2): 18-28

Dermogenys sp.

- T.I. Atsushi Doi et al. (2001): A collection of freshwater fishes from the Rayu basin of western Sarawak, Malaysia. Raffles Bulletin of Zoology (1): 13-17
H.-G. Evers (2014): The halfbeaks of Sulawesi. Amazonas (jan/feb): 30-47
D. Gentzsch (2019): Beobachtungen zu drei Dermogenys-Herkünften. Das Lebendgebärenden Magazin (2): 19-23
U. Korte (2017): Comparing two different reproductive strategies in the genus Dermogenys. Livebearers (235): 15-23
A.D. Meisner & J.R. Burns (1997): Testis and andropodial development in a viviparous halfbeak, Dermogenys sp.. Copeia (1): 44-52
D. Roy et al. (2004): Genetic and morphological data supporting the hypothesis of

Dermogenys sumatranaus (Bleeker, 1853)

- H.-G. Evers (2010): Brackiges von Sumatra. Amazonas (6): 56-59
H.-G. Evers (2012): Brackish-water life in Sumatra. Amazonas (jan/feb): 68-73
H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12
D. Reznick, R. Meredith & B.B. Collette (2007): Independent evolution of complex life history adaptations in two families of fishes, livebearing halfbeaks (Zenarchopteridae, Beloniformes) and Poeciliidae (Cyprinodontiformes). Evolution (11): 2570-2583
M. Weber & L.F. de Beaufort (1922): The fishes of the Indo-Australian archipelago IV. Heromi, Solenichthyes, Synentognathi, Percesoces, Labyrinthici, Microcyprini. (): 135-170

Dermogenys vogti Brembach, 1982

- M. Brembach (1982): Drei neue Dermogenys-Arten aus Sulawesi: D. montanus, D. vogti, D. megarrhamphus. DATZ (2): 51-55
H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12

Diphyacantha choocoensis Henn, 1916

- C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. ZooKeys (708): 25-138
A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
K. de Jong (1989): Enkele nieuwe levendbarende tandkarpers. Poecilia Nieuws (3): 43-45
J.A. Maldonado-Ocampo, R.P. Vari & J.S. Usma (2008): Checklist of the freshwater fishes of Columbia. Biota Colombiana (2): 143-237
M.K. Meyer (): Des poissons aux tons pastels originaires de la Colombie. Aquarama (): 26-27

A.C. Radda (1985): Revision der Gattung Priapichthys Regan, 1913; sensu Rosen & Bailey (1963). *Aquaria* (32): 119-125

Diphyacantha dariensis (Meek & Hildebrand, 1913)

- C.M. Breder jr. (1927): The Fishes of the Rio Chucunaque drainage, eastern Panama. *Bulletin American Museum of Natural History* (57): 91-176
C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. *ZooKeys* (708): 25-138
S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. *Zoölogy, Field museum of natural history* (4): 215-359
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. *Miscellaneous Publications University of Michigan* (16): 1-86
S.E. Meek & S.F. Hildebrand (1913): New species from Panama. *Field museum of natural history - Zoölogy* (8): 77-91
S.E. Meek & S.F. Hildebrand (1916): The fishes of these fresh waters of Panama. *Publ. Field Museum of Nat. Hist. Chicago* (15): 217-374
A.C. Radda (1985): Revision der Gattung Priapichthys Regan, 1913; sensu Rosen & Bailey (1963). *Aquaria* (32): 119-125
A.C. Radda (1988): Poeciliiden-Studien in Ecuador und Kolumbien. *DGLZ-Rundschau* (4): 4-12

Empetrichthys sp

- D.C. Campbell & K.R. Piller (2017): Let's jump in: a phylogenetic study of the great basin springfishes and poolfishes, Crenichthys and Empetrichthys (Cyprinodontiformes: Goodeidae). *PlosOne* (10): 1-21
K.L. Foster & K.P. Piller (2018): Disentangling the drivers of diversification in an emperiled group of freshwater fishes (Cyprinodontiformes: Goodeidae). *BMC Evolutionary Biology* (116): 1-12
S.C. Goodchild (2016): Life history and interspecific co-persistence of native imperiled fishes in single species and multi-species ex situ refuges. *PHD* (): 1-94
S.C. Goodchild & C.A. Stockwell (2016): An experimental test of novel ecological communities of imperiled invasive species. *Transactions of the American Fisheries Society* (145): 264-268
E.C. Grant & B.R. Riddle (1995): Are the endangered springfish (Crenichthys Hubbs) and poolfish (Empetrichthys Gilbert) fundulines or goodeids? A mitochondrial DNA assessment. *Copeia* (1): 209-212
E.C. Grant & B.R. Riddle (1995): Are the Endangered Springfish (Crenichthys Hubbs) and Poolfish (Empetrichthys Gilbert)
C.L. Hubbs (1932): Studies of the order Cyprinodontes. XII. A new genus related to Empetrichthys. *Occasional papers of the museum of zoology University of Michigan* (252): 1-5
M. Jimenez, S.C. Goodschild, C.A. Stockwell & S.C. Lema (2017): Characterization and phylogenetic analysis of complete mitochondrial genomes for two deser cyprinodontoid fishes, Empetrichthys latos and Crenichthys bailey. *Gene* (626): 163-172
R.R. Miller (1948): The cyprinodont fishes of the Death Valley System of eastern California and southwestern Nevada. *Miscellaneous Publications University of Michigan* (68): 1-155
R.R. Miller (1950): Speciation in fishes of the genera Cyprinodon and Empetrichthys, inhabiting the Death Valley region. *Evolution* (2): 155-163
R.R. Miller (1962): Relationships of Empetrichthys erdisi, a Pliocene Cyprinodontid Fish from California, with Remarks on the Fundulinae and Cyprinodontinae. *Copeia* (3): 520-532
R.R. Miller, J.D. Williams & J.E. Williams (1989): Extinctions of north american fishes during the past century. *Fisheries* (6): 22-38
M.C. Uribe, H.J. Grier & L.R. Parenti (2012): Ovarian structure and oogenesis of the oviparous goodeids Crenichthys baileyi (Gilbert, 1893) and Empetrichthys latos Miller, 1948 (teleostei, Cyprinodontiformes). *Journal of Morphology*
M.C. Uribe, H.J. Grier & L.R. Parenti (2018): Testicular structure and spermatogenesis of the oviparous goodeids Crenichthys baileyi (Gilbert, 1893) and Empetrichthys latos Miller, 1948 (Teleostei, Cyprinodontiformes). *Journal of Morphology*

Gambusia ?

F. Hey (1910): Ein Gambusenbastard???. *Blätter für Aquarien- und Terrarienkunde* (2): 23-23

Gambusia affinis (Baird & Girard, 1853)

- (0): Looking at Gambusia affinis and G. holbrooki in 1959. *Viviparous* (25): 0-4
E. Ahl (1923): *Gambusia modesta* sp.n.. *Blätter für Aquarien- und Terrarienkunde* (34): 220-221
E. Ahl (1925): *Gambusia myersi* E. Ahl nom. nov.. *Blätter für Aquarien- und Terrarienkunde* (2): 42-43
R.A. Angus (1991): Inheritance of melanistic pigmentation in the eastern mosquitofish. *Livebearers* (May/July): 117-
R.A. Angus et al (2002): Reproductive characteristics of male mosquitofish (*Gambusia affinis*) inhabiting a small southeastern U.S. river receiving treated domestic sewage effluent. *Environmental Toxicology and Chemistry* (7): 1404-1409
A. Arnold (1993): Betr. "Texaskärflinge aus dem Lodi-Park in Neu Delhi" (DATZ 9/93). *DATZ* (12): 811-811
A. Arthington (1990): The role of habitat disturbance in the establishment of introduced warm-water Poeciliids in Australia. *Livebearers* (110): 18-24
M. Bachmann (1979): Gambusen weit verbreitet. *ZAG Lebendgebärende Zahnkarpfen* (2+3): 16-16
M. Bachmann (2004): Lebendgebärende Zahnkarpfen in Gewässern Vietnams. *Das Lebendgebärenden Magazin* (3): 15-17
R.M. Bailey (1952): Proposed use of the plenary powers to designate a type species for the genus "Heterandria" Agassiz 1853 in harmony with current usage. *Bulletin of Zoological Nomenclature* (6): 51-51
S.F. Baird & C. Girard (1853): Descriptions of new species of fishes collected by mr. John H. Clark, on the U.S. and Mexican boundary survey, under lt. Col. Jas. D. Graham. *Proc. Acad. Nat. Sci. Phila.* (vol. 6): 387-390
J.C. Banks et al (2021): Detecting the pest fish, *Gambusia affinis* from environmental DNA in New Zealand: a comparison of methods. *New Zealand Journal of Zoology* (): 1-15
M.C. Belk & R.C. Tuckfield (2010): Changing costs of reproduction: age-based differences in reproductive allocation and escape performance in a livebearing fish. *Oikos* (119): 163-169
H.P. Benoît, J.R. Post & A.D. Barbet (2000): Recruitment dynamics and size structure in experimental populations of the mosquitofish, *Gambusia affinis*. *Copeia* (1): 216-221
D. Bork (1991): Aquarienfische und Planzen in Budapester Thermalgewässern. *DGLZ-Rundschau* (2): 28-30
T. Brady (1992): The mosquitofish's checkered career. *Livebearers* (126): 28-29
B.A. Branson (1967): Fishes of the Neosho River system in Oklahoma. *American Midland Naturalist* (1): 126-154

Livebearer Literature List 202201

- C.M. Breder jr. (1933): The fishes of Barro Colorado, Gatun Lake, Panama. *Zoologica* (16): 565-572
- R.H. Britton & M.E. Moser (1982): Size specific predation by herons and its effect on the sex-ratio of natural populations of the mosquito fish *Gambusia affinis* Baird and Girard. *Oecologia* (2): 146-151
- K.L. Brown (1985): Demographic and genetic characteristics of dispersal in the mosquitofish, *Gambusia affinis* (Pisces: Poeciliidae). *Copeia* (3): 597-612
- H. de Bruyn & J. van der Zee (1994): *Aphanius iberus*. *Kill Nieuws* (3): 51-60
- M.M. Camassa (2001): Responses to light in epigean and hypogean populations of *Gambusia affinis* (Cyprinodontiformes: Poeciliidae). *Environmental Biology of Fishes* (62): 115-118
- C.J. Carveth, A.M. Widmer & S.A. Bonar (2006): Comparison of upper thermal tolerances of native and nonnative fish species in Arizona. *Transactions of the American Fisheries Society* (135): 1433-1440
- A.M. Casner, H.C. Fackelman, O. Degtyareva & S.L. Knight (2016): Do female western mosquitofish, *Gambusia affinis*, prefer ornaments that males lack? *Ethology* (122): 561-570
- D.T. Castleberry & J.J. Cech, jr (1990): Mosquito control in wastewater: a controlled and quantitative comparison of pupfish (*Cyprinodon nevadensis amargosae*), mosquitofish (*Gambusia affinis*) and guppies (*Poecilia reticulata*) in sago pondweed marshes. *Journal of the North American Benthological Society* (9): 10-16
- T.R. Chen & A.W. Ebeling (1968): Karyological evidence of female heterogamety in the mosquitofish, *Gambusia affinis*. *Copeia* (1): 70-75
- C. Clapsaddle (2012): Life with livebearers Group breeding. *Tropical Fish Hobbyist* (1): 34-36
- C. Clapsaddle (2014): Life with livebearers *Gambusia affinis*, the mosquitofish. *Tropical Fish Hobbyist* (11): 26-29
- A. Collier (1936): The mechanism of internal fertilization in *Gambusia*. *Copeia* (1): 45-53
- A. Coto-Montes et al (1994): The distribution of corticotropin-releasing factor immunoreactive neurons and nervefibres in the brain of *Gambusia affinis* and *Salmo trutta*. *Histology and Histopathology* (9): 233-241
- M.E. Cummings (2018): Sexual conflict and sexually dimorphic cognition - reviewing their relationship in poeciliid fishes. *Behavioral Ecology and Sociobiology* (97): 1-12
- J.C. Cureton II, R.E. Martin & R. Deaton (2010): Short term changes in sex ratio and density alter coercive male mating tactics. *Behaviour* (147): 1431-1442
- G. Daniels (1993): Lebendgebärende Zahnkarpfen in Texas. *DGLZ-Rundschau* (2): 29-35
- K. Dansen (1978): Guppen uit Frankrijk. *Het Aquarium* (8): 199-200
- K. Dansen (1978): Guppen uit Frankrijk. *Het Aquarium* (8): 199-200
- J. Das (): Texaskärpfinge aus dem Lodi-Park in Neu Delhi. *DATZ* (): 560-
- G. Daul (1979): *Gambusia*'s: probleemvissen onder de levendbarenden!. *TTH* (19): 5-7
- G. Daul (2004): Nach der Wildformenbestandsliste in der DGLZ gehaltene Arten der Gattung *Gambusia*. *DGLZ-Rundschau* (3): 59-61
- D.C. Dauwalter et al (2008): Biogeography, ecoregions, and geomorphology affect fish species composition in streams of eastern Oklahoma, USA. *Environmental Biology of Fishes* (82): 237-249
- S.K. Davis, A.A. Echelle & R.A. Van Den Bussche (2006): Lack of cytonuclear genetic introgression despite long-term hybridization and backcrossing between two poeciliid fishes (*Gambusia heterochir* and *G. affinis*). *Copeia* (3): 351-359
- R. Deaton (2008): Use of microsatellite paternity analysis to determine male mating success in the western mosquitofish, *Gambusia affinis*. *Behaviour* (145): 795-814
- R. Deaton (2008): Factors influencing male mating behaviour in *Gambusia affinis* (Baird & Girard) with a coercive mating system. *Journal of Fish Biology* (72): 1607-1622
- R. Deaton (2009): Effects of a parasitic nematode on male mate choice in a livebearing fish with a coercive mating system (western mosquitofish, *Gambusia affinis*). *Behavioural Processes* (80): 1-6
- A. DeMarais (2010): Molecular mechanisms of maternal/fetal nutrient transfer in viviparous Poeciliid fishes - a role for β -catenin?. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 259-266
- A. DeMarais & D. Oldis (2005): Matrotrophic transfer of fluorescent microspheres in Poeciliid fishes. *Copeia* (3): 632-636
- M. Dionne (1985): Cannibalism, food availability, and reproduction in the mosquito fish (*Gambusia affinis*): a laboratory experiment. *The American Naturalist* (1): 16-23
- A.A. Echelle, D.M. Wildrick & A.F. Echelle (1989): Allozyme Studies of Genetic Variation in Poeciliid Fish. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 217-234
- R.A. Englund et al (2000): Nonindigenous freshwater and estuarine species introductions and their potential to affect sportfishing in the lower stream and estuarine regions of the south and west shores of Oahu, Hawaii. *Bishop Museum Technical Report* (17): 1-121
- C.M. Espinedo, C.R. Gabor & A.S. Aspbury (2010): Males, but not females, contribute to sexual isolation between two sympatric species of *Gambusia*. *Evol Ecol* (24): 865-878
- H. Esterbauer (1993): Een opmerkelijk ecosysteem in Syrie. *Het Aquarium* (7/8): 162-167
- S. Evans (1973): Some notes on *Gambusia*. *Livebearers* (8): 2-3
- H. Fowler (1907): *Gambusia* in New Jersey. *American Association for the Advancement of Science* (671): 639-639
- C.M. Franssen (2009): The effects of heavy metal mine drainage on population size structure, reproduction, and condition of western mosquitofish *Gambusia affinis*. *Arch. Environ. Contam. Toxicol.* (57): 145-156
- D.L. Galat & B. Robertson (1992): Response of endangered *Poeciliopsis occidentalis sonoriensis* in the Río Yaqui drainage, Arizona, to introduced *Gambusia affinis*. *Environmental Biology of Fishes* (33): 249-264
- J. Gao et al (2019): Geographical and temporal variation of multiple paternity in invasive mosquitofish (*Gambusia holbrooki*, *Gambusia affinis*). *Molecular Ecology* (28): 5315-5329
- C. García, E. Rolán-Alvarez & L. Sánchez (1992): Alarm reaction and alert state in *Gambusia affinis* (Pisces, Poeciliidae) in response to chemical stimuli from injured conspecifics. *J. Ethol.* (10): 41-46
- E. García-Berthou (1999): Food of introduced mosquitofish: ontogenetic diet shift and prey selection. *Journal of Fish Biology* (55): 135-147
- F.P. Gelwick et al (2001): Fish assemblage structure in relation to environmental variation in a Texas Gulf Coastal Wetland. *Estuaries* (2): 285-296
- A. Gibb et al (2008): Functional significance of intramandibular bending in Poeciliid fishes. *Environmental Biology of Fishes* (83): 473-485
- G. Gläß (1986): Von der ersten Exkursion der AG Wildformen. *ZAG Lebendgebärende Zahnkarpfen* (3): 4-6
- S.C. Goodchild (2016): Life history and interspecific co-persistence of native imperiled fishes in single species and multi-species ex situ refuges. *PHD* (): 1-94
- S.C. Goodchild & C.A. Stockwell (2016): An experimental test of novel ecological communities of imperiled invasive species. *Transactions of the American Fisheries Society* (145): 264-268
- J.J. de Greef (1990): Ervaring met *Gambusia rhizophorae* Rivas, 1969. *Poecilia Nieuws* (3): 44-47
- J.M. Greene & K.L. Brown (1991): Demographic and genetic characteristics of multiply inseminated female mosquitofish (*Gambusia affinis*). *Copeia* (2): 434-444
- H. Grier, M.C. Uribe, L.R. Parenti & G. De la Rosa-Cruz (2005): Fecundity, the germinal epithelium, and folliculogenesis in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 191-216
- R.C. Griffiths (1997): *Gambusia affinis*, A fish of mistaken reasons, reputations and regard. *Livebearers* (146): 12-19

- C. Grimes (1984): Livebearer predation in the "wilds". *Livebearers* (76): 4-5
- S. Guerrero-Estévez & Moreno-Mendoza (2010): Sexual determination and differentiation in teleost fish. *Reviews in Fish Biology and Fisheries* (20): 101-121
- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
- J.L. Haynes & R.C. Cashner (1995): Life history and population dynamics of the western mosquitofish: a comparison of natural and introduced populations. *Journal of Fish Biology* (46): 1026-1041
- D.A. Hendrickson et al. (1980): Fishes of the Río Yaqui Basin, México and United States. *Journal of the Arizona Academy of Science* (3): 65-106
- L.P. Hernandez, A.C. Gibb & L. Ferry-Graham (2009): Trophic apparatus in Cyprinodontiform fishes: functional specializations for picking and scraping behaviors. *Journal of Morphology*
- L.P. Hernandez, L.A. Ferry-Graham & A.C. Gibb (2008): Morphology of a picky eater: a novel mechanism underlies premaxillary protrusion and retraction within cyprinodontiforms. *Zoology* (111): 442-454
- H. Hieronimus (1985): De geschiedenis van de levendbarende tandkarpers deel 3. *Poecilia Nieuws* (6): 76-78
- H. Hieronimus (1985): Geschichte der Lebendgebärenden - Teil 3. *DGLZ-Rundschau* (2): 15-16
- H. Hieronimus (1988): Wird Gambusia affinis nach der Mückenbekämpfung zu einem erneuten Helfer der Menschheit bei der Krankheitsbekämpfung?. *DGLZ-Rundschau* (1): 21-21
- H. Hieronimus (1989): Neues zur Systematik der Gattung Gambusia. *DGLZ-Rundschau* (1): 14-14
- H. Hieronimus (1989): Nieuwe systematiek binnen het geslacht Gambusia. *Poecilia Nieuws* (3): 36-37
- H. Hieronimus (1993): Gambusien in extremen Lebensräumen. *DGLZ-Rundschau* (3): 64-64
- H. Hieronimus (1994): Gambusia's in extreme omgeving. *Poecilia Nieuws* (1): 18-19
- S.F. Hildebrand (1927): Sex ratio in Gambusia. *Biological Bulletin* (5): 390-404
- D. Hohl (2021): Gambusia affinis (Baird & Girard, 1853) - Texaskärpfing, Koboldkärpfing. *Das Lebendgebärenden Magazin* (2): 22-27
- T.M. Holitzki et al (2013): Differences in ecological structure, function, and native species abundance between native and invaded Hawaiian streams. *Ecological Applications* (6): 1367-1383
- R.R. Hollander (1986): Microanalysis of scales in Poeciliid fishes. *Copeia* (1): 86-91
- M. Holly (1961): Gambusia affinis (Baird u. Girard). *Die Aquarienfische in Wort und Bild* (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 1142-1143
- M. Holly (1961): Gambusia patruelis (Baird u. Girard). *Die Aquarienfische in Wort und Bild* (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 1141-1142
- C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. *Miscellaneous Publications University of Michigan* (16): 1-86
- C.L. Hubbs (1955): Hybridization between fish species in nature. *Syst. Zool.* (1): 1-20
- C. Hubbs (1959): Population analysis of a hybrid swarm between *Gambusia affinis* and *G. heterochir*. *Evolution* (2): 236-246
- C. Hubbs (1991): Intrageneric "cannibalism" in *Gambusia*. *The Southwestern Naturalist* (2): 153-157
- C. Hubbs (1995): Springs and spring runs as unique aquatic systems. *Copeia* (4): 989-991
- C. Hubbs (1997): Sperm retention in Poeciliids. *Livebearers* (146): 9-9
- C. Hubbs & A.E. Peden (1969): *Gambusia georgei* sp. nov. from San Marcos, Texas. *Copeia* (2): 357-364
- C.L. Hubbs & E. A. Delco jr. (1960): Mate preferences in males of four species of *Gambusiinae* fishes. *Evolution* (2): 145-152
- C.L. Hubbs & E. A. Delco jr. (1962): Courtship preferences of *Gambusia affinis* associated with the sympatry of the parental populations. *Copeia* (2): 396-400
- C. Hubbs & R.A. Reynolds (1957): Copulatory function of the modified pectoral fin of *Gambusii* fishes. *The American Naturalist* (860): 333-335
- C.L. Hubbs & R.R. Miller (1941): Studies of the fishes of the order Cyprinodontes XVII. Genera and species of the Colorado river system. *Occasional papers of the museum of zoology University of Michigan* (433): 1-9
- K.A. Hughes et al. (1985): Male size, mating success, and mating strategy in the mosquitofish *Gambusia affinis* (Poeciliidae). *Behav Ecol Sociobiol* (17): 271-278
- B.G.M. Jamieson & H.J. Grier (1993): Influences of phylogenetic position and fertilization biology on spermatozoal ultrastructure exemplified by exocoetoid and poeciliid fish. *Hydrobiologica* (271): 11-25
- J. Johnson (1991): Gefährdete lebendgebärende Fische des amerikanischen Südwesten. *DGLZ-Rundschau* (1): 9-11
- J.C. Jones & J.D. Reynolds (1997): Effects of pollution on reproductive behaviour of fishes. *Reviews in Fish Biology and Fisheries* (7): 463-491
- K. de Jong (2021): Beter richten. *Poecilia Nieuws* (1): 24-26
- W. Jürgens (1921): Der Süßwasserfische Nordamerikas. *Blätter für Aquarien- und Terrarienkunde* (2): 21-23
- D. Kaden (1979): Gambusien - selbst gefangen. *ZAG Lebendgebärende Zahnkarpfen* (1): 7-8
- D. Kaden (1984): Beobachtungen an *Gambusia affinis*. *ZAG Lebendgebärende Zahnkarpfen* (2): 3-5
- M. Kempkes (2000): Nachtrag zum Artikel "Gambusia affinis in Apulien" (DGLZ-Rundschau 1/2000). *DGLZ-Rundschau* (2): 32-32
- M. Kempkes (2008): Faunenverfälschung: Gambusien in Südeuropa. *DATZ* (5): 68-71
- B. Kim, N.P. Moran, K. Reinhold & A. Sánchez-Tójar (2021): Male size and reproductive performance in three species of livebearing fishes (*Gambusia* spp.): a systematic review and meta-analyses. *Journal of Animal Ecology* (): 1-15
- I. Kodama et al (2008): Role of the yellow spot around the urogenital opening of female mosquitofish (*Gambusia affinis*) as a cue for copulation. *Koda. Zoological Science* (25): 1199-1204
- W. Köhler (1906): Kleine Mitteilungen. Neue und selten importierte Fische. *Blätter für Aquarien- und Terrarienkunde* (19): 189-190
- Y. Koya & A. Iwase (2004): Annual reproductive cycle and rate of the spermatogenic process in male mosquitofish *Gambusia affinis*. *Ichthyol. Res.* (51): 131-136
- Y. Koya & E. Kamiya (2000): Environmental regulation of annual reproductive cycle in the mosquitofish, *Gambusia affinis*. *Journal of experimental zoology* (286): 204-211
- Y. Koya et al. (2000): Dynamics of oocyte and embryonic development during ovarian cycle of the viviparous mosquitofish *Gambusia affinis*. *Fisheries Science* (66): 63-70
- C. Kramer (1939): Onze aquariumvissen in de vrije natuur. *Aqua Terra* (1): 3-6
- C. Kramer (1939): Onze aquariumvissen in de vrije natuur *Gambusia affinis*. *Aqua Terra* (9): 163-164

- I. Kristensen (1953): *Gambusia's aan de Rivier*. Het Aquarium (12): 276-278
- M.J. Krotzer (1990): The effect of induced masculinization on reproductive and aggressive behaviors of the female mosquitofish, *Gambusia affinis affinis*. Environmental Biology of Fishes (29): 127-124
- L. Krumholz (1948): Reproduction in the western mosquitofish, *Gambusia affinis* (Baird & Girard), and its use in mosquito control. Ecological Monographs (1): 1-43
- S. Kunath (1984): Gambusen - Information. DGLZ-Rundschau (2): 47-49
- S. Kunath (1984): Gambusen-Information. DGLZ-Rundschau (3): 47-49
- R.B. Langerhans (2009): Trade-off between steady and unsteady swimming underlies predator-driven divergence in *Gambusia affinis*. J. Evol. Biol. (22): 1057-1075
- R. B. Langerhans & T.J. DeWitt (2004): Shared and unique features of evolutionary diversification. The American Naturalist (3): 335-349
- R.B. Langerhans et al. (2004): Predator-driven phenotypic diversification in *Gambusia affinis*. Evolution (10): 0-0
- R.B. Langerhans et al. (2005): Male genital size reflects a tradeoff between attracting mates and avoiding predators in two livebearing fish species. Proc. Natl. Acad. Sci. (21): 7618-7623
- J.K. Langhammer (1988): *Gambusia* update!. Livebearers (102): 11-11
- J.M. Law, W.E. Hawkins, R.M. Overstreet & W.W. Walker (1994): Hepatocarcinogenesis in Western Mosquitofish (*Gambusia affinis*) exposed to Methylazoxymethanol acetate. Journal of Comparative Pathology (110): 117-127
- W.M. Lewis (1970): Morphological adaptations of Cyprinodontoids for inhabiting oxygen deficient waters. Copeia (2): 319-326
- N. Ling (2004): *Gambusia* in New Zealand: really bad or just misunderstood?. New Zealand Journal of Marine and Freshwater Research (38): 473-480
- H. Lobregt (2010): De pussini *Gambusia*. Poecilia Nieuws (2): 22-26
- M.M.F. Lutnesky & J.W. Adkins (2003): Putative chemical inhibition of development by conspecifics in mosquitofish, *Gambusia affinis*. Environmental Biology of Fishes (66): 181-186
- J. Lyons (2019): Livebearers: good and bad. Livebearers (244/245): 13-16
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 289-302
- V.J. Maglio & D.E. Rosen (1969): Changing the preference for substrate color by reproductively active mosquitofish, *Gambusia affinis* (Baird and Girard) (Poeciliidae, Atheriniformes). American Museum Novitates (2397): 1-37
- S. Mansfield & B.H. Mcardle (1998): Dietary composition of *Gambusia affinis* populations in the northern Waikato region of New Zealand. New Zealand Journal of Marine and Freshwater Research (32): 375-383
- E. Marsh-Matthews, M. Brooks, R. Deaton & H. Tan (2005): Effects of maternal and embryo characteristics on post-fertilization provisioning in fishes in the genus *Gambusia*. Oecologia (144): 12-24
- S.B. Martin et al (2009): Life history variation along a salinity gradient in coastal marshes. Aquat Biol (15): 15-28
- N. Martínez-Rivera et al (2010): New insights into *Gambusia* behavior. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 193-200
- M.G. McRae (2001): Microhabitat use in an assemblage of native and introduced stream fishes in Wailoa stream, Island of Hawaii. Thesis (): 1-47
- G.K. Meffe (1987): Embryo size variation in mosquitofish: optimality vs plasticity in propagule size. Copeia (3): 762-768
- G. Meffe & M. Crump (1991): Possible growth and reproductive benefits of cannibalism in the mosquitofish. Livebearers (115): 19-30
- G.K. Meffe, A. Hendrickson & J.N. Rinne (1982): Description of a new topminnow population in Arizona, with observations on topminnow/mosquitofish co-occurrence. The Southwestern Naturalist (2): 226-228
- E. Meinema (1985): *Gambusia amistadensis*, een onbekende die nooit bekend zal worden. Poecilia Nieuws (2): 16-19
- W.L. Minckley (1964): Hybridization of two species of mosquitofishes (*Gambusia*, Poeciliidae) in the laboratory. Journal of the Arizona Academy of Science (2): 87-89
- W.L. Minckley (1999): Ecological review and management recommendations for recovery of the endangered topminnow. Great Basin Naturalist (3): 230-244
- W.L. Minckley & R.K. Koehn (1965): Re-discovery of the fish fauna of the Sauz basin, Northern Chihuahua, Mexico. The Southwestern Naturalist (4): 313-315
- W.L. Minckley & R.K. Koehn (1966): Notes on the Poeciliid fishes *Poecilia formosa* and *Gambusia myersi* from the Río Tamesí system, Tamaulipas, México. Journal of the Arizona Academy of Science (1): 46-49
- J. Moar (1994): *Gambusia affinis* and *Gambusia holbrooki*. Livebearers (138): 17-17
- T. Neal (1997): Another native wonder. Livebearers (150): 7-8
- W. Noack (1989): Reiseabenteuer Kanada USA. DGLZ-Rundschau (4): 12-17
- W. Noack (1990): Reiseabenteuer Kanada - USA und zurück Forsetzung. DGLZ-Rundschau (1): 4-10
- W. Noack (2006): *Gambusia affinis* und *Gambusia holbrooki* - Einfach in der Haltung, aber schwierig bei der Nachzucht im Aquarium. DGLZ-Rundschau (1): 3-7
- C.E. Norris et al (1995): Variation in heat shock proteins within tropical and desert species of Poeciliid fishes. Mol. Biol. Evol (6): 1048-1062
- J. Novák, L. Kalouš & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- H. Obregón-Barboza, S. Contreras-Balderas & M. Lozano-Vilano (1994): The fishes of northern and central Veracruz, Mexico. Hydrobiologica (286): 79-95
- E.F. Orlando et al (2005): Mosquitofish as sentinels of exposure to environmental androgens and estrogens. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 435-453
- K.G. Ostrand & G.R. Wilde (2002): Seasonal and spatial variation in a prairie stream-fish assemblage. Ecology of Freshwater Fish (11): 137-149
- X. Ouyang et al. (2018): Natural and sexual selection drive multivariate phenotypic divergence along climatic gradients in an invasive fish. Scientific Reports (July): 1-21
- D. Park & C.R. Propper (2002): Pheromones from female mosquitofish at different stages of reproduction differentially affect male sexual activity. Copeia (4): 1113-1117
- A.E. Peden (1972): The function of gonopodial parts and behavioral pattern during copulation by *Gambusia* (Poeciliidae). Can. J. Fish. Aquat. Sci. (50): 955-968
- A.E. Peden (1972): Differences in the external genitalia of female *Gambusiina* fishes. The Southwestern Naturalist (3): 265-272
- J. Peter (1905): Lebendig gebärende Käpflinge. Blätter für Aquarien- und Terrarienkunde (5): 62-66
- M. Plath et al (2007): Sexual harassment in live-bearing fishes (Poeciliidae): comparing courting and noncourting species. Behavioral Ecology (March): 680-688
- I. Plaut (2002): Does pregnancy affect swimming performance of female Mosquitofish, *Gambusia affinis*? Functional Ecology (16): 290-295
- K.M. Purcell et al (2008): Adaptation as a potential response to sea-level rise: a genetic basis for salinity tolerance in populations of a coastal marsh fish. Evolutionary Applications (1): 155-160

Livebearer Literature List 202201

- K.M. Purcell, P.L. Klerks & P.L. Leberg (2010): Adaptation to sea level rise: does local adaptation influence the demography of coastal fish populations?. *Journal of Fish Biology* (77): 1209-1218
- G.H. Pyke (2005): A review of the biology of *Gambusia affinis* and *G. holbrooki*. *Reviews in Fish Biology and Fisheries* (15): 339-365
- G.H. Pyke (2008): Plague minnow or mosquito fish? A review of the biology and impacts of introduced *Gambusia* species. *Annu. Rev. Ecol. Evol. Syst.* (39): 171-191
- C. Reusch (1994): Die Big-Bend-Gambuse. *Aquarium Heute* (2): 488-490
- D.N. Reznick (1981): "Grandfather effects": the genetics of interpopulation differences in offspring size in the mosquitofish. *Evolution* (5): 941-953
- D.N. Reznick et al (2006): On the virtue of being the first born: the influence of date of birth on fitness in the mosquitofish, *Gambusia affinis*. *Oikos* (114): 135-147
- E. Ringel (1911): Unsere Lebendgebärenden. (Forsetzung). *Wochenschrift für Aquarien und Terrarienkunde* (): 258-260
- L.W. Robbins, G.D. Hartman & M.H. Smith (1987): Dispersal, reproductive strategies, and the maintenance of genetic variability in mosquitofish (*Gambusia affinis*). *Copeia* (1): 156-164
- E. Rosa-Molinar (2005): Edwin S. Goodrich's theory of transposition revisited: the shift to a sexually dimorphic axial formulae and nervous system in a Poeciliine fish. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 59-70
- C.B. Ruehl & T.J. DeWitt (2005): Trophic plasticity and fine-grained resource variation in populations of western mosquitofish, *Gambusia affinis*. *Evolutionary Ecology Research* (7): 801-819
- G. Ruiz-Campos et al. (2002): An annotated distributional checklist of the freshwater fish from Baja California Sur, México. *Reviews in Fish Biology and Fisheries* (12): 143-155
- J.A. Ryder (1882): Structure and ovarian incubation of *Gambusia patruelis*, a top-minnow. *American Naturalist* (February): 109-118
- C. van de Sande (1988): Grootteverschillen door zoutgehalte. *Poecilia Nieuws* (4): 58-59
- C. van de Sande (1988): Malariabestrijding door visintroductie. *Poecilia Nieuws* (3): 43-44
- F. Schneidewind & S. Brennig (1988): Impressionen aus Bulgarien. *Aquarien Terrarien* (3): 98-101
- W. Schon (2000): "Mosquitofish" - the real truth. *Livebearers* (163): 19-20
- K.T. Scribner & J.C. Avise (1994): Population cage experiments with a vertebrate: the temporal demography and cytonuclear genetics of hybridization in *Gambusia* fishes. *Evolution* (1): 155-171
- K.T. Scribner & J.C. Avise (1994): Cytonuclear genetics experimental fish hybrid zones inside Biosphere 2. *Proc. Natl. Acad. Sci.* (91): 5066-5069
- K.T. Scribner, S.Datta, J. Arnold & J.C. Avise (1999): Empirical evaluation of cytonuclear models incorporating genetic drift and tests for neutrality of mtDNA variants: data from experimental *Gambusia* hybrid zones. *Genetica* (105): 101-108
- A.M. Senior et al (2016): Condition and reproductive investment in the western mosquitofish (*Gambusia affinis*): little evidence for condition-dependent sex-biased investment. *Biological Journal of the Linnean Society* (119): 430-435
- C.C. Smith (2007): Independent effects of male and female density on sexual harassment, female fitness, and male competition for mates in the western mosquitofish *Gambusia affinis*. *Behav Ecol Sociobiol* (61): 1349-1358
- C.C. Smith & R.C. Sargent (2006): Female fitness declines with increasing female density but not male harassment in the western mosquitofish *Gambusia affinis*. *Animal Behaviour* (71): 401-407
- G.R. Smith et al (2013): Effects of invasive western mosquitofish and ammonium nitrate on green frog tadpoles. *Copeia* (2): 248-253
- M.H. Smith, K.T. Scribner, J.D. Hernandez & M.C. Wooten (1989): Demographic, Spatial, and Temporal Genetic Variation in *Gambusia*. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 235-257
- D. Speirs (1986): Some notes on livebearers. *Livebearers* (89): 12-14
- D. Speirs (1990): Eat your carrots, they're good for you!. *Livebearers* (110): 13-15
- D. Speirs (1992): Recent studies on livebearer diseases. *Livebearers* (122): 26-27
- C.C. Spencer et al. (1999): Polymorphic microsatellite markers in the western mosquitofish, *Gambusia affinis*. *Molecular Ecology* (8): 157-168
- K. Stansch (1910): *Gambusia nicaraguensis* und die "Gambusienfrage". *Wochenschrift für Aquarien und Terrarienkunde* (1): 1-3
- J.M. Stillwell et al. (2021): Characterisation of myxozoan fauna of western mosquitofish, *Gambusia affinis* (Baird and Gerard) (Cyprinodontiformes: Poeciliidae), inhabiting experimental catfish ponds in Mississippi, USA. *Syst Parasitol* (): 1-19
- C.A. Stockwell & G.L. Vinyard (2000): Life history variation in recently established populations of western mosquitofish (*Gambusia affinis*). *Western North American Naturalist* (60): 273-280
- C.A. Stockwell & S.C. Weeks (1999): Translocations and rapid evolutionary responses in recently established populations of western mosquitofish (*Gambusia affinis*). *Animal Conservation* (2): 103-110
- F.B. Sumner (1934): Does "protective coloration" protect? - results of some experiments with fishes and birds. *Proc. Natl. Acad. Sci.* (20): 559-564
- F.B. Sumner (1935): Studies of protective colors change. III. Experiments with fishes both as predators and prey. *Proc. Natl. Acad. Sci.* (21): 346-353
- G. Takeshita (0): The "escaped" livebearers in Hawaii. *Viviparous* (33): 0-9
- G. Takeshita (1972): The "escaped" livebearers in Hawaii. *Livebearers* (2): 5-9
- M. Tobler & I. Schlupp (2008): Influence of black spot disease on shoaling behaviour in female western mosquitofish, *Gambusia affinis*. *Environmental Biology of Fishes* (81): 29-34
- J. Travis (1989): Ecological Genetics of Life History Traits in Poeciliid Fishes. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 185-200
- D. Treviño Robinson (1959): The ichthyofauna of the lower Rio Grande, Texas and Mexico. *Copeia* (3): 253-256
- J.C. Trexler (1989): Phenotypic Plasticity in Poeciliid Life Histories. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 201-214
- J.P. Troutman, D.A. Rutherford & W.E. Kelso (2007): Patterns of habitat use among vegetation-dwelling littoral fishes in the Atchafalaya river basin, Louisiana. *Transactions of the American Fisheries Society* (136): 1063-1075
- A.H.F. Tsang & D.A. Dudgeon (2021): A manipulative field experiment reveals the ecological effects of invasive mosquitofish (*Gambusia affinis*) in a tropical wetland. *Freshwater Biology* (66): 869-883
- C.L. Turner (1941): Gonopodial characteristics produced in the anal fins of females of *Gambusia affinis affinis* by treatment with ethinyl testosterone. *Biological Bulletin* (3): 371-383
- C.L. Turner (1942): Diversity of endocrine function in the reproduction of viviparous fishes. *The American Naturalist* (763): 179-190
- C.L. Turner (1947): The rate of morphogenesis and regeneration of the gonopodium in normal and castrated males of *Gambusia affinis*. *The Journal of Experimental Zoology* (2): 125-143
- P. Veenvliet (2010): *Gambusia* uit Slovenië. *Poecilia Nieuws* (5): 10-13
- O. Vidal et al (2010): Origin and genetic diversity of mosquitofish (*Gambusia holbrooki*) introduced to Europe. *Biol Invasions* (12): 841-851
- D.M. Walters & B.J. Freeman (2000): Distribution of *Gambusia* (Poeciliidae) in a southeastern river system and the use of fin ray counts for species determination. *Copeia* (2): 555-559
- P.G. Weiß (1979): Insektenbekämpfung durch Gambusen. *ZAG Lebendgebärende Zahnkarpfen* (4): 13-18

Livebearer Literature List 202201

- B. Wichand (1906): Diesjährige Neuheiten in Wort und Bild. II Neuimportierte bezw. erstmalig nachgezüchtete Zahnkarpen (Poeciliidae) 4. *Gambusia affinis* (Baird & Girard) var. *patruelis* Gir.. Blätter für Aquarien- und Terrarienkunde (51): 503-504
- R. Wildekamp (1985): Malariabestrijding met behulp van vissen. Het Aquarium (4): 103-107
- P. Winkler (1985): Persisten differences in thermal tolerance among acclimation groups of a warm spring population of *Gambusia affinis* determined under field and laboratory conditions. Copeia (2): 456-461
- Z.T. Wood et al (2020): Sex-dependent cold tolerance at the norther invasive range limit of *Gambusia affinis* on Cape Cod, Massachusetts. Copeia (3): 670-678
- M.C. Wooten, K.T. Scribner & M.H. Smith (1988): Genetic variability and systematics of *Gambusia* in the southeastern United States. Copeia (2): 283-289
- J. van der Zee & Rob Vonk (1994): *Aphanius apodus*, de Algerijnse tandkarper. Het Aquarium (7/8): 195-197
- E.J. Zimmerer (1983): Effect of salinity on the size-hierarchy effect in *Poecilia latipinna*, *P. reticulata* and *Gambusia affinis*. Copeia (1): 243-245
- G. Zwakman (2007): Een oude bekende *Gambusia affinis* (muskietenvisje). Het Aquarium (10): 36-39

Gambusia alle

- R.C. Griffiths (2006): Comments on the livebearers of the Bahamas. Livebearers (192): 28-29
- H. Hieronimus (1991): *Gambusia* revidiert. DATZ (10): 621-621
- H. Hieronimus (1992): *Gambusia* revidiert. DGLZ-Rundschau (1): 11-12
- M. Kempkes (2002): Kabouters, vechtersbazen en globetrotters - wetenswaardigheden over *Gambusia*'s. Poecilia Nieuws (1): 2-9
- D. Kenwood (2009): *Gambusia* studiegroep. Poecilia Nieuws (4): 28-29
- C. Lydeard, M. C. Wooten & A. Meyer (1995): Molecules, morphology, and area cladograms: a cladistic and biogeographic analysis of *Gambusia*. Systematic biology (2): 221-236
- C. Lydeard, M. C. Wooten & A. Meyer (1995): Cytochrome b sequence variation and a molecular phylogeny of the live-bearing fish genus *Gambusia*. Can. J. Zool. (73): 213-227
- C.J. Marshall & J.K. Liebherr (2000): Cladistic biogeography of the Mexican transition zone. Journal of Biogeography (27): 203-216
- A.E. Peden (1972): The function of gonopodial parts and behavioral pattern during copulation by *Gambusia* (Poeciliidae). Can. J. Fish. Aquat. Sci. (50): 955-968
- A.E. Peden (1972): Differences in the external genitalia of female *Gambusiin* fishes. The Southwestern Naturalist (3): 265-272
- A.E. Peden (1973): Variation in anal spot expression of *Gambusiin* females and its effect on male courtship. Copeia (2): 250-263
- A.E. Peden (1973): Virtual extinction of *Gambusia amistadensis* n.sp., a poeciliid fish from Texas. Copeia (2): 210-221
- A.C. Radda (1979): Synopsis der Gattung *Gambusia* Poey. Aquaria (26): 57-70
- A.C. Radda (1984): Synopsis der Gattung *Gambusia* Poey. DGLZ-Rundschau (3): 50-63
- A.C. Radda (1984): Synopsis der Gattung *Gambusia* (Poey). DGLZ-Rundschau (2): 50-61
- A.C. Radda (1985): Studien an cyprinodonten Fischen in Mexiko 4. Die Tribus *Gambusiini*. Aquaria (32): 49-59
- A.C. Radda (1986): Studien an cyprinodonten Fischen in Mexiko 4. Die Tribus *Gambusiini*. DGLZ-Rundschau (2): 12-22
- M. Rauchenberger (1988): Historical biogeography of Poeciliid fishes in the Caribbean. Syst. Zool. (4): 356-365
- M. Rauchenberger (1989): Systematics and Biogeography of the Genus *Gambusia*. American Museum Novitates (2951): 1-74
- L. Wischnath (1983): Le genre *Gambusia* - des poissons d'aquarium robustes'. Aquarama (september): 9-12

Gambusia alvarezi Hubbs & Springer, 1957

- T. Contreras-MacBeath (2005): Analysis of the conservation of freshwater fish species in Mexico with Emphasis on viviparous species. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 401-414
- T. Contreras-MacBeath et al (2014): Richness and endemism of the freshwater fishes of Mexico. Journal of Threatened Taxa (2): 5421-5433
- C. Hubbs & D.T. Mosier (1985): Fecundity of *Gambusia gaigei*. Copeia (4): 1063-1064
- C. Hubbs & V.G. Springer (1957): A revision of the *Gambusia nobilis* species group, with descriptions of three new species, and notes on their variation, ecology, and evolution. The Texas Journal of Science (3): 279-327
- K. de Jong (2014): *Gambusia alvarezi*. Poecilia Nieuws (Special): 6-6
- D. Macallister (0): *Gambusia alvarezi*. Livebearer News (15): 10-12
- M.K. Meyer & M. Wirth (0): Importations du Chihuahua, Mexique. Aquarama (): 21-23
- M.K. Meyer, K. Meyer & M. Wirth (1986): Drei Neuimporte aus Chihuahua, Mexiko: Lebendgebärende aus der Gattung *Gambusia* Poey. DATZ (10): 443-445

Gambusia amistadensis Peden, 1973

- B. Allen (2007): A tale of two *Gambusia*. Livebearers (196): 14-16
- R.J. Edwards, C. Hubbs & G.P. Garrett (2002): Threatened fishes of the world: *Gambusia amistadensis* Peden, 1973 (Poeciliidae). Environmental Biology of Fishes (64): 460-460
- H. Hieronimus (1985): Nachruf. DGLZ-Rundschau (1): 22-22
- C. Hubbs & B.L. Jensen (1984): Extinction of *Gambusia amistadensis*, an endangered fish. Copeia (2): 529-530
- J.E. Johns & C. Hubbs (1989): Status and Conservation of Poeciliid Fishes. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 301-317
- J. Johnson (1991): Gefährdete lebendgebärende Fische des amerikanische Südwesten. DGLZ-Rundschau (1): 9-11
- K. de Jong (2015): *Gambusia amistadensis* Peden, 1973. Poecilia Nieuws (5): 24-25

Livebearer Literature List 202201

- K. de Jong (2019): *Gambusia amistadensis* Peden, 1973. Poecilia Nieuws Atlas (): -
E. Meinema (1985): *Gambusia amistadensis*, een onbekende die nooit bekend zal worden. Poecilia Nieuws (2): 16-19
R.R. Miller, J.D. Williams & J.E. Williams (1989): Extinctions of north american fishes during the past century. Livebearers (114): 16-28
R.R. Miller, J.D. Williams & J.E. Williams (1989): Extinctions of north american fishes during the past century. Fisheries (6): 22-38
R.R. Miller, J.D. Williams & J.E. Williams (1990): Extinctions of North American fishes during the past century. Livebearers (113): 11-21
A.E. Peden (1973): Virtual extinction of *Gambusia amistadensis* n.sp., a poeciliid fish from Texas. Copeia (2): 210-221
WWF (2021): The world's forgotten fishes. (): 1-48

Gambusia atrora Rosen & Bailey, 1963

- M.K. Meyer (1986): Lebendgebärende Aquarienfische vom Rio Axtla in Mexiko. DATZ (2): 61-64
M.K. Meyer (1988): Mexiko 1987, (Teil 2). DGLZ-Rundschau (3): 4-11
T. Rehbeck (1999): Der Rio Axtla und seine Fische. DGLZ-Rundschau (1): 12-13
D.E. Rosen & R.M. Bailey (1963): The poeciliid fishes (Cyprinodontiformes), their structure, zoogeography, and systematics. American Museum of Natural History (126): 1-176
S. Wang, M. Cummings & M. Kirkpatrick (2015): Coevolution of male courtship and sexual conflict characters in mosquitofish. Behavioral Ecology (4): 1013-1020

Gambusia aurata Miller & Minckley 1970

- I. Dibble (2008): Monterrey to Morelia, Mexico 2006. Livebearers (203): 12-25
R.R. Miller & W.L. Minckley (1970): *Gambusia aurata*, a new species of Poeciliid fish from Northeastern Mexico. The Southwestern Naturalist (2): 249-259
A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, I. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
M. Rejlková (2020): Lebendgebärende von Tamaulipas. Das Lebendgebärenden Magazin (1): 30-35

Gambusia baracoana Rivas, 1944

- D. Bork (1995): *Gambusia baracoana* Rivas, 1944 an der Typuslokalität nicht gefunden. DGLZ-Rundschau (2): 28-29
L.R. Rivas (1944): Contributions to the study of the Poeciliid fishes of Cuba I. Description of six new species of the subfamily Gambusinae. Proceedings of the New England Zoological Club (September): 41-53

Gambusia beebei Myers, 1935

- G. Daul (1979): Gambusia's: probleemvissen onder de levendbarenden!. TTH (19): 5-7
H. Fowler (1937): A collection of Haytian fishes obtained by Mr. Stanley Woodward. Proc. Acad. Nat. Sci. Phila. (89): 309-315
R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
D. Isla (1999): Haiti-ein Pardies für Lebendgebärende. DGLZ-Rundschau (4): 80-83
G.S. Myers (1935): An annotated list of the cyprinodont fishes of Hispaniola, with descriptions of two new species. Zoologica (3): 301-316
L.R. Rivas (1969): A revision of the Poeciliid fishes of the *Gambusia punctata* species group, with descriptions of two new species. Copeia (4): 778-795
R. Rodriguez Silva et al (2021): Annotated list of livebearing fishes (Cyprinodontiformes: Poeciliinae) from Lake Miragoane in southwestern Haiti, Hispaniola. Novitates Caribaea (17): 147-162
H. Stallknecht (1970): Bemerkungen zur Fortpflanzungs- und Ernährungsbiologie von *Gambusia punctata* Poey 1854. Aquarien Terrarien (11): 364-367

Gambusia dominicensis Regan, 1913

- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
A. Rachow (1940): *Gambusia dominicensis* Regan. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 537-538
A.C. Radda (1976): Die Poeciliiden-Fauna von Haïti. Aquaria (23): 85-96
C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018

Gambusia eurystoma Miller, 1975

- L.R. Arriaga & I. Schlupp (2013): Poeciliid male mate preference is influenced by female size but not by fecundity. PeerJ (): 1-13
T. Contreras-MacBeath (2005): Analysis of the conservation of freshwater fish species in Mexico with Emphasis on viviparous species. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 401-414
T. Contreras-MacBeath et al (2014): Richness and endemism of the freshwater fishes of Mexico. Journal of Threatened Taxa (2): 5421-5433
D. Hughes-Phillips (2009): Mexico - March 2006. Livebearer News (26): 19-32
B. Kabbes (1998): Vangreis naar Mexico 1997, conclusies en bevindingen. Poecilia Nieuws (5): 72-80
M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, Mexico. The Southwestern Naturalist (2): 223-236
R.R. Miller (1975): Five new species of Mexican Poeciliid fishes of the genera *Poecilia*, *Gambusia* and *Poeciliopsis*. Occasional papers of the museum of zoology University of Michigan (672): 1-44

Livebearer Literature List 202201

- R. Riesch et al (2010): Convergent life-history shifts: toxic environments result in big babies in two clades of poeciliids. *Naturwissenschaften* (97): 133-141
R. Riesch et al (2010): Extreme habitats are not refuges: poeciliids suffer from increased aerial predation risk in sulphidic souther Mexican habitats. *Biological Journal of the Linnean Society* (101): 417-426
M. Tobler & M. Plath (2008): Fish from stinking places. *Livebearer News* (24): 43-53
M. Tobler & M. Plath (2009): Threatened fishes of the world: *Gambusia eurystoma* Miller, 1975 (Poeciliidae). *Environmental Biology of Fishes* (85): 251-251
M. Tobler et al (2008): Two endemic and endangered fishes, *Poecilia sulphuraria* (Alvarez, 1948) and *Gambusia eurystoma* Miller, 1975 (Poeciliidae, Teleostei) as only survivors in a small sulphidic habitat. *Journal of Fish Biology* (72): 523-533
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. *ZooKeys* (632): 99-120

Gambusia gaigei Hubbs, 1929

- D. Bork et. al. (1997): Zuchtbuch für bedrohte Arten. DGLZ-Rundschau (1): 8-11
C. Clapsaddle (1981): The Big Bend Gambusia. *Livebearers* (59): 15-16
G. Daniels (1993): Lebendgebärende Zahnkarpfen in Texas. DGLZ-Rundschau (2): 29-35
G. Daul (2004): Nach der Wildformenbestandsliste in der DGLZ gehaltene Arten der Gattung *Gambusia*. DGLZ-Rundschau (3): 59-61
I. Dibble (1999): Artgerechte Ernährung unserer Aquarienfische. DGLZ-Rundschau (2): 63-65
C. Dietrich & C. Reusch (1999): Zwei Jahre Zuchtbuch für die Big Bend-Gambuse, *Gambusia gaigei*. DGLZ-Rundschau (1): 6-12
C. Dietrich & C. Reusch (1999): Twee jaar kweekprogramma voor de Big Bend Gambusia, *Gambusia gaigei*. *Poecilia Nieuws* (2): 35-42
C. Dietrich & C. Reusch (2000): Drei Jahre Zuchtbuch für die Big Bend Gambuse, *Gambusia gaigei*. DGLZ-Rundschau (2): 36-37
A.A. Echelle, D.M. Wildrick & A.F. Echelle (1989): Allozyme Studies of Genetic Variation in Poeciliid Fish. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 217-234
S. Evans (1972): Livebearers found in continental U.S. waters. *Livebearers* (4): 11-12
C.L. Hubbs (1929): Studies of the fishes of the order Cyprinodontes VIII. *Gambusia gaigei*, a new species from the Rio Grande. *Occasional papers of the museum of zoology University of Michigan* (198): 1-11
C. Hubbs (1991): Intrageneric "cannibalism" in *Gambusia*. *The Southwestern Naturalist* (2): 153-157
C. Hubbs & D.T. Mosier (1985): Fecundity of *Gambusia gaigei*. *Copeia* (4): 1063-1064
C. Hubbs & H.J. Brodrick (1963): Current abundance of *Gambusia gaigei*, an endangered fish species. *The Southwestern Naturalist* (1): 46-48
C. Hubbs & V.G. Springer (1957): A revision of the *Gambusia nobilis* species group, with descriptions of three new species, and notes on their variation, ecology, and evolution. *The Texas Journal of Science* (3): 279-327
C. Hubbs, G. Hoddenbach & C.M. Fleming (1986): An enigmatic population of *Gambusia gaigei*. *The Southwestern Naturalist* (1): 121-123
C. Hubbs, R.J. Edwards & G.P. Garrett (2002): Threatened fishes of the world: *Gambusia gaigei* Hubbs, 1929 (Poeciliidae). *Environmental Biology of Fishes* (65): 82-82
D. Hughes-Phillips (2009): *Gambusia gaigei*, *Gambusia nobilis* and other Texan *Gambusia*. *Livebearer News* (28): 20-27
D. Isla (1995): Endangered livebearers at the Staten Island Zoo. *Tropical Fish Hobbyist* (6): 84-94
J.E. Johns & C. Hubbs (1989): Status and Conservation of Poeciliid Fishes. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 301-317
J. Johnson (1991): Gefährdete lebendgebärende Fische des amerikanischen Südwesten. DGLZ-Rundschau (1): 9-11
E. Marsh-Matthews, R. Deaton & M. Brooks (2010): Survey of matrotrophy in lecithotrophic poeciliids. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 255-258
M.K. Meyer, K. Meyer & M. Wirth (1986): Drei Neuimporte aus Chihuahua, Mexiko: Lebendgebärende aus der Gattung *Gambusia* Poey. DATZ (10): 443-445
W. Noack (1994): Gambusen - Gambusen - Gambusen. DGLZ-Rundschau (1): 4-9
C. Reusch (1994): Die Big-Bend-Gambuse. *Aquarium Heute* (2): 488-490
C. Reusch & G. Dietrich (1997): Die Big Bend Gambuse, *Gambusia gaigei*, Hubbs, 1929. DGLZ-Rundschau (1): 3-7
C. Reusch & G. Dietrich (1998): Aktuelles zum *Gambusia gaigei*-Zuchtbuch. DGLZ-Rundschau (1): 11-12
U. Wagenknecht (2004): Die Dexter National Fish Hatchery - Eine Fisch-Arche im Süden der USA. *Das Lebendgebärenden Magazin* (1): 18-23
S. Wang, M. Cummings & M. Kirkpatrick (2015): Coevolution of male courtship and sexual conflict characters in mosquitofish. *Behavioral Ecology* (4): 1013-1020

Gambusia geiseri Hubbs & Springer, 1957

- B. Allen (2008): The largespring *Gambusia* *Gambusia geiseri*. *Livebearers* (202): 9-11
B. Allen (2009): The largespring *Gambusia* *Gambusia geiseri*. *Livebearer News* (26): 15-18
C. Clapsaddle (1982): *Gambusia* notes. *Livebearers* (61): 15-17
C. Clapsaddle (2013): Life with livebearers Expedition to McCauley Spring. *Tropical Fish Hobbyist* (1): 36-38
C. Clapsaddle (2014): Life with livebearers: The largespring *Gambusia*. *Tropical Fish Hobbyist* (May): 34-36
G. Daniels (1993): Lebendgebärende Zahnkarpfen in Texas. DGLZ-Rundschau (2): 29-35
A. DeMarais & D. Oldis (2005): Matrotrophic transfer of fluorescent microspheres in Poeciliid fishes. *Copeia* (3): 632-636
C.M. Espinedo, C.R. Gabor & A.S. Aspbury (2010): Males, but not females, contribute to sexual isolation between two sympatric species of *Gambusia*. *Evol Ecol* (24): 865-878
S. Evans (1972): Livebearers found in continental U.S. waters. *Livebearers* (4): 11-12
H. Hieronimus (2001): Überraschung bei *Gambusia geiseri*. DGLZ-Rundschau (1): 12-13

- C. Hubbs (1997): Sperm retention in Poeciliids. Livebearers (146): 9-9
- C.L. Hubbs & E. A. Delco jr. (1960): Mate preferences in males of four species of Gambusiine fishes. Evolution (2): 145-152
- C. Hubbs & R.A. Reynolds (1957): Copulatory function of the modified pectoral fin of Gambusiin fishes. The American Naturalist (860): 333-335
- C. Hubbs & V.G. Springer (1957): A revision of the *Gambusia nobilis* species group, with descriptions of three new species, and notes on their variation, ecology, and evolution. The Texas Journal of Science (3): 279-327
- B. Kim, N.P. Moran, K. Reinhold & A. Sánchez-Tójar (2021): Male size and reproductive performance in three species of livebearing fishes (*Gambusia* spp.): a systematic review and meta-analyses. Journal of Animal Ecology () 1-15
- E. Marsh-Matthews & R. Deaton (2006): Resources and offspring provisioning: a test of the Trexler-Deangelis model for matrotrophy evolution. Ecology (12): 3014-3020
- E. Marsh-Matthews, M. Brooks, R. Deaton & H. Tan (2005): Effects of maternal and embryo characteristics on post-fertilization provisioning in fishes in the genus *Gambusia*. Oecologia (144): 12-24
- E. Marsh-Matthews, P. Skierkowski & A. DeMarais (2001): Direct evidence for mother-to-embryo transfer of nutrients in the livebearing fish *Gambusia geiseri*. Copeia (1): 1-6
- W. Noack (1990): Reiseabenteuer Kanada - USA und zurück Forsetzung. DGLZ-Rundschau (1): 4-10
- W. Noack (1994): Gambusen - Gambusen - Gambusen. DGLZ-Rundschau (1): 4-9
- A.E. Peden (1972): Differences in the external genitalia of female Gambusiin fishes. The Southwestern Naturalist (3): 265-272
- M. Plath et al (2007): Sexual harassment in live-bearing fishes (Poeciliidae): comparing courting and noncourting species. Behavioral Ecology (March): 680-688
- C. Reusch (1996): *Gambusia geiseri* Hubbs & Hubbs, 1957. DGLZ-Rundschau (3): 51-58
- J. Schöpf Rehage, B.K. Barnett & A. sih (2005): Behavioral responses to a novel predator and competitor of invasive mosquitofish and therin non-invasive relatives (*Gambusia* sp.). Behav Ecol Sociobiol (57): 256-266
- L. Wischnath (1994): Wildformen Lebendgebärender Zahnkarpen Teil 1: Guppy, Platys und Gambusen. Das Aquarium (299): 16-19

***Gambusia georgei* Hubbs & Peden, 1969**

- C. Clapsaddle (1977): *Gambusia georgei*. Livebearers (35): 2-3
- C. Clapsaddle (1981): *Gambusia georgei* notes. Livebearers (59): 10-12
- C. Clapsaddle (1982): *Gambusia* notes. Livebearers (61): 15-17
- R.J. Edwards, C. Hubbs & G.P. Garrett (2002): Threatened fishes of the world: *Gambusia georgei* Hubbs & Peden, 1969 (Poeciliidae). Environmental Biology of Fishes (65): 358-358
- D. Gentzsch (1994): Bedeutung der Lebendgebärenden Zahnkarpfen und Ursachen des Aussterben von Arten. DGLZ-Rundschau (2): 33-34
- C. Hubbs & A.E. Peden (1969): *Gambusia georgei* sp. nov. from San Marcos, Texas. Copeia (2): 357-364
- J.E. Johns & C. Hubbs (1989): Status and Conservation of Poeciliid Fishes. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 301-317
- J. Johnson (1991): Gefährdete lebendgebärende Fische des amerikanische Südwesten. DGLZ-Rundschau (1): 9-11
- R.R. Miller, J.D. Williams & J.E. Williams (1989): Extinctions of north american fishes during the past century. Livebearers (114): 16-28
- R.R. Miller, J.D. Williams & J.E. Williams (1989): Extinctions of north american fishes during the past century. Fisheries (6): 22-38
- R.R. Miller, J.D. Williams & J.E. Williams (1990): Extinctions of North American fishes during the past century. Livebearers (113): 11-21
- W. Noack (1990): Reiseabenteuer Kanada - USA und zurück Forsetzung. DGLZ-Rundschau (1): 4-10
- S. Riese (2004): Die Lebendgebärenden der USA. Das Lebendgebärenden Magazin (2): 28-32
- WWF (2021): The world's forgotten fishes. (): 1-48

***Gambusia heterochir* Hubbs, 1957**

- B. Allen (2007): A tale of two *Gambusia*. Livebearers (196): 14-16
- S.K. Davis, A.A. Echelle & R.A. Van Den Bussche (2006): Lack of cytonuclear genetic introgression despite long-term hybridization and backcrossing between two poeciliid fishes (*Gambusia heterochir* and *G. affinis*). Copeia (3): 351-359
- D. Gentzsch (1994): Bedeutung der Lebendgebärenden Zahnkarpfen und Ursachen des Aussterben von Arten. DGLZ-Rundschau (2): 33-34
- C. Hubbs (1959): Population analysis of a hybrid swarm between *Gambusia affinis* and *G. heterochir*. Evolution (2): 236-246
- C. Hubbs (1995): Springs and spring runs as unique aquatic systems. Copeia (4): 989-991
- C. Hubbs (1997): Sperm retention in Poeciliids. Livebearers (146): 9-9
- C.L. Hubbs & E. A. Delco jr. (1960): Mate preferences in males of four species of Gambusiine fishes. Evolution (2): 145-152
- C. Hubbs & R.A. Reynolds (1957): Copulatory function of the modified pectoral fin of Gambusiin fishes. The American Naturalist (860): 333-335
- C. Hubbs, R.J. Edwards & G.P. Garrett (2002): Threatened fishes of the world: *Gambusia heterochir* Hubbs, 1957 (Poeciliidae). Environmental Biology of Fishes (65): 422-422
- J.E. Johns & C. Hubbs (1989): Status and Conservation of Poeciliid Fishes. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 301-317
- J. Johnson (1991): Gefährdete lebendgebärende Fische des amerikanische Südwesten. DGLZ-Rundschau (1): 9-11
- I. Kristensen (1958): *Gambusia heterochir* heeft een hulp-copulatie orgaan. Guppy (4): 3-3
- W. Noack (1990): Reiseabenteuer Kanada - USA und zurück Forsetzung. DGLZ-Rundschau (1): 4-10
- A.E. Peden (1972): Differences in the external genitalia of female Gambusiin fishes. The Southwestern Naturalist (3): 265-272
- A.E. Peden (1972): The function of gonopodial parts and behavioral pattern during copulation by *Gambusia* (Poeciliidae). Can. J. Fish. Aquat. Sci. (50): 955-968
- S. Riese (2004): Die Lebendgebärenden der USA. Das Lebendgebärenden Magazin (2): 28-32

B. Warburton, C. Hubbs, D.W. Hagen (1957): Reproductive behavior of *Gambusia heterochir*. *Copeia* (4): 299-300

Gambusia hispaniolanae Fink, 1971

- H. Auer (2005): Lebendgebärende in hypersalinen Seen (2): Die Salzseen auf Hispaniola - Lago Enriquillo und Lac Azuelo. *DGLZ-Rundschau* (2): 39-48
W.F. Fink (1971): A revision of the *Gambusia nicaraguensis* species group. *Publications of the Gulf Coast Research Laboratory* (2): 47-77
R.C. Griffiths (2007): Hispaniolan livebearers Part II. *Livebearers* (194): 17-37
R.C. Griffiths (2013): The profiler *Gambusia hispaniolae* (Fink, 1971). *Livebearer News* (221): 24-25
K. de Jong (1999): *Gambusia hispaniolae*. *Poecilia Nieuws* (1): 14-16
P. Lechner & A.C. Radda (1980): Poeciliiden-Studien in der Dominikanischen Republik. *Aquaria* (27): 1-13
P. Lechner & A.C. Radda (1986): Poeciliiden-Studien in der Dominikanischen Republik. *DGLZ-Rundschau* (4): 6-18
T. Mörschel & M. Meyer (1991): Lebendgebärende Zahnkarpfen von der Dominikanischen Republik. *Das Aquarium (Mai)*: 12-15
J. Schöpf Rehage, B.K. Barnett & A. sih (2005): Behavioral responses to a novel predator and competitor of invasive mosquitofish and therin non-invasive relatives (*Gambusia* sp.). *Behav Ecol Sociobiol* (57): 256-266
L. Wischnath (2000): Levendbarende tandkarpers, een bont palet deel 2. *Het Aquarium* (9): 241-245

Gambusia holbrooki Girard, 1859

- (0): Looking at *Gambusia affinis* and *G. holbrooki* in 1959. *Viviparous* (25): 0-4
A. Aarn & P.J. Unmack (2007): *Gambusia (Dumnibusia) holbrooki*, der "Killerfisch". *DGLZ-Rundschau* (2): 57-63
C. Agrillo, M. Dadda & G. Serena (2008): Choice of female groups by male mosquitofish (*Gambusia holbrooki*). *Ethology* (114): 479-488
C. Agrillo, M. Dadda, G. Serena & A. Bisazza (2008): Do fish count? Spontaneous discrimination of quantity in female mosquitofish. *Anim Cogn* (11): 495-503
O. Aizpurua et al (2013): Fishing long-fingered bats (*Myotis capaccinii*) prey regularly upon exotic fish. *PLoS One* (11): 1-7
C. Alcaraz & E. García-Berthou (2007): Life history variation of invasive mosquitofish (*Gambusia holbrooki*) along a salinity gradient. *Biological Conservation* (139): 83-92
S.D. Alemadi & D.G. Jenkins (2008): Behavioral constraints for the spread of the eastern mosquitofish, *Gambusia holbrooki* (Poeciliidae). *Biol Invasions* (10): 59-66
R.A. Angus (1989): A Genetic Overview of Poeciliid Fishes. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 51-68
R.A. Angus (1991): Inheritance of melanistic pigmentation in the eastern mosquitofish. *Livebearers* (May/July): 117-
R.A. Angus (1991): Inheritance of melanistic pigmentation in the eastern mosquitofish. *Livebearers* (117): 19-32
R.A. Angus (2011): Inheritance of melanistic pigmentation in the eastern mosquitofish. *Livebearers* (210): 21-34
S.N. Archer & J. Hirano (1997): Opsin sequences of the rod visual pigments in two species of Poeciliid fish. *Journal of Fish Biology* (51): 215-219
A. Arnold (1985): Bemerkungen zu Meyer, F.: Erfahrungen mit *Gambusia affinis* (AT 31 (1984):122-123). *Aquarien Terrarien* (3): 88-89
A. Arnold (1987): Eine exkursion zum Milchsee (Lacul Siotghiol). *Aquarien Terrarien* (1): 18-21
A. Arnold (1987): Zur Biologie von Koboldkäpfpling, *Gambusia affinis* und Guppy (*Poecilia reticulata* (Poeciliidae) in europäischen Freilandgewässern. *Aquarien Terrarien* (4): 128-131
A. Arnold (1987): Zur Biologie von Koboldkäpfpling, *Gambusia affinis* und Guppy (*Poecilia reticulata* (Poeciliidae) in europäischen Freilandgewässern 2. *Aquarien Terrarien* (5): 167-170
M. Bachmann (1999): Lebendgebärende Zahnkarpfen am Schwarzen Meer in Bulgarien. *DGLZ-Rundschau* (2): 60-
T.F.C. Batten & J.N. Ball (1977): Quantitative ultrastructural evidence of alterations in prolactin secretion related to external salinity in a teleost fish (*Poecilia latipinna*). *Cell Tissue Res* (185): 129-145
J. Batty & R. Lim (1999): Morphological and reproductive characteristics of male mosquitofish (*Gambusia affinis holbrooki*) inhabiting sewage-contaminated waters in New South Wales, Australia. *Arch. Environ. Contam. Toxicol.* (36): 301-307
R. Beaudouin, V. Ginot & G. Monod (2008): Growth characteristics of eastern mosquitofish *Gambusia holbrooki* in a northern habitat (Brittany, France). *Journal of Fish Biology* (73): 2468-2484
M.C. Belk & C. Lydeard (1994): Effect of *Gambusia holbrooki* on a similar-sized, syntopic Poeciliid, *Heterandria formosa*: competitor or predator?. *Copeia* (2): 296-302
L. Benejam et al (2009): Life history and parasites of the invasive mosquitofish (*Gambusia holbrooki*) along a latitudinal gradient. *Biol Invasions* (11): 2265-2277
A. Berglund, A. Bisazza & A. Pilastro (1996): Armaments and ornaments: an evolutionary explanation of traits of dual utility. *Biological Journal of the Linnean Society* (58): 385-399
A. Bisazza (1995): Male competition, female mate choice and the evolution of sexual size dimorphism in livebearing fishes. *Viviparous* (29): 0-
A. Bisazza & A. de Santi (2003): Lateralization of aggression in fish. *Behavioural Brain Research* (141): 131-136
A. Bisazza & A. Pilastro (1997): Small male mating advantage and reversed size dimorphism in poeciliid fishes. *Journal of Fish Biology* (50): 397-406
A. Bisazza & A. Pilastro (2000): Variation of female preference for male coloration in the eastern mosquitofish *Gambusia holbrooki*. *Behavior Genetics* (3): 207-212
A. Bisazza & G. Marin (1991): Male size and female mate choice in the eastern mosquitofish (*Gambusia holbrooki*; Poeciliidae). *Copeia* (3): 730-735
A. Bisazza & G. Marin (1995): Sexual selection and sexual size dimorphism in the eastern mosquitofish *Gambusia holbrooki* (Pisces Poeciliidae). *Ethology Ecology & Evolution* (7): 169-183
A. Bisazza, A. de Santi & G. Vallortigara (1999): Laterality and cooperation: mosquitofish move closer to a predator when the companion is on their left side. *Animal Behaviour* (57): 1145-1149
A. Bisazza, A. Grapputo & L. Nigro (1997): Evolution of reproductive strategies and male sexual ornaments in poeciliid fishes as inferred by mitochondrial 15 rRNA gene phylogeny. *Ethology Ecology & Evolution* (9): 55-67
A. Bisazza, A. Marconato & G. Marin (1989): Male mate preferences in the mosquitofish *Gambusia holbrooki*. *Ethology* (83): 335-343
A. Bisazza, A. Pilastro, R. Palazzi & G. Marin (1996): Sexual behaviour of immature male eastern mosquitofish: a way to measure intensity of intra-sexual selection?. *Journal of Fish Biology* (48): 726-737
A. Bisazza, G. Vaccari & A. Pilastro (2001): Female mate choice in mating system dominated by male sexual coercion. *Behavioral Ecology* (1): 59-64

- A. Bisazza, R. Pignatti & G. Vallortigara (1997): Laterality in detour behaviour: interspecific variation in poeciliid fish. *Anim. Behav.* (54): 1273-1281
- S. Blanco, S. Romo & M.-J. Villena (2004): Experimental study on the diet of mosquitofish (*Gambusia holbrooki*) under different ecological conditions in a shallow lake. *Internat. Rev. Hydrobiol.* (3): 250-262
- Heiko Bleher (2014): On top of the world. *Practical Fishkeeping* (6): 62-67
- S.A. Bortone & R.P. Cody (1999): Morphological masculinization in Poeciliid females from a paper mill effluent receiving tributary of the St. Johns river, Florida, USA. *Bull. Environ. Contam. Toxicol.* (63): 150-156
- S.A. Bortone & W.P. Davis (1994): Fish intersexuality as indicator of environmental stress. *BioScience* (3): 165-172
- C. Brüning (1902): *Gambusia holbrooki*. *Blätter für Aquarien- und Terrarienkunde* (22): 255-257
- J.A. Cabral & J.C. Marques (1999): Life history, population dynamics and production of eastern mosquitofish, *Gambusia holbrooki*, in rice fields of the lower Mondego River Valley, western Portugal. *Acta Oecologica* (6): 607-620
- A.J. Carter & R.S. Wilson (2006): Improving sneaky-sex in a low oxygen environment: reproductive and physiological responses of male mosquitofish to chronic hypoxia. *The Journal of Experimental Biology* (209): 4878-4884
- D.L. Chance (): Understanding the effects of temperature on sex ratio in a sexually dimorphic fish species. *Thesis* (): 1-18
- T. Changeux (1998): Insular characteristics of freshwater fish communities in the island of Corsica, comparison with French coastal rivers. *Ital J. Zool* (65): 305-311
- P. Chapman & K. Warburton (2006): Postflood movements and population connectivity in gambusia (*Gambusia holbrooki*). *Ecology of Freshwater Fish* (15): 357-365
- B.C. Congdon (1994): Salinity-related fitness differences amongst GPI genotypes in the mosquitofish *Gambusia holbrooki* (Poeciliidae: Teleostei). *Biological Journal of the Linnean Society* (53): 343-352
- B.C. Congdon (1995): Unidirectional gene flow and maintenance of genetic diversity in mosquitofish *Gambusia holbrooki*. *Copeia* (1): 162-172
- Z.W. Culumber et al (2020): Larger female brains do not reduce male sexual coercion. *Animal Behaviour* (160): 15-24
- Z.W. Culumber et al (2020): Larger female brains do not reduce male sexual coercion. *Animal Behaviour* (160): 15-24
- M.E. Cummings (2018): Sexual conflict and sexually dimorphic cognition - reviewing their relationship in poeciliid fishes. *Behavioral Ecology and Sociobiology* (972:73): 1-12
- N. Dadaniak & W. Eberl (1996): *Gambusia affinis holbrooki*. *Das Aquarium* (326): 29-32
- M. Dadda (2015): Female social response to male sexual harassment in poeciliid fish: a comparison of six species. *Frontiers in Psychology* (September): 1-9
- M. Dadda, A. Pilastro & A. Bisazza (2008): Innate responses to male sexual harassment in female mosquitofish. *Behav Ecol Sociobiol* (63): 53-62
- J. Das (): Texaskräpfinge aus dem Lodi-Park in Neu Delhi. *DATZ* (): 560-
- J. Das (1995): Beschreibung einiger Biotope des Koboldkäpfchens in Europa. *Das Aquarium* (312): 11-13
- G. Daul (2004): Nach der Wildformenbestandsliste in der DGLZ gehaltene Arten der Gattung *Gambusia*. *DGLZ-Rundschau* (3): 59-61
- A. De Sanit, V.A. Sovrano, A. Bisazza & G. Vallortigara (2001): Mosquitofish display differential left- and right-eye use during mirror image scrutiny and predator inspection responses. *Animal Behaviour* (61): 305-310
- M.P. de DeMiguel et al (1994): Influence of ocular and extraocular photoreception on spermatogenesis in *Gambusia affinis holbrooki*. *Journal of experimental zoology* (269): 367-372
- G. Dietrich (1993): Lebendgebärende Zahnkarpfen in Florida. *DGLZ-Rundschau* (3): 52-54
- A.D.M. Dove (2000): Richness patterns in the parasite communities of exotic poeciliid fishes. *Parasitology* (120): 609-623
- K.E. Doyle et al (2020): *Gambusia holbrooki* survive shear stress, pressurization and avoid blade strike in a simulated pumped hydroelectric scheme. *Frontiers in Environmental Science* (October): 1-14
- O. Drescher (2020): Noch mal nach Kroatien: Gambusen statt Aphanius. *VDA-aktuell* (3): 13-15
- T.M. Edwards, T. Iguchi & L.J. Guillette jr. (2010): Genes to ecosystems: viviparous fishes and endocrine disruption. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 375-386
- B. Elvira & A. Almodóvar (2001): Freshwater fish introductions in Spain: facts and figures at the beginning of the 21st century. *Journal of Fish Biology* (59): 323-331
- S. Emde et al (2016): Cooling water of power plants creates "hot spots" for tropical fishes and parasites. *Parasitol Res* (115): 85-98
- E.C.J. Estes, C.R. Katholi & R.A. Angus (2006): Elevated fluctuating asymmetry in eastern mosquitofish (*Gambusia holbrooki*) from a river receiving paper mill effluent. *Environmental Toxicology and Chemistry* (4): 1026-1033
- J.P. Evans, M. Pierotti & A. Pilastro (2003): Male mating behavior and ejaculate expenditure under sperm competition risk in the eastern mosquitofish. *Behavioral Ecology* (2): 268-273
- C. Fernández-Delgado & S. Rossomanno (1997): Reproductive biology of the mosquitofish in a permanent natural lagoon in south-west Spain: two tactics for one species. *Journal of Fish Biology* (51): 80-92
- H. Filitz (1967): Lebendgebärenden aus Italien. *DATZ* (1): 31-31
- M.C. Finck (1910): Das Gesellschaftsleben der Zahnkarpfen. *Blätter für Aquarien- und Terrarienkunde* (49): 793-795
- M.C. Finck (1912): *Gambusia affinis* Grd. (G. holbrooki). *Blätter für Aquarien- und Terrarienkunde* (7): 106-107
- B. Fraile et al. (1994): Effects of temperature and photoperiod in the *Gambusia affinis holbrooki* testis during the spermatogenesis period. *Copeia* (1): 216-221
- R. France (1920): Aquarium microscopy. *Aquatic Life* (May): 49-53
- J. Gao et al (2019): Geographical and temporal variation of multiple paternity in invasive mosquitofish (*Gambusia holbrooki*, *Gambusia affinis*). *Molecular Ecology* (28): 5315-5329
- E. García-Berthou (1999): Food of introduced mosquitofish: ontogenetic diet shift and prey selection. *Journal of Fish Biology* (55): 135-147
- E. García-Berthou (1999): Food of introduced mosquitofish: ontogenetic diet shift and prey selection. *Journal of Fish Biology* (55): 135-147
- P.C. Gehrke, K.L. Astles & J.H. Harris (1999): Within-catchment effects of flow alternation on fish assemblages in the Hawkesbury-Nepean river system Australia. *Regul. Rivers: Res. Mgmt.* (15): 181-198
- S.W. Geiser (1924): Sex-ratios and spermatogenesis in the top-minnow, *Gambusia holbrooki* Grd. *Biological Bulletin* (47): 175-213
- A. Gerhard et al (2006): Evidence for the stepwise stress model: *Gambusia holbrooki* and *Daphnia magna* under acid mine drainage and acidified reference water stress. *Environ. Sci. Technol.* (39): 4150-4168
- G. Gerlach (1902): *Girardinus decemmaculatus* (echte Form) 2. *Blätter für Aquarien- und Terrarienkunde* (15): 167-169
- G. Gerlach (1912): Einiges über *Gambusia Holbrookii* (=affinis Grd.). *Blätter für Aquarien- und Terrarienkunde* (25): 403-404
- C. Girard (1859): Ichthyological notices. *Proc. Acad. Nat. Sci. Phila.* (11): 56-90
- C. Girard (1859): Ichthyological notices A. *Proc. Acad. Nat. Sci. Phila.* (11): 56-68

Livebearer Literature List 202201

- J.L. Gould et al. (1999): Female preferences in a fish genus without female mate choice. *Current biology* (9): 497-500
- H. Greven (2000): Einbürgerung optimal gelungen?. *Das Aquarium* (12): 25-26
- R.C. Griffiths (1992): Australian livebearers. *Livebearers* (126): 4-5
- H. Hammer (2016): Erfahrungen mit *Gambusia holbrooki* im Aquarium. *DGLZ-Rundschau* (2): 63-67
- S. Hamouda & B. Samraoui (2007): Ecological impact of *Gambusia affinis* (Cyprinodontiform: Poeciliidae) on the aquatic environments. *J. Anim. Vet. Adv.* (6): 828-832
- G.P. von Harleman (1917): Holbrook's *Gambusia*. *Aquatic Life* (April): 99-100
- E. Harrison, J.J. Lorenz & J.C. Trexler (2013): Per capita effects of non-native Mayan cichlids (*Cichlasoma urophthalmus*; Gunther) on native fish in the estuarine southern Everglades. *Copeia* (1): 80-96
- J.L. Haynes (1993): Annual reestablishment of mosquitofish populations in Nebraska. *Copeia* (1): 232-235
- J.D. Hernandez-Martich & M.H. Smith (1997): Downstream gene flow and genetic structure of *Gambusia holbrooki* (easterne mosquitofish) populations. *Heredity* (79): 295-301
- S.T. Heulett, S.C. Weeks & G.K. Meffe (1995): Lipid dynamics and growth relative to resources level in juvenile eastern mosquitofish (*Gambusia holbrooki*: Poeciliidae). *Copeia* (1): 97-104
- H. Hieronimus (1985): De geschiedenis van de levendbarende tandkarpers deel 3. *Poecilia Nieuws* (6): 76-78
- H. Hieronimus (1988): Entdeckung eines melanistischen Weibchens von *Gambusia affinis holbrooki*. *DGLZ-Rundschau* (1): 20-20
- H. Hieronimus (1988): Een melanistisch wijfje van *Gambusia affinis holbrooki*. *Poecilia Nieuws* (2): 26-27
- H. Hieronimus (1989): Nieuwe systematiek binnen het geslacht *Gambusia*. *Poecilia Nieuws* (3): 36-37
- H. Hieronimus (1989): Neues zur Systematik der Gattung *Gambusia*. *DGLZ-Rundschau* (1): 14-14
- H. Hieronimus (1990): Geschichten der Lebendgebärenden im Aquarium. *DGLZ-Rundschau* (4): 14-18
- H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. *Poecilia Nieuws* (6): 12-18
- H. Hieronimus (2014): Stress bei Fischen wirkt unterschiedlich. *DGLZ-Rundschau* (2): 68-71
- S.F. Hildebrand (1927): Sex ratio in *Gambusia*. *Biological Bulletin* (5): 390-404
- D. Hohl (2021): *Gambusia affinis* (Baird & Girard, 1853) - Texaskärpfing, Koboldkärpfing. *Das Lebendgebärenden Magazin* (2): 22-27
- K. Hohmann (1912): Eine schwarzgescheckte lebendgebärende Neuheit. *Blätter für Aquarien- und Terrarienkunde* (43): 699-700
- M. Holly (1961): *Gambusia holbrookii* (Girard). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 1144-1146
- L. Horth (2003): Melanic body colour and aggressive mating behaviour are correlated traits in male mosquitofish (*Gambusia holbrooki*). *Proc. R. Soc. Lond.* (270): 1033-1040
- L. Horth (2004): Predation and the persistence of melanic male mosquitofish (*Gambusia holbrooki*). *J. Evol. Biol.* (17): 672-679
- L. Horth et al. (2010): Color, body size, and genitalia size are correlated traits in eastern mosquitofish (*Gambusia holbrooki*). *Copeia* (2): 196-202
- D.J. Hoysak & J.-G. Godin (2007): Repeatability of male mate choice in the mosquitofish, *Gambusia holbrooki*. *Ethology* (113): 1007-1018
- C.L. Hubbs (1955): Hybridization between fish species in nature. *Syst. Zool.* (1): 1-20
- J.C. Jones & J.D. Reynolds (1997): Effects of pollution on reproductive behaviour of fishes. *Reviews in Fish Biology and Fisheries* (7): 463-491
- K. de Jong (1992): Zonnende *Gambusia*'s (levendbarenden in de tuinvijver). *Poecilia Nieuws* (5): 13-15
- K. de Jong (1992): Hoe lang nog?. *Picasso onder water* (): 0-
- K. de Jong (1994): Levendbarende tandkarpers op Kos (Griekenland). *Poecilia Nieuws* (6): 115-116
- K. de Jong (2009): Vakantie. *Poecilia Nieuws* (5): 13-15
- K. de Jong (2010): Buren. *Poecilia Nieuws* (2): 18-19
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. *Poecilia Nieuws* (2): 8-13
- K. de Jong (2019): Der Einfluss der Temperatur auf das Geschlechterverhältnis bei viviparen Zahnkarpfen. *Das Lebendgebärenden Magazin* (2): 8-12
- K. de Jong (2019): Θεσσαλονίκη. *Das Lebendgebärenden Magazin* (2): 13-14
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. *Het Aquarium* (8): 62-66
- K. de Jong (2019): De invloed van *Gambusia holbrooki* op Europese amfibieën. *Poecilia Nieuws* (4): 18-20
- K. de Jong (2019): Θεσσαλονίκη. *Poecilia Nieuws* (3): 14-15
- W. Jürgens (1921): Der Süßwasserfische Nordamerikas. *Blätter für Aquarien- und Terrarienkunde* (2): 21-23
- B. Kabbes (1999): Een frisse neus halen. *Poecilia Nieuws* (4): 72-75
- B. Kabbes (2000): *Gambusia affinis*, een kosmopolitische alleenheerser. *Poecilia Nieuws* (3): 38-46
- A.T. Kahn, B. Mautz & M.D. Jennions (2010): Females prefer to associate with males with longer intromittent organs in mosquitofish. *Biol. Lett.* (6): 55-58
- I. Karplus & D. Algom (1996): Polymorphism and pair formation in the mosquitofish *Gambusia holbrooki* (Pisces: Poeciliidae). *Environmental Biology of Fishes* (45): 169-176
- M.M. Keklak, M.C. Newman & M. Mulvey (1994): Enhanced Uranium Tolerance of an Exposed Population of the Eastern Mosquitofish (*Gambusia holbrooki* Girard 1859). *Environmental Contamination and Toxicology* (27): 20-24
- K. Keller & C. Brown (2008): Behavioural interactions between the introduced plague minnow *Gambusia holbrooki* and the vulnerable native Australian ornate rainbowfish *Rhadinocentrus ornatus*, under experimental conditions. *Journal of Fish Biology* (73): 1714-1729
- M. Kempkes (2000): *Gambusia affinis* in Apulien. *DGLZ-Rundschau* (1): 11-14
- M. Kempkes (2000): Gambusen in Apulië. *Poecilia Nieuws* (2): 33-35
- M. Kempkes (2002): Kabouters, vechtersbazen en globetrotters - wetenschapsharden over *Gambusia*'s. *Poecilia Nieuws* (1): 2-9

Livebearer Literature List 202201

- M. Kempkes (2008): Faunenverfälschung: Gambusen in Südeuropa. DATZ (5): 68-71
- M. Kempkes (2012): Beobachtungen an Zwergkäpflingen in Südflorida. DATZ (Dezember): 90-97
- M. Kempkes (2014): Het musketenvisje uit Mallorca. Poecilia Nieuws (4): 15-19
- M. Kempkes (2016): In Floridas Gewässern allgegenwärtig: Koboldkäpflinge. DATZ (Februar): 36-38
- B. Kim, N.P. Moran, K. Reinhold & A. Sánchez-Tójar (2021): Male size and reproductive performance in three species of livebearing fishes (*Gambusia* spp.): a systematic review and meta-analyses. *Journal of Animal Ecology* (): 1-15
- R. Kolodzey (1992): Wenn ein Aquarianer Urlaub macht... Das Aquarium (7): 3-5
- V.J. Kramer, M.C. Newman & G.R. Ultsch (1992): Changes in concentrations of glycolysis and Krebs cycle metabolites in mosquitofish, *Gambusia holbrooki*, induced by mercuric chloride and starvation. *Environmental Biology of Fishes* (34): 315-320
- L. Krumholz (1948): Reproduction in the western mosquitofish, *Gambusia affinis* (Baird & Girard), and its use in mosquito control. *Ecological Monographs* (1): 1-43
- S. Kunath (1984): Gambusen - Information. DGLZ-Rundschau (2): 47-49
- S. Kunath (1984): Gambusen-Information. DGLZ-Rundschau (3): 47-49
- D. Lambert (0): *Gambusia holbrooki* (Girard, 1859). Viviparous (24): 0-
- R.B. Langerhans et al. (2021): Consuming costly prey: optimal foraging and the role of compensatory growth. *Frontiers in Ecology and Evolution* (march): 1-14
- J.K. Langhammer (0): Look out!! Look out!! There's a scientist about. Viviparous (5): 0-
- J.K. Langhammer (1988): *Gambusia* update!. Livebearers (102): 11-11
- J.K. Langhammer (1999): "Mosquito Fish" - the sad truth. Livebearers (158/159): 19-19
- N. Ling (2004): *Gambusia* in New Zealand: really bad or just misunderstood?. *New Zealand Journal of Marine and Freshwater Research* (38): 473-480
- L.N. Lloyd & J.F. Tomasov (1985): Taxonomic status of the mosquitofish *Gambusia affinis* (Poeciliidae), in Australia. *Aust. J. Mar. Freshw. Res.* (36): 447-451
- H. Lobregt (2005): Wildvang. Poecilia Nieuws (1): 12-12
- H. Lobregt (2010): Puccini gambusia (deel 2). Poecilia Nieuws (4): 28-32
- H. Lobregt (2010): De pussini Gambusia. Poecilia Nieuws (2): 22-26
- L. Locatello et al (2008): Ejaculate traits in relation to male body size in the eastern mosquitofish *Gambusia holbrooki*. *Journal of Fish Biology* (73): 1600-1611
- M. Lorenzoni, M. Mearelli & L. Ghetti (2006): Native and exotic fish species in the Tiber river watershed (Umbria - Italy) and their relationship to the longitudinal gradient. *Bull.Fr. Pêche Piscic.* (382): 19-44
- R. Lundkvist (2010): Vissen vangen in het meest zuidelijke deel van Florida. Poecilia Nieuws (4): 16-23
- R. Lundkvist (2010): Fischbiotope in Südflorida. DGLZ-Rundschau (2): 38-44
- J. Lyons (2019): Livebearers: good and bad. Livebearers (244/245): 13-16
- E. Marsh-Matthews, R. Deaton & M. Brooks (2010): Survey of matrotrophy in lecithotrophic poeciliids. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 255-258
- R.G. Martin (1975): Sexual and aggressive behavior, density and social structure in a natural population of mosquitofish, *Gambusia affinis holbrooki*. *Copeia* (3): 445-454
- F. Mayer (1984): *Gambusia holbrooki* (Girard). Livebearers (73): 10-11
- D.M. McKinsey & L.J. Chapman (1998): Dissolved oxygen and fish distribution in a Florida spring. *Environmental Biology of Fishes* (53): 211-223
- G.K. Meffe (1990): Offspring size variation in eastern mosquitofish (*Gambusia holbrooki*: Poeciliidae) from contrasting thermal environments. *Copeia* (1): 10-18
- G.K. Meffe (1992): Plasticity of life-history characters in eastern mosquitofish (*Gambusia holbrooki*: Poeciliidae) in response to thermal stress. *Copeia* (1): 94-102
- G.K. Meffe & F.F. Snelson, jr. (1993): Lipid dynamics during reproduction in two livebearing fishes, *Gambusia holbrooki* and *Poecilia latipinna*. *Can. J. Fish. Aquat. Sci.* (50): 2185-2191
- G.K. Meffe & F.F. Snelson, jr. (1999): Annual lipid cycle in Eastern Mosquitofish (*Gambusia holbrooki*: Poeciliidae) from South Carolina. *Copeia* (3): 596-604
- E. Meinema (1993): Zeg nooit nooit; erelijkhed van melanistisch pigment bij *Gambusia holbrooki*. Poecilia Nieuws (4): 89-94
- F Meyer (1984): Erfahrungen mit *Gambusia affinis*. Aquarien Terrarien (4): 122-123
- D.A. Milton & A.H. Arthington (1983): Reproductive biology of *Gambusia affinis holbrooki* Baird and Girard, *Xiphophorus helleri* (Günther) and *X. maculatus* (Heckel) (Pisces; Poeciliidae) in Queensland, Australia. *J. Fish Biology* (23): 23-41
- W.L. Minckley (1999): Ecological review and management recommendations for recovery of the endangered topminnow. *Great Basin Naturalist* (3): 230-244
- J. Moar (1994): *Gambusia affinis* und *Gambusia holbrooki*. Livebearers (138): 17-17
- D. Montanari (2004): A collecting trip in Italy. *Livebearer News* (7): 15-16
- D.L. Morgan, H.S. Gill, M.G. Maddern & S.J. Beatty (2004): Distribution and impacts of introduced freshwater fishes in Western Australia. *New Zealand Journal of Marine and Freshwater Research* (3): 511-523
- E.E. Mousavi & J.G. Patil (2021): Stages of embryonic development in the live-bearing fish, *Gambusia holbrooki*. *Developmental Dynamics* (June): 1-34
- H. Mück (1996): Bestandsgefährdung autochthoner Fischarten durch Aussetzen biotopfremder Arten. DGLZ-Rundschau (3): 68-70
- J. Mueller-Paul (2013): Can fish count?. Popular Fishkeeping (Summer): 90-91
- S. Mukherjee et al (2014): Perceived risk of predation affects reproductive life-history traits in *Gambusia holbrooki*, but not in *Heterandria formosa*. *Plos One* (2): 1-6
- M. Mulvey, G.P. Keller & G.K. Meffe (1994): Single- and multiple-locus genotypes and life-history responses of *Gambusia holbrooki* reared at two temperatures. *Evolution* (6): 1810-1819
- G.S. Myers (1925): Concerning melanodimorphism in killifishes. *Copeia* (137): 105-107
- M. Nagai, N. Oshima & R. Fujii (1986): A comparative study of melanin-concentrating hormone (mch) action on Teleost melanophores. *Biological Bulletin* (171): 360-370
- D.H. Nesbit & G.K. Meffe (1993): Cannibalism frequencies in wild populations of the eastern mosquitofish (*Gambusia holbrooki*: Poeciliidae) in south Carolina. *Copeia* (3): 867-870
- W. Noack (1985): *Gambusia affinis holbrooki*, ein Überlebenskünstler. DGLZ-Rundschau (2): 4-12

- W. Noack (1986): *Gambusia aff. holbrooki*, ein Überbenskünstler. DGLZ-Rundschau (3): 4-12
- W. Noack (1994): Gambusen - Gambusen. DGLZ-Rundschau (1): 4-9
- W. Noack (1997): *Gambusia holbrooki* (Girard, 1895) blond - Laune der Natur oder neue Zuchtform?. DGLZ-Rundschau (4): 82-82
- W. Noack (2000): Ferien in Südfrankreich. DGLZ-Rundschau (2): 33-36
- W. Noack (2001): Zum Bericht von Michael Kempkes in der DATZ, 53. Jg., 9/2000, S. 38-40. DGLZ-Rundschau (4): 90-90
- W. Noack (2006): *Gambusia affinis* und *Gambusia holbrooki* - Einfach in der Haltung, aber schwierig bei der Nachzucht im Aquarium. DGLZ-Rundschau (1): 3-7
- F.G. Nordlie (2000): Patterns fo reproduction and development of selected resident teleosts of Florida salt marshes. *Hydrobiologica* (434): 165-182
- F.G. Nordlie & A. Mirandi (1996): Salinity relationships in a freshwater population of eastern mosquitofish. *Journal of Fish Biology* (49): 1226-1232
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- E.F. Orlando et al (2005): Mosquitofish as sentinels of exposure to environmental androgens and estrogens. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 435-453
- H.-A. Pederzani (1967): Wann kamen die ersten Lebendgebärenden Zahnkarpfen nach Deutschland?. *Aquarien Terrarien* (4): 134-134
- B. Peterson (1989): The short, sweet life of the *Gambusia* fish..... *Livebearers* (107): 17-18
- A. Pilastro et al. (1997): Sexual selection for small size in male mosquitofish (*Gambusia holbrooki*). *Proc. R. Soc. Lond.* (264): 1125-1129
- A. Pilastro et al. (2003): Female aggregation and male competition reduce costs of sexual harassment in the mosquitofish *Gambusia holbrooki*. *Anim. Behav.* (65): 1161-1167
- G.H. Pyke (2005): A review of the biology of *Gambusia affinis* and *G. holbrooki*. *Reviews in Fish Biology and Fisheries* (15): 339-365
- G.H. Pyke (2008): Plague minnow or mosquito fish? A review of the biology and impacts of introduced *Gambusia* species. *Annu. Rev. Ecol. Evol. Syst.* (39): 171-191
- S.J. Reynolds (2009): Impact of the introduced Poeciliid *Gambusia holbrooki* on amphibians in Southwestern Australia. *Copeia* (2): 296-302
- D.N. Reznick & C.K. Ghoshal (2001): The population ecology of contemporary adaptations: what empirical studies reveal about the conditions that promote adaptive evolution. *Genetica* (112-113): 183-198
- P.A. Rincón et al (2002): Interactions between the introduced eastern mosquitofish and two autochthonous Spanish toothcarps. *Journal of Fish Biology* (61): 1560-1585
- E. Ringel (1911): Unsere Lebendgebärenden. (Forsetzung). *Wochenschrift für Aquarien und Terrarienkunde* (): 258-260
- F. Rubio-Gracia et al (2019): Differences in swimming performance and energetic costs between an endangered native toothcarp (*Aphanius iberus*) and an invasive mosquitofish (*Gambusia holbrooki*). *Ecology of Freshwater Fish* (Sept): 1-11
- C.R. Ruetz III, J.C. Trexler, F. Jordan, W.F. Loftus & S.Perry (2005): Population dynamics of wetland fishes: spatio-temporal patterns synchronized by hydrological disturbance?. *Journal of Animal Ecology* (74): 322-332
- J. Sachs (1913): *Gambusia holbrooki*. *Wochenschrift für Aquarien und Terrarienkunde* (): 138-139
- C. van de Sande (1988): Malariabestrijding door visintroductie. *Poecilia Nieuws* (3): 43-44
- F. Santi et al (2020): A century later: adaptive plasticity and rapid evolution contribute to geographic variation in invasive mosquitofish. *Science of the Total Environment* (726): 1-13
- M. Scalici, P. Avetranı & G. Gibertini (2007): Mosquitofish life history in a Mediterranean wetland. *Journal of Natural History* (13): 887-900
- J.F. Schaefer, S.T. Heulett & T.M. Farrell (1994): Interactions between two Poeciliid fishes (*Gambusia holbrooki* and *Heterandria fomosa*) and their prey in a Florida marsh. *Copeia* (2): 516-520
- P. Schäme (1902): Einiges über einen neueren Kärpfing. *Blätter für Aquarien- und Terrarienkunde* (13): 142-143
- J. Schöpf Rehage, B.K. Barnett & A. sih (2005): Behavioral responses to a novel predator and competitor of invasive mosquitofish and therin non-invasive relatives (*Gambusia* sp.). *Behav Ecol Sociobiol* (57): 256-266
- W. Schreitmüller (1917): Zur Gambusenfrage, betr. *Gambusia affinis* var. *Holbrooki* Gar. *Blätter für Aquarien- und Terrarienkunde* (20): 305-307
- L. Schulze (1908): Eigenartige Scheinschwangerschaft eines Gambusenweibchens. *Blätter für Aquarien- und Terrarienkunde* (47): 684-685
- K.T. Scribner & J.C. Avise (1994): Population cage experiments with a vertebrate: the temporal demography and cytonuclear genetics of hybridization in *Gambusia* fishes. *Evolution* (1): 155-171
- K.T. Scribner & J.C. Avise (1994): Cytonuclear genetics experimental fish hybrid zones inside Biosphere 2. *Proc. Natl. Acad. Sci.* (91): 5066-5069
- K.T. Scribner, S.Datta, J. Arnold & J.C. Avise (1999): Empirical evaluation of cytonuclear models incorporating genetic drift and tests for neutrality of mtDNA variants: data from experimental *Gambusia* hybrid zones. *Genetica* (105): 101-108
- N.S. Scrimshaw (1945): Development in Poeciliid fishes. *Biological Bulletin* (3): 233-246
- W.P. Seal (1911): Breeding habits of the viviparous fishes *Gambusia holbrooki* and *Heterandria formosa*. *Proceedings of the Biological Society of Washington* (XXIV): 91-96
- F. Seebacher, J. Beaman & A.G. Little (2014): Regulation of thermal acclimation varies between generations of the short-live mosquitofish that developed in different environmental conditions. *Functional Ecology* (28): 137-148
- J.L. Serrano-Velez et al (2014): Abundance of gap junctions at glutamatergic mixed synapses in adult Mosquitofish spinal cord neurons. *Frontiers in Neural Circuits* (6): 1-16
- D.C. Smith (1930): Melanophore pulsations in the isolated scales of *Fundulus heteroclitus*. *Proc. Natl. Acad. Sci.* (16): 381-385
- G.R. Smith et al (2013): Effects of invasive western mosquitofish and ammonium nitrate on green frog tadpoles. *Copeia* (2): 248-253
- M.H. Smith, K.T. Scribner, J.D. Hernandez & M.C. Wooten (1989): Demographic, Spatial, and Temporal Genetic Variation in *Gambusia*. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 235-257
- V.A. Sovrano, C. Rainoldi, A. Bisazza & G. Vallortigara (1999): Roots of brain specializations: preferential left-eye use during mirror-image inspection in six species of teleost fish. *Behavioural Brain Research* (106): 175-180
- A. Specziár (2004): Life history pattern and feeding ecology of the introduced eastern mosquitofish, *Gambusia holbrooki*, in a thermal spa under temperature climate, of Lake Hévíz, Hungary. *Hydrobiologica* (522): 249-260
- D. Speirs (1989): Livebearer variability. *Livebearers* (103): 4-5
- K.-H. Stein (1964): Gambusen in Europa. *ZAG Lebendgebärende Zahnkarpfen* (3): 14-16
- U. Stollreither (1914): Etwas über Lebendgebärende, insbesondere *Gambusia holbrooki*. *Beaufortia* (19): 329-332
- F.B. Sumner & P. Doudoroff (1938): Some effects of light intensity and shade of background upon the melanin content of *Gambusia*. *Proc. Natl. Acad. Sci.* (24): 459-463
- R.C. Taylor, J.C. Trexler & W.F. Loftus (2001): Separating the effects of intra- and interspecific age-structured interactions in an experimental fish assemblage. *Oecologia* (127): 143-152
- P.A. Tedesco, J. Benito & E. García-Berthou (2005): Size-independent age effects on reproductive effort in a small, short-lived fish. *Freshwater Biology* (53): 865-871

Livebearer Literature List 202201

- G. Toft & L.J. Guillette jr (2005): Decreased sperm count and sexual behavior in mosquitofish exposed to water from a pesticide-contaminated lake. *Eotoxicology and Environmental safety* (60): 15-20
- V. Toscani (2013): Op zoek naar *Gambusia affinis* en *Aphanianus ibericus*. *Poecilia Nieuws* (2): 26-29
- K. Tscherterner (1974): Die ersten "Lebendgebärenden. ZAG Lebendgebärende Zahnkarpfen (1-4): 1-3
- C.L. Turner (1941): Regeneration of the gonopodium of *Gambusia* during morphogenesis. *Journal of Experimental Biology* (2): 181-209
- A. Vannini et al (2018): *Gambusia holbrooki*, the 'tadpolefish': The impact of its predatory behaviour on four protected species of European amphibians. *Aquatic Conservation: marine and freshwater ecosystems* (28): 476-484
- P. Veenvliet (2010): *Gambusia* uit Slovenië. *Poecilia Nieuws* (5): 10-13
- P. Veenvliet (2015): Vuurbuikpadjes tussen het eikenblad. *Het Aquarium* (11): 30-38
- O. Vidal et al (2010): Origin and genetic diversity of mosquitofish (*Gambusia holbrooki*) introduced to Europe. *Biol Invasions* (12): 841-851
- D.M. Walters & B.J. Freeman (2000): Distribution of *Gambusia* (Poeciliidae) in a southeastern river system and the use of fin ray counts for species determination. *Copeia* (2): 555-559
- S.C. Weeks & G.K. Meffe (1997): "Grandfather effects" on offspring size in the eastern mosquitofish, *Gambusia holbrooki*. *Copeia* (4): 869-874
- R.S. Wilson, C.H.L. Condon & I.A. Johnston (2007): Consequences of thermal acclimation for the mating behaviour and swimming performance of female mosquitofish. *Phil. Trans. R. Soc. Land.* (362): 2131-2139
- L. Wischnath (1995): De eerste lewendbare aquariumvissen. *Het Aquarium* (9): 201-203
- L. Wischnath (1996): Les premiers vivipares en aquarium. *Aquarama* (): 19-21
- B.B.M. Wong & M. McCarthy (2009): Prudent male mate choice under perceived sperm competition risk in the eastern mosquito fish. *Behavioral Ecology* (20): 278-282
- M.C. Wooten, K.T. Scribner & M.H. Smith (1988): Genetic variability and systematics of *Gambusia* in the southeastern United States. *Copeia* (2): 283-289
- Y. Zeng et al (2017): Multiple paternity and reproduction opportunities for invasive mosquitofish. *Hydrobiologica* (795): 139-151
- E. Zulian, A. Bisazza & G. Marin (1995): Variations in male body size in natural populations of *Gambusia holbrooki*. *Ethology Ecology & Evolution* (7): 1-10

Gambusia hurtadoi Hubbs & Springer, 1957

- C. Hubbs & D.T. Mosier (1985): Fecundity of *Gambusia gaigei*. *Copeia* (4): 1063-1064
- C.L. Hubbs & E. A. Delco jr. (1960): Mate preferences in males of four species of Gambusiine fishes. *Evolution* (2): 145-152
- C. Hubbs & R.A. Reynolds (1957): Copulatory function of the modified pectoral fin of Gambusiin fishes. *The American Naturalist* (860): 333-335
- C. Hubbs & V.G. Springer (1957): A revision of the *Gambusia nobilis* species group, with descriptions of three new species, and notes on their variation, ecology, and evolution. *The Texas Journal of Science* (3): 279-327
- I. Kristensen (1958): Invloed van de sociale rangorde van een vis op zijn kleur. *Guppy* (6): 9-10
- D. Lambert (0): *Gambusia hurtadoi* Hubbs & Springer 1957. *Viviparous* (13): 0-
- F. Liberge (2018): Mexikanische Reise - auf der Suche nach Goodeiden - 2. Teil
- W.H. McAllister (1958): The correlation of coloration with social rank in *Gambusia hurtadoi*. *Ecology* (3): 477-482
- M.K. Meyer & M. Wirth (0): Importations du Chihuahua, Mexique. *Aquarama* (): 21-23

Gambusia krumholzi Minckley, 1963

- B. Allen (2005): Three articles of interest to livebearer fans in the august 2005 *Copeia*. *Livebearers* (186): 19-22
- T. Contreras-MacBeath et al (2014): Richness and endemism of the freshwater fishes of Mexico. *Journal of Threatened Taxa* (2): 5421-5433
- G. Daul (2004): Nach der Wildformenbestandsliste in der DGLZ gehaltene Arten der Gattung *Gambusia*. *DGLZ-Rundschau* (3): 59-61
- A.A. Echelle et al (2013): Conservation genetics of *Gambusia krumholzi* (Teleostei: Poeciliidae) with assessment of the species status of *G. clarkhubbsi* and hybridization with *G. speciosa*. *Copeia* (1): 72-79
- G.P. Garret & R.J. Edwards (2003): New Species of *Gambusia* (Cyprinodontiformes: Poeciliidae) from Del Rio, Texas. *Copeia* (4): 783-788
- D. Gentzsch (1987): Zum Wurfrhythmus bei Lebendgebärenden Zahnkarpfen. *Aquarien Terrarien* (11): 378-380
- D. Gentzsch (1988): *Gambusia krumholzi* - eine vom Aussterben bedrohte Art. *Aquarien Terrarien* (2): 55-56
- D. Gentzsch (1995): *Gambusia krumholzi*, een met uitsterven bedreigde soort. *Poecilia Nieuws* (4): 73-77
- D. Gentzsch (2014): *Gambusia krumholzi* - selten und hübsch. *DGLZ-Rundschau* (3): 111-115
- H. Hieronimus (2004): Neue Gambuse beschrieben - mit ungewöhnlichen Begleitumständen. *DGLZ-Rundschau* (1): 11-12
- H. Hieronimus (2013): *Gambusia clarkhubbsi* als Synonym von *Gambusia krumholzi*. *DGLZ-Rundschau* (2): 60-62
- D. Hughes-Phillips (2009): *Gambusia gaigei*, *Gambusia nobilis* and other Texan *Gambusia*. *Livebearer News* (28): 20-27
- K. de Jong (1995): Nieuwe soorten in Nederland. *Poecilia Nieuws* (5): 98-100
- K. de Jong (2005): Nieuw! *Gambusia clarkhubbsi* Garrett & Edwards, 2003. *Poecilia Nieuws* (5): 16-17
- D. Kenwood (2010): My experience in keeping and breeding *Gambusia krumholzi*. *Livebearer News* (30): 48-50
- M. Köck (2005): Das Mexiko-Haus im Wiender Tiergarten Schönbrunn. *Das Lebendgebärenden Magazin* (3&4): 15-20
- D. Lambert (1998): *Gambusia krumholzi* Minckley, 1963. *Viviparous* (41): 0-
- J.K. Langhammer (2003): A new species from Texas *Gambusia clarkhubbsi*. *Livebearers* (180): 12-13
- E. Marsh-Matthews, R. Deaton & M. Brooks (2010): Survey of matrotrophy in lecithotrophic poeciliids. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 255-258

Livebearer Literature List 202201

- E. Meinema (1988): *Gambusia krumholzi* Minckley, 1963. *Poecilia Nieuws* (3): 35-37
M.K. Meyer (1982): *Gambusia krumholzi* Minckley, 1963. DATZ (9): 321-323
W.L. Minckley (1963): A new poeciliid fish (genus *Gambusia*) from the Rio Grande drainage of Coahuila Mexico. *The Southwestern Naturalist* (8): 154-161
A.E. Peden (1972): The function of gonopodial parts and behavioral pattern during copulation by *Gambusia* (Poeciliidae). *Can. J. Fish. Aquat. Sci.* (50): 955-968
S. Riese (2004): Die Lebendgebärenden der USA. *Das Lebendgebärenden Magazin* (2): 28-32
P. Schubert (1991): Auslese und gezielte Zucht von Wildformen Lebendgebärender - Ja oder Nein?. *DGLZ-Rundschau* (1): 21-22

Gambusia lemairei Fowler, 1950

- C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. *ZooKeys* (708): 25-138
H. Fowler (1950): Colombian zoological survey. Pt. 6. Fishes obtained at Totumo, Colombia, with description of two new species. *Notulae Naturae of the Academy of Natural Sciences of Philadelphia* (222): 1-8
J.A. Maldonado-Ocampo, R.P. Vari & J.S. Usma (2008): Checklist of the freshwater fishes of Columbia. *Biota Colombiana* (2): 143-237
M.K. Meyer (): Des poissons aux tons pastels originaires de la Colombie. *Aquarama* (): 26-27
J. Schiwok & D. Bork (2002): Auf der Suche nach dem Blauroten Kolumbien-Salmier. *Das Aquarium* (1): 31-34

Gambusia longispinis Minckley, 1962

- C. Aguilera (1995): Universidad autónoma de Nuevo Leon - Programs for the endangered fish species of Mexico. *Aquatic Survival* (3): 14-15
G. Daul (1981): Wieder einmal "Fischfangexcursion in Mexiko". *DGLZ-Rundschau* (4): 46-49
A.A. Echelle, D.M. Wildrick & A.F. Echelle (1989): Allozyme Studies of Genetic Variation in Poeciliid Fish. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 217-234
K. de Jong (1999): *Gambusia longispinis* Minckley 1962, een kleine *Gambusia* uit Noord Mexico. *Poecilia Nieuws* (5): 95-100
M.K. Meyer (1989): Mexiko 1987 Teil 4. *DGLZ-Rundschau* (4): 4-11
M.K. Meyer (1989): Mexiko Teil 3. *DGLZ-Rundschau* (1): 4-13
W.L. Minckley (1962): Two new species of the Genus *Gambusia* from Northeastern Mexico. *Copeia* (2): 391-400

Gambusia luma Rosen & Bailey, 1963

- O. Böhm (1979): Lebendgebärenden Arten aus Belize und Guatemala. DATZ (3): 78-80
H.J. Carter (1981): Aspects of the physiological ecology of species of *Gambusia* from Belize, Central America. *Copeia* (3): 694-700
G. Daul (2004): Nach der Wildformenbestandsliste in der DGLZ gehaltene Arten der Gattung *Gambusia*. *DGLZ-Rundschau* (3): 59-61
P.C. Esselman & J.D. Allan (2010): Relative influences of catchment- and reach-scale abiotic factors on freshwater fish communities in rivers of northeastern Mesoamerica. *Ecology of Freshwater Fish* (19): 439-454
P.C. Esselman, M.C. Freeman & C.M. Pringle (2006): Fish-assemblage variation between geologically defined regions and across a longitudinal gradient in the Monkey River Basin, Belize. *J.N.Am. Benthol. Soc.* (1): 142-156
D. Gentzsch & P. Uhlig (2017): 16 Jahre Bestandshalterung von *Gambusia luma*. *Das Lebendgebärenden Magazin* (1): 28-30
D.W. Greenfield, C.F. Rakocinski & T.A. Greenfield (1983): Spatial and trophic interactions in wet and dry seasons between *Gambusia luma* and *Gambusia sexradiata* in Belize, Central Mexico. *Fieldiana Zoology* (14): 1-16
D.W. Greenfield, T.A. Greenfield & D.M. Wildrick (1982): The taxonomy and distribution of the species of *Gambusia* in Belize, Central America. *Copeia* (1): 128-147
D. Hughes-Phillips (2010): Guatemala trip 2007. *Livebearer News* (30): 11-32
D.E. Rosen & R.M. Bailey (1963): The poeciliid fishes (Cyprinodontiformes), their structure, zoogeography, and systematics. *American Museum of Natural History* (126): 1-176
H. Stallknecht (1970): Bemerkungen zur Fortpflanzungs- und Ernährungsbiologie von *Gambusia punctata* Poey 1854. *Aquarien Terrarien* (11): 364-367
G. Streibel (2001): Bemerkungen zur Haltung von *Gambusia luma*. *DGLZ-Rundschau* (4): 89-89
G. Streibel (2002): Opmerkingen bij het houden van *Gambusia luma*. *Poecilia Nieuws* (5): 990-91

Gambusia manni Hubbs, 1927

- W.F. Fink (1971): A revision of the *Gambusia puncticulata* complex. *Publications of the Gulf Coast Research Laboratory* (2): 11-46
M. Heußen (2013): Kurz berichtet. *Das Lebendgebärenden Magazin* (2): 7-8
C.L. Hubbs (1927): Studies of the fishes of the order Cyprinodontes. VII. *Gambusia manni*, a new species from the Bahamas. *Copeia* (164): 61-65
I. Kristensen (1958): Het resultaat van natuurlijke selectie. *Guppy* (5): 10-10
R.B. Langerhans et al. (2021): Consuming costly prey: optimal foraging and the role of compensatory growth. *Frontiers in Ecology and Evolution* (march): 1-14
C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 289-302
R. Riesch et al (2015): Rapid human-induced divergence of life-history strategies in Bahamian livebearing fishes (family Poeciliidae). *Journal of Animal Ecology* (84): 1732-1743
J.J. Sohn (1977): The consequences of predation and competition upon the demography of *Gambusia manni*. *Copeia* (2): 224-227
K. Urban (2014): Ein Souvenir von den Bahamas *Gambusia manni*. *Das Lebendgebärenden Magazin* (1): 22-25

Gambusia marshi Minckley, 1962

- C. Cheswright (0): A Christmas trip to Mexico. Viviparous (42): 0-
- G. Daul (2004): Nach der Wildformenbestandsliste in der DGLZ gehaltene Arten der Gattung Gambusia. DGLZ-Rundschau (3): 59-61
- D. Gentzsch (1988): *Gambusia marshi* - hübsch und friedlich. Aquarien Terrarien (10): 336-337
- R.C. Griffiths (1997): *Gambusia marshi* Minckley and Craddock, 1962. Livebearers (148): 7-8
- R.C. Griffiths (2013): *Gambusia marshii* (Minckley & Craddock, 1962). Livebearers (218): 20-21
- C. Keller Santandrea (2009): Some general information on *Gambusia marshi* in the Cuatro Ciénegas basin, Coahuila, Mexico. Livebearer News (27): 53-61
- D. Lambert (0): *Gambusia marshi*. Viviparous (2): 0-
- D. Lambert (1997): De verwaarloosde muskietenkiller. Poecilia Nieuws (3): 46-48
- H. Lindner (1982): *Gambusia marshi*, Minckley & Craddock 1962. DGLZ-Rundschau (2): 24-24
- G.K. Meffe (1985): Life History Patterns of *Gambusia marshi* (Poeciliidae) from Cuatro Ciénegas, Mexico. Copeia (4): 898-905
- E. Meinema (1994): Een opzet voor selectieve kweek *Gambusia marshi*. Het Aquarium (5): 138-141
- M.K. Meyer (1981): *Gambusia marshi* Minckley & Craddock, 1962. DATZ (10): 325-328
- M.K. Meyer (1989): Mexiko Teil 3. DGLZ-Rundschau (1): 4-13
- M.K. Meyer (1989): Mexiko 1987 Teil 4. DGLZ-Rundschau (4): 4-11
- W.L. Minckley (1962): Two new species of the Genus *Gambusia* from Northeastern Mexico. Copeia (2): 391-400
- W.L. Minckley (1964): Hybridization of two species of mosquitofishes (*Gambusia*, Poeciliidae) in the laboratory. Journal of the Arizona Academy of Science (2): 87-89
- E. Moody (2014): Waiting for fish to pee in the Mexican desert. Livebearers (224): 10-12
- G. Streibel (2000): *Gambusia marshi*. DGLZ-Rundschau (1): 5-6
- H.-P. Weil (1982): Eine Reise voller Überraschungen (Folge 2). DGLZ-Rundschau (3): 38-41

Gambusia melapleura (Gosse, 1851)

- (0): Look out! Look out! There's a scientist about. Viviparous (24): 0-
- W.F. Fink (1971): A revision of the *Gambusia nicaraguensis* species group. Publications of the Gulf Coast Research Laboratory (2): 47-77
- S. Garman (1895): The Cyprinodonts. Mem. Mus. Comp. Zool. (1): 1-179
- P.H. Gosse (1851): A naturalist's sojourn in Jamaica. Longman, Brown, Green and Longmans - London (): 1-502
- D. Kenwood (2003): Something of a travelog - with some fish thrown in. Livebearer News (5): 4-6
- D. Lambert (0): *Gambusia melapleura*. Viviparous (5): 0-
- D. Lambert (1989): A challenging livebearer *Gambusia melapleura*. Livebearers (105): 12-14
- D. Lambert (1997): The livebearer world. Tropical Fish Hobbyist (August): 138-142
- A. R. Martinsen (0): Tales from the fishroom. Viviparous (5): 0-
- M.K. Meyer & G. Brecht (1984): Jamaika-Poeciliiden (Schluß). DATZ (1): 4-5

Gambusia nicaraguensis Günther, 1866

- A. Bisazza, R. Pignatti & G. Vallortigara (1997): Laterality in detour behaviour: interspecific variation in poeciliid fish. Anim. Behav. (54): 1273-1281
- C.M. Breder jr. (1944): A revised list of the fishes of Barro Colorado, Gatun Lake, Panama. Copeia (2): 86-89
- W.A. Bussing (1966): New species and new records of Costa Rican freshwater fishes with a tentative list of species. Rev. Biol. Trop. (14(2)): 205-249
- W.F. Fink (1971): A revision of the *Gambusia nicaraguensis* species group. Publications of the Gulf Coast Research Laboratory (2): 47-77
- H. Fowler (1950): Results of the Catherwood-Chaplin West Indies expedition, 1948. Part III The Fishes. Proc. Acad. Nat. Sci. Phila. (52): 69-90
- S. Garman (1895): The Cyprinodonts. Mem. Mus. Comp. Zool. (1): 1-179
- D.W. Greenfield, T.A. Greenfield & D.M. Wildrick (1982): The taxonomy and distribution of the species of *Gambusia* in Belize, Central America. Copeia (1): 128-147
- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
- J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop. (1): 165-170
- S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. Zoölogy, Field museum of natural history (4): 215-359
- C.L. Hubbs (1935): Fresh-water fishes collected in British Honduras and Guatemala. University of Michigan Museum of Zoology Miscellaneous Publications (28): 1-22
- C.L. Hubbs (1936): Fishes of the Yucatan peninsula. Carnegie Inst. Wash. Pub. (457): 157-287
- K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 1. Het Aquarium (3): 78-82
- W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. Zootaxa (2307): 1-38

- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
S.E. Meek & S.F. Hildebrand (1916): The fishes of these fresh waters of Panama. Publ. Field Museum of Nat. Hist. Chicago (15): 217-374
N. Miller (1907): The fishes of the Motagua River, Guatemala. Bulletin American Museum of Natural History (23): 95-123
R.R. Miller (1976): An evaluation of Seth E. Meek's contributions to Mexican Ichthyology. Fieldiana Zoology (1): 1-31
H. Mück (2001): Providencia - eine unbekannte Karibikinsel. DGLZ-Rundschau (4): 77-84
H. Mück & M.K. Meyer (2000): Molly und Gambuse Lebendgebärende Zahnkarpfen von Isla de Providencia. Das Aquarium (12): 22-25
J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
A. Rachow (1941): *Gambusia nicaraguensis* Günther. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 653-654
C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018
E. Ringel (1911): Unsere Lebendgebärenden. (Forsetzung). Wochenschrift für Aquarien und Terrarienkunde (): 258-260
L.R. Rivas (1963): Sugenera and species groups in the Poeciliid fish genus *Gambusia* Poey. Copeia (2): 331-347
K. Stansch (1910): *Gambusia nicaraguensis* und die "Gambusienfrage". Wochenschrift für Aquarien und Terrarienkunde (1): 1-3
J. Villa (1982): Peces Nicaragüenses de Agua Dulce. Serie Geografía y Naturaleza (3): 125-136

Gambusia nobilis (Baird & Girard, 1853)

- S.F. Baird & C. Girard (1853): Descriptions of new species of fishes collected by mr. John H. Clark, on the U.S. and Mexican boundary survey, under lt. Col. Jas. D. Graham. Proc. Acad. Nat. Sci. Phila. (vol. 6): 387-390
G. Daniels (1993): Lebendgebärende Zahnkarpfen in Texas. DGLZ-Rundschau (2): 29-35
G. Daul (2004): Nach der Wildformenbestandsliste in der DGLZ gehaltene Arten der Gattung *Gambusia*. DGLZ-Rundschau (3): 59-61
A.F. Echelle & A.A. Echelle (1986): Geographic variations in morphology of a spring-dwelling desert fish, *Gambusia nobilis* (Poeciliidae). The Southwestern Naturalist (4): 459-468
A.F. Echelle, A.A. Echelle & D.R. Edds (1989): Conservation genetics of a spring-dwelling desert fish, the Pecos gambusia (*Gambusia nobilis*, Poeciliidae). Conservation Biology (2): 159-169
A.A. Echelle, D.M. Wildrick & A.F. Echelle (1989): Allozyme Studies of Genetic Variation in Poeciliid Fish. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 217-234
J.M. Gumm, J.L. Snekser & M. Itzkowitz (2008): Conservation and conflict between endangered desert fishes. Biol. Lett. (4): 655-658
H. Hieronimus (1992): Een revisie van het geslacht *Gambusia*. Poecilia Nieuws (4): 6-8
C. Hubbs & V.G. Springer (1957): A revision of the *Gambusia nobilis* species group, with descriptions of three new species, and notes on their variation, ecology, and evolution. The Texas Journal of Science (3): 279-327
C. Hubbs, R.J. Edwards & G.P. Garrett (2002): Threatened fishes of the world: *Gambusia nobilis* Baird & Girard, 1853 (Poeciliidae). Environmental Biology of Fishes (64): 428-428
D. Hughes-Phillips (2009): *Gambusia gaigei*, *Gambusia nobilis* and other Texan *Gambusia*. Livebearer News (28): 20-27
J.E. Johns & C. Hubbs (1989): Status and Conservation of Poeciliid Fishes. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 301-317
J. Johnson (1991): Gefährdete lebendgebärende Fische des amerikanischen Südwesten. DGLZ-Rundschau (1): 9-11
E. Marsh-Matthews, R. Deaton & M. Brooks (2010): Survey of matrotrophy in lecithotrophic poeciliids. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 255-258
L.R. Rivas (1963): Sugenera and species groups in the Poeciliid fish genus *Gambusia* Poey. Copeia (2): 331-347
M. Sei, B.K. Lang & D.J. Berg (2009): Genetic and community similarities are correlated in endemic-rich springs of the northern Chihuahuan desert. Global Ecol. Biogeogr. (18): 192-201
U. Wagenknecht (2004): Die Dexter National Fish Hatchery - Eine Fisch-Arche im Süden der USA. Das Lebendgebärenden Magazin (1): 18-23
S. Wang, M. Cummings & M. Kirkpatrick (2015): Coevolution of male courtship and sexual conflict characters in mosquitofish. Behavioral Ecology (4): 1013-1020

Gambusia panuco Hubbs, 1926

- C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
M.K. Meyer (1986): Levendbarende tandkarpers van de Rio Coy in Mexico. TIH (46): 6-9
M.K. Meyer (1988): Mexiko 1987, (Teil 2). DGLZ-Rundschau (3): 4-11
C. Olivera-Tlahuel et al (2019): Placental structures and their association with matrotrophy and superfetation in poeciliid fishes. Acta Zool. (100): 167-181
A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21

Gambusia pseudopunctata Rivas, 1969

- R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
L.R. Rivas (1969): A revision of the Poeciliid fishes of the *Gambusia punctata* species group, with descriptions of two new species. Copeia (4): 778-795

Gambusia punctata Poey, 1851

- G. Argota, J. Iannacone & R. Fimia (2013): Characteristics of *Gambusia punctata* (Poeciliidae) for its selection as biomonitor in aquatic toxicology in Cuba. The Biologist (Lima) (2): 229-236
G. Argota-Pérez & J. Iannacone (2014): Similarity in the prediction of ecological risk between the software Gecotox and biomarker in *Gambusia punctata* (Poeciliidae). The Biologist (Lima) (12): 85-98
V. Baruš (1992): Spatial interactions between Cuban *Gambusia* species (Poeciliidae). Folia Zoologica (4): 345-356

Livebearer Literature List 202201

- V. Baruš & E. Wohlgemuth (1993): Study on the collection of freshwater fishes from eastern Cuba with taxonomical notes. (1): 63-76
- V. Baruš et al (1987): Poeciliids in central Cuba. *Folia Zoologica* (1): 57-62
- V. Baruš et al (1994): Checklist, taxonomical notes and biogeography on freshwater fishes from Isla de la Juventud (Cuba). *Folia Zoologica* (2): 177-187
- V. Baruš, J. Libosvarsky & F. Guerra Padron (1982): *Gambusia punctata* and *G. rhizophorae* from Cuba, their identification and distribution. *Folia Zoologica* (4): 357-367
- C. Clapsaddle (2012): Life with livebearers The blue *Gambusia* (*Gambusia punctata*). *Tropical Fish Hobbyist* (4): 36-38
- C.H. Eigenmann (1903): The freshwater fishes of western Cuba. *Bulletin of the United States Fish Commission* (22): 211-236
- B. Falcón-Hidalgo et al (2011): Digestive enzymes of two freshwater fishes (*Limia vittata* and *Gambusia punctata*) with different dietary preferences at three developmental stages. *Comparative Biochemistry and Physiology* (158): 136-141
- E. García-Machado et al (2020): Phylogeographic evidence that the distribution of cryptic euryhaline species in the *Gambusia punctata* species group in Cuba was shaped by the archipelago geological history. *Molecular Phylogenetics and Evolution* (144): 1-13
- H. Hieronimus (1992): Een revisie van het geslacht *Gambusia*. *Poecilia Nieuws* (4): 6-8
- K. Kantwert (1985): Begegnung mit Lebendgebärenden auf Kuba. ZAG Lebendgebärende Zahnkarpfen (2): 1-
- K. Kantwert (1985): Begegnung mit Lebendgebärenden auf Kuba (2). ZAG Lebendgebärende Zahnkarpfen (3): 1-2
- K. Kantwert (1986): Aquaristische und terraristische Beobachtungen in Kuba 2. *Aquarien Terrarien* (4): 116-121
- A. Lara et al. (2010): DNA barcoding of Cuban freshwater fishes: evidence for cryptic species and taxonomic conflicts. *Molecular and Ecology Resources* (10): 421-430
- M.K. Meyer (1993): Collecting livebearers in Cuba. *Tropical Fish Hobbyist* (March): 116-130
- P. Müller (1967): Interessante Neuzugänge aus Kuba. *Aquarien Terrarien* (10): 336-339
- J. Partipilo (1975): Collecting in Jamaica. *Livebearers* (19): 8-10
- J. Peter (1905): Lebend gebärende Käpfinge. *Blätter für Aquarien- und Terrarienkunde* (5): 62-66
- G. Petzold (1969): Notizen über einige kubanische Poeciliidenbiotope. *Aquarien Terrarien* (12): 400-405
- F. Poey (1851): Los guajacones, pecesillos de agua dulce. *Memorias sobre la historia natural de la Isla de Cuba* (): 374-392
- J.L. Ponce de León & R. Rodríguez, (2010): Ecology of Cuban species of the family Poeciliidae (Teleostei: Cyprinodontiformes). In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 357-374
- J.L. Ponce de León García & R.R. Silva (2010): Peces cubanos de la familia Poeciliidae. Editorial Academia La Habana (): 1-38
- A. Rachow (1940): *Gambusia punctata* F. Poey. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 522-523
- A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. *DGLZ-Rundschau* (2): 4-18
- L.R. Rivas (1963): Sugenera and species groups in the Poeciliid fish genus *Gambusia* Poey. *Copeia* (2): 331-347
- L.R. Rivas (1969): A revision of the Poeciliid fishes of the *Gambusia punctata* species group, with descriptions of two new species. *Copeia* (4): 778-795
- S. Rodríguez-Machado et al (2019): Partial trophic segregation in co-occurring *Gambusia* species (Cyprinodontiformes: Poeciliidae) in a natural wetland of Cuba. *Revista de investigaciones marinas* (1): 117-130
- K. Schneider (1999): Biotopbeschreibungen. (): 1-24
- B. Slocum (2014): The Cuban *Gambusia*. *Livebearers* (223): 14-15
- H. Stallknecht (1969): Zwei weitere kubanische Wildformen, *Gambusia punctata* und *Girardinus falcatus* in der DDR. *Aquarien Terrarien* (1): 31-31
- H. Stallknecht (1969): Ein weitere *Gambusia punctata*-Import. *Aquarien Terrarien* (7): 241-241
- H. Stallknecht (1970): Bemerkungen zur Fortpflanzungs- und Ernährungsbiologie von *Gambusia punctata* Poey 1854. *Aquarien Terrarien* (11): 364-367

Gambusia puncticulata baracoana Rivas, 1944

- W.F. Fink (1971): A revision of the *Gambusia puncticulata* complex. *Publications of the Gulf Coast Research Laboratory* (2): 11-46
- D. Greenfield & D.M. Wildrick (1984): Taxonomic distinction of the Antilles *Gambusia puncticulata* Complex from the *G. yucatana* Complex of Mexico and Central America. *Copeia* (4): 921-933
- D. Kenwood (2003): Something of a travelog - with some fish thrown in. *Livebearer News* (5): 4-6
- A. Lara et al. (2010): DNA barcoding of Cuban freshwater fishes: evidence for cryptic species and taxonomic conflicts. *Molecular and Ecology Resources* (10): 421-430

Gambusia puncticulata bucheri Rivas, 1944

- V. Baruš (1992): Spatial interactions between Cuban *Gambusia* species (Poeciliidae). *Folia Zoologica* (4): 345-356
- V. Baruš & E. Wohlgemuth (1993): Checklist and biogeography of freshwater fishes in eastern Cuba. *Folia Zoologica* (2): 165-177
- V. Baruš & E. Wohlgemuth (1993): Study on the collection of freshwater fishes from eastern Cuba with taxonomical notes. (1): 63-76
- W.F. Fink (1971): A revision of the *Gambusia puncticulata* complex. *Publications of the Gulf Coast Research Laboratory* (2): 11-46
- L.R. Rivas (1944): Contributions to the study of the Poeciliid fishes of Cuba 1. Description of six new species of the subfamily *Gambusinae*. *Proceedings of the New England Zoölogical Club* (September): 41-53

Gambusia puncticulata monticola Rivas, 1971

- L.R. Rivas (1971): A new subspecies of poeciliid fish of the genus *Gambusia*. *Publications of the Gulf Coast Research Laboratory* (2): 5-9

Gambusia puncticulata puncticulata Poey, 1851

- M.A. Abney & C.F. Rakocinski (2004): Life-history variation in Caribbean gambusia, *Gambusia puncticulata puncticulata* (Poeciliidae) from the Cayman Islands, British West Indies. *Environmental Biology of Fishes* (70): 67-79
- V. Baruš (1992): Spatial interactions between Cuban *Gambusia* species (Poeciliidae). *Folia Zoologica* (4): 345-356
- V. Baruš & J. Liboskvarsky (1993): Taxonomic status of *Gambusia puncticulata* vs. *G. howelli*. *Folia Zoologica* (4): 361-372
- V. Baruš et al (1987): Poeciliids in central Cuba. *Folia Zoologica* (1): 57-62
- V. Baruš et al (1994): Checklist, taxonomical notes and biogeography on freshwater fishes from Isla de la Juventud (Cuba). *Folia Zoologica* (2): 177-187
- C.M. Breder jr. (1934): A new *Gambusia* from Andros Island, Bahamas. *American Museum Novitates* (719): 1-3
- J.C. Briggs (1984): Freshwater fishes and biogeography of Central America and the Antilles. *Syst. Zool.* (4): 428-435
- B. Brown (1913): Notes on Cuban fresh-water fishes. *Science* (957): 667-668
- Y. Cabrera Páez et al (2008): Indicadores morfológicos y reproductivos del pez *Gambusia puncticulata* (Poeciliidae) en sitios muy contaminados del río Almendares, Cuba. *Rev. Biol. Trop.* (4): 1991-2004
- E.L. Charnov, J.F. Downhower & L.P. Brown (1995): Optimal sizes in small litters. *Evolutionary Ecology* (9): 57-63
- G. Daul (2004): Nach der Wildformenbestandsliste in der DGLZ gehaltene Arten der Gattung *Gambusia*. *DGLZ-Rundschau* (3): 59-61
- J.F. Downhower, L. P. Brown & M. L. Matsui (2000): Life history variation in female *Gambusia hubbsi*. *Environmental Biology of Fishes* (59): 415-428
- J.F. Downhower, L. P. Brown & M. L. Matsui (2002): Litter overlap in *Gambusia hubbsi*: superfetation revisited. *Environmental Biology of Fishes* (65): 423-430
- J.F. Downhower, L. P. Brown & M. L. Matsui (2008): Predation, food limitation, phenotypic plasticity and life-history variation in *Gambusia hubbsi*. *Evolution* (2): 557-560
- W.F. Fink (1971): A revision of the *Gambusia puncticulata* complex. *Publications of the Gulf Coast Research Laboratory* (2): 11-46
- A. Fong & G. Garcés G. (1997): Notas sobre la alimentación de *Gambusia puncticulata* Poey (Cyprinodontiformes: Poeciliidae) en un hábitat marino. *Bioeco* (jan): 54-58
- D. Greenfield & D.M. Wildrick (1984): Taxonomic distinction of the Antilles *Gambusia puncticulata* Complex from the *G. yucatana* Complex of Mexico and Central America. *Copeia* (4): 921-933
- H. Hieronimus (1992): Een revisie van het geslacht *Gambusia*. *Poecilia Nieuws* (4): 6-8
- K. Kantwert (1985): Begegnung mit Lebendgebärenden auf Kuba (2). *ZAG Lebendgebärende Zahnkarpfen* (3): 1-2
- K. Kantwert (1986): Aquaristische und terraristische Beobachtungen in Kuba 2. *Aquarien Terrarien* (4): 116-121
- D. Kroll (1994): "Die Kubakrise". *DGLZ-Rundschau* (3): 52-56
- D. Lambert (0): *Gambusia oligosticta* Regan 1913. *Viviparous* (16): 0-
- D. Lambert (1997): De verwaarloosde muskietenkiller. *Poecilia Nieuws* (3): 46-48
- R.B. Langerhans (2009): Morphology, performance, fitness: functional insight into a post-pleistocene radiation of mosquitofish. *Biol. Lett.* (5): 488-491
- R.B. Langerhans & A.M. Makowicz (2009): Shared and unique features of morphological differentiation between predator regimes in *Gambusia caymanensis*. *J. Evol. Biol.* (22): 2231-2242
- R.B. Langerhans & M.E. Gifford (2008): Divergent selection, not life-history plasticity via food limitation, drives morphological divergence between predator regimes in *Gambusia hubbsi*. *Evolution* (2): 561-567
- R.B. Langerhans et al. (2005): Male genital size reflects a tradeoff between attracting mates and avoiding predators in two livebearing fish species. *Proc. Natl. Acad. Sci.* (21): 7618-7623
- R.B. Langerhans et al. (2021): Consuming costly prey: optimal foraging and the role of compensatory growth. *Frontiers in Ecology and Evolution* (march): 1-14
- R.B. Langerhans, M.E. Gifford & E.O. Joseph (2007): Ecological speciation in *Gambusia* fishes. *Evolution* (9): 2056-2074
- R.B. Langerhans, M.E. Gifford & E.O. Joseph (2010): Ecological speciation among blue holes in mosquitofish. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 303-320
- R.A. Martin, R. Riesch, J.L. Heinen-Kay & R.B. Langerhans (2013): Evolution of male coloration during a post-pleistocene radiation of Bahamas mosquitofish (*Gambusia hubbsi*). *Evolution* (2): 397-411
- M.K. Meyer (1993): Collecting livebearers in Cuba. *Tropical Fish Hobbyist* (March): 116-130
- M.K. Meyer & G. Brecht (1984): Jamaika-Poeciliiden (Schluß). *DATZ* (1): 4-5
- J.T. Nichols (1912): Notes on Cuban fishes. *Bulletin American Museum of Natural History* (31): 179-194
- G. Petzold (1969): Notizen über einige kubanische Poeciliidenbiotope. *Aquarien Terrarien* (12): 400-405
- F. Poey (1851): Los guajacones, pecesillos de agua dulce. Memorias sobre la historia natural de la Isla de Cuba (): 374-392
- J.L. Ponce de León & R. Rodríguez, (2010): Ecology of Cuban species of the family Poeciliidae (Teleostei: Cyprinodontiformes). In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 357-374
- J.L. Ponce de León García & R.R. Silva (2010): Peces cubanos de la familia Poeciliidae. Editorial Academia La Habana (): 1-38
- A.C. Radda (1982): Ueber einige aquaristisch neue Poeciliiden aus Mittelamerika. *DGLZ-Rundschau* (3): 42-48
- A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. *DGLZ-Rundschau* (2): 4-18
- C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. *Proc. Zool. Soc.* (): 977-1018
- R. Riesch et al (2015): Rapid human-induced divergence of life-history strategies in Bahamian livebearing fishes (family Poeciliidae). *Journal of Animal Ecology* (84): 1732-1743
- R. Riesch, R.A. Martin & R.B. Langerhans (2013): Predation's role in life-history evolution of a livebearing fish and a test of the Trexler-DeAngelis model of maternal provisioning. *The American Naturalist* (1): 78-93
- L.R. Rivas (1944): Contributions to the study of the Poeciliid fishes of Cuba 1. Description of six new species of the subfamily *Gambusinae*. *Proceedings of the New England Zoological Club* (September): 41-53
- L.R. Rivas (1963): Sugenera and species groups in the Poeciliid fish genus *Gambusia* Poey. *Copeia* (2): 331-347
- J. Rodríguez Rodríguez et al (2004): Comparación morfológica e histológica del tubo digestivo de *Gambusia puncticulata* y *Girardinus metallicus*, peces utilizados en el control biológico de mosquitos. *Rev Cubana Med Trop* (1): 73-76
- S. Rodríguez-Machado et al (2019): Partial trophic segregation in co-occurring *Gambusia* species (Cyprinodontiformes: Poeciliidae) in a natural wetland of Cuba. *Revista de investigaciones marinas* (1): 117-130
- K. Schneider (1999): Biotopbeschreibungen. (): 1-24

Gambusia quadruncus Langerhans 2012

- H. Hieronimus (2012): Nomorhamphus rex und Gambusia quadruncus - Zwei neue Lebendgebärende beschrieben. DGLZ-Rundschau (3): 101-104
K. de Jong (2012): Gambusia quadruncus Een nieuwe Gambusia met vier haken. Poecilia Nieuws (4): 6-8
K. de Jong (2013): Zwei neue Lebendgebärenden beschrieben. Das Lebendgebärenden Magazin (1): 14-15
R.B. Langerhans et al. (2012): Gambusia quadruncus (Cyprinodontiformes: Poeciliidae): a new species of mosquitofish from east-central México. Journal of Fish Biology () 1-26

Gambusia regani Hubbs, 1926

- R. Haeffner (0): Gentle Gambusia. Viviparous (43): 0-
R. Haeffner (1985): Gentle Gambusia. Livebearers (80): 13-14
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
D. Lambert (0): Gambusia regani Hubbs, 1926. Viviparous (22): 0-
A.E. Peden (1972): Differences in the external genitalia of female Gambusiini fishes. The Southwestern Naturalist (3): 265-272
M. Rejliková (2020): Lebendgebärende von Tamaulipas. Das Lebendgebärenden Magazin (1): 30-35

Gambusia rhizophorae Rivas, 1969

- V. Baruš, J. Libosvarsky & F. Guerra Padron (1982): Gambusia punctata and G. rhizophorae from Cuba, their identification and distribution. Folia Zoologica (4): 357-367
J.C. Briggs (1984): Freshwater fishes and biogeography of Central America and the Antilles. Syst. Zool. (4): 428-435
G. Dietrich (1993): Lebendgebärende Zahnkarpfen in Florida. DGLZ-Rundschau (3): 52-54
E. García-Machado et al (2020): Phylogeographic evidence that the distribution of cryptic euryhaline species in the Gambusia punctata species group in Cuba was shaped by the archipelago geological history. Molecular Phylogenetics and Evolution (144): 1-13
J.J. de Greef (1990): Ervaring met Gambusia rhizophorae Rivas, 1969. Poecilia Nieuws (3): 44-47
R.C. Griffiths (1997): Gambusia rhizophorae The mangrove mosquitofish. Livebearers (145): 6-7
R.C. Griffiths (2004): Gambusia rhizophorae, The mangrove mosquitofish. Livebearer News (6): 18-19
R.C. Griffiths (2013): The profiler Gambusia rhizophorae. Livebearers (220): 20-21
A. Lara et al. (2010): DNA barcoding of Cuban freshwater fishes: evidence for cryptic species and taxonomic conflicts. Molecular and Ecology Resources (10): 421-430
R. Lundkvist (2010): Looking for the mangrove Gabmbusia, Gambusia rhizophorae. Livebearer News (30): 33-34
R. Lundkvist (2010): Fischbiotop in Südfilorida. DGLZ-Rundschau (2): 38-44
J.L. Ponce de León & R. Rodríguez, (2010): Ecology of Cuban species of the family Poeciliidae (Teleostei: Cyprinodontiformes). In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 357-374
J.L. Ponce de León García & R.R. Silva (2010): Peces cubanos de la familia Poeciliidae. Editorial Academia La Habana (): 1-38
A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. DGLZ-Rundschau (2): 4-18
L.R. Rivas (1969): A revision of the Poeciliid fishes of the Gambusia punctata species group, with descriptions of two new species. Copeia (4): 778-795
K. Schneider (1999): Biotopbeschreibungen. (): 1-24

Gambusia senilis Girard, 1859

- R.J. Edwards, G.P. Garrett & E. Marsh-Matthews (2002): Conservation and status of the fish communities inhabiting the Río Conchos basin and middle Rio Grande, México and U.S.A.. Reviews in Fish Biology and Fisheries (12): 119-132
S. Evans (1972): Livebearers found in continental U.S. waters. Livebearers (4): 11-12
C. Girard (1859): Ichthyological notices. Proc. Acad. Nat. Sci. Phila. (April): 113-122
J. Griffiths (1997): Gambusia senilis. Livebearers (150): 14-15
C. Hubbs (1958): Gambusia senilis from the Devil's river, Texas, an addition to the fish fauna of the United States. Copeia (3): 239-239
C. Hubbs & V.G. Springer (1957): A revision of the Gambusia nobilis species group, with descriptions of three new species, and notes on their variation, ecology, and evolution. The Texas Journal of Science (3): 279-327
D. Lambert (0): Gambusia senilis Girard, 1859. Viviparous (35): 0-
M.K. Meyer & M. Wirth (0): Importations du Chihuahua, Mexique. Aquarama (): 21-23
W.L. Minckley & R.K. Koehn (1965): Re-discovery of the fish fauna of the Sauz basin, Northern Chihuahua, Mexico. The Southwestern Naturalist (4): 313-315
H. Mück (2011): Den Traum gelebt: Mexikorundreise - Endziel Characodon-Habitate im zentralen Hochland von Durango. DGLZ-Rundschau (4): 91-108
M.L. Smith & B. Chernoff (1981): Breeding populations of cyprinodontoid fishes in a thermal stream. Copeia (3): 701-702

Gambusia sexradiata Hubbs, 1936

- L.R. Arriaga & I. Schlupp (2013): Poeciliid male mate preference is influenced by female size but not by fecundity. PeerJ (): 1-13
M. Brenner et al (2002): Limnología y paleolimnología de Petén, Guatemala. Revista Universidad del Valle de Guatemala (12): 2-9

Livebearer Literature List 202201

- H.J. Carter (1981): Aspects of the physiological ecology of species of *Gambusia* from Belize, Central America. *Copeia* (3): 694-700
- D.J. Eliás et al (2020): Scale(s) matter: deconstructing an area of endemism for Middle American freshwater fishes. *Journal of Biogeography* (47): 2483-2501
- P.C. Esselman & J.D. Allan (2010): Relative influences of catchment- and reach-scale abiotic factors on freshwater fish communities in rivers of northeastern Mesoamerica. *Ecology of Freshwater Fish* (19): 439-454
- D.W. Greenfield, C.F. Rakocinski & T.A. Greenfield (1983): Spatial and trophic interactions in wet and dry seasons between *Gambusia luma* and *Gambusia sexradiata* in Belize, Central Mexico. *Fieldiana Zoology* (14): 1-16
- D.W. Greenfield, T. A. Greenfield & S.L. Brinton (1983): Spatial and trophic interactions between *Gambusia sexradiata* and *Gambusia punctulata yucatana* in Belize. *Copeia* (3): 598-607
- D.W. Greenfield, T.A. Greenfield & D.M. Wildrick (1982): The taxonomy and distribution of the species of *Gambusia* in Belize, Central America. *Copeia* (1): 128-147
- J. Griffiths (1997): *Gambusia sexradiata*. *Livebearers* (149): 13-13
- K. de Jong (2010): Mexico 2009. *Poecilia Nieuws* (1): 19-29
- K. de Jong (2010): *Gambusia sexradiata* Hubbs, 1936. *Poecilia Nieuws* (4): 7-11
- K. de Jong (2018): *Gambusia sexradiata* Hubbs, 1936. *Poecilia Nieuws Atlas* (): -
- K. de Jong (2020): Tabasco 2019 - auf der Suche nach *Carlhubbsia* und *Heterophallus*. *Das Lebendgebärenden Magazin* (2): 23-31
- J. Jourdan et al (2016): Shared and unique patterns of phenotypic diversification along a stream gradient in two congeneric species. *Nature Sci. Rep.* (6): 1-20
- B. Kabbes (1998): Vangreis naar Mexico 1997, conclusies en bevindingen. *Poecilia Nieuws* (5): 72-80
- D. Kenwood (2000): My experiences with *Gambusia* beautiful fish with a bad reputation. *Viviparous* (48): 11-16
- D. Lambert (0): *Gambusia sexradiata* Hubbs, 1936. *Viviparous* (22): 0-
- E. López-López et al. (2009): Spatial and seasonal distribution patterns of fish assemblages in the Río Champotón, southeastern Mexico. *Reviews in Fish Biology and Fisheries* (19): 127-142
- M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, México. *The Southwestern Naturalist* (2): 223-236
- J. Lyons (2017): Adventures among the wild livebearers of Mexico: part 4 the Yucatan Peninsula. *Livebearers* (236): 7-14
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. *DGLZ-Rundschau* (2): 12-21
- R. Riesch et al (2010): Convergent life-history shifts: toxic environments result in big babies in two clades of poeciliids. *Naturwissenschaften* (97): 133-141
- C. van de Sande (1987): Een verzamelreis naar Guatemala II. *Poecilia Nieuws* (3): 46-48
- H. Stallknecht (1970): Bemerkungen zur Fortpflanzungs- und Ernährungsbiologie von *Gambusia punctata* Poey 1854. *Aquarien Terrarien* (11): 364-367
- U. Strecker (2006): The impact of invasive fish on an endemic Cyprinodon species flock (Teleostei) from Laguna Chichancanab, Yucatan, Mexico. *Ecology of Freshwater Fish* (15): 408-415
- K. Szymanski (1996): Der Cenote Azul von Bacalar. *DATZ* (10): 649-651
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. *ZooKeys* (632): 99-120
- U. Werner (1996): *Gambusia sexradiata* Ein Lebendgebärender mit "Sichelkiel". *Das Aquarium* (7): 10-11

Gambusia sp

- C.H. Eigenmann (1921): The nature and origin of the fishes of the Pacific slope of Ecuador, Peru and Chile. *Proceedings of the American Philosophical Society* (4): 503-523
- R.B. Langerhans et al. (2021): Consuming costly prey: optimal foraging and the role of compensatory growth. *Frontiers in Ecology and Evolution* (march): 1-14
- R. Riesch et al (2015): Rapid human-induced divergence of life-history strategies in Bahamian livebearing fishes (family Poeciliidae). *Journal of Animal Ecology* (84): 1732-1743

Gambusia speciosa Girard, 1859

- A.A. Echelle et al (2013): Conservation genetics of *Gambusia krumholzi* (Teleostei: Poeciliidae) with assessment of the species status of *G. clarkhubbsi* and hybridization with *G. speciosa*. *Copeia* (1): 72-79
- R.J. Edwards, G.P. Garrett & E. Marsh-Matthews (2002): Conservation and status of the fish communities inhabiting the Río Conchos basin and middle Rio Grande, México and U.S.A.. *Reviews in Fish Biology and Fisheries* (12): 119-132
- C. Girard (1859): Ichthyological notices. *Proc. Acad. Nat. Sci. Phila.* (April): 113-122
- W.L. Minckley (1999): Ecological review and management recommendations for recovery of the endangered topminnow. *Great Basin Naturalist* (3): 230-244
- W. Noack (1994): Gambusen - Gambusen - Gambusen. *DGLZ-Rundschau* (1): 4-9
- S. Riese (2004): Die Lebendgebärenden der USA. *Das Lebendgebärenden Magazin* (2): 28-32

Gambusia vittata Bleeker, 1860

- R. de Boer & T. Woeltjes (1986): Enkele lebendbarende tandkarpers uit Mexico. *Het Aquarium* (9): 227-230
- H. Hieronimus (1992): Een revisie van het geslacht *Gambusia*. *Poecilia Nieuws* (4): 6-8
- C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. *Miscellaneous Publications University of Michigan* (16): 1-86
- K. de Jong (1987): *Flexipenis vittatus*, een niet zo makkelijk te kweken levendbarende tandkarper. *Poecilia Nieuws* (3): 39-41
- K. de Jong (1987): *Flexipenis vittatus* deel 2. *Poecilia Nieuws* (4): 60-63
- K. de Jong (1988): Een niet zo makkelijk te houden en te kweken levendbarende tandkarper. *Het Aquarium* (9): 234-236
- M.K. Meyer (1986): Lebendgebärende Aquarienfische vom Rio Axtla in Mexiko. *DATZ* (2): 61-64
- M.K. Meyer (1986): Levendbarende tandkarpers van de Rio Coy in Mexico. *TiH* (46): 6-9

- M.K. Meyer (1988): Mexiko 1987, (Teil 2). DGLZ-Rundschau (3): 4-11
A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
L.R. Rivas (1963): Sugenera and species groups in the Poeciliid fish genus *Gambusia* Poey. Copeia (2): 331-347
R. Serva & G. Tash (1996): Bound with a ribbon. Livebearers (143): 6-7
L. Wischnath (1987): "Wilde Mexikaner". Aquarien Magazin (9): 347-350

Gambusia wrayi Regan, 1913

- D. Bork (1986): Zum Breittag "Nachwuchs geplant?" im AM 2/86. ZAG Lebendgebärende Zahnkarpfen (3): 7-8
G. Brecht (1981): Auf der Suche nach Lebendgebärenden Fischen in Jamaika. DGLZ-Rundschau (2): 16-17
G. Brecht (1981): Wildfang von *Gambusia wrayi*. DGLZ-Rundschau (4): 44-45
G. Brecht (1983): Lebendgebärende von Jamaika. DGLZ-Rundschau (1): 4-11
G. Daul (1979): *Gambusia*'s: probleemvissen onder de levendbarenden!. TIH (19): 5-7
W.F. Fink (1971): A revision of the *Gambusia nicaraguensis* species group. Publications of the Gulf Coast Research Laboratory (2): 47-77
D. Gentzsch (1987): Zum Wurfrhythmus bei Lebendgebärenden Zahnkarpfen. Aquarien Terrarien (11): 378-380
D. Gentzsch (1990): Ein weiterer Jamaika-Kärpfling: *Gambusia wrayi*. Aquarien Terrarien (5): 157-158
M. Holly (1961): *Gambusia wrayi* Regan. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 1143-1144
B. Kabbes (1997): Jamaica, meer dan zon, zee en reggae. *Poecilia Nieuws* (5): 90-96
D. Kenwood (2003): Something of a travelog - with some fish thrown in. Livebearer News (5): 4-6
D. Lambert (0): *Gambusia wrayi* Regan, 1913. Viviparous (19): 0-
D. Lambert (1997): The livebearer world. Tropical Fish Hobbyist (August): 138-142
J. Partipilo (1975): Collecting in Jamaica. Livebearers (19): 8-10
A.C. Radda & H. Fritscher (1985): Poeciliiden-Studien im karibischen Raum. DGLZ-Rundschau (4): 7-16
C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018
L. Wischnath (1994): Wildformen Lebendgebärender Zahnkarpfen Teil 1: Guppy, Platys und Gambusen. Das Aquarium (299): 16-19
L. Wischnath (2000): Levendbarende tandkarpers, een bont palet deel 2. Het Aquarium (9): 241-245

Gambusia xanthosoma Greenfield, 1983

- D.W. Greenfield (1983): *Gambusia xanthosoma*, a new species of Poeciliid fish from Grand Cayman Island, BWI. Copeia (2): 457-464
H. Hieronimus (1984): Eine neue Gambuse, *Gambusia xanthosoma* Greenfield, 1983. DGLZ-Rundschau (2): 46-46
H. Hieronimus (1984): Eine neue Gambuse, *Gambusia xanthosoma*, Greenfield 1983. DGLZ-Rundschau (3): 46-46

Gambusia yucatana australis Greenfield, 1985

- P.C. Esselman & J.D. Allan (2010): Relative influences of catchment- and reach-scale abiotic factors on freshwater fish communities in rivers of northeastern Mesoamerica. Ecology of Freshwater Fish (19): 439-454
D.W. Greenfield (1985): Review of the *Gambusia yucatana* complex of Mexico and Central America. Copeia (2): 368-378
H. Hieronimus (1986): Eine neue Gambusenunterart aus Mittelamerika. DGLZ-Rundschau (2): 11-11
A. Rachow (1920): *Gambusia yucatana* Regan und *Heterophallus Rachovii* Regan. Blätter für Aquarien- und Terrarienkunde (15): 225-227

Gambusia yucatana Regan, 1914

- W.F. Fink (1971): A revision of the *Gambusia puncticulata* complex. Publications of the Gulf Coast Research Laboratory (2): 11-46
D.W. Greenfield, T.A. Greenfield & S.L. Brinton (1983): Spatial and trophic interactions between *Gambusia sexradiata* and *Gambusia puncticulata yucatana* in Belize. Copeia (3): 598-607
D.W. Greenfield, T.A. Greenfield & D.M. Wildrick (1982): The taxonomy and distribution of the species of *Gambusia* in Belize, Central America. Copeia (1): 128-147

Gambusia yucatana yucatana Regan, 1914

- H.J. Carter (1981): Aspects of the physiological ecology of species of *Gambusia* from Belize, Central America. Copeia (3): 694-700
F. Córdova-Tapia & L. Zambrano (2016): Fish functional groups in a tropical wetland of the Yucatan Peninsula, Mexico. Neotropical Ichthyology (2): 1-10
G. Daul (1979): *Gambusia*'s: probleemvissen onder de levendbarenden!. TIH (19): 5-7
S. Evans (1973): Some notes on *Gambusia*. Livebearers (8): 2-3
D.W. Greenfield (1985): Review of the *Gambusia yucatana* complex of Mexico and Central America. Copeia (2): 368-378
D. Greenfield & D.M. Wildrick (1984): Taxonomic distinction of the Antilles *Gambusia puncticulata* Complex from the *G. yucatana* Complex of Mexico and Central America. Copeia (4): 921-933

Livebearer Literature List 202201

- R.C. Griffiths (1996): *Gambusia yucatana*. Livebearers (143): 29-30
R.R. Hollander (1986): Microanalysis of scales in Poeciliid fishes. Copeia (1): 86-91
C.L. Hubbs (1936): Fishes of the Yucatan peninsula. Carnegie Inst. Wash. Pub. (457): 157-287
K. de Jong (2020): Tabasco 2019 - auf der Suche nach Carlhubbsia und Heterophallus. Das Lebendgebärenden Magazin (2): 23-31
K. de Jong (2020): Tabasco 2019. Op zoek naar Carlhubbsia en Heterophallus. Poecilia Nieuws (1): 17-22
J. Jourdan et al (2016): Shared and unique patterns of phenotypic diversification along a stream gradient in two congeneric species. Nature Sci. Rep. (6): 1-20
B. Kabbes (1998): Vangreis naar Mexico 1997, conclusies en bevindingen. Poecilia Nieuws (5): 72-80
E. López-López et al. (2009): Spatial and seasonal distribution patterns of fish assemblages in the Río Champotón, southeastern Mexico. Reviews in Fish Biology and Fisheries (19): 127-142
J. Lyons (2017): Adventures among the wild livebearers of Mexico: part 4 the Yucatan Peninsula. Livebearers (236): 7-14
J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
F. Padmos (2017): Het Yucatan schiereiland in Mexico. Poecilia Nieuws (4): 14-26
F.N. Poeser (2014): Op zoek naar de keizer van Yucatan. Poecilia Nieuws (2): 28-33
A. Rachow (1940): *Gambusia yucatana* Regan. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 521-522
C.T. Regan (1914): Descriptions of Two new Cyprinodont Fishes from Mexico presented to the British Museum by Herr A. Rachow. Annals and Magazine of Natural History (July): 64-67
R. Rodiles-Hernández, E. Diaz-Pardo & J. Lyons (1999): Patterns in the species diversity and composition of the fish community of the Lacanja River, Chiapas, Mexico. Journal of Freshwater Ecology (4): 455-468
L.E. Ruiz-Cauich et al (2016): Stability vs organization: Potential of a trophic model for the management of shallow tropical streams. Food Webs (6): 38-47
J.J. Schmitter-Soto (1999): Distribution of continental fishes in northern Quintana Roo, Mexico. The Southwestern Naturalist (2): 166-172
K. Tschartner (1978): *Gambusia* spec. von Cozumel schon bekannt?. ZAG Lebendgebärende Zahnkarpfen (2): 16-16
E. Vázquez-Domínguez et al (2009): Contrasting genetic structure in two codistributed freshwater fish species of highly seasonal systems. Revista Mexicana de Biodiversidad (80): 181-192
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
G. Vogel (1994): Meine Erfahrungen mit *Gambusia yucatana*. DGLZ-Rundschau (3): 57-57
A.D. Woodhead & P.C. Bryant (1982): A note on the distribution of ectopic thyroïd tissue in five species of poeciliid fishes. J. Fish Biology (21): 59-62

Gambusia zarskei Meyer, Schories & Schartl 2010

- B. Allen (2011): *Gambusia zarskei* A new species of *Gambusia* from Mexico. Livebearers (210): 16-18
H. Hieronimus (2010): Eine neue Gambuse, *Gambusia zarskei* Meyer, Schories & Schartl, 2010. DGLZ-Rundschau (2): 54-54
K. de Jong (2010): Het grootste genus groter: *Gambusia zarskei* Meyer, Schories & Schartl, 2010. Poecilia Nieuws (4): 12-15
M.K. Meyer, S. Schories & M. Schartl (2010): Description of *Gambusia zarskei* sp.n. - a new poeciliid fish from the upper Rio Conchos system, Chihuahua, Mexico (Teleostei: Cyprinodontiformes: Poeciliidae). Vertebrate Zoology (1): 11-18

Girardinichthys ireneae Radda & Meyer, 2003

- T. Contreras-MacBeath et al (2014): Richness and endemism of the freshwater fishes of Mexico. Journal of Threatened Taxa (2): 5421-5433
M. Heussen & M. van Driesssen (2013): Het genus *Girardinichthys*. Poecilia Nieuws (Special): 16-25
K. de Jong (2003): Wijzigingen in het genus *Girardinichthys* Bleeker, 1860 en de beschrijving van een nieuwe soort. Poecilia Nieuws (6): 89-91
K. de Jong (2013): Mexico 2013 deel 2: rondom Morelia. Poecilia Nieuws (3): 8-13
K. de Jong (2014): Mexiko 2013 Teil 2 Rundum Morelia. Das Lebendgebärenden Magazin (1): 26-31
K. de Jong (2015): GWG bijeenkomst 2014 in Morelia. Poecilia Nieuws (1): 23-31
K. de Jong (2015): Das 4. Internationale Symposium über Lebendgebärende Fische und das GWG-Treffen in Morelia 2014. Das Lebendgebärenden Magazin (1): 34-38
M. Köck (2015): Von hinten aufgerollt: Die Goodeiden von Z bis A Die Gattung Hubbsina. Das Lebendgebärenden Magazin (1): 44-51
M. Köck (2017): Von hinten aufgerollt: Die Goodeiden von Z bis A Die Gattung Girardinichthys. Das Lebendgebärenden Magazin (1): 19-27
J.K. Langhammer (2000): Impressions of Hubbsina turneri. Livebearers (161): 13-16
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
R. Pérez Rodríguez, O. Domínguez Domínguez & K. De Jong (2005): Een bijzondere Goodeide Girardinichthys ireneae Radda & Meyer, 2003. Het Aquarium (6): 210-214
A.C. Radda & M.K. Meyer (2003): Description of *Girardinichthys ireneae* sp.n. from Zacapu, Michoacan, Mexico with remarks on the genera *Girardinichthys* Bleeker, 1860 and *Hubbsina* De Buen, 1941. Ann. Naturhist. Mus. Wien (104b): 5-9

Girardinichthys multiradiatus (Meek, 1904)

- J. Bell (0): My greatest challenge. Viviparous (20): 0-
O. Böhm (0): Quelques espèces intéressantes de la famille des Goodéidés. Aquarama (): 13-16
O. Böhm (1987): Einiges aus der Familie der Hochlandkärpfelinge. Das Aquarium (10): 509-511

Livebearer Literature List 202201

- T. Contreras-MacBeath, H. Mejia Mojica & R. Carillo Wilson (1998): Negative impact on the aquatic ecosystems of the state Morelos, Mexico from introduced aquarium and other commercial fish. *Aquarium Sciences and Conservation* (2): 67-78
- A. Cruz-Gómez & A. Rodríguez-Valera (2019): Ecología poblacional de *Girardinichthys multiradiatus* (Meek, 1904) (Pisces: Goodeidae) pez endémico de México. *The Biologist* (Lima) (1): 61-72
- A. Cruz-Gómez et al (2020): Trophic ecology of *Girardinichthys multiradiatus* (Meek, 1904) (Pisces: Goodeidae) in the Salazar lagoon, state of Mexico, Mexico. *Biocyt* (13): 918-330
- A. Cruz-Gómez, Rodríguez-Varela & Vázquez-López (2011): Reproductive aspects of *Girardinichthys multiradiatus* Meek 1904 (Pisces: Goodeidae). *Biocyt* (13): 215-228
- J. Dawes (1997): Goodeiden Teil 3: Allgemeine Hinweise zur Pflege und Zucht sowie Kurzbeschreibungen zu einigen Arten (1). *Das Aquarium* (342): 16-19
- O. De Gasperin & C. Macías Garcia (2014): Congenital predispositions and early social experience determine the courtship patterns of males of the Amarillo fish. *Behav Ecol Sociobiol* (68): 639-648
- E. Díaz-Pardo (2005): The gonopodial suspension of the Girardinichthynae fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 133-143
- D. Dumas (2014): *Girardinichthys multiradiatus* un Goodeidae particulier et attractif... *Le Vivipare* (121): 4-10
- B.W. Evermann & E.L. Goldsborough (1902): Notes on some Mexican fishes. *Science* (384): 746-747
- S. Fought (2007): Good luck with *Girardinichthys multiradiatus*. *Livebearers* (197): 11-13
- F. García-Trejo et al (2013): Ecophysiological responses to the effect of annual management on an endemic viviparous fish in central plateau of México. *Neotropical Ichthyology* (1): 117-123
- M.V. Garduño Paz et al (2020): Metabolic rate and hypoxia tolerance in *Girardinichthys multiradiatus* (Pisces: Goodeidae), an endemic fish at high altitude in tropical Mexico. *Comparative Biochemistry and Physiology* (239): 1-9
- C. González Zuarth & C. Macías Garcia (2006): Phenotypic differentiation and pre-mating isolation between allopatric populations of *Girardinichthys multiradiatus*. *Proc. R. Soc. Lond.* (273): 301-307
- C. Gonzalez-Zuarth, A. Vallarino & C. Macías Garcia (2011): Female responsiveness underlies the evolution of geographic variation in male courtship between allopatric populations of the fish *Girardinichthys multiradiatus*. *Evol Ecol* (25): 831-843
- P. Hartman (2016): *Girardinichthys multiradiatus*: the golden sailfin goodeid. *Livebearers* (230): 8-11
- M. Heußen (2015): De voeding van *Girardinichthys multiradiatus* in de natuur. *Poecilia Nieuws* (2): 10-17
- M. Heussen & M. van Driessen (2013): Het genus *Girardinichthys*. *Poecilia Nieuws* (Special): 16-25
- C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. *Miscellaneous Publications University of Michigan* (16): 1-86
- D. Hughes-Phillips (2011): Freilandhaltung von Goodeiden. *DGLZ-Rundschau* (1): 19-25
- K. de Jong (2003): Op zoek naar zwaarddragers Mexico 2002 (tweede deel). *Poecilia Nieuws* (5): 70-82
- K. de Jong (2004): Auf der Suche nach den Schwerträgern Mexiko 2002 (Teil 2). *Das Lebendgebärenden Magazin* (1): 5-17
- K. de Jong (2015): GWG bijeenkomst 2014 in Morelia. *Poecilia Nieuws* (1): 23-31
- K. de Jong (2017): De wereldwijde opwarming en de gevolgen voor een goedeide. *Poecilia Nieuws* (2): 30-33
- K. de Jong (2017): *Girardinichthys multiradiatus* (Meek, 1904). *Poecilia Nieuws* Atlas (): -
- K. de Jong (2018): Klimatická změna a její dopad na gudeje. *e-akvarium.cz* (): 1-6
- K. de Jong (2018): De wereldwijde opwarming en de gevolgen voor een goedeide. *Het Aquarium* (5): 28-35
- K. de Jong (2018): Die Erderwärmung und ihre Folgen für eine Goodeiden Art. *Das Lebendgebärenden Magazin* (1): 16-20
- K. de Jong (2019): De wereldwijde opwarming en de gevolgen voor een goedeide. *Poecilia Nieuws* (3): 18-24
- D.S. Jordan & B.W. Evermann (1927): New genera and species of North American fishes. *Proc. Calif. Acad. Sci.* (15): 501-507
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. *Poecilia Nieuws* (2): 22-35
- M. Köck (2017): Von hinten aufgerollt: Die Goodeiden von Z bis A Die Gattung *Girardinichthys*. *Das Lebendgebärenden Magazin* (1): 19-27
- D. Lambert (0): The livebearer trail part 2. *Viviparous* (17): 0-
- P. Lambert (0): Aquarian endangered species expedition. *Viviparous* (21): 0-
- D. Lambert (0): *Girardinichthys multiradiatus* (Meek, 1904). *Viviparous* (10): 0-2
- P. Lambert (1992): Endangered species expedition 1992. *Livebearers* (123): 13-17
- J. Lyons (2018): NAGWG update. *Livebearers* (240): 18-22
- J. Lyons (2021): Determining optimal water temperatures for goodeids. *Livebearer News* (66): 22-27
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- C. Macías Garcia (1994): Social behavior and operational sex ratios in the viviparous fish *Girardinichthys multiradiatus*. *Copeia* (4): 919-925
- C. Macías Garcia & A. Valero (2001): Context-dependent sexual mimicry in the viviparous fish *Girardinichthys multiradiatus*. *Ethology Ecology & Evolution* (13): 331-339
- C. Macías Garcia & A. Valero (2010): Sexual conflict and sexual selection in the Goodeinae, a clade of viviparous fish with effective female mate choice. In Regina Macedo, editor: *Advances in the Study of Behavior*, vol. 42, Burlington: Academic press (): 1-54
- C. Macías Garcia & T. Burt de Perera (2002): Ultraviolet-based female preferences in a viviparous fish. *Behavioral Ecology and Sociobiology* (52): 1-6
- C. Macías Garcia et al (2012): Variation in sexual dimorphism and assortative mating do not predict genetic divergence in the sexually dimorphic Goodeid fish *Girardinichthys multiradiatus*. *Current Zoology* (3): 440-452
- C. Macías Garcia, G. Jimenez & B. Contreras (1994): Correlational evidence of a sexually-selected handicap. *Behav Ecol Sociobiol* (35): 253-259
- C. Macías-García & E. Saborío (2004): Sperm competition in a viviparous fish. *Environmental Biology of Fishes* (70): 211-217
- C. Macías-García, E. Saborío & C. Berea (1998): Does male-biased predation lead to male scarcity in viviparous fish? *Journal of Fish Biology* (53): 104-117
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. *Field Columbian Museum - Zoology* (5): 1-252
- E. Meinema (1990): Kleine hooglandkarpers. *Het Aquarium* (9): 209-212

- M. Méndez-Janovitz, A. Gonzalez-Voyer, C. Macías Garcia (2019): Sexually selected sexual selection: can evolutionary retribution explain female ornamental colour?. *J. Evol. Biol.* (May): 1-12
- J. de Moree (2003): Zo maar een dag in Mexico - 4 november 2002. *Poecilia Nieuws* (1): 2-3
- A. Rachow (1955): *Lerminichthys multiradiatus* (Meek). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Db): 974-975
- A.C. Radda (1984): Studien an cyprinodonten Fischen in Mexiko. I. Reisen 1978 und 1979. *Aquaria* (31): 7-16
- A.C. Radda (1986): Cyprinodonten vissen in Mexico (slot). *Poecilia Nieuws* (4): 54-57
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, I. Reisen 1978 u. 1979. *DGLZ-Rundschau* (2): 12-21
- E. Ramírez Carrillo & C. Macías-Garcia (2015): Limited options for native goodeid fish simultaneously confronted to climate change and biological invasions. *Biol Invasions* (17): 245-256
- G. Randall (2009): *Girardinichthys multiradiatus*. *Livebearer News* (28): 54-55
- C.T. Regan (190608): Pisces. *Biologia Centrali-Americana* (): 1-203
- Y. Saldivar Lemus et al (2017): Asymmetric paternal effect on offspring size linked to parent-of-origin expression of an insulin-like growth factor. *Ecology and Evolution* (april): 4465-4474
- P. Sánchez-Nava et al (2004): Helminth parasites of *Girardinichthys multiradiatus* in the upper Lerma River sub-basin, Mexico. *Parasitol Res* (93): 396-402
- J.F. Schindler & U. de Vries (1986): Ultrastructure of embryonic anal processes in *Girardinichthys viviparus*. *Journal of Morphology* (188): 203-224
- W. Schreitmüller (1934): Drei Neuimporte. *Wochenschrift für Aquarien und Terrarienkunde* (47): 737-739
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. *Aquatic Ecosystem Health and Management* (1): 267-276
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. *Livebearers* (154): 10-20
- G. Streibel (1982): Freilandhalterei einiger lebendgebärender Zahnkarpfen. *DGLZ-Rundschau* (4): 64-65
- M. Tapia & L. Zambrano (2003): From aquaculture goals to real social and ecological impacts: carp introduction in rural central Mexico. *Ambio* (4): 252-257
- P. Trujillo-Jiménez & E. Espinosa de los Monteros Viveros (2006): La ecología alimentaria del pez endémico *Girardinichthys multiradiatus* (Cyprinodontiformes: Goodeidae), en el Parque Nacional Lagunas de Zempoala, México. *Rev. Biol. Trop* (4): 1247-1255
- A. Valero, R. Hudson, E. Ávila Luna, C. Macías Garcia (2005): A cost worth paying: energetically expensive interactions with males protect females from intrasexual aggression. *Behav Ecol Sociobiol* (): 1-8
- A. Vega-López et al. (2007): The role of vitellogenin during gestation of *Girardinichthys viviparus* and *Anemeca splendens*; two goodeid fish with matrotrophic viviparity. *Comparative Biochemistry and Physiology* (147): 731-742
- L. Zambrano et al (1999): Impact of introduced carp (*Cyprinus carpio*) in subtropical shallow ponds in Central Mexico. *Journal of Aquatic Ecosystem Stress and Recovery* (6): 281-288

Girardinichthys turneri (De Buen, 1941)

- J.G.A. Caballos Corona et al (1994): Análisis limnológico de la laguna de Cuitzeo, Michoacán, México. Universidad Michoacana de San Nicolás de Hidalgo Facultad de Biología (): 1-45
- F. De Buen (1941): Un Nuevo Género de la Familia Goodeidae Pertenciente a la Fauna Ictiológica Mexicana. *Ciencia* (2): 133-140
- I. Dibble (0): Goodeid conservation project Diary 25th May to 6th June 1998. *Viviparous* (44): 0-
- M. Driessen (2000): *Hubbsina turneri*. *Poecilia Nieuws* (5): 81-84
- M. Heussen & M. van Driessen (2013): Het genus *Girardinichthys*. *Poecilia Nieuws* (Special): 16-25
- D. Isla (1999): Zurück in Zacapu!. *DGLZ-Rundschau* (2): 56-60
- K. de Jong (1994): Bijeenkomst van Poecilia Scandinaaviæ. *Poecilia Nieuws* (4): 72-75
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. *Poecilia Nieuws* (2): 22-35
- M. Köck (2015): Von hinten aufgerollt: Die Goodeiden von Z bis A Die Gattung Hubbsina. Das Lebendgebärenden Magazin (1): 44-51
- P. Lambert (0): The lake of delights. *Viviparous* (4): 0-
- D. Lambert (0): The livebearer trail part 2. *Viviparous* (17): 0-
- D. Lambert (0): Hubbsina turneri De Buen, 1941. *Viviparous* (20): 0-
- D. Lambert (0): The Hubbsina turneri story. *Viviparous* (12): 0-2
- D. Lambert (1990): Mexico - the livebearer trail part 2. *Aquarist & Pondkeeper* (April): 34-
- D. Lambert (1994): Introducing goodeids. *Livebearers* (133): 13-21
- D. Lambert (1995): The livebearer world More Goodeids. *Tropical Fish Hobbyist* (5): 162-164
- D. Lambert (1996): The search for Skiffia francesae The Aquarian Expedition 1996. *Tropical Fish Hobbyist* (november): 118-133
- J.K. Langhammer (0): First impressions of *Hubbsina turneri*. *Viviparous* (12): 0-4
- P. Loiselle (1992): The Grim Reaper Desert Fishes Status Report. *Livebearers* (124): 7-10
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- M. Medina-Nava et al (2005): Conservation of two sites in central Mexico with a high diversity of livebearing fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 499-504
- G. Mendoza (1956): Adaptations during gestation in the viviparous Cyprinodont Teleost *Hubbsina turneri*. *Journal of Morphology* (97): 73-95
- R. Pérez Rodríguez, O. Domínguez Domínguez & K. De Jong (2002): Ein besonderer Goodeide, *Hubbsina turneri* De Buen, 1941. *DGLZ-Rundschau* (2): 38-44
- R. Pérez Rodríguez, O. Domínguez Domínguez & K. De Jong (2002): Een bijzondere Goodeidae, *Hubbsina turneri* De Buen, 1941. *Poecilia Nieuws* (2): 26-33
- A.C. Radda & M.K. Meyer (2003): Description of *Girardinichthys ireneae* sp.n. from Zacapu, Michoacan, Mexico with remarks on the genera *Girardinichthys* Bleeker, 1860 and *Hubbsina* De Buen, 1941. *Ann. Naturhist. Mus. Wien* (104b): 5-9

- A. Ramírez-García & O. Domínguez-Domínguez (2019): Zacapu lake, a hot spot of native fishes. American Currents (Summer): 8-10
- A. Ramírez-García et al (2021): Reproductive cycle of native viviparous fish species (Actinopterygii: Cyprinodontiformes: Goodeidae) in a subtropical Mexican lake. Neotropical Ichthyology (4): 1-20
- A. Ramírez-García, R. Moncayo-Estrada, O. Domínguez-Domínguez (2020): Small lake, high biodiversity: Lake Zacapu, México. Livebearers (246): 12-15
- J.P. Ramírez-Herrejón et al (2009): Threatened fishes of the world: Hubbsina turneri (De Buen, 1941). Environmental Biology of Fishes (): 0-
- J.P. Ramírez-Herrejón et al (2010): Historical assessment of livebearing fishes in Zacapu Lake, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 476-479
- A.J. Rothwell (0): Observations on spawning Hubbsina turneri. Viviparous (43): 0-
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. Aquatic Ecosystem Health and Management (1): 267-276
- E. Soto-Galera et al (1999): Change in fish fauna as indication of aquatic ecosystem condition in Río Grande de Morelia - Lago de Cuitzeo Basin, Mexico. Environmental Management (1): 133-140
- A.T. Tveteraas (0): Collecting goodeids in the area near Morelia part 2. Viviparous (24): 0-

Girardinichthys viviparus (Bustamante, 1837)

- D. Bork (1986): Der Amarillo-Kärpfling Girardinichthys viviparus - ein bisher wenig beachteter Lebendgebärender. Aquarien Terrarien (8): 268-269
- D. Bork (1986): Girardinichthys viviparus, een tot nu toe weinig bekende levendbarende tandkarper. Poecilia Nieuws (5): 70-71
- M. Bustamante (1837): Historia natural. Ichthyologia. Cyprinus viviparus. (Vulgo) Mexelapique. El Mosaico Mexicano - Tom II (): 116-116
- M. Camacho-Cervantes et al (2014): Exotic invaders gain foraging benefits by shoaling with native fish. R. Soc. Open sci (1): 1-9
- C. Cheswright (1994): Down Mexico way. Viviparous (26): 0-9
- E. Díaz-Pardo (2005): The gonopodial suspension of the Girardinichthynae fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 133-143
- R. Dzul-Camaal et al (2016): Multivariate analysis of biochemical responses using non-invasive methods to evaluate the health status of the endangered blackfin goodeid (Girardinichthys viviparus). Ecological Indicators (60): 1118-1129
- D. Gentzsch (1985): Sommerhaltung von drei Wildformen in Gewächshaus. ZAG Lebendgebärende Zahnkarpfen (1): 6-7
- D. Gentzsch (1986): Einige Beobachtungen und Untersuchungen zum Amarillo-Kärpfling Girardinichthys viviparus. Aquarien Terrarien (8): 269-270
- D. Gentzsch (1987): Zum Wurfrhythmus bei Lebendgebärenden Zahnkarpfen. Aquarien Terrarien (11): 378-380
- J.L. Gómez-Márquez, B. Peña-Mendoza & I.H. Salgado-Ugarte (2013): Occurrence of the fish Girardinichthys viviparus (Cyprinodontiformes: Goodeidae) in an urban lake at Mexico City. Research J. of the Costa Rican Dist. Ed. Un. (1): 89-95
- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
- M. Heussen & M. van Driessen (2013): Het genus Girardinichthys. Poecilia Nieuws (Special): 16-25
- H. Hieronimus (1993): Neues aus Wissenschaft un Forschung. DGLZ-Rundschau (4): 2-2
- H. Hieronimus (2002): Ein neue Einflussgröße für die Balz von Lebendgebärenden: UV-Licht. DGLZ-Rundschau (3): 68-69
- K. de Jong (2010): Een nieuw biotoop van Girardinichthys viviparus. Poecilia Nieuws (2): 16-17
- K. de Jong (2013): Mexiko 2013, Teil 1: Auf der Suche nach Girardinichthys viviparus (Bustamante, 1837). Das Lebendgebärenden Magazin (2): 35-41
- K. de Jong (2013): Mexico 2013 Op zoek naar Girardinichthys viviparus (Bustamante, 1837) Deel1. Poecilia Nieuws (2): 14-19
- K. de Jong (2013): Eerste ervaringen met Girardinichthys viviparus "Tecocomulco". Poecilia Nieuws (Special): 31-34
- K. de Jong (2014): Looking for Girardinichthys viviparus. Livebearers (223): 9-11
- K. de Jong (2014): Nogmaals een nieuwe locatie van Girardinichthys viviparus. Poecilia Nieuws (1): 30-32
- K. de Jong (2014): Erste Erfahrungen mit Girardinichthys viviparus "Tecocomulco". Das Lebendgebärenden Magazin (1): 5-7
- K. de Jong (2014): Mexico: levendbarende vissen en nog veel meer. Houden van Vissen (1): 60-64
- K. de Jong (2014): Ein neuer Fundort von Girardinichthys viviparus. Das Lebendgebärenden Magazin (1): 18-19
- K. de Jong (2015): Das 4. Internationale Symposium über Lebendgebärende Fische und das GWG-Treffen in Morelia 2014. Das Lebendgebärenden Magazin (1): 34-38
- K. de Jong (2015): GWG bijeenkomst 2014 in Morelia. Poecilia Nieuws (1): 23-31
- K. de Jong (2017): Mexico: levendbarende vissen en nog veel meer (deel 1/2). Het Aquarium (6): 4-13
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. Poecilia Nieuws (2): 22-35
- M. Kempkes (2007): Die aquaristisch bedeutsamen Goodeiden-Arten. Aquaristik Fachmagazin (197): 12-17
- H. Kleine (2011): Ein neuer Fundort von Girardinichthys viviparus im Lago Tecocomulco. DGLZ-Rundschau (4): 83-84
- H.-J. Klüppel (1985): Girardinichthys viviparus - ein Fisch mit vielen Namen. DATZ (12): 574-575
- M. Köck (2017): Von hinten aufgerollt: Die Goodeiden von Z bis A Die Gattung Girardinichthys. Das Lebendgebärenden Magazin (1): 19-27
- D. Kroll (1996): Betr: "Der Amarillokärpfling". DATZ (12): 811-812
- D. Kroll (1996): Der Amarillokärpfling. DATZ (7): 426-428
- D. Kroll (1997): "Eine grüne Maus" - Girardinichthys viviparus. DGLZ-Rundschau (2): 27-33
- D. Lambert (0): The livebearer trail part 2. Viviparous (17): 0-
- D. Lambert (1990): Mexico - the livebearer trail part 2. Aquarist & Pondkeeper (April): 34-
- D. Lambert (1996): The search for Skiffia francesae The Aquarian Expedition 1996. Tropical Fish Hobbyist (november): 118-133

Livebearer Literature List 202201

- J.K. Langhammer (1995): The husbandry of the black sailfin goodeid *Girardinichthys viviparus*. Viviparous (29): 0-
- J.K. Langhammer (1997): Lost treasure of the Aztecs, Pt. IX: an update to the husbandry of the black sailfin Goodeid *Girardinichthys viviparus*. Livebearers (145): 15-18
- M. Liziczai (2016): The Chapultepec splitfin. Livebearers (231): 9-11
- P. Loiselle (1992): The Grim Reaper Desert Fishes Status Report. Livebearers (124): 7-10
- E. López-López, J. E. Sedeño-Díaz & F. Perozzi (2006): Lipid peroxidation and Acetylcholinesterase activity as biomarkers in the Black Sailfin Goodeid, *Girardinichthys viviparus* (Bustamante) exposed to water from Lake Xochimilco (Mexico). Aquatic Ecosystem Health
- J. Lyons (2004): Goodeiden in de natuur, stand van zaken januari 2004 deel 1. Poecilia Nieuws (4): 21-23
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- E. Meinema (1990): Kleine hooglandkarpers. Het Aquarium (9): 209-212
- E. Meinema (1992): Die aus die kalte kommen. Poecilia Nieuws (4): 17-20
- R. Miranda et al (2008): First record of *Girardinichthys viviparus* in Lake Tecocomulco, Mexico. Journal of Fish Biology (73): 317-322
- J. de Moree (1997): *Girardinichthys viviparus*. Poecilia Nieuws (6): 115-117
- J. de Moree (2001): Instandhoudingsgroepje Zuid-West, het vierde jaar. Poecilia Nieuws (1): 1-3
- A.C. Radda (1986): Cyprinodont fishes in Mexico (slot). Poecilia Nieuws (4): 54-57
- G. Randall (2009): *Girardinichthys viviparus*. Livebearer News (27): 30-33
- C.T. Regan (1904): XXX. Descriptions of new or little known fishes from Mexico and British Honduras. Annals and Magazine of Natural History (13): 255-259
- C.T. Regan (190608): Pisces. Biologia Centrali-Americana (): 1-203
- A. Routh (2013): Managing mycobacteriosis and associated biosecurity in the care and breeding of threatened freshwater fishes in public aquariums: an overview. Int. Zoo. Yb. (47): 102-111
- J.F. Schindler & H. Greven (2010): Respiratory strategies in Goodeid and Jenynsiid embryos: Morphologic correlates of cutaneous gas exchange. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 13-30
- G. Schleussner (2011): *Girardinichthys viviparus*. Amazonas (1): 78-78
- P. Schubert (1989): Goodeiden 2. Aquarien Terrarien (11): 377-379
- J.E. Sedeño-Díaz & E. López-López (2009): Threatened fishes of the world: *Girardinichthys viviparus* (Bustamante 1837) (Cyprinodontiformes: Goodeidae). Environmental Biology of Fishes (84): 11-12
- R. Serva (2001): Breeding the black sailfin Goodeid - *Girardinichthys viviparus*. Livebearers (166): 27-29
- R. Serva & G. Tash (1997): In sort of the "wild" red swordtail (amongst other things). Viviparous (39): 0-
- M. Siebelink (1986): Nakweek nieuwe soorten. Poecilia Nieuws (2): 23-24
- A. Vega-López et al. (2007): Gender related differences in the oxidative stress response to PCB exposure in an endangered goodeid fish (*Girardinichthys viviparus*). Comparative Biochemistry and Physiology (146): 672-678
- A. Vega-López et al. (2008): Oxidative stress response in an endangered goodeid fish (*Girardinichthys viviparus*) by exposure to water from its extant localities. Ecotoxicology and Environmental Safety (71): 94-103
- J. Vente (1989): Een visje met een gebruiksaanwijzing. Het Aquarium (1): 11-12
- S. Wellejus (1991): *Girardinichthys viviparus*, hij kwam kweekte en verdween. Poecilia Nieuws (3): 39-41
- J. Wubbolt (1998): *Girardinichthys viviparus* - the black sailfin Goodeid. Livebearers (153): 17-18
- C.A. Zamora Barrios, S. Nandini & S.S.S. Sarma (2017): Effect of crude extracts from cyanobacterial blooms in Lake Texcoco (Mexico) on the population growth of *Brachionus calyciflorus* (Rotifera). Toxicon (139): 45-53

Girardinus alle

- A. Lara et al. (2010): DNA barcoding of Cuban freshwater fishes: evidence for cryptic species and taxonomic conflicts. Molecular and Ecology Resources (10): 421-430
- J.L. Ponce de León & R. Rodríguez, (2010): Ecology of Cuban species of the family Poeciliidae (Teleostei: Cyprinodontiformes). In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 357-374
- J.L. Ponce de León, R. Rodríguez, M. Acosta & M.C. Uribe (2011): Egg size and its relationship with fecundity, newborn length and female size in Cuban poeciliid fishes (Teleostei: Cyprinodontiformes). Ecology of Freshwater Fish (20): 243-250
- L.R. Rivas (1986): Comments on Briggs (1984): Freshwater fishes and biogeography of central America and the Antilles. Syst. Zool. (4): 633-639
- D.E. Rosen (1975): A vicariance model of Caribbean biogeography. Syst. Zool. (4): 431-464

Girardinus creolus Garman, 1895

- V. Baruš et al (1981): Notes on *Toxus creolus* (Poeciliidae) from Cuba. Folia Zoologica (4): 363-370
- V. Baruš, J. Libosvarsky & A.P. Martinez (1991): On the *Toxus creolus* vs. *T. serripenis* (Poeciliidae) and remarks to tribe Girardinini from Cuba. Folia Zoologica (3): 261-272
- C.H. Eigenmann (1903): The freshwater fishes of western Cuba. Bulletin of the United States Fish Commission (22): 211-236
- S. Garman (1895): The Cyprinodonts. Mem. Mus. Comp. Zool. (1): 1-179
- J.C. Hopgood (1982): Some Cuban fishes. Livebearers (63): 11-13
- K. de Jong (1992): Einige Anmerkungen zum Kreolen-Kärpfling, *Girardinus creolus*. DGLZ-Rundschau (2): 41-43
- K. de Jong (1992): Enkele opmerkingen over het creolustandkarpertje, *Girardinus creolus* (Garman, 1895). Poecilia Nieuws (1): 15-18
- D. Kaden (1986): Ein Neuling aus Kuba - der Kreolenkärpfling, *Girardinus creolus*. Aquarien Terrarien (9): 306-307
- D. Kaden (1989): Een nieuweling uit Cuba. Het Aquarium (4): 105-106

Livebearer Literature List 202201

- P.J. Mellegers (1993): De familie van Girardinus creolus. Poecilia Nieuws (2): 36-37
M.K. Meyer (1990): Lebendgebärende Zahnkarpfen von Kuba Teil 1. Das Aquarium (April): 7-11
J.L. Ponce de León García & R.R. Silva (2010): Peces cubanos de la familia Poeciliidae. Editorial Academia La Habana (): 1-38
J.L. Ponce de León García & R.R. Silva (2018): Cuban Viviparous species: The Girardinus. Livebearers (241): 25-32
J.L. Ponce de León García & R.R. Silva (2018): Levendbarende vissen uit Cuba: het genus Girardinus. Poecilia Nieuws (2): 15-25
A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. DGLZ-Rundschau (2): 4-18
L.H. Rodriguez, A. Du-Bouchet & M.L. Smith (1992): Phylogenetic position of the Cuban Poeciliid Fish, Girardinus creolus. Copeia (2): 474-477
K. Schneider (1999): Biotopbeschreibungen. (): 1-24

Girardinus cubensis (Eichenmann, 1903)

- V. Baruš et al (1998): Some new data on Girardinus cubensis (Poeciliidae) from Cuba. Folia Zoologica (4): 287-293
C.H. Eigenmann (1903): The freshwater fishes of western Cuba. Bulletin of the United States Fish Commission (22): 211-236
L. Howell Rivero & L.R. Rivas (1944): Studies of Cyprinodont fishes, two new genera of the tribe Girardinini, from Cuba. Torreia (12): 4-19
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
D.S. Lee, S.P. Platania & G.H. Burgess (1983): Atlas of North American freshwater fishes 1983 supplement. North Carolina Biological Survey Contribution (6): 1-67
J.L. Ponce de León García & R.R. Silva (2010): Peces cubanos de la familia Poeciliidae. Editorial Academia La Habana (): 1-38
J.L. Ponce de León García & R.R. Silva (2018): Levendbarende vissen uit Cuba: het genus Girardinus. Poecilia Nieuws (2): 15-25
J.L. Ponce de León García & R.R. Silva (2018): Cuban Viviparous species: The Girardinus. Livebearers (241): 25-32
A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. DGLZ-Rundschau (2): 4-18
L.R. Rivas (1958): The origin, dispersal, and geographical distribution of the Cuban Poeciliid fishes of the tribe Girardinini. Proceedings of the American Philosophical Society (3): 281-320

Girardinus denticulatus Garman, 1895

- V. Baruš & E. Wohlgemuth (1993): Checklist and biogeography of freshwater fishes in eastern Cuba. Folia Zoologica (2): 165-177
V. Baruš & E. Wohlgemuth (1993): Study on the collection of freshwater fishes from eastern Cuba with taxonomical notes. (1): 63-76
V. Baruš & J. Liboskvarsky (1986): Some new data on Dactylophallus denticulatus from Cuba. Folia Zoologica (4): 357-362
V. Baruš et al (1987): Poeciliids in central Cuba. Folia Zoologica (1): 57-62
S. Garman (1895): The Cyprinodonts. Mem. Mus. Comp. Zool. (1): 1-179
L. Howell Rivero & L.R. Rivas (1944): Studies of Cyprinodont fishes, two new genera of the tribe Girardinini, from Cuba. Torreia (12): 4-19
J.L. Ponce de León García & R.R. Silva (2010): Peces cubanos de la familia Poeciliidae. Editorial Academia La Habana (): 1-38
J.L. Ponce de León García & R.R. Silva (2018): Cuban Viviparous species: The Girardinus. Livebearers (241): 25-32
J.L. Ponce de León García & R.R. Silva (2018): Levendbarende vissen uit Cuba: het genus Girardinus. Poecilia Nieuws (2): 15-25
A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. DGLZ-Rundschau (2): 4-18
K. Riedel (1908): Empfindlichkeit gegen Temperaturwechsel, Wasserwechsel überhaupt und gegen Störungen von aussen bei Girardinus denticulatus. Blätter für Aquarien- und Terrarienkunde (40): 561-562
L.R. Rivas (1944): Contributions to the study of the Poeciliid fishes of Cuba I. Description of six new species of the subfamily Gambusinae. Proceedings of the New England Zoological Club (September): 41-53
L.R. Rivas (1958): The origin, dispersal, and geographical distribution of the Cuban Poeciliid fishes of the tribe Girardinini. Proceedings of the American Philosophical Society (3): 281-320

Girardinus falcatus (Eigenmann, 1903)

- C. Agrillo & M. Dadda (2007): Discrimination of the larger shoal in the poeciliid fish Girardinus falcatus. Ethology Ecology & Evolution (19): 145-157
V. Baruš & E. Wohlgemuth (1993): Checklist and biogeography of freshwater fishes in eastern Cuba. Folia Zoologica (2): 165-177
V. Baruš & J. Liboskvarsky (1988): Observations on Glaridichthys uninotatus and G. falcatus (Poeciliidae) from Cuba. Folia Zoologica (2): 167-182
V. Baruš et al (1987): Poeciliids in central Cuba. Folia Zoologica (1): 57-62
V. Baruš et al (1994): Checklist, taxonomical notes and biogeography on freshwater fishes from Isla de la Juventud (Cuba). Folia Zoologica (2): 177-187
A. Bisazza & A. Pilastro (1997): Small male mating advantage and reversed size dimorphism in poeciliid fishes. Journal of Fish Biology (50): 397-406
A. Bisazza, R. Pignatti & G. Vallortigara (1997): Laterality in detour behaviour: interspecific variation in poeciliid fish. Anim. Behav. (54): 1273-1281
D. Bork (1986): Anmerkungen zum Beitrag "G.falcatus - der Sichelkäpfchen" in AM 2/85. ZAG Lebendgebärende Zahnkarpfen (1): 6-8
D. Bork (1998): Betr.: Beitrag von H. Hieronimus in DGLZ 3/98. DGLZ-Rundschau (4): 94-94
B. Brown (1913): Notes on Cuban fresh-water fishes. Science (957): 667-668
T. Coletti (2004): Girardinus falcatus: a fascinating little grey ditch fish. Livebearers (181): 12-14
M. Dadda (2015): Female social response to male sexual harassment in poeciliid fish: a comparison of six species. Frontiers in Psychology (September): 1-9

Livebearer Literature List 202201

- M. Dadda & A. Bisazza (2006): Lateralized female topminnows can forage and attend to harassing male simultaneously. *Behavioral Ecology* (17): 358-363
- M. Dadda & A. Bisazza (2012): Prenatal light exposure affects development of behavioural lateralization in a livebearing fish. *Behavioural Processes* (91): 115-118
- M. Dadda et al (2009): The costs of hemispheric specialization in a fish. *Proc. R. Soc. Lond.* (276): 4399-4407
- C.H. Eigenmann (1903): The freshwater fishes of western Cuba. *Bulletin of the United States Fish Commission* (22): 211-236
- M. Hellweg (2015): Girardinus: the Cuban topminnows. *Tropical Fish Hobbyist* (5): 54-58
- J.C. Hopgood (1982): Some Cuban fishes. *Livebearers* (63): 11-13
- K. Kantwert (1985): Begegnung mit Lebendgebärenden auf Kuba (2). ZAG Lebendgebärende Zahnkarpfen (3): 1-2
- K. Kantwert (1986): Aquaristische und terraristische Beobachtungen in Kuba 2. *Aquarien Terrarien* (4): 116-121
- D. Lambert (1995): Girardinus falcatus (Eigenmann 1903). *Viviparous* (32): 0-
- D.S. Lee, S.P. Platania & G.H. Burgess (1983): Atlas of North American freshwater fishes 1983 supplement. *North Carolina Biological Survey Contribution* (6): 1-67
- P. Melady (2001): Girardinus falcatus - the goldbelly topminnow. *Livebearers* (167): 12-13
- M.K. Meyer (1990): Lebendgebärende Zahnkarpfen von Kuba Schluß. *Das Aquarium* (November): 18-20
- A. Müller (1990): Eine seltene Wildform: Girardinus falcatus. *Aquarien Terrarien* (1): 19-19
- J.T. Nichols (1912): Notes on Cuban fishes. *Bulletin American Museum of Natural History* (31): 179-194
- G. Petzold (1969): Notizen über einige kubanische Poeciliidenbiotope. *Aquarien Terrarien* (12): 400-405
- H.-G. Petzold & H. Stallknecht (1969): Import von Girardinus falcatus (Eigenmann 1903) und einige Beobachtungen an diesem kubanischen Poeciliiden. *Aquarien Terrarien* (2): 44-48
- J.L. Ponce de León García & R.R. Silva (2010): Peces cubanos de la familia Poeciliidae. *Editorial Academia La Habana* (): 1-38
- J.L. Ponce de León García & R.R. Silva (2018): Cuban Viviparous species: The Girardinus. *Livebearers* (241): 25-32
- J.L. Ponce de León García & R.R. Silva (2018): Levendbarende vissen uit Cuba: het genus Girardinus. *Poecilia Nieuws* (2): 15-25
- A. Rachow (1938): Glaridichthys falcatus Eigenmann. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 248-249
- A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. *DGLZ-Rundschau* (2): 4-18
- L.R. Rivas (1958): The origin, dispersal, and geographical distribution of the Cuban Poeciliid fishes of the tribe Girardinini. *Proceedings of the American Philosophical Society* (3): 281-320
- C. van de Sande (1988): Girardinus falcatus Eigenmann, 1903. *Poecilia Nieuws* (3): 33-34
- C. van de Sande (1992): Girardinus falcatus (Eigenmann, 1903). Picasso onder water (): 0-
- K. Schneider (1999): Biotopbeschreibungen. (): 1-24
- E. Schraml (1978): Damals en vogue - heute tot? Lebendgebärende Zahnkarpfen aus dem Standardsortiment unserer Großväter. *Aquarien Magazin* (4): 186-190
- H. Stallknecht (1969): Girardinus falcatus (Eigenmann 1903), der Sichelkärpfling. *Aquarien Terrarien* (9): 0-0
- H. Stallknecht (1969): Zwie weitere kubanische Wildformen, Gambusia punctata und Girardinus falcatus in der DDR. *Aquarien Terrarien* (1): 31-31
- H. Stallknecht (1970): Bemerkungen zur Fortpflanzungs- und Ernährungsbiologie von Gambusia punctata Poey 1854. *Aquarien Terrarien* (11): 364-367
- H. Stallknecht (1990): Reinerbige Schwarzbauch-Metallkärpfinge. *Aquarien Terrarien* (2): 54-55
- S. Teutloff (1986): Nachwuchs geplänt?. ZAG Lebendgebärende Zahnkarpfen (2): 6-7
- J. Vente (1994): Het metaaltandkarpertje een visje zonder pretenties. *Poecilia Nieuws* (1): 10-15
- J. Wengel (1985): Girardinus falcatus (Eigenmann, 1903) - der Sichelkärpfling. ZAG Lebendgebärende Zahnkarpfen (2): 5-6
- L. Wischnath (0): Deux espèces faciles du genre Girardinus en aquarium. *Aquarama* (141): 38-39

Girardinus metallicus Poey, 1851

- V. Baruš & E. Wohlgemuth (1993): Checklist and biogeography of freshwater fishes in eastern Cuba. *Folia Zoologica* (2): 165-177
- V. Baruš & E. Wohlgemuth (1993): Study on the collection of freshwater fishes from eastern Cuba with taxonomical notes. (1): 63-76
- V. Baruš et al (1987): Poeciliids in central Cuba. *Folia Zoologica* (1): 57-62
- V. Baruš, J. Libosvarsky & A.P. Martinez (1986): Supplements to the description of Girardinus microdactylus (Pisces, Poeciliidae). *Folia Zoologica* (35): 173-181
- G. Bertram (2016): Positive relationship between risk-taking behaviour and aggression in subordinate but not dominant males of a Cuban poeciliid fish. *Behaviour* (153): 1489-1507
- G. de Beurs (1958): Girardinus metallicus Poey 1855 Het metaal karpertje. *Guppy* (4): 5-5
- A. Bisazza, A. Grapputo & L. Nigro (1997): Evolution of reproductive strategies and male sexual ornaments in poeciliid fishes as inferred by mitochondrial 15 rRNA gene phylogeny. *Ethology Ecology & Evolution* (9): 55-67
- D. Bork (1998): Betr.: Beitrag von H. Hieronimus in DGLZ 3/98. *DGLZ-Rundschau* (4): 94-94
- J.C. Briggs (1984): Freshwater fishes and biogeography of Central America and the Antilles. *Syst. Zool.* (4): 428-435
- B. Brown (1913): Notes on Cuban fresh-water fishes. *Science* (957): 667-668
- B. & R. Clarke (1985): Wild type of livebearers - community fish. *Livebearers* (80): 6-7
- M. Dadda (2015): Female social response to male sexual harassment in poeciliid fish: a comparison of six species. *Frontiers in Psychology* (September): 1-9
- W.J.M. Deutz (1940): Girardinus metallicus. *Aqua Terra* (oktober): 77-78

Livebearer Literature List 202201

- N.D. Edelen Jr. (2002): Colony breeding livebearers. *Livebearers* (172): 15-17
- C.H. Eigenmann (1903): The freshwater fishes of western Cuba. *Bulletin of the United States Fish Commission* (22): 211-236
- J.A. Farr (1980): The effects of juvenile social interaction on growth rate size and age at maturity, and adult social behavior in *Girardinus metallicus* Poey (Pisces: Poeciliidae). *Z. Tierpsychol.* (52): 247-268
- M. Hellweg (2015): Girardinus: the Cuban topminnows. *Tropical Fish Hobbyist* (5): 54-58
- N. Hernández Contreras et al (2004): Ingestión de larvas de *Culex quinquefasciatus* (Diptera: Culicidae) por *Girardinus metallicus* (Cyprinodontiformes: Poeciliidae). *Rev Cubana Med Trop* (2): 152-155
- H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. *DGLZ-Rundschau* (4): 14-18
- H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. *Poecilia Nieuws* (6): 12-18
- H. Hieronimus (1998): Das Fortpflanzungsverhalten des Schwarzbauchigen Metallkäpfchens (*Girardinus metallicus* Poey, 1854). *DGLZ-Rundschau* (3): 51-56
- H. Hieronimus (2009): Bekommen die Scharzbauchkäpflinge immer mehr Farbe. *DGLZ-Rundschau* (2): 41-43
- J.C. Hopgood (1982): Some Cuban fishes. *Livebearers* (63): 11-13
- K. de Jong (2017): *Girardinus metallicus* Poey, 1851. *Poecilia Nieuws* Atlas (): -
- K. de Jong (2021): The courtship of the black-chinned livebearer. *Livebearer News* (68): 9-17
- K. de Jong (2021): Das Balzverhalten beim Metallkäpfchen. *Das Lebendgebärenden Magazin* (2): 8-12
- K. de Jong (2021): De balts van het metaaltandkarptje. *Poecilia Nieuws* (2): 3-12
- K. Kantwert (1985): Begegnung mit Lebendgebärenden auf Kuba (2). *ZAG Lebendgebärende Zahnkarpfen* (3): 1-2
- K. Kantwert (1986): Aquaristische und terraristische Beobachtungen in Kuba 2. *Aquarien Terrarien* (4): 116-121
- M. Kempkes (2000): Neue Erkenntnisse zur *Girardinus metallicus*-Problematik. *DGLZ-Rundschau* (3): 55-56
- M. Kempkes (2006): Die Lebendgebärenden Zahnkarpfen Kubas. *Aquaristik Fachmagazin* (2): 10-14
- G.R. Kolluru et al (2014): Mating behavior and its morphological correlates in two color morphs of *Girardinus metallicus* (Pisces: Poeciliidae), a species previously thought not to exhibit courtship display. *Behavioural Processes* (106): 44-52
- G.R. Kolluru et al (2015): Sexual selection in black morph *Girardinus metallicus* (Pisces: Poeciliidae): females can spot a winner (but we cannot). *Ethology* (121): 1212-1224
- R. van Lakerveld (1990): *Girardinus metallicus* Poey, 1855. *Poecilia Nieuws* (1): 14-14
- M.J. Lankheet, T. Stoffers, J.L. van Leeuwen & B.J.A. Pollux (2016): Acquired versus innate prey capturing skills in super-precocial live-bearing fish. *Proc. R. Soc. B.* (283): 1-10
- J. Lever (1955): *Girardinus metallicus*. *Waterweelde* (7): 118-119
- L. van der Meer (2006): Mijn ervaringen met *Girardinus metallicus*. *Poecilia Nieuws* (5): 16-20
- M.K. Meyer (1990): Lebendgebärende Zahnkarpfen von Kuba Schluß. *Das Aquarium* (November): 18-20
- P. Müller (1967): Interessante Neuzugänge aus Kuba. *Aquarien Terrarien* (10): 336-339
- J.T. Nichols (1912): Notes on Cuban fishes. *Bulletin American Museum of Natural History* (31): 179-194
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- T. Paetzl (1985): Untersuchungen zu ungeklärten Fragen am Metallkäpfchen *Girardinus metallicus*. *Aquarien Terrarien* (9): 307-309
- H.-A. Pederzani (1966): Beobachtungen am Paarungsverhalten von *Girardinus metallicus* Poey 1854. *Aquarien Terrarien* (3): 79-82
- J. Peter (1905): Lebend gebärende Käpflinge. *Blätter für Aquarien- und Terrarienkunde* (5): 62-66
- G. Petzold (1969): Notizen über einige kubanische Poeciliidenbiotope. *Aquarien Terrarien* (12): 400-405
- F. Poey (1851): Los guajacones, pecesillos de agua dulce. *Memorias sobre la historia natural de la Isla de Cuba* (): 374-392
- J.L. Ponce de León García & R.R. Silva (2010): Peces cubanos de la familia Poeciliidae. *Editorial Academia La Habana* (): 1-38
- J.L. Ponce de León García & R.R. Silva (2018): Cuban Viviparous species: The *Girardinus*. *Livebearers* (241): 25-32
- J.L. Ponce de León García & R.R. Silva (2018): Levendbarende vissen uit Cuba: het genus *Girardinus*. *Poecilia Nieuws* (2): 15-25
- A. Rachow (1934): *Girardinus metallicus* F. Poey. *Die Aquarienfische in Wort und Bild* (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 10-11
- A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. *DGLZ-Rundschau* (2): 4-18
- L.R. Rivas (1944): Contributions to the study of the Poeciliid fishes of Cuba 1. Description of six new species of the subfamily Gambusinae. *Proceedings of the New England Zoological Club* (September): 41-53
- L.R. Rivas (1958): The origin, dispersal, and geographical distribution of the Cuban Poeciliid fishes of the tribe Girardinini. *Proceedings of the American Philosophical Society* (3): 281-320
- J. Rodríguez Rodríguez et al (2004): Comparación morfológica e histológica del tubo digestivo de *Gambusia punctulata* y *Girardinus metallicus*, peces utilizados en el control biológico de mosquitos. *Rev Cubana Med Trop* (1): 73-76
- K. Schneider (1999): Biotopbeschreibungen. (): 1-24
- E. Schraml (1978): Damals en vogue - heute tot? Lebendgebärende Zahnkarpfen aus dem Standardsortiment unserer Großväter. *Aquarien Magazin* (4): 186-190
- B. Slocum (2016): Walking on the wild side. *Livebearers* (233): 26-27
- H. Stallknecht (1969): *Girardinus metallicus* Poey 1854, der Metallkäpfling. *Aquarien Terrarien* (9): 0-0
- H. Stallknecht (1990): Reinerbige Schwarzbauch-Metallkäpflinge. *Aquarien Terrarien* (2): 54-55
- F.H. Stoye (1998): The fishes of the order Cyprinodontes Part 3. The livebearers. *Livebearers* (152): 23-31
- G. Terlaak-Poot (1977): *Girardinus metallicus*. *Het Aquarium* (8): 222-222
- L. Thomas (1966): Geburtenrhythmus bei *Girardinus metallicus*. *Aquarien Terrarien* (7): 240-240

- J. Vente (1986): Waar is het metaaltandkarpertje gebleven?. *Het Aquarium* (9): 211-212
J. Vente (1994): Het metaaltandkarpertje een visje zonder pretenties. *Poecilia Nieuws* (1): 10-15
R. Winter (1994): Girardinus metallicus The black throated variety. *Viviparous* (28): 12-15
L. Wischnath (0): Deux especes faciles du genre Girardinus en aquarium. *Aquarama* (141): 38-39
L. Wischnath (2000): Levendbarende tandkarpers, een bont palet deel 2. *Het Aquarium* (9): 241-245
E.M. Wojan et al (2018): Sexual selection on the multicomponent display of black morph male Girardinus metallicus (Pisces: Poeciliidae). *Behavioural Processes* (153): 1-8
E.M. Wojan et al (2019): The effect of commonly used anaesthetics on colour measurements across body regions in the poeciliid fish Girardinus metallicus. *J. Fish Biology* (95): 1320-1330

Girardinus microdactylus microdactylus Rivas, 1944

- V. Baruš & J. Libosvársky (1994): Two proposed subspecies in Girardinus microdactylus from Isla de Cuba and Isla de la Juventud. *Folia Zoologica* (3): 245-254
V. Baruš, J. Libosvársky & A.P. Martinez (1986): Supplements to the description of Girardinus microdactylus (Pisces, Poeciliidae). *Folia Zoologica* (35): 173-181
K. de Jong (1995): Een nieuwe ondersoort van Girardinus microdactylus Rivas, 1944. *Poecilia Nieuws* (3): 55-55
D.S. Lee, S.P. Platania & G.H. Burgess (1983): Atlas of North American freshwater fishes 1983 supplement. North Carolina Biological Survey Contribution (6): 1-67
M.K. Meyer (1993): Collecting livebearers in Cuba. *Tropical Fish Hobbyist* (March): 116-130

Girardinus microdactylus Rivas, 1944

- V. Baruš et al (1994): Checklist, taxonomical notes and biogeography on freshwater fishes from Isla de la Juventud (Cuba). *Folia Zoologica* (2): 177-187
M.K. Meyer (1990): Lebendgebärende Zahnkarpfen von Kuba Teil 1. *Das Aquarium* (April): 7-11
W. Noack (1991): Meine Erfahrungen bei der Pflege und Zucht von Girardinus microdactylus RIVAS, 1944. *DGLZ-Rundschau* (3): 63-64
J.L. Ponce de León García & R.R. Silva (2010): Peces cubanos de la familia Poeciliidae. Editorial Academia La Habana (): 1-38
J.L. Ponce de León García & R.R. Silva (2018): Cuban Viviparous species: The Girardinus. *Livebearers* (241): 25-32
J.L. Ponce de León García & R.R. Silva (2018): Levendbarende vissen uit Cuba: het genus Girardinus. *Poecilia Nieuws* (2): 15-25
A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. *DGLZ-Rundschau* (2): 4-18
L.R. Rivas (1944): Contributions to the study of the Poeciliid fishes of Cuba 1. Description of six new species of the subfamily Gambusinae. *Proceedings of the New England Zoological Club* (September): 41-53
L.R. Rivas (1958): The origin, dispersal, and geographical distribution of the Cuban Poeciliid fishes of the tribe Girardinini. *Proceedings of the American Philosophical Society* (3): 281-320
K. Schneider (1999): Biotopbeschreibungen. (): 1-24
B. Slocum (2013): Cuban gems: Girardinus microdactylus and rivasi. *Livebearers* (220): 16-17

Girardinus microdactylus rivasi Barus & Wohlgemuth, 1994

- V. Baruš & J. Libosvársky (1994): Two proposed subspecies in Girardinus microdactylus from Isla de Cuba and Isla de la Juventud. *Folia Zoologica* (3): 245-254
K. de Jong (1995): Een nieuwe ondersoort van Girardinus microdactylus Rivas, 1944. *Poecilia Nieuws* (3): 55-55
B. Slocum (2013): Cuban gems: Girardinus microdactylus and rivasi. *Livebearers* (220): 16-17

Girardinus serripenis (Rivas, 1958)

- V. Baruš, J. Libosvársky & A.P. Martinez (1991): On the *Toxus creolus* vs. *T. serripenis* (Poeciliidae) and remarks to tribe Girardinini from Cuba. *Folia Zoologica* (3): 261-272
D.S. Lee, S.P. Platania & G.H. Burgess (1983): Atlas of North American freshwater fishes 1983 supplement. North Carolina Biological Survey Contribution (6): 1-67
P.J. Mellegers (1993): De familie van Girardinus creolus. *Poecilia Nieuws* (2): 36-37
L.R. Rivas (1958): The origin, dispersal, and geographical distribution of the Cuban Poeciliid fishes of the tribe Girardinini. *Proceedings of the American Philosophical Society* (3): 281-320
L.H. Rodriguez, A. Du-Bouchet & M.L. Smith (1992): Phylogenetic position of the Cuban Poeciliid Fish, Girardinus creolus. *Copeia* (2): 474-477

Girardinus uninotatus Poey, 1860

- V. Baruš & J. Libosvársky (1988): Observations on *Glaridichthys uninotatus* and *G. falcatus* (Poeciliidae) from Cuba. *Folia Zoologica* (2): 167-182
C.H. Eigenmann (1903): The freshwater fishes of western Cuba. *Bulletin of the United States Fish Commission* (22): 211-236
M. Hellweg (2015): Girardinus: the Cuban topminnows. *Tropical Fish Hobbyist* (5): 54-58
J.C. Hopgood (1982): Some Cuban fishes. *Livebearers* (63): 11-13
K. de Jong (2013): Levendbarende tandkarpers. Meer dan guppen, platy's en molly's. *Houden van Vissen* (4): 36-41
K. de Jong (2017): Levendbarende tandkarpers. Meer dan guppen, platy's en molly's. *Het Aquarium* (2): 29-37
K. de Jong (2018): Girardinus uninotatus. *Poecilia Nieuws* Atlas (): -
C. Keller Santandrea (2009): Girardinus uninotatus, an ignored Cuban Gem. *Livebearer News* (26): 34-38

Livebearer Literature List 202201

- I. Kristensen (1956): Glaridichthys. NGK mededelingen (Jubileumboek): 21-21
- W.F. Langer (1913): Beiträge zur Morphologie der viviparen Cyprinodontiten. Gegenbaurs Morphologisches Jahrbuch. Zeitschrift für Anatomie und Entwicklungsgeschichte (1-2): 193-307
- M.K. Meyer (1990): Lebendgebärende Zahnkarpfen von Kuba Teil 1. Das Aquarium (April): 7-11
- M.K. Meyer (1993): Collecting livebearers in Cuba. Tropical Fish Hobbyist (March): 116-130
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- J. Peter (1905): Lebend gebärende Kärpfelinge. Blätter für Aquarien- und Terrarienkunde (5): 62-66
- F. Poey (1860): Poissons de Cuba, espèces nouvelles. Memorias sobre la historia natural de la Isla de Cuba (2): 115-356
- J.L. Ponce de León García & R.R. Silva (2010): Peces cubanos de la familia Poeciliidae. Editorial Academia La Habana (): 1-38
- J.L. Ponce de León García & R.R. Silva (2018): Levendbarende vissen uit Cuba: het genus Girardinus. Poecilia Nieuws (2): 15-25
- J.L. Ponce de León García & R.R. Silva (2018): Cuban Viviparous species: The Girardinus. Livebearers (241): 25-32
- A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. DGLZ-Rundschau (2): 4-18
- L.R. Rivas (1958): The origin, dispersal, and geographical distribution of the Cuban Poeciliid fishes of the tribe Girardinini. Proceedings of the American Philosophical Society (3): 281-320
- K. Schneider (1999): Biotopsbeschreibungen. (): 1-24
- W. Schroot (1901): Eine neuer Girardinus. Blätter für Aquarien- und Terrarienkunde (13): 165-166
- B. Slocum (2015): Walking on the wild side. Girardinus uninotatus: the single spot top minnow. Livebearers (226): 24-25
- B. Slocum (2015): Walking on the wild side Girardinus uninotatus: the single spot top minnow. Livebearers (226): 24-25

Goodea atripinnis Jordan, 1880

- C. A. Berlanga-Robles, J. Madrid-Vera & A. Ruiz-Luna (2002): Fish abundance and trophic structure from the commercial catch in Lake Patzcuaro, Mexico. Hydrobiologica (467): 117-122
- D. Biggs (2008): Fishing adventures in the Purificación river. Livebearer News (23): 24-47
- O. Böhm (1985): Het Mexicaanse hoogland; leefgebied van de Goodeidae. TH (41): 9-11
- O. Böhm (1987): Einiges aus der Familie der Hochlandkärpfelinge. Das Aquarium (10): 509-511
- D. Bork (2001): Beobachtung bei Goodea atripinnis. DGLZ-Rundschau (3): 56-56
- J.G.A. Caballos Corona et al (1994): Analisis limnologico de lage de Cuitzeo, Michoacan, Mexico. Universidad Michoacana de San Nicolás de Hidalgo Facultad de Biología (): 1-45
- M. Camacho-Cervantes et al (2019): Foraging behaviour of a native topminnow when shoaling with invaders. Aquatic Invasions (3): 490-501
- I. Cervantes-Camacho et al (2020): Effects of Bisphenol A on FoxI2 gene expression and DNA damage in adult viviparous fish Goodea atripinnis. Journal of Toxicology and Environmental Health (3): 95-112
- A. Chacon-Torres & C. Rosas-Monge (1998): Water quality characteristics of a high altitude oligotrophic Mexican lake. Aquatic Ecosystem Health and Management (1): 237-243
- B. & R. Clarke (1984): Goodeids we have known. Livebearers (73): 8-10
- J. Dawes (1980): Goodeidae. Het Aquarium (15): 467-468
- J. Dawes (1997): Goodeiden Teil 3: Allgemeine Hinweise zur Pflege und Zucht sowie Kurzbeschreibungen zu einigen Arten (1). Das Aquarium (342): 16-19
- I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de voortgang Deel 1. Poecilia Nieuws (5): 105-110
- I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de veldtrip 2. Poecilia Nieuws (6): 117-126
- I. Dibble (2000): Fish Ark Project - Mexico. Viviparous (48): 5-10
- A. Dugès (1905): Note on the functions of the fins of fishes. Science (572): 798-800
- R. Dzul-Camaal et al (2016): Oxidative stress response in the skin mucus layer of Goodea gracilis (Hubbs and Turner, 1939) exposed to crude oil: A non-invasive approach. Comparative Biochemistry and Physiology (200): 9-20
- L.H. Escalera-Vázquez & L. Zambrano (2010): Competition for food between invasive and native viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 293-302
- R. Forcier (2016): The dusky spliffin. Livebearers (233): 22-23
- K. Foster, L. Bower & K. Piller (2014): Getting in shape: habitat-based morphological divergence for two sympatric fishes. Biological Journal of the Linnean Society (): 1-11
- M. de L. García-López et al (2016): Endohelminths of some species of fishes from Lake Xochimilco, Mexico. Revista Mexicana de Biodiversidad (87): 1360-1364
- A. García-Vásquez et al (2017): Triple trouble? Invasive poeciliid fishes carry the introduced tilapia pathogen Gyrodactylus cichlidarum in the Mexican highlands. Veterinary Parasitology (235): 37-40
- M.A. Gayosso-Morales et al (2019): Fish-mediated zooplankton community structure in shallow turbid waters: a mesocosm study. Wetlands Ecol Manage (27): 651-661
- R.C. Griffiths (1986): Goodeids I have loved (or liked, anyway). Livebearers (85): 8-9
- S.M. Guerrero-Estévez & E. López-López (2016): Effects of endocrine disruptors on reproduction in viviparous teleosts with intraluminal gestation. Reviews in Fish Biology and Fisheries (26): 563-587
- R.M. Hamill et al (2007): Comparison of genetic diversity at microsatellite loci in near-extinct and non-endangered species of Mexican goodeine fishes and prediction of cross-amplification within the family. Journal of Fish Biology (70): 16-32
- M. Hellweg (2012): The dusky spliffin Goodea gracilis. Livebearers (215): 19-20
- H. Hieronimus (1997): Member's forum. Livebearers (150): 3-5
- F. Hollenberg & J.P. Wourms (1994): Ultrastructure and protein uptake of the embryonic trophotaenia of four species of goodeid fishes. Journal of Morphology (219): 105-129
- C.L. Hubbs (1924): Studies of the fishes of the order Cyprinodontes V. Notes on species of Goodea and Skiffia. Occasional papers of the museum of zoology University of Michigan (148): 1-8
- C.L. Hubbs & C.L. Turner (1939): Studies of the fishes of the order Cyprinodontes. XVI. A revision of the Goodeidae. Miscellaneous Publications University of Michigan (42): 1-80

Livebearer Literature List 202201

- D. Isla (1999): Zurück in Zacapu!. DGLZ-Rundschau (2): 56-60
- K. de Jong (2013): Mexico 2013 Op zoek naar Girardinichthys viviparus (Bustamante, 1837) Deel1. Poecilia Nieuws (2): 14-19
- K. de Jong (2013): Mexico 2013 deel 2: rondom Morelia. Poecilia Nieuws (3): 8-13
- K. de Jong (2014): Mexico: (2) Levendbarende vissen en nog veel meer.... Houden van Vissen (2): 1-6
- K. de Jong (2014): Mexiko 2013 Teil 2 Rundum Morelia. Das Lebendgebärenden Magazin (1): 26-31
- D.S. Jordan (1880): Notes on a collection of fishes obtained in the streams in Guanajuato and in Chapala Lake, Mexico, by Prof. A. Dugès. Proceedings US Nat. Museum (2): 298-301
- D.S. Jordan & J.O. Snyder (1900): Notes on a collection of fishes from the rivers of Mexico with description of twenty new species. Bulletin of the United States Fish Commission (): 115-147
- J. Joyner-Matos (2016): Oxidative stress in aquatic ecosystems: selected papers from the second international conference. Comparative Biochemistry and Physiology (Part A): 1-2
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. Poecilia Nieuws (2): 22-35
- B. Kabbes (2000): San Juan de los Arcos. Poecilia Nieuws (2): 20-26
- M. Kempkes (2016): Jalisco Eine Exkursion zu den Hochlandkäpflingen. DATZ (Oktober): 34-40
- M. Köck (2015): Hin und zurück - die Geschichte zweier Österreicher in Mexiko. Das Lebendgebärenden Magazin (2): 37-43
- M. Köck (2015): Von hinten aufgerollt: Die Goodeiden von Z bis A Die Gattun Godea. Das Lebendgebärenden Magazin (2): 46-56
- J. Kokkala & J.P. Wourms (1994): In vivo fluorescence imaging of the functional organization of trophotaenial placental cells of goodeid fishes. Journal of Morphology (219): 35-46
- D. Lambert (0): Goodea atripinnis Jordan, 1880. Viviparous (35): 0-
- P. Lambert (0): The lake of delights. Viviparous (4): 0-
- D. Lambert (1990): Goodeid, sport!. Livebearers (109): 10-12
- W.F. Langer (1913): Beiträge zur Morphologie der viviparen Cyprinodonten. Gegenbaurs Morphologisches Jahrbuch. Zeitschrift für Anatomie und Entwicklungsgeschichte (1-2): 193-307
- F. Liberge (2018): Mexikanische Reise - auf der Suche nach Goodeiden - 2. Teil
- F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 3. Teil. DGLZ-Rundschau (1): 1-29
- E. López-López, J. E. Sedeño-Díaz & F. Perozzi (2010): Environmental risk assessment in Lake Yuriria, Mexico, by integrated biomarker response in Goodea atripinnis, a viviparous fish. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications.
- M. de Lourdes Ruiz-Gomez et al (2008): Spatiotemporal Changes in Fish Assemblages of Los Terreros
- J. Lyons (2004): Goodeiden in de natuur, stand van zaken januari 2004 deel 1. Poecilia Nieuws (4): 21-23
- J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. Anales del Instituto de Biología, Universidad National (2): 169-190
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Mangan (1985): Courtship and reproduction of Goodeids. Livebearers (80): 8-9
- J. Mangan (1985): Goodea gracilis. Livebearers (83): 10-11
- H.J. Mayland (1979): "Denn die einen sind im Dunkeln und die andern sind im Licht..." - Zu Besuch bei Höhlensalmern und Hochlandkäpflingen. Aquarien Magazin (7): 358-364
- M. Medina-Nava et al (2005): Conservation of two sites in central Mexico with a high diversity of livebearing fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 499-504
- S.E. Meek (1903): Distribution of the fresh-water fishes of Mexico. The American Naturalist (443): 771-784
- E. Meinema (1992): Die aus die kalte kommen. Poecilia Nieuws (4): 17-20
- G. Mendoza (1958): The fin fold of Goodea luitpoldii, a viviparous Cyprinodont Teleost. Journal of Morphology (103): 539-560
- G. Mendoza (1962): The reproductive cycles of three viviparous Teleosts, Alloophorus robustus, Goodea luitpoldii and Neoophorus diazi. Biological Bulletin (123): 351-365
- N. Mercado-Silva et al. (2006): Long-term changes in the fish assemblage of the Laja River, Guanajuato, central Mexico. Aquatic Conservation: marine and freshwater ecosystems (16): 533-546
- N. Mercado-Silva et al. (2015): Stable evidence for trophic overlap of sympatric Mexican Lake Chapala silversides (Teleostei: Atherinopsidae: Chirotoma spp.). Neotropical Ichthyology (): -
- R. Miranda et al (2010): First record of Goodea atripinnis (Cyprinodontiformes: Goodeidae) in the state of Hidalgo (Mexico) and some considerations about its taxonomic position. Hidrobiológica (2): 185-190
- R. Moncayo-Estrada et al. (2014): Status and trends in biotic integrity in a sub-tropical river drainage: analysis of the fish assemblage over a three decade period. River Res. Applic. (): -
- G.G. Nelson (1975): Anatomy of the male urogenital organs of Goodea atripinnis and Characodon lateralis and G. atripinnis courtship. Copeia (3): 475-482
- A.A. Orbe-Mendoza, J. Acevedo-García & J. Lyons (2002): Lake Pátzcuaro fishery management plan. Reviews in Fish Biology and Fisheries (12): 207-217
- E. Ortiz-Ordoñez et al (2011): Effect of Yerbimat Herbicide on Lipid Peroxidation, Catalase Activity, and Histological Damage in Gills and Liver of the Freshwater Fish Goodea atripinnis. Arch. Environ. Contam. Toxicol. (3): 443-452
- A. Rachow (1955): Goodea gracilis Hubbs und Turner. Die Aquarienfische in Wort und Bild (18Da): 973-974
- A.C. Radda (1985): De Goodeidae van Mexico; een uiterst interessante, maar aquaristisch nogal onbekende familie. TIH (43): 5-8
- A.C. Radda (1986): Cyprinodonten vissen uit Mexico 1. Poecilia Nieuws (1): 12-15
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
- A. Ramírez-García & O. Domínguez-Domínguez (2019): Zacapu lake, a hot spot of native fishes. American Currents (Summer): 8-10
- A. Ramírez-García et al (2020): Reproductive biology of three native livebearer fish species (Actinopterygii: Cyprinodontiformes: Goodeidae) in the Teuchitlán River, Mexico. Acta ichtyologica et piscatoria (1): 1-12
- A. Ramírez-García et al (2021): Reproductive cycle of native viviparous fish species (Actinopterygii: Cyprinodontiformes: Goodeidae) in a subtropical Mexican lake. Neotropical Ichthyology (4): 1-20
- A. Ramírez-García, R. Moncayo-Estrada, O. Domínguez-Domínguez (2020): Small lake, high biodiversity: Lake Zacapu, México. Livebearers (246): 12-15

Livebearer Literature List 202201

- J.P. Ramírez-Herrejón et al (2010): Historical assessment of livebearing fishes in Zacapu Lake, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 476-479
- C.T. Regan (1911): The Osteology and Classification of the Teleostean Fishes of the order Microcyprini. Annals and Magazine of Natural History (April): 320-328
- C.T. Regan (1911): XXXV. - The osteology and classification of the teleostean fishes of the order Microcyprini. Annals and Magazine of Natural History (7): 320-327
- M. Rejiková (2021): La prese de Coíntzio Mchocáén, Mexicio. Das Lebendgebärenden Magazin (2): 34-39
- M.G. Ritchie et al (2007): Sex and differentiation: population genetic divergence and sexual dimorphism in Mexican goodeid fish. European Society for Evolutionary Biology (20): 2048-2055
- Z. Rodríguez Álvarez et al (2010): Current status of the viviparous fish species in the Cuitzeo basin of Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 472-475
- G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. Das Lebendgebärenden Magazin (2): 8-23
- M. Rubio-Godoy et al (2016): To each his own: no evidence of gyrodactylid parasite host switches from invasive poeciliid fishes to Goodea atripinnis Jordan (Cyprinodontiformes: Goodeidae), the most dominant endemic freshwater goodeid fish in the Mexican highland.
- R.A. Rueda-Jasso et all (2017): Nitrite toxicity in juvenile Goodeinae fishes Skiffia multipunctata (Pellegrin, 1901) and Goodea atripinnis (Jordan, 1880). J. Appl. Ichthyol. (33): 300-305
- C.I. Salazar-Tinoco, M. Medina-Nava & J.P. Ramírez-Herrejón (2010): Reproductive biology of the subfamily Goodeinae in La Mintzita Dam, Morelia, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida ():
- P. Schubert (1989): Interessant und nicht farblos: Goodeiden 1. Aquarien Terrarien (10): 333-337
- J. Silva-Santos et al (2016): Reproductive biology of Goodea atripinnis (Jordan, 1880) (Cyprinodontiformes: Goodeidae) under controlled conditions. Journal of Experimental Biology (2): 180-193
- B. Slocum (2017): Walking on the wild side. Livebearers (235): 24-25
- B. Snook (1985): Goodeids. Livebearers (83): 6-8
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. Aquatic Ecosystem Health and Management (1): 267-276
- E. Soto-Galera et al (1999): Change in fish fauna as indication of aquatic ecosystem condition in Río Grande de Morelia - Lago de Cuitzeo Basin, Mexico. Environmental Management (1): 133-140
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (154): 10-20
- R. Tejeda-Vera, E. López-López & J. Sedeño-Díaz (2007): Biomarkers and bioindicators of the health condition of Ameca splendens and Goodea atripinnis in the Ameca River, Mexico. Environment International (33): 521-531
- A.T. Tveteras (0): Collecting goodeids in the area near Morelia part 2. Viviparous (24): 0-
- M.C. Uribe, G. De la Rosa-Cruz & A. Garía-Alarcón (2005): The ovary of viviparous Teleosts. Morphological differences between the ovaries of Goodea atripinnis and Ilyodon whitei (Goodeidae). In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications.
- A. Vásquez-González et al (2018): Efecto del nivel proteína en el crecimiento de Goodea atripinnis (Pisces: Goodeidae). Hidrobiológica (1): 121-127
- D. Walker (2014): Who C.A.R.E.S. about SMP fish in Derek's fishroom?. Livebearers (222): 6-12
- H.T. Weyhe (2019): Goodea atripinnis een klein verzorgingsbericht. Poecilia Nieuws (1): 17-18
- M.M. White & B.J. Turner (1984): Microgeographic differentiation in a stream population of Goodea atripinnis from the Mexican plateau. Environmental Biology of Fishes (1/2): 123-127
- M.M. White & B.J. Turner (1986): Geographic isolation, gene flow and population differentiation in Goodea atripinnis (Pisces: Goodeidae). Genetica (69): 157-160
- L. Wischnath (1996): Hooglandkarpers uit Mexico. Het Aquarium (2): 32-36

Goodeinae alle

- (1990): Hooglandkarpers II. Poecilia Nieuws (3): 51-52
- (1990): Hooglandkarpers. Poecilia Nieuws (2): 13-14
- (1990): Hooglandkarpers II. Poecilia Nieuws (4): 61-63
- (1990): Brood records. Livebearers (111): 36-38
- (1991): Brood records. Livebearers (115): 34-36
- (1991): Brood records. Livebearers (117): 42-44
- (1992): Brood records. Livebearers (121): 33-36
- (1992): Brood records. Livebearers (123): 37-40
- (1992): Brood records. Livebearers (126): 41-44
- (1993): Brood records. Livebearers (129): 32-36
- (1993): Brood records. Livebearers (131): 24-28
- (1994): Brood records. Livebearers (134): 27-31
- (1995): ALA brood records. Livebearers (139): 22-31
- E.C. Amoroso (1968): The evolution of viviparity. Proc. Roy. Soc. Med. (61): 1188-1200
- J.M. Artigas Azas (2011): Fisch-Arche. DATZ (11): 8-9
- J.M. Artigas Azas (2015): Goodeid Conservation Guidelines. Livebearers (226): 10-13
- J.M. Artigas Azas (2015): Goodeid Conservation guidelines. Livebearers (226): 10-13
- B. Bastarache (2016): Goodeid conservation at Bristol Aggie. Livebearers (231): 12-14
- M.G. Bennett & K.W. Conway (2010): An overview of North America's diminutive freshwater fish fauna. Ichthyol. Explor. Freshwaters (1): 63-72
- E. von Bertrab (2003): Guadalajara's water crisis and the fate of Lake Chapala: a reflection of poor water management in Mexico. Environment & Urbanization (2): 127-140
- F. Bitter (2021): Mexikanische Hochlandkarpflinge, Erhaltungszucht und mehr Interview M. Köck. Amazonas (97): 28-33

Livebearer Literature List 202201

- D.G. Blackburn (2005): Evolutionary origins of viviparity in fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 303-317
- D. Bork (1990): Goodeiden - wie sie zu uns kamen und wie sie zu beliebten Aquarienfischen wurden. ZAG Lebendgebärende Zahnkarpfen (3): 9-11
- D.E. Boruchowitz (2003): Livebearing from A to Z. Tropical Fish Hobbyist (May): 94-98
- H. Breider (1949): Vom Eierlegenden zum Lebendgebärenden. Wochenschrift für Aquarien und Terrarienkunde (2): 152-157
- H. Breider (1949): Vom Eierlegenden zum Lebendgebärenden. Wochenschrift für Aquarien und Terrarienkunde (2): 152-157
- M. Brembach (1978): Es geht auch ohne Gonopodium. DATZ (8): 265-267
- C. Brüning (1910): Amerikanische Zahnkarpfen I. Allgemeine Ueberzicht. Wochenschrift für Aquarien und Terrarienkunde (4): 3-6
- C. Brüning (1910): Amerikanische Zahnkarpfen III. Characodontinae. Wochenschrift für Aquarien und Terrarienkunde (9): 117-118
- E. Canales-Gómez & Quintero-Rivero (2014): Menaces, gestion et conservation des poissons d'eau au Mexique (Poeciliidae, Goodeidae et Cyprinidae). Le Vivipare (121): 11-19
- B. Clarke (1983): Goodeids I have known. Livebearers (67): 9-10
- S. Contreras-Balderas (2005): Fish viviparity: diversity, biogeography, and conservation. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 31-39
- S. Contreras-Balderas (2005): Conservation status of Mexican freshwater viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 415-423
- T. Contreras-MacBeath (2005): Analysis of the conservation of freshwater fish species in Mexico with Emphasis on viviparous species. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 401-414
- T. Crane (2011): Updated goodeid status in the wild and implications for the hobby. Livebearers (214): 10-12
- J. Dawes (1997): Goodeiden Teil 2: Die "Inside Story". Das Aquarium (341): 12-15
- J. Dawes (1997): Goodeiden Teil 1: Einführung in die Familie Goodeidae. Das Aquarium (340): 12-15
- F. De Buen (1940): Lista de peces de agua dulce de Mexico, En preparacion de su catalogo. Anales del Instituto de Biología, Universidad Nacional Autonoma de Mexico, Serie Zoología: (11): 481-492
- I. Dibble (2000): Hobbyist Aqua Lab Conservation Project. Livebearers (165): 9-15
- I. Dibble (2001): Hobbyist Aqua Lab Conservation Project - Part II. Livebearers (166): 4-12
- L. Dick (2016): What the heck is an ESU?. Livebearers (230): 17-21
- L. Dick (2016): Wat is vredesnaam een ESU?. Poecilia Nieuws (3): 26-31
- I. Doadrio & O. Domínguez (2004): Phylogenetic relationships within the fish family Goodeidae based on cytochrome b sequence data. Molecular Phylogenetics and Evolution (31): 416-430
- I. Doadrio & O. Domínguez (2007): Phylogenetische Verwandschaftsverhältnisse bei den mexikanischen Hochlandkärpflingen. Teil 1. Das Lebendgebärenden Magazin (1): 11-16
- O. Domínguez-Domínguez & I. Doarido (2010): Phylogenetische Verwandtschaftsverhältnisse bei den mexikanischen Hochlandkärpflingen Teil 2. Das Lebendgebärenden Magazin (1): 15-18
- O. Domínguez-Domínguez et al (2005): The viviparous goodeid fishes. In: M.C. URIBE & H.J. GRIER, editors. Viviparous Fishes. New Life Publications. Homestead Florida (): 525-569
- O. Domínguez-Domínguez et al (2006): Using ecological-niche modeling as a conservation tool for freshwater species: live-bearing fishes in Central-Mexico. Conservation Biology (6): 1730-1739
- O. Domínguez-Domínguez et al (2010): Historical biogeography of the Goodeinae (Cyprinodontiformes). In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II New Life Publications. Homestead Florida (): 13-30
- O. Domínguez-Domínguez, I. Doadrio & G. Pérez Ponce de León (2006): Historical biogeography of some river basins in central Mexico evidenced by their goodeine freshwater fishes: a preliminary hypothesis using secondary Brooks parsimony analysis. Journal of Fish Biology (68): 103-120
- O. Domínguez-Domínguez, N. Mercado-Silva & J. Lyons (2005): Conservation status of Mexican goodeids: problems, perspectives, and solutions. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 515-523
- J.R. Duncan & J.L. Lockwood (2001): Extinction in a field of bullets: a search for causes in the decline of the world's freshwater fishes. Biological Conservation (102): 97-105
- J.M. Fitzsimons (1981): Sensory head pores and canals in goodeid fishes. Occasional Papers of the Museum of Zoology Louisiana State University (60): 1-10
- H. Flöthmann (2020): Erfahrungen mit Goodeiden. Das Lebendgebärenden Magazin (2): 8-10
- R. Forcier (2015): The international Goodeid Working Group Meeting. Livebearers (226): 5-9
- R. Forcier (2015): The international Goodeid Working Group Meeting. Livebearers (226): 5-9
- K.L Foster & K.P. Piller (2018): Disentangling the drivers of diversification in an enigmatic group of freshwater fishes (Cyprinodontiformes: Goodeidae). BMC Evolutionary Biology (116): 1-12
- D. Gentzsch (1997): Art- und Bestandshalterung und Patenschaften bei Wildformen Lebendgebärender Zahnkarpfen. DGLZ-Rundschau (2): 34-36
- D. Gentzsch (2021): Diskussionbeitrag zum Artikel von H. Greven in "viviparos 37, 2021 (1), 31-39". Das Lebendgebärenden Magazin (2): 40-41
- Kathrin Glaw (2019): Hochlandkärpfinge: Erhaltungszuchuprojekte in Wien. VDA-aktuell (2): 20-24
- N.B. Goodwin, N.K. Duly & J.D. Reynolds (2002): Life-history of the evolution of live bearing in fishes. Phil. Trans. R. Soc. Land. (357): 259-267
- N.B. Goodwin, N.K. Duly & J.D. Reynolds (2002): Life-history correlates of the evolution of live bearing in fishes. Philosophical Transactions: Biological Sciences (1419): 259-267
- E.C. Grant & B.R. Riddle (1995): Are the Endangered Springfish (*Crenichthys Hubbs*) and Poolfish (*Empetrichthys Gilbert*)
- H. Greven (1995): Viviparie bei Aquarienfischen (Poeciliidae, Goodeidae, Anablepidae, Hemirhamphidae). In: Fortpflanzungsbiologie des Aquarienfische, Schmettkamp Verlag, Bornheim (Greven et al ed (): 141-160
- H. Greven (2021): Die "Penisse" viviparer Fische - Beispiele für die "systemimmanente Irrationalität" zoologische Fachbegriffe?. Das Lebendgebärenden Magazin (1): 31-39
- H. Grier, M.C. Uribe, L.R. Parenti & G. De la Rosa-Cruz (2005): Fecundity, the germinal epithelium, and folliculogenesis in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 191-216
- R.C. Griffiths (1989): Brood record statistics of the ALA 1977-1988. Livebearers (106): 5-10
- R.C. Griffiths (2006): Some general comments on the cool water Goodeids. Livebearers (192): 30-33
- C. Grimes (1980): Birds do it, bees do it, but what about Goodeids?. Livebearers (49): 2-4
- T.A. Grudzien, M.M. White & B.J. Turner (1992): Biochemical systematics of the viviparous fish family Goodeidae. Journal of Fish Biology (40): 801-814
- T. Grum-Schwansen (2010): Aquarists, from large projects to stable maintenance programs. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 431-434

Livebearer Literature List 202201

- R.M. Hamill et al (2007): Comparison of genetic diversity at microsatellite loci in near-extinct and non-endangered species of Mexican goodeine fishes and prediction of cross-amplification within the family. *Journal of Fish Biology* (70): 16-32
- P. Hartman (209): Keeping goodeids. *Livebearers* (243): 7-8
- P. Hartman (1984): Transporting Goodeids. *Livebearers* (75): 19-19
- P. Hartman (1988): Goodeid spawning statistics. *Livebearers* (102): 5-10
- P. Hartman (2019): Practical goodeid nomenclature Populations, locations, and ESU's. *Livebearers* (244/245): 6-8
- A.J. Helmstetter et al (2016): Viviparity stimulates diversification in an order of fish. *Nature communications* (April): 1-6
- S.T. Hertwig (2008): Phylogeny of the Cyprinodontiformes (Teleostei, Atherinomorpha): the contribution of cranial soft tissue characters. *Zoologica Scripta* (2): 141-174
- M. Heußen (2015): Aufgelezen...in wissenschaftlichen Arbeiten. *Das Lebendgebärenden Magazin* (1): 42-43
- H. Hieronimus (1995): "Levend baren" wat is dat eigenlijk?. *Poecilia Nieuws* (2): 22-27
- H. Hieronimus (2008): They come from the cold. *Livebearer News* (22): 23-45
- H. Hieronimus (2018): Aus Wissenschaft und Forschung. *DGLZ-Rundschau* (4): 162-163
- F. Hollenberg & J.P. Wourms (1995): Embryonic growth and maternal nutrient sources in goodeid fishes (Teleostei: Cyprinodontiformes). *Journal of Experimental Zoology* (271): 379-394
- M. Holly, H. Meinken & A. Rachow (1955): Goodeidae. Die Aquarienfische in Wort und Bild (): 970-
- C.L. Hubbs (1924): Studies of the fishes of the order Cyprinodontes. *Miscellaneous Publications University of Michigan* (13): 1-31
- C.L. Hubbs & C.L. Turner (1939): Studies of the fishes of the order Cyprinodontes. XVI. A revision of the Goodeidae. *Miscellaneous Publications University of Michigan* (42): 1-80
- J.H. Huber (2019): A nomenclatural and systematic analysis of livebearing Cyprinodontiformes (Acanthopterygil: Anablepsinae, Goodeinae, Poeciliidae). *Killi-Data Series* (): 4-155
- A.L. Ibáñez, M. Pérez-Ramírez & J.L. García-Calderón (2014): Institutional development of freshwater fish stocking. *Journal of Fish Biology* (85): 2003-2009
- J.-C. Imbeaullt (1983): New interest in livebearing fishes: Goodeidae. *Livebearers* (67): 8-9
- K. Jacobs (1975): Goodeidae (Hochlandkärpfelinge), eine interessante Familie der Viviparen. *Das Aquarium* (2): 66-67
- R. Javonillo, J.R. Burns & S.H. Weitzman (2010): Sperm transfer: the first step toward viviparity. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 143-150
- H.L. Jelks et al (2008): Conservation status of imperiled North American Freshwater and Diadromous Fishes. *Fisheries* (8): 372-407
- K. de Jong (2000): Trends in de verspreiding van Goodeidae. *Poecilia Nieuws* (6): 108-113
- K. de Jong (2008): De goodeiden. *Poecilia Nieuws* (3): 34-41
- K. de Jong (2013): Haltung und Vermehrung. Kempkes et al red. Beiträge zur Biologie und zum Artenschutz der Hochlandkärpfelinge (): 232-246
- K. de Jong (2019): ESU's van de goodeiden. Handleiding voor het in stand houden van deze vissen. *Poecilia Nieuws* (special): 1-5
- B. Kabbes (1999): Bedreigingsgraad van Hooglandkarpers. *Poecilia Nieuws* (1): 8-10
- M. Kempkes (2001): Shock behaviour in Goodeids. *Livebearers* (169): 20-21
- M. Kempkes (2007): Hochlandkärpfelinge - mehr als robuste Pfleglinge. *Aquaristik Fachmagazin* (197): 18-22
- M. Kempkes (2007): Wissenwertes über hochlandkärpfelinge. *Aquaristik Fachmagazin* (197): 4-10
- M. Kempkes (2007): Hochlandkärpfelinge mehr als nur robuste Pfleglinge. *Aquaristik Fachmagazin* (197): 18-22
- D.I. Kingston (1980): Eye-color changes during aggressive displays in the goodeid fishes. *Copeia* (1): 169-171
- H. Kleine (2007): Phylogenetische Verwandtschaftsverhältnisse bei den mexikanischen Hochlandkärpfelingen. *Das Lebendgebärenden Magazin* (1): 11-16
- J. Klungers (2003): Ervaringen met het buiten houden van levendbarenen. *Poecilia Nieuws* (1): 13-20
- J. Klungers (2004): Erfahrungen mit der Freilandhaltung von Lebendgebärenden. *Das Lebendgebärenden Magazin* (2): 15-22
- M. Köck (2012): Erhaltungszucht Mexikanischer Hochlandkärpfelinge. *DATZ* (4): 20-25
- M. Köck (2021): Mexianische Hochlandkärpfelinge - außergewöhnliche Juwelen Mexikos. *Amazonas* (97): 10-21
- H. van der Kooy (2019): De goodeiden. *Poecilia Nieuws* (3): 16-17
- U. Korte (2015): Morelia 2014 - Tagung der Goodeid Working Group und Reisebericht. *DGLZ-Rundschau* (2): 77-91
- D. Kunath (1986): Die mexikanischen Hochlandkärpfelinge, eine besondere Familie der Ordnung Zahnkarpfen (Teil II). *ZAG Lebendgebärende Zahnkarpfen* (3): 1-4
- D. Kunath (1986): Die mexikanischen Hochlandkärpfelinge, eine besondere Familie der Ordnung Zahnkarpfen. *ZAG Lebendgebärende Zahnkarpfen* (1): 1-5
- D. Kunath (1987): Die Entwicklung der Aquarien-Population der Goodeiden-Arten. *ZAG Lebendgebärende Zahnkarpfen* (3): 1-3
- D. Kunath (1987): Die Entwicklung der Aquarien-Population der Goodeiden-Arten. *ZAG Lebendgebärende Zahnkarpfen* (3): 1-2
- D. Kunath (1988): Die mexikanischen Hochlandkärpfelinge. *DGLZ-Rundschau* (4): 13-17
- D. Kunath (1988): Die mexikanischen Hochlandkärpfelinge, eine besondere Familie der Ordnung Zahnkarpfen (Teil III). *ZAG Lebendgebärende Zahnkarpfen* (Sonderausgabe): 23-27
- D. Kunath (1989): Die mexikanischen Hochlandkärpfelinge, eine besondere Familie der Ordnung Zahnkarpfen (Teil II). *DGLZ-Rundschau* (3): 4-27
- P. Lambert (0): The history of Goodeids in the aquarium. *Viviparous* (19): 0-
- J.K. Langhammer (1983): The lost treasure of the Aztecs Part V - recommended names for Goodeids. *Livebearers* (72): 3-9
- J.K. Langhammer (1983): The lost treasure of the Aztecs - Part IV. *Livebearers* (71): 4-7
- J.K. Langhammer (1995): Skiffia francesae A fish on the edge of tomorrow! Can we save it?. *Aquatic Survival* (4): 15-19

Livebearer Literature List 202201

- J.K. Langhammer (1999): The lost treasure of the Aztecs. Livebearers (156): 21-26
- R.W. Langton (1992): Breeding fish for conservation - the role of the aquarist. Livebearers (125): 5-18
- M. Liziczai (2014): Ein neues Goodeiden-Projekt. DATZ (8): 31-34
- M. Liziczai (2015): The KLG Project: Goodeid conservation in Hungary. Livebearer News (228): 5-11
- M. Liziczai (2017): Goodeiden. Een behoud- en beschermingsproject in Hongarije. Poecilia Nieuws (3): 10-14
- J. Lombardi (1996): Postzygotic maternal influences and the maternal-embryonic relationship of viviparous fishes. American Zoologist (36): 106-115
- J. Lombardi & J.P. Wourms (1985): The trophotaenial placenta of a viviparous Goodeid fish II Ultrastructure of trophotaeniae, the embryonic component. Journal of Experimental Biology (236): 165-179
- J. Lombardi & J.P. Wourms (1985): The trophotaenial placenta of a viviparous Goodeid fish. I. Ultrastructure of the internal ovarian epithelium, the maternal component.. Journal of Morphology (182): 277-292
- J. Lombardi & J.P. Wourms (1988): Embryonic growth and trophotaenial development in Goodeid fishes. Journal of Morphology (197): 193-208
- J.-F. Lorieux (2013): Das Aqualab von Morelia in Mexiko, Teil 1. DGLZ-Rundschau (4): 163-169
- J.-F. Lorieux (2013): L'aquarium de Morelia (Mex) partie II. Le Vivipare (117): 13-19
- J.-F. Lorieux (2014): Das Aqualab von Morelia (Teil 2). DGLZ-Rundschau (1): 9-16
- C. Lydeard (1993): Phylogenetic analysis of species richness: has viviparity increased the diversification of Actinopterygian fishes?. Copeia (2): 514-518
- J. Lyons (1999): Officially protected livebearers in Mexico. Livebearers (157): 4-7
- J. Lyons (2012): Zum gegenwärtigen Zustand der Goodeidenpopulationen in Mexiko. Das Lebendgebärenden Magazin (1): 7-9
- J. Lyons (2012): Goodeiden status in the nature - 2011. Poecilia Nieuws (1): 22-23
- J. Lyons (2018): NAGW Update. Livebearers (239): 15-18
- J. Lyons (2020): Verspreiding en behoud van de huidige status van de Mexicaanse Goodeidae (Actinopterygii, Cyprinodontiformes) (deel 2). Poecilia Nieuws (5): 35-40
- J. Lyons (2020): Verspreiding en behoud van de huidige status van de Mexicaanse Goodeidae. Poecilia Nieuws (4): 15-24
- J. Lyons (2021): Determining optimal water temperatures for goodeids. Livebearer News (66): 22-27
- J. Lyons et al (1995): Index of biotic integrity based on fish assemblage for the conservation of streams and rivers in West-Central Mexico. Conservation Biology (3): 569-584
- J. Lyons et al (1998): Decline of freshwater fishes and fisheries in selected drainages of west-central Mexico. Fisheries Management (4): 10-23
- J. Lyons et al (2000): Development of a preliminary index of biotic integrity (IBI) based on fish assemblages to assess ecosystem condition in the lakes of central Mexico. Hydrobiologica (418): 57-72
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- A. Maceda-Velga, O. Domínguez-Domínguez et al (2015): Can sinners become saints in freshwater fish conservation part 2: Aquarium hobbyists as a gateway to fish knowledge and its conservation. Livebearer News (228): 13-26
- C. Macías Garcia & E. Ramirez (2005): Evidence that sensory traps can evolve into honest signals. Nature (434): 501-505
- T. Maitre-Allain (1998): Die Vermehrung der Aquarienfische. Aquarium Live (5): 23-31
- J. Mangan (1996): A survey of goodeid habitats. Livebearers (141): 12-17
- S.E. Meek (1903): Distribution of the fresh-water fishes of Mexico. The American Naturalist (443): 771-784
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- A.D. Meisner (2005): Male modifications associated with insemination in Teleosts. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 165-190
- H.H. Mejía-Madrid et al. (2005): Adult endohelminth parasites of Goodeinae (Cyprinodontiformes: Goodeidae) from México with biogeographical considerations. Comp. Parasitol. (2): 200-211
- P.J. Mellegers (2000): Kannibalen in de moederscrot Oöfagie, adelfofagie en matrofagie. Poecilia Nieuws (5): 78-81
- P.J. Mellegers (2000): Levendbareheid, een inleiding. Poecilia Nieuws (6): 101-107
- N. Mercado-Silva et al. (2002): Validation of a fish-based index of biotic integrity for streams and rivers of central Mexico. Reviews in Fish Biology and Fisheries (12): 179-191
- A. M. Meyer & C. Lydeard (1993): The evolution of copulatory organs, internal fertilization, placentae and viviparity in killifishes (Cyprinodontiformes) inferred from a DNA phylogeny of the tyrosine kinase gene X-src. Proceedings: Biological Sciences (1340): 153-162
- M.K. Meyer, K. Meyer & M. Wirth (1985): Die viviparen Hochlandkärpfinge aus Mexiko 2. DATZ (9): 389-391
- M.K. Meyer, K. Meyer & M. Wirth (1985): Die viviparen Hochlandkärpfinge aus Mexiko. DATZ (8): 340-343
- P. Miller (0): A brief review of livebearing. Viviparous (7): 0-14
- R.R. Miller (1986): Composition and derivation of the freshwater fish fauna of México. Anales de la escuela nacional de ciencias biológicas (30): 121-153
- R.R. Miller & J.M. Fitzsimons (1971): Ameca splendens, a new genus and species of Goodeid fish from Western Mexico, with remarks on the classification of the Goodeidae. Copeia (1): 1-13
- T. Mohsen (1961): Sur le dimorphisme sexuel et la présence d'un organe copulateur très évolué chez le cyprinodonte Goodeidae Skiffia lermae Meek. Annales de la Faculté des Sciences Dakar (6): 163-171
- T. Mohsen (1961): Sur la présence d'un organe copulateur interne, très évolué chez Skiffia lermae (Cyprinodonte; Goodeidae). Compt. Rendus des séances de l'Academie des Sciences (252): 3327-3329
- T. Mohsen (1965): A new key character in males of the family Goodeidae (Cyprinodontiformes). Nature (4976): 1127-1127
- J. de Moree (1998): De "tien geboden" voor het houden en kweken van Mexicaanse hooglandtandkarpetjes. Poecilia Nieuws (5): 83-84
- J. de Moree (2000): Waterwaardigheden. Poecilia Nieuws (4): 69-72
- J. de Moree (2005): Hooglandkarpetjes. Poecilia Nieuws (4): 23-28
- J. de Moree & K. De Jong (2002): Discussiepunten over Goodeidae. Poecilia Nieuws (2): 18-19
- C. Naumann (1994): Zum Artikel "Wurfhilfen bei Goodeiden und anderen lebendgebärenden Fischen", DGLZ-Journal 4/92. DGLZ-Rundschau (3): 60-60

Livebearer Literature List 202201

- M. Naumann (2007): Darmentzündungen bei Hochlandkäpflingen. Das Lebendgebärenden Magazin (1): 10-11
- M. Naumann (2008): Erfolgreiche Goodeidenhaltung. DGLZ-Rundschau (2): 33-42
- M. Naumann (2008): Pflanzen für das Goodeiden becken. DGLZ-Rundschau (1): 6-8
- M. Naumann (2009): Erfolgreiche Haltung von Hochlandkäpflingen (Goodeidae). DATZ (2): 10-17
- W. Noack (1982): Rückführung von *Xenotoca eiseni* und andere Lebendgebärende in ihre Ursprungsgewässer. DGLZ-Rundschau (4): 11-13
- F. Padmos (2019): Het verpakken van goodeiden. Poecilia Nieuws (3): 6-7
- L.R. Parenti (2005): The phylogeny of Aterninomorphs: evolution of a novel fish reproductive system. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 13-30
- L.R. Parenti & H. J. Grier (2004): Evolution and phylogeny of gonad morphology in bony fishes. Integr. Comp. Biol. (5): 333-348
- E. Parker, A. Dornburg, O. Domínguez-Domínguez & K.R. Piller (2019): Assessing phylogenetic information to reveal uncertainty in historical data: An example using Goodeinae (Teleostei: Cyprinodontiformes: Goodeidae). Molecular Phylogenetics and Evolution (134):
- R. Pérez-Rodríguez et al (2015): Comparative historical biogeography of three groups of nearctic freshwater fishes across central Mexico. Journal of Fish Biology (): 1-23
- R. Pineda-López et al (2005): Helminth parasites of viviparous fishes in Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 455-474
- A. Piorkowski (2019): For the love of Goodeids: Meek, Skiffia & the Chicago goodeid connection. Livebearers (242): 15-19
- F. Poeser & K. de Jong (2009): Het GHIJ van onze vissen (vervolg). Poecilia Nieuws (5): 28-31
- D.J. Price (2005): Genetic considerations in the conservation of freshwater fish. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 351-364
- D.J. Price (2010): Genetic strategies for captive breeding of viviparous fishes for conservation and other purposes: practicalities and limitations. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 389-402
- A.C. Radda (1984): Studien an cyprinodonten Fischen in Mexiko 3. Die Goodeiden. Aquaria (): 99-110
- A.C. Radda (1984): Studien an cyprinodonten Fischen in Mexiko. 1. Reisen 1978 und 1979. Aquaria (31): 7-16
- A.C. Radda (1984): Studien an cyprinodonten Fischen in Mexiko. 2. Reisen 1982 und 1983. Aquaria (31): 24-32
- A.C. Radda (1985): Mexiko's Goodeiden - eine hochinteressante, jedoch aquaristisch weitgehend unbekannte Fischfamilie. Teil 1. T.I. Magazin (70): 5-9
- A.C. Radda (1985): Mexiko's Goodeiden - eine hochinteressante, jedoch aquaristisch weitgehend unbekannte Fischfamilie. Teil 2. T.I. Magazin (71): 14-17
- A.C. Radda (1987): Studien an cyprinodonten Fischen in Mexiko 2. Reisen 1982 und 1983. DGLZ-Rundschau (3): 8-16
- A.C. Radda (1987): Studien an cyprinodonten Fischen in Mexiko 3. Die Goodeiden. DGLZ-Rundschau (4): 7-18
- J. Ransier (2005): Tagging livebearing fish: potential role in enhancing and restoring livebearing fish populations. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 475-480
- D.N. Reznick et al (2017): The origin and biogeographic diversification of fishes in the family Poeciliidae. PlosOne (3): 1-20
- M.G. Ritchie et al (2005): Patterns of speciation in endemic Mexican Goodeid fish: sexual conflict or early radiation?. J. Evol. Biol. (18): 922-929
- G. Salgado-Maldonado (2004): Helminth parasites of freshwater fishes of the Pánuco river basin. Comp. Parasitol. (2): 190-202
- J. Schindler (2005): Digestion of embryotrophic proteins in goodeid Teleosts. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 263-272
- J. Schindler (2014): Structure and function of placental exchange surfaces in goodeid fishes (Teleostei: Atheriniformes). Journal of Morphology
- J.F. Schindler & H. Greven (2010): Respiratory strategies in Goodeid and Jenynsiid embryos: Morphologic correlates of cutaneous gas exchange. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 13-30
- J.F. Schindler & W.C. Hamlett (1993): Maternal-embryonic relations in viviparous teleosts. Journal of Experimental Biology (266): 378-393
- G. Schleussner (2010): Adios pintitos. Wilhelma magazin (1): 20-23
- G. Schleussner (2011): Die Hochlandkäpfinge - verkannte Schönheiten aus dem land der Azteken. Aqualog news (96): 9-12
- H. Schöpfel (1987): Fische für Experten - Hochlandkäpfinge. Aquarium Heute (3): 10-13
- P. Schubert (0): A possible reason for still born Goodeids. Viviparous (8): 0-1
- P. Schubert (1990): Hochlandkäpfinge Goodeidae Jordan, 1880 - ein interessantes Betätigungsfeld. ZAG Lebendgebärende Zahnkarpen (1): 8-11
- P. Schubert (1991): Hochlandkäpfinge, ein Feuerwerk an Farbe bei grauen Fischen. Das Aquarium (Februar): 4-8
- C. Sciarone (2013): Het eigens van de goodeiden. Poecilia Nieuws (Special): 7-8
- C. Sciarone (2013): Een interessant weekend in Wenen. Poecilia Nieuws (Special): 10-15
- C. Sciarone (2020): Op naar de GWG!. Poecilia Nieuws (1): 28-33
- C. Sciarone & M. Heussen (2016): Ga je mee naar de GWG?. Poecilia Nieuws (2): 18-27
- R. Serva (2020): Livebearing aquariumfish Part 2: in the tank. Livebearers (2): 6-12
- R.P. Sethi (1960): Osteology and phylogeny of oviparous cyprinodont fishes (Order Cyprinodontiformes). PHD (): 1-275
- E. Soto-Galera et al (1999): Change in fish fauna as indication of aquatic ecosystem condition in Rio Grande de Morelia - Lago de Cuitzeo Basin, Mexico. Environmental Management (1): 133-140
- J. Stenlokk (2004): Ein Goodeiden-Becken im Wohnzimmer. Das Lebendgebärenden Magazin (4): 10-113
- C.L. Turner (1933): The unique nutritional organs in the embryos of the top minnows of the Mexican plateau. Science (77): 93-94
- C.L. Turner (1933): Viviparity superimposed upon ovo-viviparity in the goodeidae, a family of cyprinodont teleost fishes of the Mexican Plateau. Journal of Morphology
- C.L. Turner (1937): The trophotaeniae of the Goodeidae, a family of viviparous cyprinodont fishes. Journal of Morphology
- C.L. Turner (1939): The pseudo-amnion, pseudo-chorion, pseudo-placenta and other foetal structures in viviparous Cyprinodont fishes. Science (3224): 42-43
- C.L. Turner (1939): The pseudo-amnion, pseudo-chorion, pseudo-placenta and other foetal structures in viviparous cyprinodont fishes. Science (2324): 42-43

Livebearer Literature List 202201

- C.L Turner (1940): Pericardial sac, trophotaeniae, and alimentary tract in embryos of goodeid fish. *Journal of Morphology* (sept): 271-289
- C.L Turner (1940): Superfetation in viviparous Cyprinodont fishes. *Copeia* (2): 88-91
- C.L Turner (1947): Viviparity in Teleost fishes. *The Scientific Monthly* (6): 508-518
- B.J. Turner (1983): Does matrotrophy promote chromosomal evolution in viviparous fish?. *American Naturalist* (122): 152-154
- M.R. Tversted (2003): Zahnkarpfen und niedrige Temperaturen. *Das Lebendgebärenden Magazin* (2): 35-38
- M.R. Tversted (2003): Niedrige Temperaturen und Karpfenfische. *DGLZ-Rundschau* (3): 67-68
- M.R. Tversted (2003): Lage temperaturen en cyprinodonten. *Poecilia Nieuws* (6): 86-89
- M.C. Uribe Aranzábal et al (2010): Functional structure of the testis and spermatogenesis of goodeids and poeciliids. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 151-172
- M.C. Uribe Aranzábal et al (2010): Ovarian structure and embryonic traits associated with viviparity in poeciliids and goodeids. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 211-230
- T. Uyeno, R.R. Miller & J.M. Fitzsimons (1983): Karyology of the Cyprinodontoid fishes of the Mexican family Goodeidae. *Copeia* (2): 497-510
- M.Y. de la Vega-Salazar (1): Estado de conservación de los peces de la familia Goodeidae (Cyprinodontiformes) en la mesa central de México. *Rev. Biol. Trop* (1): 163-177
- M.Y. Vega-Salazar & C. Macías-García (2005): Principal factors in the decline of the Mexican endemic viviparous fishes (Goodeinae: Goodeidae). In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 505-513
- S.A. Webb (1998): A phylogenetic analysis of the Goodeidae. (): 1-280
- S.A. Webb (2004): Systematics, speciation, and sexual selection: Evolution of the livebearing Mexican Goodeidae. *Livebearers* (182): 29-31
- S.A. Webb et al (2004): Molecular phylogeny of the livebearing Goodeidae (Cyprinodontiformes). *Molecular Phylogenetics and Evolution* (30): 527-544
- L. Wischnath (0): Les vrais vivipares Des Goodeidés du Mexique. *Aquarama* (0): 9-14
- L. Wischnath (1987): Unverfälscht: Hochlandkärpfelinge aus Mexiko. *Aquarien Magazin* (4): 164-169
- J.P. Wourms (1981): Viviparity: the maternal-fetal relationship in fishes. *American Zoologist* (2): 473-515
- J.P. Wourms (2005): Functional morphology, development, and evolution of trophotaeniae. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 238-262
- J.P. Wourms & J. Lombardi (1992): Reflections on the evolution of piscine viviparity. *American Zoologist* (2): 276-293
- H.P. Ziemek (2015): Aquatik Beiträge zur Biologie und zum Artenschutz der Hochlandkärpfelinge. *DATZ* (November): 67-68

Halfsnabelbekken alle

- M. Brembach (1978): Es geht auch ohne Gonopodium. *DATZ* (8): 265-267
- D. Gentzsch (2021): Diskussionbeitrag zum Artikel von H. Greven in "viviparos 37, 2021 (1), 31-39". *Das Lebendgebärenden Magazin* (2): 40-41
- H. Hieronimus (2001): Halbschnäbler - einmal anders. *Aquaristik-Aktuell* (3-4): 66-69
- N.R. Lovejoy, M. Iranpour & B.B. Collette (2004): Phylogeny and jaw ontogeny of Beloniform Fishes. *Integr. Comp. Biol.* (5): 366-377
- P. Miller (0): A brief review of livebearing. *Viviparous* (7): 0-14
- D. Reznick, R. Meredith & B.B. Collette (2007): Independent evolution of complex life history adaptations in two families of fishes, livebearing halfbeaks (Zenarchopteridae, Beloniformes) and Poeciliidae (Cyprinodontiformes). *Evolution* (11): 2570-2583
- J.P. Wourms (1981): Viviparity: the maternal-fetal relationship in fishes. *American Zoologist* (2): 473-515
- J.P. Wourms & J. Lombardi (1992): Reflections on the evolution of piscine viviparity. *American Zoologist* (2): 276-293

Hemiramphidae all

- W. D. Anderson, III & B.B. Collette (1991): Revision of the freshwater viviparous halfbeaks of the genus Hemiramphodon. *Ichthyol. Explor. Freshwaters* (2): 151-176
- D.G. Blackburn (2005): Evolutionary origins of viviparity in fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 303-317
- B.B. Collette (2004): Family Hemiramphidae Gill 1859 - halfbeaks. *Acad. Sci. Annotated Checklist of Fishes* (22): 1-35
- S. Contreras-Balderras (2005): Fish viviparity: diversity, biogeography, and conservation. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 31-39
- N.B. Goodwin, N.K. Dulvy & J.D. Reynolds (2002): Life-history correlates of the evolution of live bearing in fishes. *Philosophical Transactions: Biological Sciences* (1419): 259-267
- H. Greven (1995): Viviparie bei Aquarienfischen (Poeciliidae, Goodeidae, Anablepidae, Hemiramphidae). In: *Fortpflanzungsbiologie des Aquarienfische*, Schmettkamp Verlag, Bornheim (Greven et al ed) (): 141-160
- H. Greven (1999): Anmerkungen zur sexuellen Selektion bei Lebendgebärenden. In: *Fortpflanzungsbiologie des Aquarienfische*, Schmettkamp Verlag, Bornhem (Greven et al ed) (): 27-41
- H. Greven (2006): Lebendgebärende Halbschnabelhechte Anmerkungen zu strukturellen Besonderheiten, zur Nahrungsaufnahme und zur Fortpflanzung. *Biologie der Aquarienfische* (Greven, H. & R. Riehl, eds), Tetra Verlag (): 271-296
- H. Greven (2021): Die "Penisse" viviparer Fische - Beispiele für die "systemimmanente Irrationalität" zoologische Fachbegriffe?. *Das Lebendgebärenden Magazin* (1): 31-39
- J.D. Hardy Jr. & R.K. Johnson (1974): Descriptions of halfbeak larvae and juveniles from Chesapeake Bay (Pisces: Hemiramphidae). *Chesapeake Science* (4): 241-246
- H. Hieronimus (2013): Neues bei Halbschnäblern. *DGLZ-Rundschau* (2): 58-59
- J.H. Huber (2019): A nomenclatural and systematic analysis of livebearing Cyprinodontiformes (Acanthopterygil: Anablepsinae, Goodeinae, Poeciliidae). *Killi-Data Series* (): 4-155
- B. Iepenga (2008): Halfsnabelbekken (Hemiramphidae). *Poecilia Nieuws* (3): 76-79
- N.R. Lovejoy (2000): Reinterpreting recapitulation: systematics of needlefishes and their allies. *Evolution* (4): 1349-1362
- N.R. Lovejoy, M. Iranpour & B.B. Collette (2004): Phylogeny and jaw ontogeny of Beloniform Fishes. *Integr. Comp. Biol.* (5): 366-377
- C. Lydeard (1993): Phylogenetic analysis of species richness: has viviparity increased the diversification of Actinopterygian fishes?. *Copeia* (2): 514-518

Livebearer Literature List 202201

- A.D. Meisner (2005): Male modifications associated with insemination in Teleosts. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 165-190
A.D. Meisner & J.R. Burns (1997): Viviparity in the halfbeak genera *Dermogenys* and *Nomorhamphus*. Journal of Morphology (234): 295-317
L.R. Parenti & H. J. Grier (2004): Evolution and phylogeny of gonad morphology in bony fishes. Integr. Comp. Biol. (5): 333-348
D. Reznick, R. Meredith & B.B. Collette (2007): Independent evolution of complex life history adaptations in two families of fishes, live-bearing halfbeaks (Zenarchopteridae, Beloniformes) and Poeciliidae (Cyprinodontiformes). Evolution (11): 2570-2583

Hemirhamphodon byssus Tan & Lim, 2013

- H. Hieronimus (2013): Neue Halbschnäbler - die Zweite. DGLZ-Rundschau (4): 150-152
H. Hieronimus (2016): Neues uas Wissenschaft und Forschung. DGLZ-Rundschau (3): 122-12
H.C. Lim et al (2016): DNA barcoding reveals high cryptic diversity of the freshwater halfbeak genus *Hemirhamphodon* from Sundaland. PlosOne (9): 1-17
C. Reusch (2013): Neue Halbschnäblerarten von Borneo. DGLZ-Rundschau (4): 145-149
H.H. Tan & K.P. Lim (2013): Three new species of freshwater halfbeaks (Teleostei: Zenarchopteridae: *Hemirhamphodon*) from Borneo. Raffles Bulletin of Zoology (2): 735-747

Hemirhamphodon chrysopunctatus Brembach, 1978

- F.R. Batzer (1994): Literature review. Livebearers (137): 12-12
M. Hellweg (2007): *Hemirhamphodon chrysopunctatus* The ornate halfbeak. Livebearers (197): 8-10
H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. DGLZ-Rundschau (3): 21-22
H. Hieronimus (2002): Neues bei Halbschnäblern. DGLZ-Rundschau (3): 65-68

Hemirhamphodon kapuasensis Anderson & Collette 1991

- W. D. Anderson, III & B.B. Collette (1991): Revision of the freshwater viviparous halfbeaks of the genus *Hemirhamphodon*. Ichthyol. Explor. Freshwaters (2): 151-176
M. de Bruyn et al (2013): Paleo-drainage basin connectivity predicts evolutionary relationships across three southeast Asian biodiversity hotspots. Systematic biology (3): 398-410
J. Wiegert (2015): Halfbeaks: a whole lot of fun for the home aquarium. Tropical Fish Hobbyist (5): 48-52

Hemirhamphodon kecil Tan & Lim, 2013

- H. Hieronimus (2013): Neue Halbschnäbler - die Zweite. DGLZ-Rundschau (4): 150-152
C. Reusch (2013): Neue Halbschnäblerarten von Borneo. DGLZ-Rundschau (4): 145-149
H.H. Tan & K.P. Lim (2013): Three new species of freshwater halfbeaks (Teleostei: Zenarchopteridae: *Hemirhamphodon*) from Borneo. Raffles Bulletin of Zoology (2): 735-747

Hemirhamphodon kuekenthali Steindachner, 1901

- T.I. Atsushi Doi et al. (2001): A collection of freshwater fishes from the Rayu basin of western Sarawak, Malaysia. Raffles Bulletin of Zoology (1): 13-17
H. Hieronimus (2016): Neues uas Wissenschaft und Forschung. DGLZ-Rundschau (3): 122-12
R. Kubenz & R. Hoyer (2014): Ama. Amazonas (jan/feb): 48-52
H.C. Lim et al (2016): DNA barcoding reveals high cryptic diversity of the freshwater halfbeak genus *Hemirhamphodon* from Sundaland. PlosOne (9): 1-17
F. Schäfer (2015): Fischimporte aus Südostasien unter besonderer Berücksichtigung der Halbschnäbler. Das Lebendgebärenden Magazin (2): 18-28
F. Steindachner (1901): Küenthal's Ergebnisse einer zoologischen Forschungsreise in den Molukken und Borneo. Fische.. Abhandlungen der Senckenbergischen naturforschenden Gesellschaft (25): 409-464
H.H. Tan & K.P. Lim (2013): Three new species of freshwater halfbeaks (Teleostei: Zenarchopteridae: *Hemirhamphodon*) from Borneo. Raffles Bulletin of Zoology (2): 735-747

Hemirhamphodon phaiosoma Bleeker, 1851

- P. Bleeker (1851): Bijdrage tot de kennis der Ichthyologische fauna van Blitong (Billiton). Natuurkundig Tijdschrift voor Nederlandsch Indië (1): 87-100
J. Huylebrouck (2014): Viviparous halfbeaks of the family Zenarchopteridae. Amazonas (jan/feb): 20-28
C. Reusch (2013): Neue Halbschnäblerarten von Borneo. DGLZ-Rundschau (4): 145-149
F. Schäfer (2015): Fischimporte aus Südostasien unter besonderer Berücksichtigung der Halbschnäbler. Das Lebendgebärenden Magazin (2): 18-28
H.H. Tan & K.P. Lim (2013): Three new species of freshwater halfbeaks (Teleostei: Zenarchopteridae: *Hemirhamphodon*) from Borneo. Raffles Bulletin of Zoology (2): 735-747
M. Weber & L.F. de Beaufort (1922): The fishes of the Indo-Australian archipelago IV. Heromi, Solenichthyes, Synentognathi, Percesoces, Labyrinthici, Microcyprini. () 135-170

Hemirhamphodon pogonognathus (Bleeker, 1853)

- R.M. Biow (1949): Meer gegevens over halfsnavelbekken. Het Aquarium (12): 290-291
P. Bleeker (1853): Nalezingen op de ichthyologische fauna van het eiland Banka. Natuurkundig Tijdschrift voor Nederlandsch Indië (V): 176-194
M. de Bruyn et al (2013): Paleo-drainage basin connectivity predicts evolutionary relationships across three southeast Asian biodiversity hotspots. Systematic biology (3): 398-410
M. de Bruyn, W. Grail & G.R. Carvalho (2011): Anonymous nuclear markers for halfbeak fishes of the genus *Hemirhamphodon*. Conservation Genet Resour (3): 155-157
B. & R. Clarke (1985): You ain't gettin' older baby. Livebearers (82): 6-6
H. Greven (2010): What do we know about reproduction of internally fertilizing halfbeaks (Zenarchopteridae)? In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 121-142
P. Groß (1993): Über *Hemirhamphodon pogonognathus* (Bleeker, 1853). DGLZ-Rundschau (1): 4-8
H. Hieronimus (2016): Neues uas Wissenschaft und Forschung. DGLZ-Rundschau (3): 122-12
B. Iepenga (2000): Zomaar over vissies houden. Poecilia Nieuws (5): 91-93
B. Iepenga (2008): *Hemirhamphodon pogonognathus* (Bleeker, 1853). Poecilia Nieuws (3): 80-81
K. Jacobs (1972): Hechtköpfiger Halbschnabel Dermogenys. Das Aquarium (8): 950-951
B.G.M. Jamieson & H.J. Grier (1993): Influence of phylogenetic position and fertilization biology on spermatozoal ultrastructure exemplified by exocoetoid and poeciliid fish. Hydrobiologica (271): 11-25
B.G.M. Jamieson & H.J. Grier (1993): Influences of phylogenetic position and fertilization biology on spermatozoal ultrastructure exemplified by exocoetoid and poeciliid fish. Hydrobiologica (271): 11-25
D.S. Johnson (1967): Distributional patterns of Malayan freshwater fish. Ecology (5): 722-730
J.K. Langhammer (0): The livebearing halfbeaks. Viviparous (18): 0-
J.K. Langhammer (1985): The livebearing halfbeaks. Livebearers (80): 18-19
J.K. Langhammer (1989): Remembering the long, hot summer of 1988. Livebearers (103): 14-14
H.C. Lim et al (2016): DNA barcoding reveals high cryptic diversity of the freshwater halfbeak genus *Hemirhamphodon* from Sundaland. PlosOne (9): 1-17
F. Maas (1997): Roofgierig brekebekken (2). Het Aquarium (4): 102-106
G. Ott (1983): Der Zahnleisten-Halbschnäbler *Hemirhamphodon pogonognathus* Teil I: Systematiek. Das Aquarium (286): 17-19
G. Ott (1993): Der Zahnleisten-Halbschnäbler *Hemirhamphodon pogonognathus* II. Das Aquarium (Juni): 16-17
G. Ott (1993): Der Zahnleisten-Halbschnäbler *Hemirhamphodon pogonognathus* Teil III. Das Aquarium (290): 6-7
G. Ott (1993): Der Zahnleisten-Halbschnäbler *Hemirhamphodon pogonognathus* III. Das Aquarium (August): 4-5
C. van de Sande (1992): Halfsnavelbekken. Poecilia Nieuws (1): 20-21
M. Weber & L.F. de Beaufort (1922): The fishes of the Indo-Australian archipelago IV. Heromi, Solenichthyes, Synentognathi, Percesoces, Labyrinthici, Microcyprini. (): 135-170
J. Wiegert (2015): Halfbeaks: a whole lot of fun for the home aquarium. Tropical Fish Hobbyist (5): 48-52
K. Wilkerling (1980): Auf Fischfang in Borneo. DATZ (6): 191-193

Hemirhamphodon sesamum Tan & Lim, 2013

- H. Hieronimus (2013): Neue Halbschnäbler - die Zweite. DGLZ-Rundschau (4): 150-152
C. Reusch (2013): Neue Halbschnäblerarten von Borneo. DGLZ-Rundschau (4): 145-149
H.H. Tan & K.P. Lim (2013): Three new species of freshwater halfbeaks (Teleostei: Zenarchopteridae: *Hemirhamphodon*) from Borneo. Raffles Bulletin of Zoology (2): 735-747

Hemirhamphodon tengah Anderson & Collette 1991

- W. D. Anderson, III & B.B. Collette (1991): Revision of the freshwater viviparous halfbeaks of the genus *Hemirhamphodon*. Ichthyol. Explor. Freshwaters (2): 151-176
M. de Bruyn et al (2013): Paleo-drainage basin connectivity predicts evolutionary relationships across three southeast Asian biodiversity hotspots. Systematic biology (3): 398-410
A. Dorn & H. Greven (2007): Some observations on courtship and mating of *Hemirhamphodon tengah* Anderson & Collette, 1991 (Zenarchopteridae). Bulletin of Fish Biology (1/2): 99-104
M. Eikeboom (2013): Over bastaardgepen en halfsnavelbekken *Hemirhamphodon tengah* Colette, 1991. Het Aquarium (12): 30-35
F. Schäfer (2015): Fischimporte aus Südostasien unter besonderer Berücksichtigung der Halbschnäbler. Das Lebendgebärenden Magazin (2): 18-28
J. Wiegert (2015): Halfbeaks: a whole lot of fun for the home aquarium. Tropical Fish Hobbyist (5): 48-52

Heterandria formosa Girard, 1859 (ex-Agassiz)

- (1966): Kein Platz fürs Aquarium?. Aquarien Terrarien (8): 272-273
J.L.R. Agassiz (1855): Remarks on Dr. B. Dowler's paper "Discovery of viviparous fish in Louisiana". Amer. Jour. Sci. Arts (ser. 2, vol. 19): 136-136
O. Ala-Honkola et al. (2009): Strong inbreeding depression in male mating behaviour in a poeciliid fish. J. Evol. Biol. (22): 1396-1406
O. Ala-Honkola et al. (2010): Inbreeding avoidance in a poeciliid fish (*Heterandria formosa*). Behav Ecol Sociobiol (64): 1403-1414
O. Ala-Honkola et al. (2010): Males prefer small females in a dichotomous choice test in the poeciliid fish *Heterandria formosa*. Ethology (116): 736-743

Livebearer Literature List 202201

- O. Ala-Honkola, L. Säilä & K. Lindström (2010): Males prefer small females in a dichotomous choice test in the Poeciliid fish *Heterandria formosa*. Ethology (116): 736-743
- B. Allen (2005): Three articles of interest to livebearer fans in the august 2005 Copeia. Livebearers (186): 19-22
- R. Anken & Thomas Kappel (1993): Superfötation bei Lebendgebärenden Zahnkarpfen. Das Aquarium (290): 4-5
- A. Arnold (1989): Härtetest für *Heterandria formosa* Der Zwergkäpfpling erträgt Temperaturen nahe 0°C. Aquarien Terrarien (7): 230-231
- A.S. Aspbury & A.L. Basolo (2002): Repeatable female preferences, mating order and mating success in the poeciliid fish, *Heterandria formosa*. Behavioral Ecology and Sociobiology (51): 238-244
- H. Auer (2004): Lebendgebärende Gartenzwerge. DGLZ-Rundschau (2): 35-38
- C.F. Baer (1998): Species-wide population structure in a Southeastern U.S. freshwater fish, *Heterandria formosa*: gene flow and biogeography. Evolution (1): 183-193
- C.F. Baer (1998): Population structure in a south-eastern US freshwater fish, *Heterandria formosa*. II. Gene flow and biogeography within the St.Johns River drainage. Heredity (81): 404-411
- C.F. Baer & J. Travis (2000): Direct and correlated responses to artificial selection on acute thermal stress tolerance in a livebearing fish. Evolution (1): 238-244
- C.F. Baer, J. Travis & K. Higgins (2000): Experimental evolution in *Heterandria formosa*, a livebearing fish: group selection on population size. Genet. Res. Camb. (76): 169-178
- J.C. Bagley et al (2013): Paleoclimatic modeling and phylogeography of least killifish, *Heterandria formosa*: insights into Pleistocene expansion-contraction dynamics and evolutionary history of North American Coastal Plain freshwater biota. BMC Evolutionary Biology
- R.M. Bailey (1952): Proposed use of the plenary powers to designate a type species for the genus "Heterandria" Agassiz, 1853 (Class Osteichthyes, order Cyprinodontida) in harmony with current usage. Bulletin of Zoological Nomenclature (6): 263-265
- R.M. Bailey (1952): Proposed use of the plenary powers to designate a type species for the genus "Heterandria" Agassiz 1853 in harmony with current usage. Bulletin of Zoological Nomenclature (6): 51-51
- M.C. Belk & C. Lydeard (1994): Effect of *Gambusia holbrookii* on a similar-sized, syntopic Poeciliid, *Heterandria formosa*: competitor or predator?. Copeia (2): 296-302
- M.G. Bennett & K.W. Conway (2010): An overview of North America's diminutive freshwater fish fauna. Ichthyol. Explor. Freshwaters (1): 63-72
- G. de Beurs (1956): De pygmeeën uit mijn bak. Het Aquarium (11): 255-256
- G. de Beurs (1957): Heeft de temperatuur invloed op de geslachtsvorming?. Guppy (4): 11-12
- A. Bisazza & A. Pilastro (1997): Small male mating advantage and reversed size dimorphism in poeciliid fishes. Journal of Fish Biology (50): 397-406
- A. Bisazza, A. Grapputo & L. Nigro (1997): Evolution of reproductive strategies and male sexual ornaments in poeciliid fishes as inferred by mitochondrial 15 rRNA gene phylogeny. Ethology Ecology & Evolution (9): 55-67
- J. Bocksteel (1985): The American mini. Livebearers (84): 11-13
- E. Bodin (2014): *Heterandria formosa* et nano aquarium. Le Vivipare (120): 17-19
- S.A. Bortone & R.P. Cody (1999): Morphological masculinization in Poeciliid females from a paper mill effluent receiving tributary of the St. Johns river, Florida, USA. Bull. Environ. Contam. Toxicol. (63): 150-156
- S.A. Bortone & W.P. Davis (1994): Fish intersexuality as indicator of environmental stress. BioScience (3): 165-172
- R.T. Cheong, S. Henrich, J.A. Farr & J. Travis (1984): Variation in fecundity and its relationship to body size in a population of the Least Killifish, *Heterandria formosa* (Pisces: Poeciliidae). Copeia (1): 720-726
- S.W. Coleman & A.G. Jones (2013): Patterns of multiple paternity and maternity in fishes. Biological Journal of the Linnean Society (103): 735-760
- T. Coletti (2015): 10 Livebearers for your wishlist. Tropical Fish Hobbyist (5): 60-64
- S. Cox, S. Chandler, C. Barron & K. Work (2009): Benthic fish exhibit more plastic crypsis than non-benthic species in a freshwater spring. J Ethol (27): 497-505
- J. Dawes (1980): Overleving. Het Aquarium (16): 502-504
- A. DeMarais & D. Oldis (2005): Matrotrophic transfer of fluorescent microspheres in Poeciliid fishes. Copeia (3): 632-636
- W.J.M. Deutz (1938): *Heterandria formosa* en nog wat. Aqua Terra (1): 4-5
- R. DeWayne Reimer (1970): A food study of *Heterandria formosa* Agassiz. American Midland Naturalist (1): 311-315
- G. Dietrich (1993): Lebendgebärende Zahnkarpfen in Florida. DGLZ-Rundschau (3): 52-54
- A. Dorn (2006): Verhaltensbiologische Untersuchungen an *Heterandria formosa* Teil I - Aggressivität und Revierverhalten. DGLZ-Rundschau (4): 116-121
- A. Dorn (2007): Verhaltensbiologische Untersuchungen an *Heterandria formosa* Teil 2 - Paarung und Fortpflanzung. DGLZ-Rundschau (1): 3-15
- U. Dost (1996): Der Zwerg-Schmuckkäpfling und der Zwergkäpfling. Aquaristik-Aktuell (1): 20-22
- T.M. Edwards, T. Iguchi & L.J. Guillette jr. (2010): Genes to ecosystems: viviparous fishes and endocrine disruption. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 375-386
- M. Fleuren, J.L. van Leeuwen & B.J.A. Pollux (2019): Superfetation reduces the negative effects of pregnancy on the fast-start escape performance in live-bearing fish. Proc. R. Soc. B. (286): 1-9
- E. A. Fraser & R.M. Renton (1940): Observations on the breeding and development of the viviparous fish, *Heterandria formosa*. Journal of Microscopical Science (81): 479-520
- G. Gärtner (1966): Über das Schwarmverhalten der Lebendgebärenden - eine vergleichende Studie. DATZ (12): 361-363
- D. Gentzsch (1991): Superfötation beim Zwerg-Schmuckkäpfling. DATZ (5): 288-290
- A. Gibb et al (2008): Functional significance of intramandibular bending in Poeciliid fishes. Environmental Biology of Fishes (83): 473-485
- C. Girard (1859): Ichthyological notices. Proc. Acad. Nat. Sci. Phila. (11): 56-90
- C. Girard (1859): Ichthyological notices A. Proc. Acad. Nat. Sci. Phila. (11): 56-68
- M. Gordon (1997): Fish by-lines. Livebearers (146): 25-27
- R.C. Griffiths (1993): *Heterandria formosa* - the dwarf top minnow. Livebearers (130): 8-9
- R.C. Griffiths (1997): *Heterandria formosa*. Livebearers (148): 13-13
- C. Grimes (1984): Livebearer predation in the "wilds". Livebearers (76): 4-5
- B.D. Grove & J.P. Wourms (1994): Follicular placenta of the viviparous fish, *Heterandria formosa* II. Ultrastructure and development of the follicular epithelium. Journal of Morphology (220): 167-184
- M.G. Guzmán-Bárcenas & M.C. Uribe (2019): Superfetation in the viviparous fish *Heterandria formosa* (Poeciliidae). Journal of Morphology

Livebearer Literature List 202201

- W. Harrewijnen (1956): Heterandria formosa, Agassiz 1853. NGK mededelingen (Jubileumboek): 17-17
- S. Henrich (1988): Variations in offspring sizes of the Poeciliid fish *Heterandria formosa* in relation to fitness. *Oikos* (1): 13-18
- S. Henrich & J. Travis (1988): Genetic variation in reproductive traits in a population of *Heterandria formosa* (Pisces: Poeciliidae). *J. Evol. Biol.* (1): 275-280
- L.P. Hernandez, A.C. Gibb & L. Ferry-Graham (2009): Trophic apparatus in Cyprinodontiform fishes: functional specializations for picking and scraping behaviors. *Journal of Morphology*
- H. Hieronimus (1986): Besprechung zu: Revision Priapichthys und Heterandria. *DGLZ-Rundschau* (1): 16-16
- H. Hieronimus (1993): Lebendgebären - was ist das?. *DGLZ-Rundschau* (3): 57-59
- H. Hieronimus (2002): Zum Thema Matrotrophic und Superfötation. *DGLZ-Rundschau* (2): 47-49
- H. Hieronimus (2012): Neues von Heterandria. *DGLZ-Rundschau* (2): 49-50
- H. Hieronimus (2013): Rin in die Kartoffeln, raus aus die Kartoffeln - Nomenklatur bei Heterandria. *DGLZ-Rundschau* (2): 56-57
- H. Hieronimus (2014): Stress bei Fischen wirkt unterschiedlich. *DGLZ-Rundschau* (2): 68-71
- H. Hieronimus (2019): Neues zur Matrotrophie einiger Lebendgebärender. *DGLZ-Rundschau* (3): 74-78
- H. Hieronimus (2019): Neues zur Matrotrophie einiger Lebendgebärender. *DGLZ-Rundschau* (2): 74-77
- R.R. Hollander (1986): Microanalysis of scales in Poeciliid fishes. *Copeia* (1): 86-91
- B. Iepenga (1995): *Heterandria formosa* (Agassiz, 1855). *Poecilia Nieuws* (2): 30-37
- B. Iepenga (1996): *Heterandria formosa* (Agassiz, 1855). *Het Aquarium* (3): 65-67
- W. Jacobs (1999): Over "gonopodium"en andere (viezel) dingen. *Aquariumwereld* (7-8): 188-193
- E. Janicki (1980): Nochmals: *Heterandria formosa*. *DATZ* (6): 215-215
- E. Janicki (1980): Nochmals *Heterandria formosa*. *DATZ* (6): 215-215
- E. Janicki (1987): Liliputaner fürs Minibecken: Zwergkäpfplinge. *Aquarien Magazin* (10): 396-397
- W. van der Jeugt (2003): *Heterandria formosa*. *Aquariumwereld* (1): 18-19
- K. de Jong (1994): Enkele bijzonderheden met betrekking tot *Heterandria formosa*. *Poecilia Nieuws* (6): 108-113
- K. de Jong (1997): Wie is de kleinste?. *Poecilia Nieuws* (4): 68-70
- K. de Jong (2006): Voortplantingssucces bij de mannetjes van het dwergtandkarpertje *Heterandria formosa*. *Poecilia Nieuws* (5): 21-23
- K. de Jong (2009): Reproduktiver erfolg bei Männchen der Zwergkäpflinge. *Das Lebendgebärenden Magazin* (2): 8-9
- K. de Jong (2010): Buren. *Poecilia Nieuws* (2): 18-19
- K. de Jong (2014): *Heterandria formosa*. *Poecilia Nieuws* (Special): 7-7
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. *Poecilia Nieuws* (2): 8-13
- K. de Jong (2019): Der Einfluss der Temperatur auf das Geschlechterverhältnis bei viviparen Zahnkarpfen. *Das Lebendgebärenden Magazin* (2): 8-12
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. *Het Aquarium* (8): 62-66
- S. de Jong (2020): Superfoetatie bij levendbarende tandkarpers. *Poecilia Nieuws* (2): 19-23
- D.S. Jordan & C.H. Gilbert (1877): On the genera of North American fresh-water fishes. *Proc. Acad. Nat. Sci. Phila.* (29): 83-104
- W. Jürgens (1921): Der Süßwasserfische Nordamerikas. *Blätter für Aquarien- und Terrarienkunde* (2): 21-23
- B. Kabbes (1999): Een frisse neus halen. *Poecilia Nieuws* (4): 72-75
- H. Kaper (2004): *Heterandria formosa* (Agassiz, 1855). *Das Lebendgebärenden Magazin* (3): 10-15
- M. Kempkes (2011): Sommergäste aus Florida am Unteren Niederrhein. *Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden* (11): 41-44
- M. Kempkes (2011): Porträt *Heterandria formosa*. *DATZ Aquarien-Praxis* (6): 13-13
- M. Kempkes (2011): Porträt *Heterandria formosa*. *DATZ* (6): 13-13
- M. Kempkes (2012): Beobachtungen an Zwergkäpflingen in Südflorida. *DATZ* (Dezember): 90-97
- M. Kempkes (2013): De invloed op watertemperatuur op de voortplanting *Heterandria formosa*, de dwergtandkarper. *Poecilia Nieuws* (5): 27-32
- M. Kempkes (2014): Natuurwaarnemingen van *Heterandria formosa* in het zuiden van Florida. *Poecilia Nieuws* (2): 12-21
- M. Kempkes (2014): Der Einfluss der Wassertemperatur auf die Reproduktion, Die Ontogenese und das Geschlechtverhältnis (seks ratio) in einem domestizierten Stamm von *Heterandria formosa*, dem Zwergkäpfling. *Das Lebendgebärenden Magazin* (1): 49-53
- M. Kempkes (2015): *Heterandria formosa*. Das Weibchen 2/13 und seine Geburtsintervalle. *Das Lebendgebärenden Magazin* (1): 14-15
- M. Kempkes (2015): *Heterandria formosa* Het vrouwtje nr. 2/13 en haar geboorte intervallen. *Poecilia Nieuws* (2): 18-20
- M. Kempkes (2018): Kleuranomalie bij *Heterandria formosa*. *Poecilia Nieuws* (4): 25-26
- M. Kempkes (2019): Farbanomalie bei *Heterandria formosa*. *Das Lebendgebärenden Magazin* (1): 38-39
- M. Kempkes & H. van der Kooy (2017): *Heterandria formosa* (Girard, 1859). *Poecilia Nieuws Atlas* (): -
- U. Korte (2007): Lebendgebärende in Zoologischen Gärten IX: Das National Aquarium Washington D.C.. *DGLZ-Rundschau* (4): 126-132
- D. Kroll (2002): Der Mini-Guppy - Hungerformen und andere Abweicher. *DGLZ-Rundschau* (3): 60-65
- H. van Kruistum et al (2019): The genome of the live-bearing fish *Heterandria formosa* implicates a role of conserved vertebrate genes in the evolution of placental fish. *BMC Evolutionary Biology* (156): 1-11

Livebearer Literature List 202201

- R. van Lakerveld (1989): Heterandria formosa; verzorging en kweek van de kleinste levendbarende. *Poecilia Nieuws* (2): 27-27
- J.K. Langhammer (1997): The little livebearers. *Livebearers* (146): 20-21
- J.K. Langhammer (2005): The littlest livebearers (2005 version). *Livebearers* (184): 44-46
- W. Laros (1986): Heel erg klein maar fijn. *Poecilia Nieuws* (2): 18-18
- J. Leips & J. Travis (1999): The comparative expression of life-history traits and its relationship to the numerical dynamics of four populations of the least killifish. *Journal of Animal Ecology* (68): 596-616
- J. Leips et al. (2009): Adaptive maternal adjustments of offspring size in response to conspecific density in two populations of the least killifish, *Heterandria formosa*. *Evolution* (5): 1341-1347
- J. Leips, J. Travis & F. H. Rodd (2000): Genetic influences on experimental population dynamics of the least killifish. *Ecological Monographs* (2): 289-309
- J. Lever (1952): *Heterandria formosa - Agassiz*. Waterweelde (mei): 36-37
- B. Lisek (1987): *Heterandria formosa - Bemerkungswerte Zwerge*. *Aquarien Terrarien* (2): 50-50
- H. Lobregt (1995): *Heterandria formosa, een echte koudwatervis?*. *Poecilia Nieuws* (2): 38-38
- R. Lundkvist (2010): Fischbiotope in Süßflorida. *DGLZ-Rundschau* (2): 38-44
- R. Lundkvist (2010): Vissen vangen in het meest zuidelijke deel van Florida. *Poecilia Nieuws* (4): 16-23
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 289-302
- S.B. Martin et al (2009): Life history variation along a salinity gradient in coastal marshes. *Aquat Biol* (15): 15-28
- H. März (2000): Meine Erfahrungen und Erlebnisse mit dem "Allerweltfisch" *Heterandria formosa*. *DGLZ-Rundschau* (1): 6-7
- D.M. McKinsey & L.J. Chapman (1998): Dissolved oxygen and fish distribution in a Florida spring. *Environmental Biology of Fishes* (53): 211-223
- L. van der Meer (2007): *Heterandria formosa*. *Poecilia Nieuws* (4): 18-21
- P.J. Mellegers (1992): *Heterandria formosa*. *Poecilia Nieuws* (4): 14-14
- P.J. Mellegers (1993): Biologische bestrijding van planaria's?. *Poecilia Nieuws* (2): 44-47
- J.C. Merino (1991): Eigen aardige waarnemingen. *Poecilia Nieuws* (1): 9-11
- S. Mischereit (1981): Verzorging en kweek van de kleinste levendbarende; *Heterandria formosa*. *TH* (27): 15-16
- K. Möller (1968): Der Zwergkäpfpling, *Heterandria formosa*, und einige seiner Verhaltensweisen im Gesellschaftsaquarium. *Aquarien Terrarien* (7): 244-244
- A. Morales-Cazan & J.S. Albert (2012): Monophyly of Heterandriini (Teleostei: Poeciliidae) revisited: a critical review of the data. *Neotropical Ichthyology* (1): 19-44
- S. Mukherjee et al (2014): Perceived risk of predation affects reproductive life-history traits in *Gambusia holbrookii*, but not in *Heterandria formosa*. *Plos One* (2): 1-6
- H.A. Nichols (1988): The smallest livebearer. *Livebearers* (102): 12-13
- H. Norfolk (2002): Three unusual livebearers. *Livebearer News* (1): 10-14
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- C. Olivera-Tlahuel et al (2019): Placental structures and their association with matrotrophy and superfetation in poeciliid fishes. *Acta Zool.* (100): 167-181
- M.J. O'Neill et al (2007): Ancient and continuing Darwinian selection on insulin-like growth factor II in placental fishes. *Proc. Natl. Acad. Sci.* (30): 12404-12409
- P. Ongena (1991): *Heterandria formosa* (Agassiz, 1855). *Poecilia Nieuws* (3): 43-46
- J. Peter (1905): Lebendig gebärende Käpflinge. *Blätter für Aquarien- und Terrarienkunde* (5): 62-66
- M. Plath et al (2007): Sexual harassment in live-bearing fishes (Poecilidae): comparing courting and noncourting species. *Behavioral Ecology* (March): 680-688
- F.N. Poeser (2005): Aquariumvissen uit Amerika (deel 1). *Poecilia Nieuws* (2): 24-27
- F.N. Poeser (2010): *Heterandria formosa.... Girard, 1859* Lessen in taxonomie en waakzaamheid. *Poecilia Nieuws* (2): 14-15
- F.N. Poeser (2015): De dwergstandkarper. Een uitgave over *Heterandria formosa* geschreven door Michael Kempkes. *Poecilia Nieuws* (1): 31-33
- B.J.A. Pollux, M.N. Pires, A.I. Banet & D.N. Reznick (2009): Evolution of placentas in the fish family poeciliidae: an empirical study of macroevolution. *Annu. Rev. Ecol. Evol. Syst.* (40): 271-289
- A. Rachow (1912): *Girardinus formosus* Agassiz. *Blätter für Aquarien- und Terrarienkunde* (18): 287-288
- A. Rachow (1912): Weiteres über *Girardinus formosus* Agassiz. *Blätter für Aquarien- und Terrarienkunde* (38): 612-613
- A. Rachow (1940): *Heterandria formosa* Agassiz. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca)): 540-541
- A.C. Radda (1985): Revalidisierung der Gattung *Pseudoxiphophorus* Bleeker 1860. *Aquaria* (32): 126-129
- A.C. Radda (1986): Revalidisierung der Gattung *Pseudoxiphophorus* Bleeker, 1860. *DGLZ-Rundschau* (1): 13-15
- D. Reznick, H. Callahan & R. Llauredo (1996): Maternal effects on offspring quality in poeciliid fishes. *American Zoologist* (2): 147-156
- J.M.L. Richardson, M.S. Gunzburger & J. Travis (2006): Variation in predation pressure as a mechanism underlying differences in numerical abundance between populations of the poeciliid fish *Heterandria formosa*. *Oecologia* (147): 596-605
- R. Riehl & H. Greven (1990): Electronmicroscopical studies on oogenesis and development of egg envelopes in two viviparous teleosts, *Heterandria formosa* (Poeciliidae) and *Ameca splendens* (Goodeidae). *Zool. Beitr. N.F.* (2): 247-252
- R. Riehl & H. Greven (2008): Tight and gap junctions in the follicle epithelium of vitellogenetic oocytes in the Least killifish, *Heterandria formosa* (Poeciliidae). *Bulletin of Fish Biology* (1/2): 93-96
- R. Riehl, A. Holl & E. Schulte (1978): Morphologische und feinstrukturelle Untersuchungen an dem Gonopodium von *Heterandria formosa* Agassiz, 1853. *Zoomorphologie* (91): 133-146
- S. Riese (2004): Die Lebendgebärenden der USA. Das Lebendgebärenden Magazin (2): 28-32
- W. Rogner (1990): Zur Biologie, Pflege und Zucht des Zwergkäpflings *Heterandria formosa*. *DATZ* (11): 661-662
- D.E. Rosen (1979): Fishes from the uplands and intermontane basins of Guatemala: Revisionary Studies and Comparative Geography. *Bulletin American Museum of Natural History* (162): 268-375

Livebearer Literature List 202201

- D. Rössel (1996): Lebendgebärende für Anfänger (Teil 1). DATZ (1): 8-11
D. Rössel (1996): Lebendgebärende für Anfänger (Schluss). DATZ (2): 84-87
C.R. Ruetz III, J.C. Trexler, F. Jordan, W.F. Loftus & S.Perry (2005): Population dynamics of wetland fishes: spatio-temporal patterns synchronized by hydrological disturbance?. Journal of Animal Ecology (74): 322-332
W.B. Sachs (1917): Heterandria formosa früher Girardinus formosus. Blätter für Aquarien- und Terrarienkunde (19): 289-289
C. van de Sande (1988): Superfoetatie. Poecilia Nieuws (5): 75-75
J.F. Schaefer, S.T. Heulett & T.M. Farrell (1994): Interactions between two Poeciliid fishes (*Gambusia holbrookii* and *Heterandria formosa*) and their prey in a Florida marsh. Copeia (2): 516-520
J.F. Schindler & W.C. Hamlett (1993): Maternal-embryonic relations in viviparous teleosts. Journal of Experimental Biology (266): 378-393
M. Schrader & J. Travis (2005): Population differences in pre- and post-fertilization offspring provisioning in the least killifish, *Heterandria formosa*. Copeia (3): 649-656
M. Schrader & J. Travis (2008): Testing the viviparity-driven-conflict hypothesis: parent-offspring conflict and the evolution of reproductive isolation in a Poeciliid fish. The American Naturalist (6): 806-817
M. Schrader & J. Travis (2009): Do embryos influence maternal investment? Evaluating maternal-fetal coadaptation and the potential for parent-offspring conflict in a placental fish. Evolution (11): 2805-2815
M. Schrader, J.J. Apodaca, P.S.D. Macrae & J. Travis (2012): Population density does not influence male gonadal investment in the Least Killifish, *Heterandria formosa*. Ecology and Evolution (12): 2935-2942
W. Schreitmüller (1925): *Heterandria formosa* Agassiz. (der nordamerikanische Zwergkärpfing). Wochenschrift für Aquarien und Terrarienkunde (6): 93-94
A. Schröder et all (2009): Invasion success depends on invader body size in a size-structured mixed predation-competition community. Journal of Animal Ecology (78): 1152-1162
P. Schubert (1991): Auslese und gezielte Zucht von Wildformen Lebendgebärender - Ja oder Nein?. DGLZ-Rundschau (1): 21-22
C. Sciarone (1992): *Heterandria formosa* (Agassiz, 1855). Picasso onder water (): 0-
C. Sciarone (1997): Het slakkoprobleem. Poecilia Nieuws (2): 40-40
N.S. Scrimshaw (1944): Superfetation in Poeciliid fishes. Copeia (3): 180-183
N.S. Scrimshaw (1944): Embryonic growth in the viviparous Poeciliid, *Heterandria formosa*. Biological Bulletin (87): 37-51
N.S. Scrimshaw (1945): Development in Poeciliid fishes. Biological Bulletin (3): 233-246
W.P. Seal (1911): Breeding habits of the viviparous fishes *Gambusia holbrookii* and *Heterandria formosa*. Proceedings of the Biological Society of Washington (XXIV): 91-96
S. Soucy & J. Travis (2003): Multiple paternity and population genetics structure in natural populations of the poeciliid fish, *Heterandria formosa*. J. Evol. Biol. (16): 1328-1336
H. Stallknecht (1976): Klein, aber hochinteressant - *Heterandria formosa* 2. Aquarien Terrarien (10): 338-341
H. Stallknecht (1976): Klein, aber hochinteressant - *Heterandria formosa* 1. Aquarien Terrarien (9): 292-293
F.H. Stoye (1984): *Heterandria formosa* Agassiz. Livebearers (77): 6-6
F.H. Stoye (1988): *Heterandria formosa* - the mosquito fish. Livebearers (98): 10-11
F.H. Stoye (1998): The fishes of the order Cyprinodontes Part 3. The livebearers. Livebearers (152): 23-31
F. Strötgen (1922): *Heterandria formosa* Agassiz.. Blätter für Aquarien- und Terrarienkunde (14): 227-228
K. Taylor (2006): Wow! There's a lot of fish in that tank! My experience with *Heterandria formosa*. Livebearers (185): 37-39
S. Teutloff (1985): Ein Sommer im Freiland. ZAG Lebendgebärende Zahnkarpfen (4): 1-4
J. Travis, J.A. Farr, S. Henrich & R.T. Cheong (1987): Testing theories of clutch overlap with the reproduction ecology of *Heterandria formosa*. Ecology (3): 611-623
J. Travis, M.G. McManus & C.F. Baer (1999): Sources of variation in physiological phenotypes and their evolutionary significance. American Zoologist (2): 422-433
J.P. Troutman, D.A. Rutherford & W.E. Kelso (2007): Patterns of habitat use among vegetation-dwelling littoral fishes in the Atchafalaya river basin, Louisiana. Transactions of the American Fisheries Society (136): 1063-1075
C.L. Turner (1937): Reproductive cycles and superfetation in Poeciliid fishes. Biological Bulletin (2): 145-164
H.L. Weaver (1981): How much luck?. Livebearers (58): 9-9
M. Wilson (1984): Doubling up one's aquaria. Livebearers (75): 17-19
M.J. Wilson (1984): Doubling up one's aquarium. Livebearers (75): 17-19
R. Wilson (2000): *Heterandria formosa*. Livebearers (162): 11-11
R. Winter (0): Forgotten favourites Part 1. Viviparous (35): 0-
L. Wischnath (1995): Kleine soorten levendbarende tandkarpers. Het Aquarium (6): 127-129
P. Wolfgramm (1982): Der Zwergkärpfing - *Heterandria formosa*. ZAG Lebendgebärende Zahnkarpfen (4): 4-4
A.H. Wright (1926): The vertebrate life of Okefenokee swamp in relation to the Atlantic Coastal plain. Ecology (1): 77-95
L. Xie & P.L. Klerks (2004): Fitness cost of resistance to cadmium in the least killifish (*Heterandria formosa*). Environmental Toxicology and Chemistry (6): 1499-1503
J.J. Zúñiga-Vega, C. Macías-García & J.B. Johnson (2010): Hypotheses to explain the evolution of superfetation in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 241-254

Heterophallus echeagarayi (Alvarez de Villar, 1952)

- J. Alvarez de Villar (1952): Dicerophallini, nueva tribu de Poeciliidae de Chiapas. Ciencia (12): 95-97
K. de Jong (2010): Mexico 2009. Poecilia Nieuws (1): 19-29
K. de Jong (2019): *Heterophallus echeagarayi* (Alvarez, 1952). Poecilia Nieuws Atlas (05): -
D. Lambert (0): The livebearer trail. Viviparous (15): 0-

- D. Lambert (1995): Heterophallus echeagarayi. Viviparous (30): 0-
- D. Lambert (1997): Carlhubbsia stuarti - a valuable lesson. Tropical Fish Hobbyist (June): 150-153
- M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeografica y ecologica de la ictiofauna continental de Chiapas, Mexico. The Southwestern Naturalist (2): 223-236
- M.K. Meyer (1994): Het geslacht Heterophallus in spe. Poecilia Nieuws (5): 90-93
- A.C. Radda (1988): Beschreibung von Heterophallus milleri n.sp.. DGLZ-Rundschau (3): 12-18
- L.R. Rivas (1963): Sugenera and species groups in the Poeciliid fish genus Gambusia Poey. Copeia (2): 331-347
- R. Serva (1999): They cruise with their running lights on - or collecting and breeding Heterophallus echeagarayi. Livebearers (158/159): 22-24
- R. Serva & G. Tash (1997): In sort of the "wild" red swordtail (amongst other things). Viviparous (39): 0-
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120

Heterophallus milleri Radda, 1987

- (1989): Nieuws uit de wetenschap. Poecilia Nieuws (2): 31-31
- D. Hughes-Phillips (2009): Mexico - March 2006. Livebearer News (26): 19-32
- K. de Jong (1989): Enkele nieuwe levendbarende tandkarpers. Poecilia Nieuws (3): 43-45
- K. de Jong (2020): Tabasco 2019 Op zoek naar Carlhubbsia en Heterophallus Deel 2. Poecilia Nieuws (2): 13-18
- K. de Jong (2020): Tabasco 2019 - auf der Suche nach Carlhubbsia und Heterophallus. Das Lebendgebärenden Magazin (2): 23-31
- M.K. Meyer (1994): Het geslacht Heterophallus in spe. Poecilia Nieuws (5): 90-93
- A.C. Radda (1987): Beschreibung von Heterophallus milleri n. sp. (Teleostei, Poeciliidae, Gattungsgruppe Gambusiini). Aquaria (34): 125-132
- A.C. Radda (1988): Beschreibung von Heterophallus milleri n.sp.. DGLZ-Rundschau (3): 12-18
- R. Riesch et al (2011): Natural history and life history of the Grijalva gambusia Heterophallus milleri Radda, 1987 (Teleostei: Poeciliidae). aqua, International Journal of Ichthyologie (2): 95-102
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
- M. Ziege et al (2008): Audience effect alters mate choice in male Heterophallus milleri (Poeciliidae). Bulletin of Fish Biology (1/2): 87-92
- M. Ziege et al (2008): Audience effects alters mate choice in male Heterophallus milleri (Poeciliidae). Bulletin of Fish Biology (1/2): 1-6

Heterophallus rachovii Regan, 1914

- D.E. Rosen & M. Gordon (1951): A new fish of the genus Gambusia from Southern Veracruz, Mexico, with a discussion of the tribe Gambusiini Hubbs. Zoologica (18): 267-272

Heterophallus rachowi (Regan, 1914)

- M.K. Meyer (1994): Het geslacht Heterophallus in spe. Poecilia Nieuws (5): 90-93
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- F.N. Poeser (2005): Aquariumvissen uit Amerika (deel 1). Poecilia Nieuws (2): 24-27
- A. Rachow (1920): Gambusia yucatana Regan und Heterophallus Rachovii Regan. Blätter für Aquarien- und Terrarienkunde (15): 225-227
- A. Rachow (1940): Heterophallus rachovi Regan. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 520-521
- A.C. Radda (1988): Beschreibung von Heterophallus milleri n.sp.. DGLZ-Rundschau (3): 12-18
- C.T. Regan (1914): Descriptions of Two new Cyprinodont Fishes from Mexico presented to the British Museum by Herr A. Rachow. Annals and Magazine of Natural History (July): 64-67
- F.H. Stoye (1998): The fishes of the order Cyprinodontes Part 3. The livebearers. Livebearers (152): 23-31

Hiatirhaphis cascajalensis (Meek & Hildebrand, 1913)

- P.L. Angermeier & J.R. Karr (1983): Fish communities along environmental gradients in a system of tropical streams. in: Zaret T.M. Evolutionary ecology of neotropical freshwater fishes (): 39-57
- E.H Behre (1928): A list of the fresh water fishes from western Panama between long. 81°45' and 83° 15' W. Annals of the Carnegie Museum (1): 305-328
- C.M. Breder jr. (1933): The fishes of Barro Colorado, Gatun Lake, Panama. Zoologica (16): 565-572
- C.M. Breder jr. (1944): A revised list of the fishes of Barro Colorado, Gatun Lake, Panama. Copeia (2): 86-89
- D. Fromm (1984): Het gedrag van Brachyrhaphis episcoli en zijn verwant. Poecilia Nieuws (4): 0-3
- H. Hieronimus (2019): Lebendgebärende Aquarienfische revidiert. DGLZ-Rundschau (3): 84-85
- H. Hieronimus (2019): Lebendgebärende Aquarienfische revidiert. DGLZ-Rundschau (2): 84-85
- S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. Zoölogy, Field museum of natural history (4): 215-359
- J.H. Huber (2019): A nomenclatural and systematic analysis of livebearing Cyprinodontiformes (Acanthopterygil: Anablepsinae, Goodeinae, Poeciliidae). Killi-Data Series (): 4-155
- S.J. Ingleby, R.G. Reina, E. Bermingham & J.B. Johnson (2015): Phylogenetic analyses provide insights into the historical biogeography and evolution of Brachyrhaphis fishes. Molecular Phylogenetics and Evolution (89): 104-114
- K. de Jong (1995): Nieuwe soorten in Nederland. Poecilia Nieuws (6): 108-109

Livebearer Literature List 202201

- K. de Jong (2020): Een revisie van onze levendbarende vissen. Poecilia Nieuws (2): 24-25
D. Macallister (2008): Brachyrhaphis and their habitats. Livebearer News (25): 26-37
S.E. Meek & S.F. Hildebrand (1913): New species from Panama. Field museum of natural history - Zoölogy (8): 77-91
S.E. Meek & S.F. Hildebrand (1916): The fishes of these fresh waters of Panama. Publ. Field Museum of Nat. Hist. Chicago (15): 217-374
M.K. Meyer (1983): Die Gattung Brachyrhaphis 1. DATZ (2): 47-50
M.K. Meyer & V. Etzel (1998): Notes on the genus Brachyrhaphis Regan 1913, with the description of a new species from Panama. Senckenbergiana biol. (77): 155-160
C.L. Mojica (1998): Comparative ecology and historical biogeography of the genus Brachyrhaphis. Environmental Biology of Fishes (51): 117-127
A.C. Radda (1981): Synopsis der Gattung Brachyrhaphis Regan. Aquaria (28): 177-184

Hiatirhaphis parismina (Meek, 1912)

- A. Angulo et al (2017): Fishes from the Tirimbina biological reserve, La Virgen de Sarapiquí, Heredia, Costa Rica. Check List (5): 683-702
M.C. Belk, E.E. Nance & J.B. Johnson (2011): Life History of Brachyrhaphis parismina: variation within and among populations. Copeia (3): 372-378
W.A. Bussing (1993): Fish communities and environmental characteristics of a tropical rain forest river in Costa Rica. Rev. Biol. Trop (3): 791-809
D. Fromm (1974): 1973 Coas-Fin features Costa Rica expedition. Livebearers (17): 2-9
D. Fromm (1975): Über Pflege und Zucht einiger Fische aus Costa Rica. Das Aquarium (1): 77-80
D. Fromm (1985): Het gedrag van Brachyrhaphis episopi en zijn verwanten (vervolg). Poecilia Nieuws (1): 6-8
J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop (1): 165-170
H. Hieronimus (2019): Lebendgebärende Aquarienfische revidiert. DGLZ-Rundschau (3): 84-85
H. Hieronimus (2019): Lebendgebärende Aquarienfische revidiert. DGLZ-Rundschau (2): 84-85
J.H. Huber (2019): A nomenclatural and systematic analysis of livebearing Cyprinodontiformes (Acanthopterygil: Anablepsinae, Goodeinae, Poeciliidae). Killi-Data Series (): 4-155
S.J. Ingleby, R.G. Reina, E. Birmingham & J.B. Johnson (2015): Phylogenetic analyses provide insights into the historical biogeography and evolution of Brachyrhaphis fishes. Molecular Phylogenetics and Evolution (89): 104-114
K. de Jong (2020): Een revisie van onze levendbarende vissen. Poecilia Nieuws (2): 24-25
D. Macallister (2008): Brachyrhaphis and their habitats. Livebearer News (25): 26-37
S.E. Meek (1912): New species of fishes from Costa Rica. Publ. Field Museum of Nat. Hist. Chicago (7): 69-75
C.L. Mojica (1998): Comparative ecology and historical biogeography of the genus Brachyrhaphis. Environmental Biology of Fishes (51): 117-127
A.C. Radda (1981): Synopsis der Gattung Brachyrhaphis Regan. Aquaria (28): 177-184
A.C. Radda & H. Fritscher (1980): Poeciliiden-Studien im karibischen Raum. Aquaria (27): 77-88
A.C. Radda & H. Fritscher (1985): Poeciliiden-Studien im karibischen Raum. DGLZ-Rundschau (4): 7-16
J.T. Wootton & M.P. Oemke (1992): Latitudinal differences in fish community trophic structure, and the role of fish herbivory in a Costa Rican stream. Environmental Biology of Fishes (35): 311-319

Hysterocarpus traski Gibbons, 1854

- A.D. Castro (2000): The tule perch. Livebearers (161): 25-30

Ilyodon furcidens (Jordan & Gilbert, 1882)

- R.G. Béltran-López et al (2017): Phylogeny and taxonomy of the genus Ilyodon Eigenmann, 1907 (Teleostei: Goodeidae), based on mitochondrial and nuclear DNA sequences. J Zool Syst Evol Res (55): 340-355
B. Bishopp (1985): The gold breasted goodeid. Livebearers (84): 3-5
O. Böhm (1984): Das Hochland von Mexiko ist die Heimat der Goodeiden. TI (68): 9-11
O. Böhm (1987): Einiges aus der Familie der Hochlandkärpfelinge. Das Aquarium (10): 509-511
O. Böhm (1989): Fische aus dem Hochland Mexikos. TI (93): 19-20
G.M. Clayton & D.J. Price (1992): Interspecific and intraspecific variation in resistance to ichthyophthiriasis among poeciliid and goodeid fishes. Journal of Fish Biology (40): 445-453
T. Coletti (2010): Livebearers unlimited Six goodeids you should try this summer. Tropical Fish Hobbyist (May): 36-38
J. Dawes (1998): Goodeiden Teil 3 (Schluß): Kurzbeschreibungen zu einigen Arten (2). Das Aquarium (343): 8-11
E. Díaz-Pardo (2005): The gonopodial suspension of the Girardinichthynae fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 133-143
C.H. Eigenmann (1907): The Poeciliid fishes of Rio Grande do Sul and the La Plata basin. Proc. US Nat. Mus. (32): 524-433
C.H. Eigenmann (1940): Catalogue of the freshwater fishes of tropical and south temperate Americas. Reports of the Princeton University Expeditions to Patagonia (): 1896-1899
H. Flöthmann (1991): Beobachtungen bei der Haltung und Zucht von Goodeiden. DGLZ-Rundschau (4): 83-85
R.C. Griffiths (1986): Goodeids I have loved (or liked, anyway). Livebearers (85): 8-9
R.C. Griffiths (2013): Depending on whom you believe: the genus Ilyodon. Livebearers (220): 6-11
C. Grimes (1980): Birth is not always a "blessed event". Livebearers (52): 3-5

Livebearer Literature List 202201

- T.A. Grudzien & B.J. Turner (1984): Genic identity and geographic differentiation of trophically dichotomous *Ilyodon*. *Copeia* (1): 102-107
- T.A. Grudzien & B.J. Turner (1984): Direct Evidence that the *Ilyodon* Morphs are a Single Biological Species. *Copeia* (2): 402-407
- P. Hartman (1984): Transporting goodeids. *Livebearers* (75): 19-19
- P. Hartman (1989): *Ilyodon furcidens*. *Livebearers* (104): 17-18
- H. Hieronimus (1984): Sind *Ilyodon furcidens* und *Ilyodon xantusi* nur Morphen einer einzigen Art?. *DGLZ-Rundschau* (4): 72-75
- H. Hieronimus (1987): Chromosomenuntersuchungen an *Ilyodon furcidens*. *DGLZ-Rundschau* (3): 4-6
- H. Hieronimus (1988): Zur Wurfzahl von Lebendgebärenden, speziell *Ilyodon xantusi*. *DGLZ-Rundschau* (2): 20-20
- H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. *DGLZ-Rundschau* (3): 21-22
- H. Hieronimus (1990): Zum Thema Kreuzungen bei Lebendgebärenden. *DGLZ-Rundschau* (4): 6-7
- F. Hollenberg & J.P. Wourms (1994): Ultrastructure and protein uptake of the embryonic trophotaenia of four species of goodeid fishes. *Journal of Morphology* (219): 105-129
- C.L. Hubbs & C.L. Turner (1939): Studies of the fishes of the order Cyprinodontes. XVI. A revision of the Goodeidae. *Miscellaneous Publications University of Michigan* (42): 1-80
- D. Hughes-Phillips (2011): Freilandhaltung von Goodeiden. *DGLZ-Rundschau* (1): 19-25
- N. Hunter (2015): Sommerurlaub! Meine Erfahrungen mit der Freilandhaltung von Lebendgebärenden. *Das Lebendgebärenden Magazin* (1): 30-33
- K. de Jong (1985): Hooglandkarpers. *Poecilia Nieuws* (2): 14-15
- K. de Jong (2014): Mexico 2013, deel 4 en slot Van Morelia naar Barra de Navidad en terug (2). *Poecilia Nieuws* (2): 22-27
- K. de Jong (2015): Mexiko 2013 Vierter und letzter Teil Von Barra de Navidad zurück nach Morelia. *Das Lebendgebärenden Magazin* (1): 20-27
- D.S. Jordan & C.H. Gilbert (1882): Catalogue of the fishes collected by mr. John Xantus at Cape San Lucas, which are now in the United States national museum, with description of eight new species. *Proc. US Nat. Mus.* (290): 353-371
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. *Poecilia Nieuws* (2): 22-35
- M. Köck (2014): Von hinten aufgerollt: Die Goodeiden van Z bis A Die Gattung *Ilyodon*. *Das Lebendgebärenden Magazin* (2): 31-40
- D. Lambert (2000): *Ilyodon furcidens* (Jordan & Gilbert, 1882). Viviparous (49): 0-
- J.K. Langhammer (1994): The lost treasure of the Aztecs Part VI - recent changes in the family Goodeidae. *Livebearers* (78): 3-3
- F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 3. Teil. *DGLZ-Rundschau* (1): 1-29
- F. Liberge (2021): Herontdek de *Ilyodon*. *Poecilia Nieuws* (4): 6-15
- J. Lyons (1997): Fishes from the land of the trucha de tierra caliente. *Freshwater & Marine Aquarium* (7): 127-136
- J. Lyons (2016): Adventures among the wild livebearers of Mexico: beginnings. *Livebearers* (233): 14-21
- J. Lyons (2020): The Insidiousness of invasive species. *Livebearers* (249): 5-10
- J. Lyons (2021): The insidiousness of invasive species. *Livebearer News* (67): 7-13
- J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. *Anales del Instituto de Biología, Universidad Nacional* (2): 169-190
- J. Lyons & S. Navarro-Perez (1990): Fishes of the Sierra de Manantlan, West-Central Mexico. *The Southwestern Naturalist* (1): 32-46
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. *Field Columbian Museum - Zoology* (5): 1-252
- L. van der Meer (2008): *Ilyodon xantusi* (Hubbs & Turner, 1939). *Poecilia Nieuws* (4): 11-16
- M.K. Meyer (1988): Mexikanische lebendgebärende Hochlandkärpfinge der Gattung *Ilyodon*. *TI* (88): 28-29
- M.K. Meyer & W. Förster (1983): Eine neue *Ilyodon*-Art aus Guerrero, Mexiko. *Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden* (16): 257-263
- T. Neal (2006): Another wonderful livebearer, *Ilyodon xantusi*. *Livebearers* (188): 6-9
- J. Paulo-Maya & P. Trujillo-Jiménez (2000): Nueva especie de *Ilyodon* (Cyprinodontiformes: Goodeidae) de la cuenca de río Balsas, México. *Rev. Biol. Trop.* (48): 465-472
- A.C. Radda (1986): Cyprinodonten vissen in Mexico 3. *Poecilia Nieuws* (2): 40-43
- A.C. Radda (1986): De Goodeidae van Mexico; deel II. *TIH* (44): 11-14
- C.T. Regan (190608): Pisces. *Biología Central Americanica* (): 1-203
- G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. *Das Lebendgebärenden Magazin* (2): 8-23
- J. Sabisch (2002): *Ilyodon xantusi* Ein Erfahrungsbericht mit Hochlandkärpling (Goodeiden). *Aquaristik-Aktuell* (2): 20-23
- J.F. Schindler & H. Greven (2010): Respiratory strategies in Goodeid and Jenynsiid embryos: Morphologic correlates of cutaneous gas exchange. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 13-30
- P. Schubert (1991): Goodeiden im Pflanzenbecken - Helfen oder ...?. *DGLZ-Rundschau* (1): 16-16
- P. Schubert (1991): Hochlandkärplinge Goodeiden: Ein Feuerwerk an Farbe bei grauer Fischen. *Das Aquarium* (2): 4-9
- H. Seeliger (1986): Ein schöner Goodeide - *Ilyodon furcidens*. *ZAG Lebendgebärende Zahnkarpfen* (2): 7-8
- B.J. Turner (1992): Het verhaal van de *Ilyodon* II. *Poecilia Nieuws* (2): 39-41
- B.J. Turner (1992): Het verhaal van de *Ilyodon*. *Poecilia Nieuws* (1): 9-11
- B.J. Turner & D.J. Gross (1980): Trophic differentiation in *Ilyodon*, a genus of stream-dwelling goodeid fishes: speciation versus ecological polymorphism. *Evolution* (2): 259-270

- B.J. Turner, T. Grudzien, K. Adkisson & M. White (1983): Evolutionary genetics of trophic differentiation in goodeid fishes of the genus *Ilyodon*. In: Zaret T.M. Evolutionary ecology of neotropical freshwater fishes (): 81-94
- B.J. Turner, T. Grudzien, K. Adkisson & M. White (1983): Evolutionary genetics of trophic differentiation in goodeid fishes of the genus *Ilyodon*. *Environmental Biology of Fishes* (2): 159-172
- B.J. Turner, T. Grudzien, K. Adkisson & R. Worrell (1985): Extensive Chromosomal Divergence Within a Single River Basin in the Goodeid Fish, *Ilyodon furcidens*. *Evolution* (1): 122-134
- J. Vente (1985): Hooglandkarpers, Goodeidae. *Het Aquarium* (3): 74-78
- J. Vente (1986): *Ilyodon xantusi*. *Poecilia Nieuws* (3): -
- L. Wischnath (1996): Hooglandkarpers uit Mexico. *Het Aquarium* (2): 32-36
- G. Zurlo (1986): *Ilyodon xantusi*, ein interessanter Hochlandkäpfpling. *Das Aquarium* (November): 570-572

Ilyodon lennoni Meyer & Förster, 1983

- R.G. Béltran-López et al (2017): Phylogeny and taxonomy of the genus *Ilyodon* Eigenmann, 1907 (Teleostei: Goodeidae), based on mitochondrial and nuclear DNA sequences. *J Zool Syst Evol Res* (55): 340-355
- D. Bork (1984): *Ilyodon lennoni* Meyer & Förster 1983. *ZAG Lebendgebärende Zahnkarpfen* (3): 4-4
- T. Contreras-MacBeath et al (2014): Richness and endemism of the freshwater fishes of Mexico. *Journal of Threatened Taxa* (2): 5421-5433
- R.C. Griffiths (2013): Depending on whom you believe: the genus *Ilyodon*. *Livebearers* (220): 6-11
- H. Hieronimus (1987): Chromosomenuntersuchen an *Ilyodon furcidens*. *DGLZ-Rundschau* (3): 4-6
- K. de Jong (1995): Nieuwe soorten in Nederland. *Poecilia Nieuws* (6): 108-109
- M. Köck (2014): Von hinten aufgerollt: Die Goodeiden van Z bis A Die Gattung *Ilyodon*. *Das Lebendgebärenden Magazin* (2): 31-40
- M.K. Meyer (1988): Mexikanische lebendgebärende Hochlandkäpfinge der Gattung *Ilyodon*. *TI* (88): 28-29
- C. Meyer & M.K. Meyer (1999): Fischfang am Rio Balsas - in Mexiko bei den Cuitlaken und Mixteken. *Das Aquarium* (355): 19-21
- M.K. Meyer & W. Förster (1983): Eine neue *Ilyodon*-Art aus Guerrero, Mexiko. *Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden* (16): 257-263
- M.K. Meyer & W. Förster (1984): Eine neue *Ilyodon*-Art aus Guerrero, Mexiko. *DGLZ-Rundschau* (4): 77-83
- P. Schubert (1991): Hochlandkäpfinge Goodeiden: Ein Feuerwerk an Farbe bei grauer Fischen. *Das Aquarium* (2): 4-9

Ilyodon whitei (Meek, 1904)

- R.G. Béltran-López et al (2017): Phylogeny and taxonomy of the genus *Ilyodon* Eigenmann, 1907 (Teleostei: Goodeidae), based on mitochondrial and nuclear DNA sequences. *J Zool Syst Evol Res* (55): 340-355
- D. Bork (1993): Schocktod bei Goodeiden?. *DGLZ-Rundschau* (1): 10-10
- T. Contreras-MacBeath et al (2014): Richness and endemism of the freshwater fishes of Mexico. *Journal of Threatened Taxa* (2): 5421-5433
- T. Contreras-MacBeath, H. Mejía Mojica & R. Carillo Wilson (1998): Negative impact on the aquatic ecosystems of the state Morelos, Mexico from introduced aquarium and other commercial fish. *Aquarium Sciences and Conservation* (2): 67-78
- G. Daul (1980): Neu in unseren Becken - *Balsadicthys* (Goodea) *whitei*. *DGLZ-Rundschau* (7): 4-5
- E. Díaz-Pardo (2005): The gonopodial suspension of the Girardinichthynae fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 133-143
- R.C. Griffiths (2013): Depending on whom you believe: the genus *Ilyodon*. *Livebearers* (220): 6-11
- R.M. Hamill et al (2007): Comparison of genetic diversity at microsatellite loci in near-extinct and non-endangered species of Mexican goodeine fishes and prediction of cross-amplification within the family. *Journal of Fish Biology* (70): 16-32
- C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. *Miscellaneous Publications University of Michigan* (16): 1-86
- K. de Jong (2008): *Ilyodon cortesae* Paulo-Maya & Trujillo-Jiménez, 2000. *Poecilia Nieuws* (3): 46-47
- M. Köck (2014): Von hinten aufgerollt: Die Goodeiden van Z bis A Die Gattung *Ilyodon*. *Das Lebendgebärenden Magazin* (2): 31-40
- F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 4. Teil. *DGLZ-Rundschau* (2): 61-70
- F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 4. Teil. *DGLZ-Rundschau* (3): 61-70
- F. Liberge (2021): Herontdek de *Ilyodon*. *Poecilia Nieuws* (4): 6-15
- J. Lyons (2018): NAGWG update. *Livebearers* (240): 18-22
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. *Field Columbian Museum - Zoology* (5): 1-252
- E. Meinema (1992): Die aus die kalte kommen. *Poecilia Nieuws* (4): 17-20
- H. Mejía-Madrid & G. Pérez Ponce de León (2003): *Rhabdochona ahuehuensis* n.sp. (Nematoda) from the Balsas Goodeid, *Ilyodon whitei* in Mexico. *J. Parasitol* (2): 356-361
- H.H. Mejía-Madrid et al. (2015): Relationship between environmental and geographic factors and the distribution of exotic fishes in tributaries of the Balsas river basin, Mexico. *Environmental Biology of Fishes* (98): 611-621
- N. Mercado-Silva et al. (2002): Validation of a fish-based index of biotic integrity for streams and rivers of central Mexico. *Reviews in Fish Biology and Fisheries* (12): 179-191
- M.K. Meyer & W. Förster (1983): Eine neue *Ilyodon*-Art aus Guerrero, Mexiko. *Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden* (16): 257-263
- J. de Moree (2004): Een nieuwe *Ilyodon*. *Poecilia Nieuws* (3): 20-21
- J. Paulo-Maya & P. Trujillo-Jiménez (2000): Nueva especie de *Ilyodon* (Cyprinodontiformes: Goodeidae) de la cuenca del río Balsas, México. *Rev. Biol. Trop.* (48): 465-472
- A.C. Radda (1986): Cyprinodonten vissen in Mexico 3. *Poecilia Nieuws* (2): 40-43

Livebearer Literature List 202201

- J.F. Schindler & H. Greven (2010): Respiratory strategies in Goodeid and Jenynsiid embryos: Morphologic correlates of cutaneous gas exchange. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 13-30
- P. Schubert (1989): "Eins zu Null" - Goodeiden kontra Hydra. ZAG Lebendgebärende Zahnkarpfen (4): 6-7
- B.J. Turner (1992): Het verhaal van de Ilyodon II. Poecilia Nieuws (2): 39-41
- B.J. Turner (1992): Het verhaal van de Ilyodon. Poecilia Nieuws (1): 9-11
- M.C. Uribe Aranzábal et al (2010): Ovarian structure and embryonic traits associated with viviparity in poeciliids and goodeids. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 211-230
- M.C. Uribe, G. de la Rosa-Cruz & A. García-Alarcón (2014): Branchial placenta in the viviparous teleost Ilyodon whitei (Goodeidae). Journal of Morphology
- M.C. Uribe, G. De la Rosa-Cruz & A. García-Alarcón (2005): The ovary of viviparous Teleosts. Morphological differences between the ovaries of Goodea atripinnis and Ilyodon whitei (Goodeidae). In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications.
- M.C. Uribe, G. De la Rosa-Cruz & H.J. Grier (2014): Proliferation of oogonia and folliculogenesis in the viviparous teleost Ilyodon whitei (Goodeidae). Journal of Morphology
- L. Wischnath (1996): Hooglandkarpers uit Mexico. Het Aquarium (2): 32-36

Jenynsia alternimaculata (Fowler, 1940)

- M.J. Ghedotti & S.H. Weitzman (1996): A new species of Jenynsia from Brazil with comments on the composition and taxonomy of the Genus. Occ. Papers of the Natural History Museum of Kansas (179): 1-25
- V. Haydeé Martínez & G. Monasterio de Gonzo (2010): The ovarian epithelium in Jenynsiidae: its role in the sperm storage. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 201-210
- J.K. Langhammer (1997): More news about the genus Jenynsia. Livebearers (146): 4-5
- J.K. Langhammer (1998): Look out! Look out! There's a scientist about. More about the genus Jenynsia. Viviparous (41): 0-
- J. Novák, L. Kalouš & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19

Jenynsia darwini Amorin, 2018

- P.F. Amorin (2018): Jenynsia lineata species complex, revision and new species description (Cyprinodontiformes: Anablepidae). Journal of Fish Biology (): 1-21
- P.F. Amorin & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus Jenynsia on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
- H. Hieronimus (2018): Neues bei Jenynsia - Jenynsia darwini. DGLZ-Rundschau (1): 23-28
- K. de Jong (2018): Het Darwin-lijntandkarpertje, een verborgen soort. Poecilia Nieuws (2): 14-16
- K. de Jong (2019): Der Darwin-Linienkäpfling (Jenynsia darwini), eine verborgene Art. Das Lebendgebärenden Magazin (2): 36-37

Jenynsia diphyes Lucinda, Ghedotti & Graca, 2006

- H. Hieronimus (2007): Jenynsia diphyes - Ein neuer Linienkäpfling aus Südbrasilien. DGLZ-Rundschau (1): 38-40
- K. de Jong (2008): Even voorstellen. Poecilia Nieuws (1): 25-27
- P.H.F. Lucinda, M.J. Ghedotti & W.J. Graca (2006): A new Jenynsia species from Southern Brazil and its phylogenetic position. Copeia (4): 613-622

Jenynsia eigenmanni (Haseman, 1911)

- P.F. Amorin & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus Jenynsia on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
- M.J. Ghedotti & S.H. Weitzman (1996): A new species of Jenynsia from Brazil with comments on the composition and taxonomy of the Genus. Occ. Papers of the Natural History Museum of Kansas (179): 1-25
- J.D. Haseman (1911): Some new species of fishes from the Rio Iguassú. Annals of the Carnegie Museum (3-4): 374-387
- A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145

Jenynsia eirmostigma Ghedotti & Weitzman, 1995

- M.J. Ghedotti & S.H. Weitzman (1995): Description of two new species of Jenynsia (Cyprinodontiformes: Anablepidae) from Southern Brasil. Copeia (4): 939-946
- M.J. Ghedotti & S.H. Weitzman (1996): A new species of Jenynsia from Brazil with comments on the composition and taxonomy of the Genus. Occ. Papers of the Natural History Museum of Kansas (179): 1-25
- H. Hieronimus (1996): Neues aus der Wissenschaft. DGLZ-Rundschau (1): 11-11
- J.K. Langhammer (0): Two new species of Jenynsia and a review of the genus. Viviparous (35): 0-
- J.K. Langhammer (1996): Two new species of Jenynsia and a review of the genus. Livebearers (143): 19-19
- F.N. Poeser (1996): Twee nieuwe soorten in het genus Jenynsia Günther, 1866 uit Zuid-Brazilië. Poecilia Nieuws (2): 24-25

Jenynsia lineata (Jenyns, 1842)

- P.F. Amorin (2018): Jenynsia lineata species complex, revision and new species description (Cyprinodontiformes: Anablepidae). Journal of Fish Biology (): 1-21
- P.F. Amorin & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus Jenynsia on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
- H. Auer (2006): Wer bin ich (3): Reverend Leonard Jenyns (1800-193). DGLZ-Rundschau (3): 90-95
- E. Bade (1905): Neue Importe in Wort und Bild. 6. Jenynsia lineata. Blätter für Aquarien- und Terrarienkunde (23): 223-224
- M. Barnes (1983): Jenynsia lineata. Livebearers (70): 2-5

Livebearer Literature List 202201

- M. Barnes (1994): Jenynsia lineata. Viviparous (26): 0-7
- G. de Beurs (1958): Jenynsia lineata (Jenyns). Guppy (3): 15-16
- A. Bisazza, S. Manfredi & A. Pilastro (2000): Sexual competition, coercive mating and mate assessment in the one-sided livebearer, Jenynsia multidentata: Are they predictive of sexual dimorphism?. Ethology (106): 961-978
- O. Böhm (1995): The care and breeding of Jenynsia lineata. Tropical Fish Hobbyist (8): 134-138
- W.L. Brind (1920): Fitzroya lineata. Aquatic Life (August): 85-90
- Y.F. Briñoccoli et al (2021): Processes that drive the population structuring of Jenynsia lineata (Cyprinodontiformes, Anablepidae) in the La Plata Basin. Ecology and Evolution (00): 1-14
- M. Le B. Cuvier & M.A. Valenciennes (1846): Histoire naturelle des poissons. Paris (vol. 18): 1-505
- L. Dadone & R. Narbaitz (1967): Submicroscopic structure of spermatozoa of a Cyprinodontiform Teleost, Jenynsia lineata. Zeitschrift für Zellforschung (80): 214-219
- G. Daul (1988): Lebendgebärende Zahnkarpfen aus Brasilien. Das Aquarium (Juli): 397-399
- G. Daul (2009): Vieraugenfische. DGLZ-Rundschau (3): 51-67
- D. Frank (1913): Bericht aus Argentinien. Ueber drei Lebendgebärende Zahnkarpfen aus Argentinien. Blätter für Aquarien- und Terrarienkunde (23): 370-373
- M.I. Garcia et al (2019): Assessment of the predatory capacity on mosquito larvae of Jenynsia multidentata (Anablepidae) in presence of vegetation under laboratory conditions. Iheringia Ser. Zool. (109): 1-6
- M.J. Ghedotti & S.H. Weitzman (1996): A new species of Jenynsia from Brazil with comments on the composition and taxonomy of the Genus. Occ. Papers of the Natural History Museum of Kansas (179): 1-25
- H.J. Grier, J.R. Burns & J.A. Flores (1981): Testis structure in three species of Teleosts with tubular gonopodia. Copeia (4): 797-801
- J. Griffiths (1999): Jenynsia multidentata the one-sided livebearer. Livebearers (156): 14-15
- J. Griffiths (2005): Jenynsia multidentata The one sided livebearer. Livebearer News (9): 20-21
- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
- V. Haydeé Martínez & G. Monasterio de Gonzo (2010): The ovarian epithelium in Jenynsiidae: its role in the sperm storage. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 201-210
- A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
- H. Hieronimus (1986): Geschichte der Lebendgebärenden Teil 5 - L. Jenyns: fishes. DGLZ-Rundschau (2): 4-6
- H. Hieronimus (1986): De geschiedenis van de levendbarende tandkarpers deel 5. Poecilia Nieuws (6): 78-82
- H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. DGLZ-Rundschau (4): 14-18
- H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. DGLZ-Rundschau (3): 21-22
- H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. Poecilia Nieuws (6): 12-18
- H. Hieronimus (1993): Lebendgebären - was ist das?. DGLZ-Rundschau (3): 57-59
- H. Hieronimus (2014): Eine neue Jenynsia-Art und mehr zur Gattung. DGLZ-Rundschau (3): 109-110
- H. Hieronimus (2016): Neues aus der Wissenschaft. DGLZ-Rundschau (2): 69-71
- H. Hieronimus (2018): Neues bei Jenynsia - Jenynsia darwini. DGLZ-Rundschau (1): 23-28
- M. Holly, H. Meinken & A. Rachow (1938): Familie: Jenynsiidae. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (): 234-235
- C. Iglesias et al (2008): Field and experimental evidence of the effect of Jenynsia multidentata, a small omnivorous-planktivorous fish, on the size distribution of zooplankton in subtropical lakes. Freshwater Biology (53): 1797-1807
- L. Jenyns (1842): Fish. In Darwin, C. (ed.), The Zoology of the voyage of H.M.S. Beagle London (): 1-172
- K. de Jong (1995): Nieuwe soorten in Nederland. Poecilia Nieuws (5): 98-100
- K. de Jong (1997): Weer een nieuwe soort in het genus Jenynsia. Poecilia Nieuws (3): 49-52
- K. de Jong (2008): Vierogenvissen en lijntandkarpers. Poecilia Nieuws (3): 70-71
- K. de Jong (2019): Der Darwin-Linienkärpfling (Jenynsia darwini), eine verborgene Art. Das Lebendgebärenden Magazin (2): 36-37
- J. & S. Kallmeyer (1984): On breeding Jenynsia lineata. Livebearers (77): 7-8
- S. Koerber & M. De Las Mercedes Azpelicueta (2009): On two Jenynsia taxa from Argentina, originally placed in the poeciliid genus Xiphophorus. Zootaxa (2028): 51-58
- D. Lambert (0): Jenynsia lineata (Jenyns, 1842). Viviparous (6): 0-3
- D. Lambert (1996): The one-sided livebearer and other notes. Tropical Fish Hobbyist (July): 128-130
- J.K. Langhammer (1997): More news about the genus Jenynsia. Livebearers (146): 4-5
- J.K. Langhammer (2001): Jenynsia key and current taxonomy. Livebearers (170): 20-224
- T.O. Litz & S. Koerber (2014): Check list of the freshwater fishes of Uruguay (CLOFF-UY). Ichthyological Contributions of PecesCriollos (28): 1-40
- K.H. Lülling (1984): "Gepekelde" Poeciliiden in Argentijnse meren. TTH (36): 5-8
- A. Mai, A. Garcia, J. Vieira & M. Mai (2005): Influência da salinidade no crescimento de juvenis de Jenynsia multidentata Jenyns. Revista Brasileira de Zoologia (3): 780-783
- A. Mai, A. Garcia, J. Vieira & M. Mai (2007): Reproductive aspects of the one-sided livebearer Jenynsia multidentata in the Patos Lagoon estuary, Brazil. Panamjas (2): 40-46
- A. Mayer (1912): Importreise nach Brasilien und Argentinien. Blätter für Aquarien- und Terrarienkunde (26): 421-424
- R. Mazzoni et al (2006): Stream-dwelling fish communities from an Atlantic rain forest drainage. Brazilian Archives of Biology and Technology (2): 1516-8913
- M.K. Meyer (1983): Levendbarende siervissen. TTH (35): 8-11
- M.K. Meyer (1983): Lebendgebärende Zierfische. TI (62): 8-11

Livebearer Literature List 202201

- J. de Moree (2004): Jenynsia lineata. Poecilia Nieuws (1): 18-18
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- F. Quintans, F. Scasso, M. Loureiro & A. Yafe (2009): Diet of Cnesterodon decemmaculatus (Poeciliidae) and Jenynsia multidentata (Anablepidae) in a hypertrophic shallow lake of Uruguay. Iheringia Ser. Zool. (1): 99-105
- A. Rachow (1913): Ueber die Zahnkarpfgattungen Fitzroyia (Guenther), Tomeurus (Eigenmann) und Petalurichthys (Regan). Blätter für Aquarien- und Terrarienkunde (48): 777-781
- A. Rachow (1938): Jenynsia lineata (Jenyns). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18B): 235-237
- C.T. Regan (1913): The Poeciliid Fishes of the Genus Jenynsia. Annals and Magazine of Natural History (February): 232-234
- E. Ringel (1911): Unsere Lebendgebärenden. (Schluß). Wochenschrift für Aquarien und Terrarienkunde (): 290-292
- J. Robinson (1993): Jenynsia lineata. Livebearers (130): 13-14
- J.F. Schindler & H. Greven (2010): Respiratory strategies in Goodeid and Jenynsiid embryos: Morphologic correlates of cutaneous gas exchange. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 13-30
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (154): 10-20
- C.L. Turner (1940): Superfetation in viviparous Cyprinodont fishes. Copeia (2): 88-91
- C.L. Turner (1957): The breeding cycle of the South American fish, Jenynsia lineata, in the northern hemisphere. Copeia (3): 195-203
- B. Wichand (1906): Diesjährige Neuheiten in Wort und Bild. II Neuimportierte bzw. erstmalig nachgezüchtete Zahnkarpen (Poeciliidae) Fitzroyia lineata (Jenyns). Blätter für Aquarien- und Terrarienkunde (48): 475-477

Jenynsia luxata Aguilera, Mirande, Calviño & Lobo, 2013

- G. Aguilera et al (2013): Jenynsia luxata, a new species from Northwestern Argentina, with additional observations of J. maculata Regan and phylogeny of the genus (Cyprinodontiformes: Anablepidae). Neotropical Ichthyology (3): 565-572
- P.F. Amorim & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus Jenynsia on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
- H. Hieronimus (2014): Eine neue Jenynsia-Art und mehr zur Gattung. DGLZ-Rundschau (3): 109-110
- S. Koerber (2014): List of freshwater fishes from Argentina - update 15. Ichthyological Contributions of PecesCriollos (32): 1-15

Jenynsia maculata Regan, 1906

- G. Aguilera et al (2013): Jenynsia luxata, a new species from Northwestern Argentina, with additional observations of J. maculata Regan and phylogeny of the genus (Cyprinodontiformes: Anablepidae). Neotropical Ichthyology (3): 565-572
- P.F. Amorim & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus Jenynsia on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
- M.J. Ghedotti & S.H. Weitzman (1996): A new species of Jenynsia from Brazil with comments on the composition and taxonomy of the Genus. Occ. Papers of the Natural History Museum of Kansas (179): 1-25
- V. Haydeé Martínez & G. Monasterio de Gonzo (2010): The ovarian epithelium in Jenynsiidae: its role in the sperm storage. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 201-210
- A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
- C.T. Regan (1906): Description of a new Cyprinodont Fish of the Genus Jenynsia from Argentina. Annals and Magazine of Natural History (August): -

Jenynsia obscura (Weyenbergh, 1877)

- M.J. Ghedotti & S.H. Weitzman (1996): A new species of Jenynsia from Brazil with comments on the composition and taxonomy of the Genus. Occ. Papers of the Natural History Museum of Kansas (179): 1-25
- A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
- S. Koerber (2014): List of freshwater fishes from Argentina - update 15. Ichthyological Contributions of PecesCriollos (32): 1-15
- S. Koerber & M. De Las Mercedes Azpelicueta (2009): On two Jenynsia taxa from Argentina, originally placed in the poeciliid genus Xiphophorus. Zootaxa (2028): 51-58

Jenynsia onca Lucinda, Reis & Quevedo, 2002

- P.F. Amorim & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus Jenynsia on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
- F. Haerens (2021): Een jaguar in je aquarium Jenynsia onca. Aquariumwereld (12): 376-381
- H. Hieronimus (2002): Zwei neue Lebendgebärende beschrieben. DGLZ-Rundschau (3): 58-59
- H. Hieronimus (2003): Two new livebearers described. Livebearers (176): 16-17
- K. de Jong (2008): Jenynsia onca Lucinda, Reis & Quevedo, 2002. Poecilia Nieuws (3): 74-75
- K. de Jong (2019): Jenynsia onca Lucinda, Reis & Quevedo, 2002. Het Aquarium (6): 78-79
- T.O. Litz & S. Koerber (2014): Check list of the freshwater fishes of Uruguay (CLOFF-UY). Ichthyological Contributions of PecesCriollos (28): 1-40
- H.F. Lucinda, R.E. Reis & R. Quevedo (2002): Jenynsia onca, a new species of anablepid fish from southern Brazil and its phylogenetic position. Ichthyol. Explor. Freshwaters (1): 33-40
- G.L. Owens, D.J. Rennison, W.T. Allison & J.S. Taylor (2011): In the four-eyed fish (Anableps anableps), the regions of the retina exposed to aquatic and aerial light do not express the same set of opsin genes. Biol. Lett. (doi:10.1098/rsbl.2011.0582): 1-4
- B. Pels (2011): Jenynsia onca. Poecilia Nieuws (4): 26-30
- B. Slocum (2016): Walking on the wild side Jenynsia onca. Livebearers (232): 26-27

Jenynsia sanctaecatarinae Ghedotti & Weitzman, 1996

- P.F. Amorin & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus Jenynsia on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
M.J. Ghedotti & S.H. Weitzman (1996): A new species of Jenynsia from Brazil with comments on the composition and taxonomy of the Genus. Occ. Papers of the Natural History Museum of Kansas (179): 1-25
K. de Jong (1997): Weer een nieuwe soort in het genus Jenynsia. Poecilia Nieuws (3): 49-52
J.K. Langhammer (1997): More news about the genus Jenynsia. Livebearers (146): 4-5
J.K. Langhammer (1998): Look out! Look out! There's a scientist about. More about the genus Jenynsia. Viviparous (41): 0-

Jenynsia sulfurica Aguilera, Terán, Mirande, Alonso, Rometsch, Meyer & Torres-Dowall, 2019

- G. Aguilera et al (2019): Molecular and morphological convergence to sulfide-tolerant fishes in a new species of Jenynsia (Cyprinodontiformes: Anablepidae), the first extremophile member of the family. PlosOne (July): 1-19
H. Hieronimus (2019): Eine neue Jenynsia-Art in einem extremen Lebensraum. DGLZ-Rundschau (2): 71-74
H. Hieronimus (2019): Eine neue Jenynsia-Art in einem extremen Lebensraum. DGLZ-Rundschau (3): 71-74
K. de Jong (2020): Nieuwe lijntandkarpertje uit de zwavel. Poecilia Nieuws (5): 26-27
F. Miranda & P. Johanis (2000): Geology and thermal features of el Ramal Area, Jujuy Province, Argentina. Proc. World Geothermal Congress 2000 (): 1-5

Jenynsia tucumana Aguilera & Mirande, 2005

- G. Aguilera & J.M. Mirande (2005): A new species of Jenynsia (Cyprinodontiformes: Anablepidae) from northwestern Argentina and its phylogenetic relationships. Zootaxa (1096): 29-39
P.F. Amorin & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus Jenynsia on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
H. Hieronimus (2006): Jenynsia tucumana und Priapella chamulae: Zwei neu beschriebene Lebendgebärende. DGLZ-Rundschau (3): 75-77
K. de Jong (2008): Even voorstellen. Poecilia Nieuws (1): 25-27
S. Koerber (2014): List of freshwater fishes from Argentina - update 15. Ichthyological Contributions of PecesCriollos (32): 1-15

Jenynsia unitaenia Ghedotti & Weitzman, 1995

- P.F. Amorin & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus Jenynsia on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
M.J. Ghedotti & S.H. Weitzman (1995): Description of two new species of Jenynsia (Cyprinodontiformes: Anablepidae) from Southern Brasil. Copeia (4): 939-946
M.J. Ghedotti & S.H. Weitzman (1996): A new species of Jenynsia from Brazil with comments on the composition and taxonomy of the Genus. Occ. Papers of the Natural History Museum of Kansas (179): 1-25
H. Hieronimus (1996): Neues aus der Wissenschaft. DGLZ-Rundschau (1): 11-11
J.K. Langhammer (0): Two new species of Jenynsia and a review of the genus. Viviparous (35): 0-
J.K. Langhammer (1996): Two new species of Jenynsia and a review of the genus. Livebearers (143): 19-19
F.N. Poeser (1996): Twee nieuwe soorten in het genus Jenynsia Günther, 1866 uit Zuid-Brazilië. Poecilia Nieuws (2): 24-25

Jenynsia weitzmanni Ghedotti, Downing Meisner & Lucinda 2001

- P.F. Amorin & W.J.E.M. Costa (2019): Reconstructing biogeographic temporal events in the evolution of the livebearer fish genus Jenynsia on total evidence analysis (Cyprinodontiformes: Anablepidae). Systematics and Biodiversity (2): 124-133
M.J. Ghedotti, A. Downing Meisner & P. H. F. Lucinda (2001): New species of Jenynsia from Southern Brazil and its Phylogenetic Relationships. Copeia (3): 726-736
H. Hieronimus (2001): Ein neuer Lebendgebärender der Gattung Jenynsia. DGLZ-Rundschau (3): 59-59
K. de Jong (2002): Jenynsia weitzmanni Ghedotti, Dowling Meisner & Lucinda, 2001, een nieuwe soort uit zuidelijk Brazilië. Poecilia Nieuws (3): 55-56
K. de Jong (2008): Even voorstellen. Poecilia Nieuws (1): 25-27

Latimeria sp

- J.W. Atz (2002): Latimeria babies are born, not hatched. Livebearers (172): 8-11

Limia 'alle'

- J.C. Briggs (1984): Freshwater fishes and biogeography of Central America and the Antilles. Syst. Zool. (4): 428-435
J. Chambers (1987): The cyprinodontiform gonopodium, with an atlas of the gonopodia of the fish of the genus Limia. J. Fish Biology (30): 389-418
S.N. Cohen et al (2015): Comparative life histories of fish in the subgenus Limia (Pisces: Poeciliidae). Journal of Fish Biology (87): 100-114
A.I. Furness, D.N. Reznick & J.C. Avise (2016): Ecological, evolutionary and human-mediated determinants of poeciliid species richness on Caribbean islands. Journal of Biogeography (43): 1349-1359
D. Gentzsch (1988): Die "Blaue Perle"- Poecilia (Limia) dominicensis und andere Limia-Arten. Aquarien Terrarien (11): 368-370
A. Hamilton (2001): Phylogeny of Limia based on NADH dehydrogenase subunit 2 sequences. Molecular Phylogenetics and Evolution (2): 277-289
D.S. Lee, S.P. Platania & G.H. Burgess (1983): Atlas of North American freshwater fishes 1983 supplement. North Carolina Biological Survey Contribution (6): 1-67

Livebearer Literature List 202201

- M.K. Meyer (1996): Het geslacht Limia, Poey 1854. Aquarium & Terrarium Hobbyist (3): 21-24
M. Rauchenberger (1988): Historical biogeography of Poeciliid fishes in the Caribbean. Syst. Zool. (4): 356-365
R. Rodriguez-Silva & I. Schlupp (2021): Biogeography of the West Indies: A complex scenario for species radiations in terrestrial and aquatic habitats. Ecology and Evolution (): 1-15
R. Rodriguez-Silva, P. Torres-Pineda & J. Josaphat (2020): Limia mandibularis, a new livebearing fish (Cyprinodontiformes: Poeciliidae) from Lake Miragoane, Haiti. Zootaxa (3): 395-404
P.F. Weaver et al (2016): Colonizing the Caribbean: biogeography and evolution of livebearing fishes of the genus Limia (Poeciliidae). Journal of Biogeography (43): 1808-1819

Limia caymanensis Rivas & Fink, 1970

- D. Fromm (1982): About the fish I'm advertising, or, everything's different in El Valle. Livebearers (65): 14-17
A. Hamilton (2001): Phylogeny of Limia based on NADH dehydrogenase subunit 2 sequences. Molecular Phylogenetics and Evolution (2): 277-289
K. de Jong (1990): Limia caymanensis (Rivas & Fink, 1970). Poecilia Nieuws (6): 91-95
K. de Jong (2012): Limia caymanensis Rivas & Fink, 1970. Poecilia Nieuws (3): 8-10
A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. DGLZ-Rundschau (2): 4-18
L.R. Rivas & W.L. Fink (1970): A new species of Poeciliid Fish of the Genus Limia from the Island of Grand Cayman. Copeia (2): 270-274
E. Weland (2010): Grand-Cayman-Limien- kleine, liebenswerte Kobolde. DATZ (6): 22-23

Limia dominicensis (Valenciennes, 1846)

- H. Hieronimus (1989): Zwei neue (?) Lebendgebärende. DATZ (5): 266-266

Limia fuscomaculata Rivas, 1980

- R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
L.R. Rivas (1980): Eight new species of Poeciliid fishes of the genus Limia from Hispaniola. Northeast Gulf Science (1): 28-38

Limia garnieri Rivas, 1980

- D. Fromm (2000): What is the fish circulating in the hobby as Limia (Odontolimia) garnieri?. Livebearers (164): 11-13
D. Fromm (2019): What is the fish circulating in the hobby as Limia (Odontolimia) garnieri?. Livebearers (244/245): 22-23
R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
D. Isla (1999): Haiti-ein Pardies für Lebendgebärende. DGLZ-Rundschau (4): 80-83
B. Kohler (2000): The tiger Limia. Livebearers (164): 14-18
L.R. Rivas (1980): Eight new species of Poeciliid fishes of the genus Limia from Hispaniola. Northeast Gulf Science (1): 28-38
R. Rodriguez Silva et al (2021): Annotated list of livebearing fishes (Cyprinodontiformes: Poeciliinae) from Lake Miragoane in southwestern Haiti, Hispaniola. Novitates Caribaea (17): 147-162

Limia grossidens Rivas, 1980

- R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
D. Isla (1999): Haiti-ein Pardies für Lebendgebärende. DGLZ-Rundschau (4): 80-83
L.R. Rivas (1980): Eight new species of Poeciliid fishes of the genus Limia from Hispaniola. Northeast Gulf Science (1): 28-38
T. Williams (2009): Limia grossidens, Rivas, 1980. Livebearer News (27): 17-18

Limia immaculata Rivas, 1980

- R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
D. Isla (1999): Haiti-ein Pardies für Lebendgebärende. DGLZ-Rundschau (4): 80-83
R. Rodriguez Silva et al (2021): Annotated list of livebearing fishes (Cyprinodontiformes: Poeciliinae) from Lake Miragoane in southwestern Haiti, Hispaniola. Novitates Caribaea (17): 147-162
R. Rodriguez-Silva, P. Torres-Pineda & J. Josaphat (2020): Limia mandibularis, a new livebearing fish (Cyprinodontiformes: Poeciliidae) from Lake Miragoane, Haiti. Zootaxa (3): 395-404

Limia islai Rodriguez-Silva & Weaver, 2020

- B. Allen (2010): The tiger Limia: species unknown?. Tropical Fish Hobbyist (April): 82-83
D. Fromm (2000): What is the fish circulating in the hobby as Limia (Odontolimia) garnieri?. Livebearers (164): 11-13
K. de Jong & F. Poeser (2020): Limia islai, eine neue lebendgebärende Art Haitis, aus dem Miragoâne-See. Das Lebendgebärenden Magazin (2): 14-16
B. Kohler (2000): The tiger Limia. Livebearers (164): 14-18
B. Kohler (2019): The tiger Limia. Livebearers (244/245): 24-25

Livebearer Literature List 202201

- H. Plomp (2017): De tijger Limia. Poecilia Nieuws (3): 6-9
H. Plomp (2018): Eine schöne neue Limia-Art - Der Tiger-Limia. Das Lebendgebärenden Magazin (1): 25-27
F. Poeser & K. de Jong (2020): Limia islai. Een nieuwe levendbarende soort, uit het Miragoanemeer in Haïti. Poecilia Nieuws (2): 10-12
R. Rodriguez Silva et al (2021): Annotated list of livebearing fishes (Cyprinodontiformes: Poeciliinae) from Lake Miragoane in southwestern Haiti, Hispaniola. Novitates Caribaea (17): 147-162
R. Rodriguez-Silva & P.F. Weaver (): A new livebearing fish of the genus Limia (Cyprinodontiformes: Poeciliidae) from Lake Miragoane, Haiti. Journal of Fish Biology (): 1-10
R. Serva (2020): The tiger Limia has a name. Livebearers (248): 5-7
F. Winter (2020): Levendbarende vissen in het aquarium - een ondergewaardeerde groep-. Het Aquarium (8): 48-55

Limia mandibularis Rodriguez-Silva, Torres-Pinada & Josaphat

- K. de Jong & F. Poeser (2020): Limia mandibularis. Poecilia Nieuws (3): 3-5
K. de Jong & F. Poeser (2020): Und noch eine Limia Art aus dem Miragoâne-See: Limia mandibularis Rodriguez-Silva, Torres-Pineda & Josaphat, 2020. Das Lebendgebärenden Magazin (2): 17-19
R. Rodriguez Silva et al (2021): Annotated list of livebearing fishes (Cyprinodontiformes: Poeciliinae) from Lake Miragoane in southwestern Haiti, Hispaniola. Novitates Caribaea (17): 147-162
R. Rodriguez-Silva, P. Torres-Pineda & J. Josaphat (2020): Limia mandibularis, a new livebearing fish (Cyprinodontiformes: Poeciliidae) from Lake Miragoane, Haiti. Zootaxa (3): 395-404

Limia melanogaster (Günther, 1866)

- (1991): Limia melanogaster. Poecilia Nieuws (4): 61-64
A. Arnold (1974): Sexuelle Aktivität von Männchen Lebendgebärender Zahnkarpfen gegenüber artfremden Weibchen. Aquarien Terrarien (1): 31-31
G. de Beurs (1958): Onze Limia's. Guppy (6): 14-16
G. de Beurs (1959): Limia melanogaster x Limia nigrofasciata. Guppy (4): 3-3
D. Bork (1987): Zum Thema Kreuzungen in AM 3/85 und 2/86. ZAG Lebendgebärende Zahnkarpfen (2): 5-6
G. Brecht (1981): Auf der Suche nach Lebendgebärenden Fischen in Jamaika. DGLZ-Rundschau (2): 16-17
G. Brecht (1983): Lebendgebärende von Jamaika. DGLZ-Rundschau (1): 4-11
H. Breider (1935): Genetische Analyse von Artmerkmalen geographisch vikariierender Arten der Gattung Limia. Molecular and General Genetics MGG (1): 484-488
H. Breider (1935): Geschlechtsbestimmung und -differenzierung bei Limia nigrofasciata, caudofasciata, vittata und deren Artbastarden. Induktive Abstammungs- und Vererbungslehre (68): 265-299
H. Breider (1936): Eine Erbanalyse von Artmerkmalen geographisch vikariierender Arten der Gattung Limia. Molecular and General Genetics MGG (1): 441-499
J.A. Farr (1984): Premating behavior in the subgenus Limia (Pisces: Poeciliidae): sexual selection and the evolution of courtship. Z. Tierpsychol. (65): 152-165
M.C. Finck (1911): Poecilia dominicensis. Wochenschrift für Aquarien und Terrarienkunde (): 184-184
C.D. Gabrel (1967): Eine interessante Limiaform. Aquarien Terrarien (7): 243-243
G. Gärtner (1966): Über das Schwarmverhalten der Lebendgebärenden - eine vergleichende Studie. DATZ (12): 361-363
G. Gärtner (1968): Meine Erfahrungen bei der Pflege von Limia melanogaster. DATZ (8): 230-232
A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
A. Hamilton (2001): Phylogeny of Limia based on NADH dehydrogenase subunit 2 sequences. Molecular Phylogenetics and Evolution (2): 277-289
J. Hems (1988): The blue Limia. Livebearers (102): 16-17
K. Jacobs (1979): So begatten sich die Lebendgebärenden. Aquarien Magazin (2): 62-67
A. John (1986): Kreuzung van Limia melanogaster x Poecilia sphenops?. ZAG Lebendgebärende Zahnkarpfen (2): 4-4
K. de Jong (2019): Der Einfluss der Temperatur auf das Geschlechterverhältnis bei viviparen Zahnkarpfen. Das Lebendgebärenden Magazin (2): 8-12
K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Poecilia Nieuws (2): 8-13
K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Het Aquarium (8): 62-66
B. Kabbes (1997): Jamaica, meer dan zon, zee en reggae. Poecilia Nieuws (5): 90-96
D. Kenwood (2003): Something of a travelog - with some fish thrown in. Livebearer News (5): 4-6
E.A. Khallaf et al (2001): The effect of temperature variation on the sex composition and growth of Poecilia melanogaster offspring. Egypt. J. Aquat. Biol. & Fish (4): 29-43
K. Kießling (1968): Ein Poecilia (Limia)-Bastard. Aquarien Terrarien (10): 350-350
M. Klerks (1992): Limia melanogaster. Poecilia Nieuws (4): 9-10
M. Klerks (1992): Limia melanogaster (Günther, 1866). Picasso onder water (): 0-
D. Kroll (2002): Der Mini-Guppy - Hungerformen und andere Abweicher. DGLZ-Rundschau (3): 60-65
D. Lambert (0): Limia melanogaster (Günther, 1866). Viviparous (12): 0-2
D. Lambert (1996): The livebearer world: The lovely Limias. Tropical Fish Hobbyist (March): 196-200
D. Lambert (1997): The livebearer world. Tropical Fish Hobbyist (August): 138-142
E. Leitholf (1919): Limia caudofasciata. Aquatic Life (January): 57-58

- K. Neidert (1977): De eilevendbarende Jamaica tandkarper, of zwartbuik karpertje *Poecilia melanogaster*. TTH (11): 19-19
- B. Newman (1974): Lovable *Limia*. Livebearers (14): 7-9
- B. Newman (1992): Loveable *Limia*. Livebearers (122): 28-30
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- N. Ospina-Álvarez & F. Piferrer (2008): Temperature-dependent sex determination in fish revisited: prevalence, a singel sex ratio response pattern, and possible effects of climate change. PlosOne (7): 1-11
- J. Partipilo (1975): Collecting in Jamaica. Livebearers (19): 8-10
- F.N. Poeser (2012): Waarom *Limia melanogaster*? Poecilia Nieuws (1): 11-13
- A. Rachow (1937): *Limia caudofasciata* (Regan). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 139-140
- A. Rachow (1939): *Limia melanogaster* (Günther). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 306-307
- A.C. Radda & H. Fritscher (1985): Poeciliiden-Studien im karibischen Raum. DGLZ-Rundschau (4): 7-16
- C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018
- E. Schraml (1978): Damals en vogue - heute tot? Lebendgebärende Zahnkarpen aus dem Standardsortiment unserer Großväter. Aquarien Magazin (4): 186-190
- W. Setzer (1978): Der stahlblaue Kärpfling. ZAG Lebendgebärende Zahnkarpen (3): 16-18
- H. Stallknecht (1966): *Limia*-Bastarde. Aquarien Terrarien (7): 241-241
- H. Stallknecht (1968): *Limia melanogaster* (Günther 1866), der stahlblaue Jamaikakärpfling. Aquarien Terrarien (2): -
- H. Stallknecht (1968): Ein notwendiger Hinweis zur *Limia*-Diskussion. Aquarien Terrarien (10): 350-351
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (153): 21-31
- L. Thomas (1966): *Limia melanogaster* empfindlich?. Aquarien Terrarien (7): 241-241
- L. Thomas (1976): Kreuzungsversuche mit *Poecilia melanogaster* und *Poecilia vittata*. Aquarien Terrarien (10): 351-351
- K. Tscherter (1977): Kreuzunge - Versuche. ZAG Lebendgebärende Zahnkarpen (3): 28-28
- J. Vente (1980): *Limia melanogaster* en *limia nigrofasciata*, twee onbekende bekenden. Het Aquarium (14): 444-446
- P.J. van de Vlugt (1961): Uit het land van de rum. Het Aquarium (1): 4-5
- F. Winter (2020): Levendbarende vissen in het aquarium - een ondergewaardeerde groep-. Het Aquarium (8): 48-55
- L. Wischnath (): Des vivipares sans histoire venus des Antilles. Aquarama (): 33-

Limia miragoanensis Rivas, 1980

- R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
- L.R. Rivas (1980): Eight new species of Poeciliid fishes of the genus *Limia* from Hispaniola. Northeast Gulf Science (1): 28-38
- R. Rodriguez Silva et al (2021): Annotated list of livebearing fishes (Cyprinodontiformes: Poeciliinae) from Lake Miragoane in southwestern Haiti, Hispaniola. Novitates Caribaea (17): 147-162

Limia nigrofasciata Regan, 1913

- (1961): *Limia nigrofasciata* Regan, 1913. Het Aquarium (12): 281-281
- E. Ahl (1931): *Limia nigrofasciata* und *arnoldi*. Das Aquarium (Juli): 0-
- H. Auer (2005): Lebendgebärende in hypersalinen Seen (2): Die Salzseen auf Hispaniola - Lago Enriquillo und Lac Azuei. DGLZ-Rundschau (2): 39-48
- G. de Beurs (1957): Onvruchtbare *Limia*'s. Het Aquarium (3): 64-64
- G. de Beurs (1958): Onze *Limia*'s. Guppy (6): 14-16
- G. de Beurs (1958): Ervaringen met *Limia nigrofasciata*. Guppy (5): 15-16
- G. de Beurs (1959): *Limia melanogaster* x *Limia nigrofasciata*. Guppy (4): 3-3
- D. Bork (1987): Zum Thema Kreuzungen in AM 3/85 und 2/86. ZAG Lebendgebärende Zahnkarpen (2): 5-6
- H. Breider (1935): Geschlechtsbestimmung und -differenzierung bei *Limia nigrofasciata*, *caudofasciata*, *vittata* und deren Artbastarden. Induktive Abstammungs- und Vererbungslehre (68): 265-299
- H. Breider (1935): Genetische Analyse von Artmerkmalen geographisch vikariierender Arten der Gattung *Limia*. Molecular and General Genetics MGG (1): 484-488
- H. Breider (1936): Eine Erbanalyse von Artmerkmalen geographisch vikariierender Arten der Gattung *Limia*. Molecular and General Genetics MGG (1): 441-499
- J.C. Clark (1997): *Poecilia* (*Limia*) *nigrofasciata*, the "Hump-backed Limia". Livebearers (147): 28-29
- A. Cruz & L. Munger (1999): The biology of the humpback *Limia* (*Limia nigrofasciata*). Livebearers (158/159): 6-12
- G. Elson (2003): Through a small window. Livebearers gone wild. Tropical Fish Hobbyist (May): 54-57
- J.A. Farr (1984): Premating behavior in the subgenus *Limia* (Pisces: Poeciliidae): sexual selection and the evolution of courtship. Z. Tierpsychol. (65): 152-165
- M.G. Find (1914): Neuere vivipare Zahnkarpen. Blätter für Aquarien- und Terrarienkunde (13): 225-227
- R. Fischer (1994): *Poecilia nigrofasciata*. Livebearers (136): 12-13
- H. Flöthmann (1985): Kreuzungen innerhalb der Gattung *Poecilia*. ZAG Lebendgebärende Zahnkarpen (3): 7-8

Livebearer Literature List 202201

- H. Flöthmann (1987): Bekanntgabe von Kreuzungen. ZAG Lebendgebärende Zahnkarpfen (2): 4-4
- H. Fowler (1937): A collection of Haytian fishes obtained by Mr. Stanley Woodward. Proc. Acad. Nat. Sci. Phila. (89): 309-315
- C.D. Gabriel (1967): Eine interessante Limiaform. Aquarien Terrarien (7): 243-243
- D. Gentzsch (1986): Darf man Wildformen kreuzen?. ZAG Lebendgebärende Zahnkarpfen (2): 2-3
- J. Griffiths (1989): Poecilia nigrofasciata Hump-backed Limia. Livebearers (108): 22-22
- R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
- H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. DGLZ-Rundschau (4): 14-18
- P. Horn (1964): Anfälligkeit bei Limia nigrofasciata. ZAG Lebendgebärende Zahnkarpfen (2): 7-7
- D. Isla (1999): Haiti-ein Pardies für Lebendgebärende. DGLZ-Rundschau (4): 80-83
- K. de Jong & F. Poeser (2020): Limia islai, eine neue lebendgebärende Art Haitis, aus dem Miragoâne-See. Das Lebendgebärenden Magazin (2): 14-16
- W. Junghans (1919): Limia nigrofasciata (Regan). Blätter für Aquarien- und Terrarienkunde (20): 201-202
- B. Kabbes (2000): Limia nigrofasciata. Poecilia Nieuws (4): 75-75
- K. Kießling (1968): Ein Poecilia (Limia)-Bastard. Aquarien Terrarien (10): 350-350
- P. Koppenaer (1987): Poecilia nigrofasciata. Aquariumwereld (1): 18-19
- I. Kristensen (1957): De geslachtsomkeer bij levendbarenden. Het Aquarium (6): 124-127
- D. Lambert (0): Limia nigrofasciata Regan, 1913. Viviparous (9): 0-2
- P. Mäller (1972): Geschlechtsumkehr bei Poecilia (Limia) nigrofasciata. Aquarien Terrarien (10): 349-349
- L. van der Meer (2007): Limia nigrofasciata. Poecilia Nieuws (2): 27-30
- P.J. Mellegers (1992): Eigenaardigheden Poecilia nigrofasciata. Poecilia Nieuws (5): 7-7
- M.K. Meyer (1983): Levendbarende siervissen. TH (35): 8-11
- M.K. Meyer (1983): Lebendgebärende Zierfische. TI (62): 8-11
- J. Moar (1997): Poecilia nigrofasciata and Poecilia vittata. Livebearers (145): 24-25
- K. Möller (1967): Kleine Beobachtungen bei der Haltung von Limia nigrofasciata. Aquarien Terrarien (7): 242-242
- K. Möller (1968): Welche Form von Limia nigrofasciata ist eigentlich noch in den Becken der Aquarienfreunde in der DDR vorhanden?. Aquarien Terrarien (4): 136-136
- B. Müller (1970): Bemerkungen zu Poecilia nigrofasciata. Aquarien Terrarien (4): 133-133
- L. Munger, A. Cruz & S. Applebaum (2004): Mate choice copying in female humpback Limia (Limia nigrofasciata, Family Poeciliidae). Ethology (110): 563-573
- G.S. Myers (1989): Livebearers from Hispaniola. Livebearers (103): 16-18
- B. Newman (1974): Lovable Limia. Livebearers (14): 7-9
- B. Newman (1992): Loveable Limia. Livebearers (122): 28-30
- H.A. Nichols (1989): The humpback of Haiti. Livebearers (105): 10-11
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- T. Paetzel (1987): Ein schöner und interessanter Lebendgebärender - der Schwarzbandkärpfpling. Aquarien Terrarien (12): 408-409
- A. Rachow (1937): Limia nigrofasciata Regan. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 168-171
- A.C. Radda (1976): Die Poeciliiden-Fauna von Haïti. Aquaria (23): 85-96
- C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018
- R. Rodriguez Silva et al (2021): Annotated list of livebearing fishes (Cyprinodontiformes: Poeciliinae) from Lake Miragoane in southwestern Haiti, Hispaniola. Novitates Caribaea (17): 147-162
- R. Rodriguez-Silva & P.F. Weaver (): A new livebearing fish of the genus Limia (Cyprinodontiformes: Poeciliidae) from Lake Miragoane, Haiti. Journal of Fish Biology (): 1-10
- C. Sciarone (1995): Mijn ervaringen met de streeppjescode in het aquarium. Poecilia Nieuws (4): 70-72
- H. Seliger (1997): Limia nigrofasciata - Erlebnisse seit der Leistungsschau Wuppertal 1986. DGLZ-Rundschau (4): 80-81
- H. Stallknecht (1966): Limia-Bastarde. Aquarien Terrarien (7): 241-241
- H. Stallknecht (1968): Ein notwendiger Hinweis zur Limia-Diskussion. Aquarien Terrarien (10): 350-351
- H. Stallknecht (1968): Limia nigrofasciata Regan 1913, der schwarzbandkärpfpling. Aquarien Terrarien (2): -
- H. Stallknecht (1969): Bastarde von Limia nigrofasciata und L. vittata. Aquarien Terrarien (7): 240-240
- H. Stallknecht (1984): Beobachtungen zur Kälteempfindlichkeit bei Poecilia (Limia) nigrofasciata. Aquarien Terrarien (10): 343-343
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (153): 21-31
- R. Suttner (0): Schwarzbandkärpfpling. Aquarium Magazin (): 26-26
- R. Suttner (1989): Der eine lieb und goldig, der andere ruppig und silbrig. Das Aquarium (Januar): 9-10
- K.W. Trochu (2015): Going wild four times over. Livebearers (229): 8-11
- J. Vente (1980): Limia melanogaster en limia nigrofasciata, twee onbekende bekenden. Het Aquarium (14): 444-446

J. Vente en E. Meinema (1986): *Poecilia nigrofasciata*. Poecilia Nieuws (1): -
L. Wischnath (): Des vivipares sans histoire venus des Antilles. Aquarama (): 33-

Limia ornata Regan, 1913

- H. Fowler (1937): A collection of Haytian fishes obtained by Mr. Stanley Woodward. Proc. Acad. Nat. Sci. Phila. (89): 309-315
R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
A. Rachow (1914): Zur Nomenklatur unserer viviparen Zahnkarpfen (Poeciliinae), nebst Bemerkungen über einige neue Arten. Blätter für Aquarien- und Terrarienkunde (11): 185-200
A. Rachow (1940): *Limia ornata* Regan. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 458-459
A.C. Radda (1976): Die Poeciliiden-Fauna von Haïti. Aquaria (23): 85-96
C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018
R. Rodriguez Silva et al (2021): Annotated list of livebearing fishes (Cyprinodontiformes: Poeciliinae) from Lake Miragoane in southwestern Haiti, Hispaniola. Novitates Caribaea (17): 147-162
D.G. Stead (1919): Viviparous fishes - in - general. Aquatic Life (March): 94-98
F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (153): 21-31
J. van Thuyl (1979): *Limia ornata*? Het Aquarium (2): 55-55

Limia pauciradiata Rivas, 1980

- R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
D. Isla (1999): Haiti-ein Pardies für Lebendgebärende. DGLZ-Rundschau (4): 80-83
L.R. Rivas (1980): Eight new species of Poeciliid fishes of the genus Limia from Hispaniola. Northeast Gulf Science (1): 28-38

Limia perugiae (Evermann & Clark, 1906)

- (0): Hoe korter hoe meer. hart voor Dieren (): 20-20
(1994): Hoe korter hoe meer. Poecilia Nieuws (6): 105-105
S.L. Applebaum & A.Cruz (2000): The role of mate-choice copying and disruption effects in mate preference determination of *Limia perugiae* (Cyprinodontiformes, Poeciliidae). Ethology (106): 933-944
H. Auer (2005): Lebendgebärende in hypersalinen Seen (2): Die Salzseen auf Hispaniola - Lago Enriquillo und Lac Azuei. DGLZ-Rundschau (2): 39-48
O. Böhm (1982): Een juweeltje uit de Dominicaanse Republiek. TTH (28): 12-12
A. Cruz, L. Cooper, S. Applebaum & C. Rodriguez (2001): The biology of Perugia's *Limia* (*Limia perugiae*). Livebearers (170): 8-18
N. Dokoupil (1989): *Poecilia perugiae*. Het Aquarium (3): 68-70
C. Erbelding-Denk, Schröder, Schartl, Nanda et al (1994): Male polymorphism in *Limia perugiae* (Pisces: Poeciliidae). Behavior Genetics (1): 95-101
B.W. Evermann & H.W. Clark (1906): New fishes from Santo Domingo. Proc. US Nat. Mus. (1478): 851-855
J.A. Farr (1984): Premating behavior in the subgenus *Limia* (Pisces: Poeciliidae): sexual selection and the evolution of courtship. Z. Tierpsychol. (65): 152-165
R. Fischer (1994): *Poecilia perugiae*. Livebearers (134): 15-15
H. Flöthmann (1985): Kreuzungen innerhalb der Gattung *Poecilia*. ZAG Lebendgebärende Zahnkarpfen (3): 7-8
H. Flöthmann (1987): Bekanntgabe von Kreuzungen ZAG Lebendgebärende Zahnkarpfen (2): 4-4
R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
D.C. Haney & J.J. Walsh (2003): Influence of Salinity and Temperature on the Physiology of *Limia melanotata*: a search for Abiotic Factors Limiting Insular Distribution in Hispaniola. Caribbean Journal of Science (39): 327-337
K. de Jong (1988): *Limia perugiae* Evermann&Clark, 1906; de grootste limia-soort. Poecilia Nieuws (4): 53-56
K. de Jong (1994): Nieuwe soorten in Nederland. Poecilia Nieuws (4): 75-78
K. de Jong (1997): Twee grote Limia-soorten. Het Aquarium (11): 262-265
K. de Jong (1998): Twee grote Limia-soorten. Poecilia Nieuws (1): 4-10
K. de Jong (1999): Zwei große Limia-Arten. DATZ (10): 26-29
K. de Jong (2013): Levendbarende tandkarpers. Meer dan guppen, platy's en molly's. Houden van Vissen (4): 36-41
K. de Jong (2017): Levendbarende tandkarpers. Meer dan guppen, platy's en molly's. Het Aquarium (2): 29-37
K. de Jong (2021): *Limia perugiae* (Evermann & Clark, 1906). Poecilia Nieuws Atlas (): -
K. de Jong (2021): Niet alle mannen zijn gelijk. Poecilia Nieuws (2): 27-32
P. Lechner & A.C. Radda (1980): Poeciliiden-Studien in der Dominikanischen Republik. Aquaria (27): 1-13
P. Lechner & A.C. Radda (1986): Poeciliiden-Studien in der Dominikanischen Republik. DGLZ-Rundschau (4): 6-18
K. de Leuw (1994): Der Perugiakärpfeling. DATZ (2): 80-81

Livebearer Literature List 202201

- T. Mörschel & M. Meyer (1991): Lebendgebärende Zahnkarpfen von der Dominikanischen Republik. Das Aquarium (Mai): 12-15
G.S. Myers (1935): An annotated list of the cyprinodont fishes of Hispaniola, with descriptions of two new species. *Zoologica* (3): 301-316
J.T. Nichols & G.S. Myers (1923): A New Limia from San Domingo. *American Museum Novitates* (79): 1-2
A.C. Radda (1976): Die Poeciliiden-Fauna von Haïti. *Aquaria* (23): 85-96
F. Schäfer (2019): Lebendgebärende Information über bekannte und neue Arten *Limia perugiae*. *Aquaristik Fachmagazin* (5): 107-107
M. Schart et al (1993): Reproductive failure of dominant males in the poeciliid fish *Limia perugiae* determined by DNA fingerprinting. *Proc. Natl. Acad. Sci.* (90): 7064-7068
J.H. Schröder, C.M. Rodriguez & R. Siegmund (1996): Male size polymorphism in natural habitats of *Poecilia (Limia) perugiae* endemic to Hispaniolae. *Biol. Zent. bl* (115): 315-327
R. Slinger (2005): *Limia perugiae*, de aandacht waard. *Het Aquarium* (1): 8-9
M. Spikes & I. Schlupp (2021): Males can't afford to be choosy: Male reproductive investment does not influence preference for female size in *Limia* (Poeciliidae). *Behavioural Processes* (183): 1-8
M. Tobler (2015): Op zoek naar *Limia perugiae* in de Dominicaanse Republiek. *Poecilia Nieuws* (5): 26-29
M. Tobler (2015): À la découverte de *Limia perugiae* en République Dominicaine. *Le Vivipare* (124): 16-21
M. Tobler (2019): Exploring *Limia perugiae* in the Dominican Republic. *Livebearers* (242): 24-27
E. Trewavas (1948): Cyprinodont Fishes of San Domingo, Island of Haiti. *Proc. Zool. Soc.* (118): 408-415
E. Trewavas (1948): Cyprinodont fishes of San Domingo, Island of Haiti. *Proc. Zool. Soc.* (118): 408-416
P.F. Weaver et al (2016): Hypersalinity drives physiological and morphological changes in *Limia perugiae* (Poeciliidae). *Biology Open* (5): 1093-1101
L. Wischnath (): Un ovovivipare de l'île d'Haiti - *Poecilia perugiae*. *Aquarama* (): 23-

Limia rivasi Franz & Burgess, 1983

- R. Franz & G.H. Burgess (1983): A new Poeciliid killifish, *Limia rivasi*, from Haiti. *Northeast Gulf Science* (1): 51-54
R.C. Griffiths (2007): Hispaniolan livebearers Part II. *Livebearers* (194): 17-37
D. Isla (1999): Haiti-ein Pardies für Lebendgebärende. *DGLZ-Rundschau* (4): 80-83

Limia sp laguna oveido

- R.E. Pirro (1998): Blue diamond Limia. *Livebearers* (154): 8-9
R.E. Pirro (2002): Blue diamond Limia. *Livebearer News* (2): 40-40

Limia sulphurophila Rivas, 1980

- L.R. Arriaga & I. Schlupp (2013): Poeciliid male mate preference is influenced by female size but not by fecundity. *PeerJ* (): 1-13
H. Auer (2005): Lebendgebärende in hypersalinen Seen (2): Die Salzseen auf Hispaniola - Lago Enriquillo und Lac Azuei. *DGLZ-Rundschau* (2): 39-48
R.C. Griffiths (2007): Hispaniolan livebearers Part II. *Livebearers* (194): 17-37
D. Isla (2000): *Limia Sulphurophila* - an update (February, 2000). *Livebearers* (161): 5-5
K. de Jong (1994): Nieuwe soorten in Nederland. *Poecilia Nieuws* (4): 75-78
B. Kohler (1999): *Limia sulphurophila*. *Livebearers* (158/159): 20-21
D. Lambert (): *Limia sulphurophila* Rivas, 1980. *Viviparous* (43): 0-
L.R. Rivas (1980): Eight new species of Poeciliid fishes of the genus *Limia* from Hispaniola. *Northeast Gulf Science* (1): 28-38

Limia tridens (Hilgendorf, 1889)

- E. Ahl (1931): *Limia nigrofasciata* und *arnoldi*. *Das Aquarium* (Juli): 0-
A. Cruz & D. McClearn Cruz (1994): The biology of the Tiburon Peninsula *Limia* (*Limia dominicensis*). *Livebearers* (137): 13-18
J.A. Farr (1984): Premating behavior in the subgenus *Limia* (Pisces: Poeciliidae): sexual selection and the evolution of courtship. *Z. Tierpsychol.* (65): 152-165
H. Flöthmann (1985): Kreuzungen innerhalb der Gattung *Poecilia*. *ZAG Lebendgebärende Zahnkarpfen* (3): 7-8
H. Flöthmann (1987): Bekanntgabe von Kreuzungen. *ZAG Lebendgebärende Zahnkarpfen* (2): 4-4
D. Gentzsch (1986): Darf man Wildformen kreuzen?. *ZAG Lebendgebärende Zahnkarpfen* (2): 2-3
D. Gentzsch (1988): Die "Bläue Perle"- *Poecilia (Limia) dominicensis* und andere *Limia*-Arten. *Aquarien Terrarien* (11): 368-370
R.C. Griffiths (2007): Hispaniolan livebearers Part II. *Livebearers* (194): 17-37
A. Gutjahr (1996): Die *Limia*-Ppulationen von Cabarete. *DATZ* (3): 156-157
Hilgendorf (1889): Fischsammnung von Haïti. *Sitzungs-Berichte der Gesellschaft naturforschender Freunde* (3): 51-55
S. de Jong (2019): *Limia tridens*, een sprankelende levendbarende tandkarper. *Poecilia Nieuws* (4): 14-17
K. de Jong (2020): *Limia tridens* (Hilgendorf, 1889). *Poecilia Nieuws Atlas* (): -

- L. van der Meer (2010): *Limia tridens* (Hilbendorf, 1889). Poecilia Nieuws (2): 8-10
M.K. Meyer & T. Mörschel (0): Les vivipares de Saint-Domingue. Aquarama (141): 12-15
T. Mörschel & M. Meyer (1991): Lebendgebärende Zahnkarpfen von der Dominikanischen Republik. Das Aquarium (Mai): 12-15
W. Noack (1981): Ein kleiner Lebhafter Poeciliide aus Haiti. DGLZ-Rundschau (2): 19-21
A.C. Radda (1976): Die Poeciliiden-Fauna von Haïti. Aquaria (23): 85-96
B. Slocum (2014): The colorful *Limia tridens*. Livebearers (222): 16-17
E. Trewavas (1948): Cyprinodont Fishes of San Domingo, Island of Haiti. Proc. Zool. Soc. (118): 408-415
E. Trewavas (1948): Cyprinodont fishes of San Domingo, Island of Haiti. Proc. Zool. Soc. (118): 408-416
J. Vente (1985): Het domingokarpertje. Het Aquarium (12): 282-283
U. Werner (1996): Domingo-Käpfing. Das Aquarium (Januar): 15-16
F. Winter (2020): Levendbarende vissen in het aquarium - een ondergewaardeerde groep-. Het Aquarium (8): 48-55
L. Wischnath (): Des vivipares sans histoire venus des Antilles. Aquarama (): 33-

Limia versicolor (Günther, 1866)

- B. & R. Clarke (1985): Wild type of livebearers - community fish. Livebearers (80): 6-7
R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
C. Grimes (1985): *Poecilia versicolor* (Günther 1866) An overlooked semi-precious jewel. Livebearers (80): 11-12
A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
G.S. Myers (1931): Poeciliid fishes of the genus *Mollienisia* in hispaniola, with notice of a new *Limia* from the Samaná Peninsula. American Museum Novitates (503): 1-2
J.T. Nichols (1915): On *Heterandria zonata* sp.nov. and *Heterandria versicolor* (Günther) from the island of Santo Domingo. Bulletin American Museum of Natural History (34): 603-604
J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
A.C. Radda (1976): Die Poeciliiden-Fauna von Haïti. Aquaria (23): 85-96
F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (153): 21-31
E. Trewavas (1948): Cyprinodont Fishes of San Domingo, Island of Haiti. Proc. Zool. Soc. (118): 408-415
E. Trewavas (1948): Cyprinodont fishes of San Domingo, Island of Haiti. Proc. Zool. Soc. (118): 408-416

Limia vittata (Guichenot, 1853)

- F. Alda, R.G. Reina, I. Doadria & E. Bermingham (2013): Phylogeny and biogeography of the *Poecilia sphenops* species complex (Actinopterygii, Poeciliidae) in Central America. Molecular and Ecology Resources (66): 1011-1026
V. Baruš & E. Wohlgemuth (1993): Checklist and biogeography of freshwater fishes in eastern Cuba. Folia Zoologica (2): 165-177
V. Baruš & E. Wohlgemuth (1993): Study on the collection of freshwater fishes from eastern Cuba with taxonomical notes. (1): 63-76
V. Baruš et al (1987): Poeciliids in central Cuba. Folia Zoologica (1): 57-62
V. Baruš et al (1994): Checklist, taxonomical notes and biogeography on freshwater fishes from Isla de la Juventud (Cuba). Folia Zoologica (2): 177-187
V. Baruš, J. Libosvarsky & J. de la Cruz (1980): Observations on *Limia vittata* from Kuba. Folia Zoologica (3): 267-287
H. Breider (1935): Geschlechtsbestimmung und -differenzierung bei *Limia nigrofasciata*, *caudofasciata*, *vittata* und deren Artbastarden. Induktive Abstammungs- und Vererbungslehre (68): 265-299
H. Breider (1935): Genetische Analyse von Artmerkmalen geographisch vikariierender Arten der Gattung *Limia*. Molecular and General Genetics MGG (1): 484-488
H. Breider (1936): Eine Erbanalyse yon Artmerkmalen geographisch vikariierender Arten der Gattung *Limia*. Molecular and General Genetics MGG (1): 441-499
B. Brown (1913): Notes on Cuban fresh-water fishes. Science (957): 667-668
C. Clapsaddle (2012): Life with livebearers Group breeding. Tropical Fish Hobbyist (1): 34-36
T. Coletti (2004): My big dogs from Cuba: the joys of *Limia vittata*
I. Dibble (2008): Monterrey to Morelia, Mexico 2006. Livebearers (203): 12-25
C.H. Eigenmann (1903): The freshwater fishes of western Cuba. Bulletin of the United States Fish Commission (22): 211-236
R.A. Englund et al (2000): Nonindigenous freshwater and estuarine species introductions and their potential to affect sportfishing in the lower stream and estuarine regions of the south and west shores of Oahu, Hawaii. Bishop Museum Technical Report (17): 1-121
B. Falcón-Hidalgo et al (2011): Digestive enzymes of two freshwater fishes (*Limia vittata* and *Gambusia punctata*) with different dietary preferences at three developmental stages. Comparative Biochemistry and Physiology (158): 136-141
J.A. Farr (1984): Premating behavior in the subgenus *Limia* (Pisces: Poeciliidae): sexual selection and the evolution of courtship. Z. Tierpsychol. (65): 152-165
R. Fischer (1991): *Poecilia vittata*. Livebearers (120): 12-13
H. Flöthmann (1987): Bekanntgabe von Kreuzungen. ZAG Lebendgebärende Zahnkarpfen (2): 4-4
C.D. Gabriel (1967): Eine interessante Limiaform. Aquarien Terrarien (7): 243-243
A. Guichenot (1853): Zoologie, Poissons. In: Histoire physique, politique et naturelle de l'Île de Cuba. Ramón de la Sagra ed. (2): 1-206
A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386

Livebearer Literature List 202201

- A. Hamilton (2001): Phylogeny of Limia based on NADH dehydrogenase subunit 2 sequences. *Molecular Phylogenetics and Evolution* (2): 277-289
- T.M. Holitzki et al (2013): Differences in ecological structure, function, and native species abundance between native and invaded Hawaiian streams. *Ecological Applications* (6): 1367-1383
- J.C. Hopgood (1982): Some Cuban fishes. *Livebearers* (63): 11-13
- K. de Jong (1995): Van egale naar gevlekte Limia vittata Guichenot, 1853. *Poecilia Nieuws* (3): 44-48
- K. de Jong (1997): Twee grote Limia-soorten. *Het Aquarium* (11): 262-265
- K. de Jong (1998): Twee grote Limia-soorten. *Poecilia Nieuws* (1): 4-10
- K. de Jong (1999): Zwei große Limia-Arten. *DATZ* (10): 26-29
- K. de Jong (2006): Bijeenkomst American Livebearer Association 2006. *Poecilia Nieuws* (3): 31-36
- K. de Jong (2008): Limia vittata (Guichenot, 1853). *Poecilia Nieuws* (3): 32-33
- K. de Jong (2019): Limia vittata (Guichenot, 1853). *Poecilia Nieuws Atlas* (05): -
- M. Kempkes (2006): Die Lebendgebärenden Zahnkarpfen Kubas. *Aquaristik Fachmagazin* (2): 10-14
- D. Kenwood (2009): Limia vittata. *Livebearer News* (28): 49-53
- D. Kroll (1994): "Die Kubakrise". *DGLZ-Rundschau* (3): 52-56
- D. Lambert (1994): Limia vittata (Guichenot, 1853). *Viviparous* (26): 0-2
- D. Lambert (1996): The livebearers world: The lovely Limias. *Tropical Fish Hobbyist* (March): 196-200
- M.R. Lehmann (1981): Poecilia vittata. *Livebearers* (56): 11-13
- M.R. Lehmann (1983): Livebearers the second world. *Livebearers* (69): 14-15
- M. Litzicza (2015): The Cuban Limia. *Livebearers* (229): 5-7
- M.K. Meyer (1990): Lebendgebärende Zahnkarpfen von Kuba Schluß. *Das Aquarium* (November): 18-20
- M.K. Meyer (1990): Lebendgebärende Zahnkarpfen von Kuba Teil 1. *Das Aquarium* (April): 7-11
- M.K. Meyer (1993): Collecting livebearers in Cuba. *Tropical Fish Hobbyist* (March): 116-130
- J. Moar (1997): Poecilia nigrofasciata and Poecilia vittata. *Livebearers* (145): 24-25
- P. Müller (1967): Interessante Neuzugänge aus Kuba. *Aquarien Terrarien* (10): 336-339
- B. Newman (1974): Lovable Limia. *Livebearers* (14): 7-9
- B. Newman (1992): Loveable Limia. *Livebearers* (122): 28-30
- J.T. Nichols (1912): Notes on Cuban fishes. *Bulletin American Museum of Natural History* (31): 179-194
- L. Nico (2000): In our own backyard - Limia vittata Guichenot 1853. *Livebearers* (163): 16-18
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- H. Obregón-Barboza, S. Contreras-Balderas & M. Lozano-Vilano (1994): The fishes of northern and central Veracruz, Mexico. *Hydrobiologica* (286): 79-95
- G. Petzold (1969): Neuer Import von Limia vittata (Guichenot) aus Kuba. *Aquarien Terrarien* (3): 86-87
- F. Poey (1851): Los guajacones, pecesillos de agua dulce. *Memorias sobre la historia natural de la Isla de Cuba* (): 374-392
- J.L. Ponce de León García & R.R. Silva (2010): Peces cubanos de la familia Poeciliidae. *Editorial Academia La Habana* (): 1-38
- J.L. Ponce de León, R. Rodríguez, M. Acosta & M.C. Uribe (2011): Egg size and its relationship with fecundity, newborn length and female size in Cuban poeciliid fishes (Teleostei: Cyprinodontiformes). *Ecology of Freshwater Fish* (20): 243-250
- A. Rachow (1938): Limia vittata (Guichenot). *Die Aquarienfische in Wort und Bild* (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 279-282
- A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. *DGLZ-Rundschau* (2): 4-18
- G. Salgado-Maldonado & R.F. Pineda-López (2003): The Asian fish tapeworm *Bothriocephalus acheilognathus*: a potential threat to native freshwater fish species in Mexico. *Biological Invasions* (5): 261-268
- C. van de Sande (1992): Poecilia vittata. *Poecilia Nieuws* (1): 11-14
- I. Schlupp, Parzefall, Epplen & Scharl (1996): Limia vittata as host species for the Amazon molly: no evidence for sexual reproduction. *Journal of Fish Biology* (48): 792-795
- K. Schneider (1999): Biotopbeschreibungen. (): 1-24
- A. Scholl & J.H. Schröder (1974): Biochemische Untersuchungen über die genetische Differenzierung mittelamerikanischer Zahnkarpfenarten (Cyprinodontiformes, Poeciliidae). *Revue Suisse de Zoologie* (Décembre): 690-696
- H. Stallknecht (1969): Bastarde von Limia nigrofasciata und L. vittata. *Aquarien Terrarien* (7): 240-240
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. *Livebearers* (153): 21-31
- G. Takeshita (1972): The "escaped" livebearers in Hawaii. *Livebearers* (2): 5-9
- G. Takeshita (2000): A mollie hybrid from the wild. *Livebearers* (163): 14-15
- L. Thomas (1976): Kreuzungsversuche mit Poecilia melanogaster und Poecilia vittata. *Aquarien Terrarien* (10): 351-351
- M. Tobler (2021): Why are sex ratios off in some of my livebearers? Do temperature of pH skew sex ratios in livebearers like in some other fishes. *Livebearers* (250): 10-13
- K. Tschertner (1977): Kreuzunge - Versuche. *ZAG Lebendgebärende Zahnkarpfen* (3): 28-28
- S. Wang, M. Cummings & M. Kirkpatrick (2015): Coevolution of male courtship and sexual conflict characters in mosquitofish. *Behavioral Ecology* (4): 1013-1020
- L. Wischnath (2000): Levendbarende tandkarpers, een bont palet deel 2. *Het Aquarium* (9): 241-245

Dr. W. Wolterstorff (1908): Ueber Poecilia cf. pavonina (Poey) Zur Nomenklatur.. Wochenschrift für Aquarien und Terrarienkunde (): 609-610

Limia yaguajali Rivas, 1980

- A. Gutjahr (1996): Die Limia-Ppulationen von Cabarete. DATZ (3): 156-157
M.K. Meyer & T. Mörschel (0): Les vivipares de Saint-Domingue. Aquareama (141): 12-15
R. Rodriguez Silva et al (2020): Distribution range extension of Yaguajal Limia, Limia yaguajali (Teloestei: Poeciliidae) from north of the Dominican Republic, Hispaniola. Novitates Caribaea (15): 127-133
R. Rodriguez Silva et al (2020): Distribution range extension of Yaguajal Limia, Limia yaguajali (Teleostei: Poeciliidae) from north of the Dominican Republic, Hispaniola. Novitates Caribaea (15): 127-133

Limia zonata (Nichols, 1915)

- J.A. Farr (1984): Premating behavior in the subgenus Limia (Pisces: Poeciliidae): sexual selection and the evolution of courtship. Z. Tierpsychol. (65): 152-165
R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
K. de Jong (2021): Niet alle mannen zijn gelijk. Poecilia Nieuws (2): 27-32
D. Kroll (1996): Der "Dommi an sich", viele Touries, einige Zahnkarpfen und etwas Rum - eine Reise in die Dominikanische Republik. DGLZ-Rundschau (2): 27-35
P. Lechner & A.C. Radda (1980): Poeciliiden-Studien in der Dominikanischen Republik. AQUARIA (27): 1-13
P. Lechner & A.C. Radda (1986): Poeciliiden-Studien in der Dominikanischen Republik. DGLZ-Rundschau (4): 6-18
M.K. Meyer & T. Mörschel (0): Les vivipares de Saint-Domingue. Aquareama (141): 12-15
M. Monje (2012): Limia zonata The striped Limia. Livebearers (216): 41-43
T. Mörschel & M. Meyer (1991): Lebendgebärende Zahnkarpfen von der Dominikanischen Republik. Das Aquarium (Mai): 12-15
G.S. Myers (1931): Poeciliid fishes of the genus Mollienia in hispaniola, with notice of a new Limia from the Samaná Peninsula. American Museum Novitates (503): 1-2
G.S. Myers (1935): An annotated list of the cyprinodont fishes of Hispaniola, with descriptions of two new species. Zoologica (3): 301-316
J.T. Nichols (1915): On Heterandria zonata sp.nov. and Heterandria versicolor (Günther) from the island of Santo Domingo. Bulletin American Museum of Natural History (34): 603-604
J.T. Nichols & G.S. Myers (1923): A New Limia from San Domingo. American Museum Novitates (79): 1-2
A.C. Radda (1976): Die Poeciliiden-Fauna von Haïti. AQUARIA (23): 85-96
M. Spikes & I. Schlupp (2021): Males can't afford to be choosy: Male reproductive investment does not influence preference for female size in Limia (Poeciliidae). Behavioural Processes (183): 1-8
E. Trewavas (1948): Cyprinodont Fishes of San Domingo, Island of Haiti. Proc. Zool. Soc. (118): 408-415
E. Trewavas (1948): Cyprinodont fishes of San Domingo, Island of Haiti. Proc. Zool. Soc. (118): 408-416

Molly's alle

- (1989): Questions and answers: mollies, etc.. Livebearers (106): 17-21
B.L. Hilton Brett & Bruce J. Turner (1983): Genetic divergence in the Poecilia sphenops complex in Middle America. Biochemical Systematics and ecology (2): 127-136
B. Allen (2000): Crescent fish farm and the development of the black molly. Livebearers (164): 45-47
J.C. Bagley et al (2015): Assessing species boundaries using multilocus delimitation in a morphologically conserved group of neotropical freshwater fishes, the Poecilia sphenops species complex (Poeciliidae). PlosOne (4): 1-30
R. Clarke (1989): Mollies Challenge of the big four. Livebearers (103): 9-13
H. Hieronimus (1984): Zur Kenntnis der Mexikanischen Mollies. DGLZ-Rundschau (1): 12-17
H. Hieronimus (2002): Mollytrends in den USA. DGLZ-Rundschau (2): 50-50
H. Hieronimus (2004): Änderungen bei Mollies. DGLZ-Rundschau (1): 3-10
H. Hieronimus (2010): De geschiedenis van de molly kweekvormen. Poecilia Nieuws (3): 16-21
H. Hieronimus (2016): Mollies - wirklich eine Untergattung?. DGLZ-Rundschau (3): 108-109
H. Hieronimus (2016): Mollies - eine unendliche Geschichte?. DGLZ-Rundschau (4): 160-163
H. Hieronimus (2016): Neues aus Wissenschaft und Forschung. DGLZ-Rundschau (3): 122-12
A. Ho, C.L. Pruitt & J. Liu (2016): Phylogeny and biogeography of Poecilia (Cyprinodontiformes: Poeciliinae) across Central and South America based on mitochondrial and nuclear DNA markers. Molecular Phylogenetics and Evolution (101): 32-45
C. Hubbs (1984): Species and hybrids of molleniensis. Livebearers (75): 8-11
C.L. Hubbs (2000): Species and hybrids of Molleniensis. Livebearers (164): 26-32
K. de Jong (2004): De black molly. Poecilia Nieuws (3): 15-15
S. de Jong (2021): Rugvinnen bij mannelijke levendbarenden, groote maakt wel degelijk wat uit. Poecilia Nieuws (2): 19-26
K. de Jong & F. Poeser (1997): Poecilia orri Fowler, 1943, een zelden gehouden 'kortvin' molly. Poecilia Nieuws (2): 22-31
A. Kühne (2001): Albinotische Varianten. DGLZ-Rundschau (2): 36-39
D. Lambert (0): Myth over reality. Viviparous (36): 0-
D. Lambert (0): Myth over reality. Livebearer News (11): 18-22

Livebearer Literature List 202201

- M.K. Meyer (1982): Lebendgebärende Zahnkarpfen Der Sphenops-Komplex, Gattung Poecilia, Undergattung Mollienesia. Das Aquarium (Februar): 74-77
- M.K. Meyer (1983): Une nouvelle espèce de Poecilia du Guerrero, Mexique. Revue française d'aquariologie herpetologie (10): 55-58
- R.R. Miller (1983): Checklist and key to the mollies of Mexico. Copeia (3): 817-822
- R.R. Miller (1987): Checklist and key of the Mollies of Mexico (Pisces: Poeciliidae: Poecilia, Subgenus Mollienesia). Livebearers (92): 9-18
- J. Norton (1992): Aquarium mollie, past and present. Livebearers (122): 4-13
- J. Norton (2000): Molly fins. Livebearers (164): 22-24
- J. Norton (2006): What are we doing?. Livebearers (187): 31-34
- M. Palacios et al (2016): Phylogenetic analyses of the subgenus Mollienesia (Poecilia, Poeciliidae, Teleostei) reveal taxonomic inconsistencies, cryptic biodiversity, and spatio-temporal aspects of diversification in Middle America. Molecular Phylogenetics and Evolution
- H.-A. Pederzani (1966): Zur Weiterentwicklung unserer Standards. ZAG Lebendgebärende Zahnkarpfen (1): 11-12
- H.-A. Pederzani (1967): Die weiter-Entwicklung der Standards der Gattung Mollienesia. Aquarien Terrarien (4): 0-0
- F.N. Poeser (1992): Re-establishment and redescription of Poecilia vandepolli Van Lidth de Jeude, 1887, with comments on related species. Studies on the natural history of the Caribbean region (71): 79-98
- F.N. Poeser (1998): Poecilia gillii, het Roodkapje van de mollies. Poecilia Nieuws (1): 11-15
- F.N. Poeser (2000): Over de gedeelde visregistratie en de Poeciliini. Poecilia Nieuws (3): 48-53
- F.N. Poeser (2000): De Poeciliini. Poecilia Nieuws (5): 88-90
- F.N. Poeser (2002): Ontbijt in het land der goden. Poecilia Nieuws (3): 51-55
- F.N. Poeser (2002): Poecilia maylandi Meyer, 1983, of toch niet? Een overzicht van de Midden Amerikaanse mollies. Poecilia Nieuws (6): 106-111
- F.N. Poeser (2003): From the Amazon river to the Amazon molly and back again. Universiteit van Amsterdam - thesis (): 1-180
- F.N. Poeser (2008): All mollies are equal, but some mollies are more equal than others. Livebearer News (24): 34-37
- F.N. Poeser (2010): Een inleiding tot de molly's. Poecilia Nieuws (3): 2-9
- F.N. Poeser (2011): A new species of Poecilia from Honduras (Teleostei: Poeciliidae). Copeia (3): 418-422
- M. Schart et al (1995): Evolutionary origin of a parthenoform, the Amazon molly Poecilia formosa, on the basis of a molecular genealogy. Evolution (49): 827-835
- J.H. Schröder (1969): Anmerkungen zur systematischen Revision der Gattungen Mollienesia, Lebistes und Limia. Aquarien Terrarien (12): 410-412
- R.J. Schultz & Robert Miller (1971): Species of the Poecilia sphenops complex in Mexico. Copeia (2): 282-290
- H. Stallknecht (1968): Ein notwendiger Hinweis zur Limia-Diskussion. Aquarien Terrarien (10): 350-351

Neoheterandria cana (Meek & Hildebrand, 1913)

- O. Böhm (1990): Lebendgebärende Fischzwergen aus der Gattung Neoheterandria. Das Aquarium (Mai): 7-8
- C.M. Breder jr. (1927): The Fishes of the Rio Chucunaque drainage, eastern Panama. Bulletin American Museum of Natural History (57): 91-176
- C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
- S.E. Meek & S.F. Hildebrand (1913): New species from Panama. Field museum of natural history - Zoölogy (8): 77-91
- S.E. Meek & S.F. Hildebrand (1916): The fishes of these fresh waters of Panama. Publ. Field Museum of Nat. Hist. Chicago (15): 217-374

Neoheterandria elegans Henn, 1916

- O. Böhm (1990): Lebendgebärende Fischzwergen aus der Gattung Neoheterandria. Das Aquarium (Mai): 7-8
- C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. ZooKeys (708): 25-138
- U. Dost (1994): Sommerurlaub für die Fische. Das Aquarium (Juni): 4-6
- U. Dost (1996): Der Zwerg-Schmuckkäpfchen und der Zwergkäpfchen. Aquaristik-Aktuell (1): 20-22
- R. Fischer (1994): Neoheterandria elegans. Livebearers (133): 23-24
- D. Gentzsch (1991): Superfötation beim Zwerg-Schmuckkäpfchen. DATZ (5): 288-290
- D. Gentzsch (2004): Zum Erstimport von Neoheterandria elegans. DGLZ-Rundschau (2): 34-34
- D. Gentzsch (2016): Der Zwerg-Schmuckkäpfchen Neoheterandria elegans - ein Glücksfall der Aquaristik. DGLZ-Rundschau (1): 5-10
- D. Gentzsch (2021): The story of the "dwarf jewellery" livebearing toothcarp [= "Tiger teddy"] Neoheterandria elegans. Livebearer News (66): 13-20
- D. Gentzsch (2021): Die Geschichte des Zwerg-Schmuckkäpfchens Neoheterandria elegans. Das Lebendgebärenden Magazin (1): 22-27
- R.C. Griffiths (1997): Neoheterandria elegans The elegant livebearer. Livebearers (147): 34-35
- C. Grimes (2005): A rare jewel, Neoheterandria elegans. Livebearers (184): 40-43
- A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
- H. Hieronimus (2015): Arthur Wilbur Henn. DGLZ-Rundschau (2): 96-96
- B. Iepenga (2003): Zomaar over vissies houden. Poecilia Nieuws (6): 92-93
- K. de Jong (1992): Neoheterandria elegans (Henn, 1916). Poecilia Nieuws (4): 11-14

- K. de Jong (1992): Neoheterandria elegans (Henn, 1916). Picasso onder water (): 0-
- K. de Jong (1997): Wie is de kleinste?. Poecilia Nieuws (4): 68-70
- K. de Jong (2014): Neoheterandria elegans. Poecilia Nieuws (Special): 10-10
- S. de Jong (2019): Neoheterandria elegans alias Tiger Teddy. Das Lebendgebärenden Magazin (2): 15-16
- H. Kaper (2008): Neoheterandria elegans Henn, 1916. Poecilia Nieuws (3): 24-25
- M. Kempkes (2020): Betrifft: Neoheterandria elegans. Das Lebendgebärenden Magazin (1): 25-29
- D. Lambert (1995): Neoheterandria elegans. Viviparous (30): 0-
- J.K. Langhammer (1997): The little livebearers. Livebearers (146): 20-21
- J.K. Langhammer (2005): The littlest livebearers (2005 version). Livebearers (184): 44-46
- J.A. Maldonado-Ocampo, R.P. Vari & J.S. Usma (2008): Checklist of the freshwater fishes of Columbia. Biota Colombiana (2): 143-237
- L. van der Meer (2007): Neoheterandria elegans. Poecilia Nieuws (5): 14-16
- S. Oliver (2019): Neoheterandria elegans Henn, 1916. Das Lebendgebärenden Magazin (2): 17-18
- A.C. Radda & M.K. Meyer (1986): Revalidisierung der Gattung Xenophallus Hubbs (Poeciliidae, Osteichthyes). DGLZ-Rundschau (2): 19-22
- R. Serva (2007): Keeping Neoheterandria elegans, the elegant livebearer. Livebearers (197): 30-32
- R. Serva (2010): Keeping the elegant livebearer, Neoheterandria elegans. Livebearers (208): 17-18
- S.H. Weitzman & R.P. Vari (1988): Miniaturization in south American freshwater fishes: an overview and discussion. Proceedings of the Biological Society of Washington (2): 444-465
- T. Williams (2004): Keeping Neoheterandria elegans. Livebearer News (7): 21-22
- L. Wischnath (): Deux petits ovovivipares en aquarium. Aquarama (): 35-
- L. Wischnath (1995): Kleine soorten levendbarende tandkarpers. Het Aquarium (6): 127-129
- L. Wischnath (2000): Levendbarende tandkarpers, een bont palet deel 2. Het Aquarium (9): 241-245

Neoheterandria tridentiger (Garman, 1895)

- P.L. Angermeier & J.R. Karr (1983): Fish communities along environmental gradients in a system of tropical streams. in: Zaret T.M. Evolutionary ecology of neotropical freshwater fishes (): 39-57
- O. Böhm (1990): Lebendgebärende Fischzwerge aus der Gattung Neoheterandria. Das Aquarium (Mai): 7-8
- I. Dibble (0): Neoheterandria tridentiger (Garman, 1895). Viviparous (1): 0-
- G. Eckstein (1982): Livebearer queries. Livebearers (65): 7-9
- D. Fromm (1982): About the fish I'm advertising, or, everything's different in El Valle. Livebearers (65): 14-17
- D. Fromm (1983): Natural history and social behavior of Neoheterandria tridentiger. Livebearers (68): 3-6
- S. Garman (1895): The Cyprinodonts. Mem. Mus. Comp. Zoöl. (1): 1-179
- C. Grimes (1981): Neoheterandria tridentiger or Dan Fromm does it to me again. Livebearers (59): 3-4
- A. Henze & K. de Jong (2021): Een levendbarende tandkarperv uit Panama Neoheterandria tridentiger (Garman, 1895). Het Aquarium (8): 4-9
- A. Henze & K. de Jong (2021): Een levendbarende tandkarperv uit Panama Neoheterandria tridentiger (Garman, 1895). Poecilia Nieuws (3): 7-19
- S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. Zoölogy, Field museum of natural history (4): 215-359
- C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
- C. Macías-García & C.A. González-Zuárt (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 289-302
- J.D. McPhail (1978): Sons and lovers: the functional significance of sexual dichromism in a fish, Neoheterandria tridentiger (Garman). Behaviour (3/4): 329-339
- S.E. Meek & S.F. Hildebrand (1916): The fishes of these fresh waters of Panama. Publ. Field Museum of Nat. Hist. Chicago (15): 217-374
- A.C. Radda (1978): Ueber einige aquaristisch neue Poeciliiden aus Mittelamerika. Aquaria (25): 21-27
- A.C. Radda (1982): Ueber einige aquaristisch neue Poeciliiden aus Mittelamerika. DGLZ-Rundschau (3): 42-48
- A.C. Radda & H. Fritscher (1985): Poeciliiden-Studien im karibischen Raum. DGLZ-Rundschau (4): 7-16
- A.C. Radda & M.K. Meyer (1986): Revalidisierung der Gattung Xenophallus Hubbs (Poeciliidae, Osteichthyes). DGLZ-Rundschau (2): 19-22
- N.S. Scrimshaw (1945): Development in Poeciliid fishes. Biological Bulletin (3): 233-246
- S.C. Stearns (1978): Interpopulational differences in reproductive traits of Neoheterandria tridentiger (Pisces: Poeciliidae) in Panamá. Copeia (1): 188-190
- M. Wilson (1982): Neoheterandria; new. Livebearers (64): 12-13

Neophorus regalis Alvarez, 1959

- J. Alvarez (1959): Contribucion al conocimiento del genero Neophorus. Ciencia (19): 13-22
J. Alvarez (1963): Ictiologia Michoacana III. Los peces de San Juanico y de Tocumbo. Mich.. An. Esc. Nac. Cienc. Biol. (12): 111-138
I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de veldtrip 2. Poecilia Nieuws (6): 117-126
I. Dibble (2003): Mein Tagebuch der "Arche-Projekt"- Feldexkursion 2003. DGLZ-Rundschau (4): 86-97
D. Isla (1999): Verloren, aber nicht vergessen. DGLZ-Rundschau (1): 4-5
D. Isla (1999): Zurück in Zacapu!. DGLZ-Rundschau (2): 56-60
K. de Jong (2002): De Allotoca uit Laguna de Zacapu beschreven. Poecilia Nieuws (3): 44-45
B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. Poecilia Nieuws (2): 22-35
M. Köck (2014): Die Gattungen Neotoca und Neophorus. Das Lebendgebärenden Magazin (1): 38-47
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
M.K. Meyer, A.C. Radda & O. D. Domínguez (2001): Notes on the genera Neophorus Hubbs & Turner, 1937 and Allotoca Hubbs & Turner, 1937, with a description of a new species of Allotoca from Laguna de Zacapu, Michoácan , Mexico (Teleostei, Cyprinodontiformes:
J. de Moree (2001): De Allotoca's. Poecilia Nieuws (1): 9-12
P. Mudde (1998): Overleven gaat niet over rozen. Onder het palmlad (2): 32-34
A.C. Radda (1986): Cyprinodonten vissen in Mexico 2. Poecilia Nieuws (2): 28-30

Neotoca bilineata (Bean, 1887)

- H. Apelt (1957): Der Zweilinienkärpfling, Skiffia bilineata Bean. Aquarien Terrarien (4): 261-261
T. H. Bean (1887): Description of five new species of fishes sent by prof A. Dugés from the province of Guanajuato, Mexico. Proceedings US Nat. Museum (10): 370-375
O. Böhm (0): Quelques espèces intéressantes de la famille des Goodéidés. Aquarama (): 13-16
O. Böhm (1984): Das Hochland von Mexiko ist die Heimat der Goodeiden. TI (68): 9-11
O. Böhm (1985): Het Mexicaanse hoogland; leefgebied van de Goodeidae. TIH (41): 9-11
D. Bork (1993): Schocktod bei Goodeiden?. DGLZ-Rundschau (1): 10-10
J.G.A. Caballos Corona et al (1994): Analisis limnologico de lage de Cuitzeo, Michoacan, Mexico. Universidad Michoacana de San Nicolás de Hidalgo Facultad de Biología (): 1-45
M. Camacho-Cervantes et al (2014): Exotic invaders gain foraging benefits by shoaling with native fish. R. Soc. Open sci (1): 1-9
M. Camacho-Cervantes et al (2018): Sociability between invasive guppies and native topminnows. PlosOne (February): 1-9
M. Camacho-Cervantes et al (2019): Foraging behaviour of a native topminnow when shoaling with invaders. Aquatic Invasions (3): 490-501
E. Díaz-Pardo (2005): The gonopodial suspension of the Girardinichthynae fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 133-143
I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de voortgang Deel 1. Poecilia Nieuws (5): 105-110
I. Dibble (2000): Fish Ark Project - Mexico. Viviparous (48): 5-10
N. Dokoupil (1989): Der Zweilinienkärpfling Skiffia bilineata (Bean, 1887). Das Aquarium (Februar): 83-85
D. Dominique (2018): Skiffia (Neotoca) bilineata, ein Goodeide einer neuen Gattung?. Das Lebendgebärenden Magazin (1): 34-37
A. García-Vásquez et al (2017): Triple trouble? Invasive poeciliid fishes carry the introduced tilapia pathogen Gyrodactylus cichlidarum in the Mexican highlands. Veterinary Parasitology (235): 37-40
R.C. Griffiths (1995): The elfin goodeid. Livebearers (139): 18-18
M. Heußen (2011): Eine selten gepflegte Fundortvariante: Neotoca bilineata "Querendaro". Das Lebendgebärenden Magazin (1): 19-19
H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. DGLZ-Rundschau (3): 21-22
H. Hieronimus (1992): Skiffia multipunctata, ein Anfängerfisch?. DGLZ-Rundschau (3): 52-54
H. Hieronimus (1993): Biochemische Systematik der Goodeiden. DGLZ-Rundschau (3): 63-63
C.L. Hubbs (1924): Studies of the fishes of the order Cyprinodontes V. Notes on species of Goodea and Skiffia. Occasional papers of the museum of zoology University of Michigan (148): 1-8
D. Hughes-Phillips (2008): Sexual harassment and Skiffia bilineata. Livebearers (202): 8-8
K. de Jong (1986): Een kleinere hooglandkarper, Skiffia bilineata (Bean, 1887). Poecilia Nieuws (6): 74-76
K. de Jong (1988): Een kleinere en goed houdbare hooglandkarper. Het Aquarium (11): 278-279
K. de Jong (2010): Neotoca bilineata (Bean, 1887). Poecilia Nieuws (5): 22-26
K. de Jong (2019): Samen sterk. Poecilia Nieuws (1): 21-23
D.I. Kingston (1978): Skiffia francesae, a new species of goodeid fish from western Mexico. Copeia (3): 503-508
H. Kleine (2009): Der Guppy (Poecilia reticulata) gefährdet den Zweilinienkärpfling (Skiffia bilineata) durch sexuelle Bedrängung. Das Lebendgebärenden Magazin (1): 15-15
M. Köck (2013): Die Gattung Skiffia. Das Lebendgebärenden Magazin (2): 42-49
M. Köck (2014): Die Gattungen Neotoca und Neophorus. Das Lebendgebärenden Magazin (1): 38-47

Livebearer Literature List 202201

- B. Kohler (2002): My favorite Goodeid - Skiffia bilineata. Livebearers (174): 16-19
- D. Lambert (0): The sawfin Goodeids. Viviparous (11): 0-6
- D. Lambert (1990): Skiffia multipunctata (Pellegrin, 1901). Poecilia Nieuws (5): 80-81
- D. Lambert (1991): Het geslacht Skiffia. Poecilia Nieuws (4): 65-70
- L.Z. de Liefde (2006): Mijn ervaring met Skiffia bilineata. Poecilia Nieuws (1): 19-20
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- F. Mayer (1936): Skiffia bilineata Bean. Wochenschrift für Aquarien und Terrarienkunde (33): 545-545
- F. Mayer (1988): Neotoca bilineata, a different livebearer. Livebearers (101): 16-17
- F. Mayer (1991): Neotoca bilineata, a different kind of livebearer. Livebearers (119): 16-17
- E. Meinema (1989): Skiffia bilineata Bean, 1887. Poecilia Nieuws (3): 45-48
- E. Meinema (1990): Kleine hooglandkarpers. Het Aquarium (9): 209-212
- M. Méndez-Janovitz, A. González-Voyer, C. Macías García (2019): Sexually selected sexual selection: can evolutionary retribution explain female ornamental colour?. J. Evol. Biol. (May): 1-12
- G. Mendoza (1939): The reproductive cycle in the viviparous Teleost, Neotoca bilineata, a member of the family Goodeidae I. The breeding cycle. Biological Bulletin (76): 359-370
- G. Mendoza (1940): The reproductive cycle in the viviparous Teleost, Neotoca bilineata, a member of the family Goodeidae II. The cyclic changes in the ovarian soma during gestation. Biological Bulletin (3): 349-365
- G. Mendoza (1941): The reproductive cycle in the viviparous Teleost, Neotoca bilineata, a member of the family Goodeidae III. The germ cell cycle. Biological Bulletin (81): 70-79
- G. Mendoza (1943): The reproductive cycle of the viviparous Teleost, Neotoca bilineata, a member of the family Goodeidae. IV. The germinal tissue. Biological Bulletin (84): 479-524
- J. de Moree (1999): De Skiffia's. Poecilia Nieuws (5): 102-105
- C.P. Ornelas-García et al (2012): Genetic diversity shaped by historical and recent factors in the live-bearing twoline skiffia Neotoca bilineata. Journal of Fish Biology (): -
- A. Rachow (1955): Neotoca bilineata (T.H. Bean). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Db): 976-977
- A.C. Radda (1984): Studien an cyprinodonten Fischen in Mexiko. 2. Reisen 1982 und 1983. Aquaria (31): 24-32
- A.C. Radda (1986): Cyprinodonten vissen in Mexico (slot). Poecilia Nieuws (4): 54-57
- M. Rejliková (2021): La prese de Coíntzio Mchocáén, Mexicio. Das Lebendgebärenden Magazin (2): 34-39
- Z. Rodríguez Álvarez et al (2010): Current status of the viviparous fish species in the Cuitzeo basin of Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 472-475
- M. Schadle (1984): The livebearer letters - IV More random ideas and techniques for the livebearer keeper. Livebearers (75): 14-15
- S. Schröder (1989): Skiffia bilineata (Bean, 1887) - Erfahrungen mit Höhen und Tiefen. ZAG Lebendgebärende Zahnkarpfen (4): 9-10
- S. Schröder (1990): Erfahrungen mit zwei Hochlandkärpflingen. ZAG Lebendgebärende Zahnkarpfen (4): 3-4
- P. Schubert (1988): Eine mögliche Ursache für Totgeburten bei Goodeiden. DGLZ-Rundschau (4): 17-18
- P. Schubert (1989): Interessant und nicht farblos: Goodeiden 1. Aquarien Terrarien (10): 333-337
- P. Schubert (1990): Gedanken zur Vergesellschaftung von Goodeiden. DGLZ-Rundschau (1): 18-22
- P. Schubert (1991): Traum und Trauma - Hoffnung und Ende bei Skiffia bilineata. DGLZ-Rundschau (4): 90-91
- P. Schubert (1992): Wurfhilfen bei Goodeiden und anderen lebendgebärenden Fischen. DGLZ-Rundschau (4): 88-89
- M. Siebelink (1986): Nakweek nieuwe soorten. Poecilia Nieuws (2): 23-24
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. Aquatic Ecosystem Health and Management (1): 267-276
- E. Soto-Galera et al (1999): Change in fish fauna as indication of aquatic ecosystem condition in Río Grande de Morelia - Lago de Cuitzeo Basin, Mexico. Environmental Management (1): 133-140
- B.J. Turner, R.R. Miller & E.M. Rasch (1980): Significant differential gene duplication without ancestral tetraploidy in a genus of mexican fish. Experientia (8): 927-930
- A. Valero, A.E. Magurran & C. Macías García (2009): Guppy males distinguish between familiar and unfamiliar females of a distantly related species. Animal Behaviour (78): 441-445
- A. Valero, C. Macías García & A.E. Magurran (2008): Heterospecific harassment of native endangered fishes by invasive guppies in Mexico. Biol. Lett. (4): 149-152
- M.Y. De La Vega-Salazar et al. (2003): Ecological evaluation of local extinction: the case of two genera of endemic Mexican fish, Zoogoneticus and Skiffia. Biodiversity and Conservation (12): 2043-2056
- L. Wischnath (1996): Hooglandkarpers uit Mexico. Het Aquarium (2): 32-36

Nomorhamphus aenigma Kobayashi, Masengi & Yamahira, 2020

- K. de Jong (2020): Een halfsnavelbek zonder verlengde onderkaak. Poecilia Nieuws (5): 28-30
- K. de Jong (2021): Ein Halbschnäbler ohne verlängerten Unterkiefer. Das Lebendgebärenden Magazin (1): 8-9
- K. de Jong (2021): Nomorhamphus aenigma Kobayashi, Masengi & Yamahira, 2020. Poecilia Nieuws Atlas (): -
- H. Kobayashi, K.W.A. Masengi & K. Yamahira (2020): A new "beakless" halfbeak of the genus Nomorhamphus from Sulawesi (Teleostei: Zenarchopteridae). Copeia (3): 522-531

Nomorhamphus bakeri (Fowler & Bean, 1922)

- S.W. Coleman, A. Harlin-Cognato & A.G. Jones (2009): Reproductive isolation, reproductive mode, and sexual selection: empirical tests of the viviparity driven conflict hypothesis. *The American Naturalist* (3): 291-303
H. Fowler (1927): Notes on the Philippine fishes in the collection of the academy. *Proc. Acad. Nat. Sci. Phila.* (79): 255-297
H. Hieronimus (2003): Neues bei Halbschnäblern. *DGLZ-Rundschau* (1): 3-12

Nomorhamphus brembachi Vogt, 1978

- M. de Bruyn et al (2013): Paleo-drainage basin connectivity predicts evolutionary relationships across three southeast Asian biodiversity hotspots. *Systematic biology* (3): 398-410
H.-G. Evers (2014): The halfbeaks of Sulawesi. *Amazonas* (jan/feb): 30-47
H. Hieronimus (2003): Neues bei Halbschnäblern. *DGLZ-Rundschau* (1): 3-12
K. Jacobs (1972): Hechtköpfiger Halbschnabel Dermogenys. *Das Aquarium* (8): 950-951
J. Kraemer, P. Thieme, R.K. Hadiyat & F. Herder (2019): Structure of the andropodium of the viviparous halfbeak genus Nomorhamphus (Atherinomorpha: Beloniformes: Zenarchopteridae), endemic to Sulawesi, Indonesia. *Raffles Bulletin of Zoology* (67): 247-259
H. Magnee (1987): Nomorhamphus?. *Poecilia Nieuws* (5): 69-70
D. Vogt (1978): Kennen Sie Nomorhamphus?. *DATZ* (7): 222-227

Nomorhamphus celebensis Weber & de Beaufort, 1922

- H. van Engelen (1982): Een bijzondere kweekervaring met Nomorhamphus celebensis. *Het Aquarium* (8): 232-233
H.-G. Evers (2014): The halfbeaks of Sulawesi. *Amazonas* (jan/feb): 30-47
P. Götting (1984): Nomorhamphus celebensis - der lebendgebärende Halbschnabelhecht. *ZAG Lebendgebärende Zahnkarpfen* (3): 6-7
R.C. Griffiths (1997): Nomorhamphus celebensis. *Livebearers* (148): 23-23
H. Grünklee (1986): Nomorhamphus celebensis. *Aquarien Terrarien* (8): 262-264
H. Hieronimus (2003): Neues bei Halbschnäblern. *DGLZ-Rundschau* (1): 3-12
B.G.M. Jamieson & H.J. Grier (1993): Influence of phylogenetic position and fertilization biology on spermatozoal ultrastructure exemplified by exocoetoid and poeciliid fish. *Hydrobiologica* (271): 11-25
B.G.M. Jamieson & H.J. Grier (1993): Influences of phylogenetic position and fertilization biology on spermatozoal ultrastructure exemplified by exocoetoid and poeciliid fish. *Hydrobiologica* (271): 11-25
J. Kraemer, P. Thieme, R.K. Hadiyat & F. Herder (2019): Structure of the andropodium of the viviparous halfbeak genus Nomorhamphus (Atherinomorpha: Beloniformes: Zenarchopteridae), endemic to Sulawesi, Indonesia. *Raffles Bulletin of Zoology* (67): 247-259
J.K. Langhammer (1985): The livebearing halfbeaks. *Livebearers* (80): 18-19
F. Maas (1997): Roofgierig brekebekken (2). *Het Aquarium* (4): 102-106
J. McCoogan (1985): The Celebes halfbeak. *Livebearers* (79): 11-11
D.E. Rosen and Lynne R. Parenti (1981): Relationships of Oryziias, and the groups of Atherinomorph Fishes. *American Museum Novitates* (2719): 1-25
Universidad Michoacana Team (2017): Nomorhamphus liemi De bonte Celebes, half snavelbek (Vogt, 1978). *Poecilia Nieuws* (2): 26-29
H. v.d. Veer (1977): Nomorhamphus celebensis. *Het Aquarium* (4): 106-107
J. Vente (1976): Vissen die je niet vergeet. *Het Aquarium* (5): 134-136
U. Vodel (1985): Ergänzungen zum Beitrag "N. celebensis - der lebendgebärende Halbschnabelhecht" in AM 3/84. *ZAG Lebendgebärende Zahnkarpfen* (2): 4-5
L. Ward (1982): Keeping the Celebes halfbeak. *Livebearers* (64): 8-11
M. Weber & L.F. de Beaufort (1922): The fishes of the Indo-Australian archipelago IV. Heromi, Solenichthyes, Synentognathi, Percesoces, Labyrinthici, Microcyprini. () 135-170
A.J. Whitten, K.D. Bishop, S.V. Nash & L. Clayton (1987): One or more extinctions from Sulawesi, Indonesia?. *Conservation Biology* (1): 42-48

Nomorhamphus ebrardti (Popa, 1912)

- H.-G. Evers (2014): The halfbeaks of Sulawesi. *Amazonas* (jan/feb): 30-47
M. Hellweg & T. Judy (2010): The TFH breeder's challenge Part four. *Tropical Fish Hobbyist* (April): 100-102
H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. *DGLZ-Rundschau* (3): 21-22
H. Hieronimus (2003): Neues bei Halbschnäblern. *DGLZ-Rundschau* (1): 3-12
J. Huylebrouck, R.K. Hadiyat & F. Herder (2012): Nomorhamphus rex, a new species of viviparous halfbeak (Atherinomorpha: Beloniformes: Zenarchopteridae) endemic to Sulawesi Selatan, Indonesia. *Raffles Bulletin of Zoology* (2): 477-485
R. Kobe (1985): Nomorhamphus celebensis. *Livebearers* (84): 9-10
K. Kostrzewa & H. Greven (1998): Beobachtungen zum egagonistischen Verhalten der Männchen von Dermogenys ebrardti. *Verhalten der Aquarienfische* (Greven & Riehl ed.) Schmettkamp Verlag (): 107-115
D. Lambert (0): Dermogenys ebrardi (Popa, 1912). *Viviparous* (23): 0
F. Maas (1997): Roofgierige brekebekken (1). *Het Aquarium* (3): 66-70
P. Melady (2001): Nomorhamphus ebrardti The orange finned halfbeak. *Livebearers* (167): 13-14
J. Moar (1994): Breeding the halfbeak, Nomorhamphus ebrardti. *Livebearers* (136): 6-9

- F. Schäfer (2015): Fischimporte aus Südostasien unter besonderer Berücksichtigung der Halbschnäbler. Das Lebendgebärenden Magazin (2): 18-28
R. Serva & G. Tash (1990): The orange-fin terror (*Nomorhamphus ebrardti*). Livebearers (109): 17-18
R. Serva & G. Tash (2002): The orange-fin terror (*Nomorhamphus ebrardti*). Livebearer News (1): 26-27
B. Slocum (2015): Walking on the wild side. *Nomorhamphus ebrardti*: the red finned halfbeak. Livebearer News (228): 20-21
M. Weber & L.F. de Beaufort (1922): The fishes of the Indo-Australian archipelago IV. Heromi, Solenichthyes, Syngnathidae, Percesoces, Labyrinthici, Microcyprini. () 135-170
J. Wiegert (2015): Halfbeaks: a whole lot of fun for the home aquarium. Tropical Fish Hobbyist (5): 48-52

Nomorhamphus hageni Popta, 1912

- H.-G. Evers (2014): The halfbeaks of Sulawesi. Amazonas (jan/feb): 30-47
H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. DGLZ-Rundschau (3): 21-22
H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12
M. Weber & L.F. de Beaufort (1922): The fishes of the Indo-Australian archipelago IV. Heromi, Solenichthyes, Syngnathidae, Percesoces, Labyrinthici, Microcyprini. () 135-170

Nomorhamphus kolonodalensis Meisner & Louie, 2000

- H.-G. Evers (2014): The halfbeaks of Sulawesi. Amazonas (jan/feb): 30-47
H. Hieronimus (2001): Ein neuer Halbschnäbler aus Sulawesi, *Nomorhamphus kolonodalensis* Meisner & Louie, 2000. DGLZ-Rundschau (1): 8-8
H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12

Nomorhamphus lanceolatus Huylebrouck, Hadiaty & Herder 2014

- H.-G. Evers (2015): Nomorhamphus lanceolatus und Nomorhamphus sagittarius. Amazonas (59): 69-69
J. Huylebrouck, R.K. Hadiaty & F. Herder (2014): Two new species of viviparous halfbeaks endemic to Sulawesi Tenggara, Indonesia. Raffles Bulletin of Zoology (62): 200-209
J. Kraemer, P. Thieme, R.K. Hadiaty & F. Herder (2019): Structure of the andropodium of the viviparous halfbeak genus Nomorhamphus (Atherinomorpha: Beloniformes: Zenarchopteridae), endemic to Sulawesi, Indonesia. Raffles Bulletin of Zoology (67): 247-259
A. Wagnitz (2017): Neues aus Sulawesi. Amazonas (6): 36-41

Nomorhamphus liemi Vogt, 1978

- H. Bollig (1995): Nomorhamphus liemi Lebendgebärende Halbschnäbler aus Südostasien. DATZ (4): 226-228
H. Bollig (1999): Nomorhamphus liemi - Lebendgebärende aus Sulawesi. DGLZ-Rundschau (2): 51-54
M. Brembach (1981): Auf der Fischfang mit der Lampe. DATZ (1): 10-13
D. Dettmers (2006): Halbschnabelhechte. VDA-aktuell (2): 10-11
M. Eikeboom (2013): Over bastaardgepen en halfsnavelbekken Hemiramphodon tengah Colette, 1991. Het Aquarium (12): 30-35
H.-G. Evers (2014): The halfbeaks of Sulawesi. Amazonas (jan/feb): 30-47
R. Fischer (1995): Introduction to halfbeaks. Livebearers (139): 19-21
H. Greven (2010): What do we know about reproduction of internally fertilizing halfbeaks (Zenarchopteridae)? In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 121-142
J. Griffiths (1996): Nomorhamphus liemi Blue beard halfbeak. Livebearers (144): 13-13
J. Griffiths (1997): Nomorhamphus liemi Red Harlequin halfbeak. Livebearers (146): 24-24
H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12
B. Iepenga (2004): Nomorhamphus liemi. Poecilia Nieuws (3): 7-11
J. Kraemer, P. Thieme, R.K. Hadiaty & F. Herder (2019): Structure of the andropodium of the viviparous halfbeak genus Nomorhamphus (Atherinomorpha: Beloniformes: Zenarchopteridae), endemic to Sulawesi, Indonesia. Raffles Bulletin of Zoology (67): 247-259
D. Lambert (0): Nomorhamphus liemi liemi. Viviparous (4): 0-
D. Lambert (1986): The genus Nomorhamphus. Livebearers (91): 15-16
J.K. Langhammer (1987): The orangefinned halfbeak A new species from Sulawesi. Livebearers (94): 3-4
T. Magyar & H. Greven (2007): Courtship and mating of Nomorhamphus liemi Vogt, 1978 (Zenarchopteridae). Bulletin of Fish Biology (1/2): 27-38
J.D. Matthies (2006): Henni Snijders ist tot. Kaufmann, Gentleman & Aquarianer. VDA-aktuell (2): 39-39
L. van der Meer (2018): Nomorhamphus liemi - der bunt Celebes Halbschnäbler (Vogt, 1978). Das Lebendgebärenden Magazin (1): 8-10
M.K. Meyer (1983): Levendbarende siervissen. TTH (35): 8-11
R. Ripberger (1981): Meine Erfahrungen bei Zucht und Haltung von Nomorhamphus liemi snijders Vogt, 1987. DATZ (7): 217-220
J. Robinson (1994): Nomorhamphus liemi. Livebearers (134): 9-9
F. Schäfer (2015): Fischimporte aus Südostasien unter besonderer Berücksichtigung der Halbschnäbler. Das Lebendgebärenden Magazin (2): 18-28
S. Schröder (1989): Persönliche Meinungen und Erfahrungen mit Nomorhamphus liemi. ZAG Lebendgebärende Zahnkarpfen (4): 1-5

- W.A. Tomey (2007): Halfsnavelbekken uit de volgelkop van Indonesisch Papua. *Het Aquarium* (4): 10-14
D. Vogt (1978): Der Fisch wird teuer bezahlt. DATZ (1): 5-9
D. Vogt (1978): Kennen Sie Nomorhamphus?. DATZ (7): 222-227
D. Vogt (1979): Sulawesi - eine Insel jenseits der Wallace-Linie II. DATZ (11): 366-370
U. Werner (0): Nomorhamphus liemi: Ein Stattlicher Halbschnäbler. ? (): 193-197
J. Wiegert (2015): Halfbeaks: a whole lot of fun for the home aquarium. *Tropical Fish Hobbyist* (5): 48-52

Nomorhamphus manifesta Meisner, 2001

- H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12
A.D. Meisner (2001): Phylogenetic systematics of the viviparous halfbeak genera Dermogenys and Nomorhamphus. *Zoological Journal of the Linnean Society* (133): 199-283

Nomorhamphus megarrhamphus (Brembach, 1982)

- M. Brembach (1982): Drei neue Dermogenys-Arten aus Sulawesi: D. montanus, D. vogti, D. megarrhamphus. DATZ (2): 51-55
M. de Bruyn et al (2013): Paleo-drainage basin connectivity predicts evolutionary relationships across three southeast Asian biodiversity hotspots. *Systematic biology* (3): 398-410
S.W. Coleman, A. Harlin-Cognato & A.G. Jones (2009): Reproductive isolation, reproductive mode, and sexual selection: empirical tests of the viviparity driven conflict hypothesis. *The American Naturalist* (3): 291-303
H.-G. Evers (2014): The halfbeaks of Sulawesi. *Amazonas* (jan/feb): 30-47
H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12
M. Kottelat (1989): Der Towuti-See. DATZ (11): 681-684
J. Kraemer, P. Thieme, R.K. Hadiaty & F. Herder (2019): Structure of the andropodium of the viviparous halfbeak genus Nomorhamphus (Atherinomorpha: Beloniformes: Zenarchopteridae), endemic to Sulawesi, Indonesia. *Raffles Bulletin of Zoology* (67): 247-259
A.J. Whitten, K.D. Bishop, S.V. Nash & L. Clayton (1987): One or more extinctions from Sulawesi, Indonesia?. *Conservation Biology* (1): 42-48

Nomorhamphus pectoralis (Fowler, 1934)

- H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12

Nomorhamphus philippinus (Ladiges, 1972)

- H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12

Nomorhamphus pinnimaculata Meisner, 2001

- H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12
A.D. Meisner (2001): Phylogenetic systematics of the viviparous halfbeak genera Dermogenys and Nomorhamphus. *Zoological Journal of the Linnean Society* (133): 199-283

Nomorhamphus rex Huylebrouck, Hadiaty & Herder, 2012

- H.-G. Evers (2013): Nomorhamphus rex. *Amazonas* (May/June): 91-91
H.-G. Evers (2014): The halfbeaks of Sulawesi. *Amazonas* (jan/feb): 30-47
H. Hieronimus (2012): Nomorhamphus rex und Gambusia quadruncus - Zwei neue Lebendgebärende beschrieben. DGLZ-Rundschau (3): 101-104
J. Huylebrouck (2014): Viviparous halfbeaks of the family Zenarchopteridae. *Amazonas* (jan/feb): 20-28
J. Huylebrouck, R.K. Hadiaty & F. Herder (2012): Nomorhamphus rex, a new species of viviparous halfbeak (Atherinomorpha: Beloniformes: Zenarchopteridae) endemic to Sulawesi Selatan, Indonesia. *Raffles Bulletin of Zoology* (2): 477-485
K. de Jong (2012): Nomorhamphus rex een nieuwe halfsnavelbek uit Sulawesi beschreven. *Poecilia Nieuws* (4): 24-25
K. de Jong (2013): Zwei neue Lebendgebärenden beschrieben. *Das Lebendgebärenden Magazin* (1): 14-15
J. Kraemer, P. Thieme, R.K. Hadiaty & F. Herder (2019): Structure of the andropodium of the viviparous halfbeak genus Nomorhamphus (Atherinomorpha: Beloniformes: Zenarchopteridae), endemic to Sulawesi, Indonesia. *Raffles Bulletin of Zoology* (67): 247-259
F. Schäfer (2015): Fischimporte aus Südostasien unter besonderer Berücksichtigung der Halbschnäbler. *Das Lebendgebärenden Magazin* (2): 18-28
M. Winther (2013): A new halfbeak from Sulawesi. *Livebearers* (218): 16-19

Nomorhamphus rossi Meisner, 2001

- H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12
A.D. Meisner (2001): Phylogenetic systematics of the viviparous halfbeak genera Dermogenys and Nomorhamphus. *Zoological Journal of the Linnean Society* (133): 199-283
D. Reznick, R. Meredith & B.B. Collette (2007): Independent evolution of complex life history adaptations in two families of fishes, livebearing halfbeaks (Zenarchopteridae, Beloniformes) and Poeciliidae (Cyprinodontiformes). *Evolution* (11): 2570-2583

Nomorhamphus sagittarius Huylebrouck, Hadiaty & Herder 2014

- H.-G. Evers (2015): Nomorhamphus lanceolatus und Nomorhamphus sagittarius. Amazonas (59): 69-69
J. Huylebrouck, R.K. Hadiaty & F. Herder (2014): Two new species of viviparous halfbeaks endemic to Sulawesi Tenggara, Indonesia. Raffles Bulletin of Zoology (62): 200-209
J. Kraemer, P. Thieme, R.K. Hadiaty & F. Herder (2019): Structure of the andropodium of the viviparous halfbeak genus Nomorhamphus (Atherinomorpha: Beloniformes: Zenarchopteridae), endemic to Sulawesi, Indonesia. Raffles Bulletin of Zoology (67): 247-259
A. Wagnitz (2017): Neues aus Sulawesi. Amazonas (6): 36-41

Nomorhamphus species

- H.-G. Evers (2011): Nomorhamphus sp."Muna". Amazonas (1): 79-79
H.-G. Evers (2014): The halfbeaks of Sulawesi. Amazonas (jan/feb): 30-47
A. Wagnitz (2017): Neues aus Sulawesi. Amazonas (6): 36-41

Nomorhamphus towoetii Ladiges, 1972

- S.W. Coleman, A. Harlin-Cognato & A.G. Jones (2009): Reproductive isolation, reproductive mode, and sexual selection: empirical tests of the viviparity driven conflict hypothesis. The American Naturalist (3): 291-303
H.-G. Evers (2014): The halfbeaks of Sulawesi. Amazonas (jan/feb): 30-47
H. Flöthmann (2000): Ein neuer Halbschnäbler: Nomorhamphus towoetii. DGLZ-Rundschau (4): 77-78
H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12
J. Huylebrouck (2014): Viviparous halfbeaks of the family Zenarchopteridae. Amazonas (jan/feb): 20-28
U. Korte (2002): Meine Bemühungen um Nomorhamphus towoetii und wie man trotzdem mit ihnen glücklich wird. DGLZ-Rundschau (4): 103-107
U. Korte (2005): Neues von den "Schlenkerfischen mit Lutschegaumen" - Weiter Beobachtungen zu Nomorhamphus towoetii. DGLZ-Rundschau (2): 63-67
U. Korte (2011): Zehn Jahre Haltungserfahrungen mit Nomorhamphus towoetii. DGLZ-Rundschau (3): 70-77
J. Kraemer, P. Thieme, R.K. Hadiaty & F. Herder (2019): Structure of the andropodium of the viviparous halfbeak genus Nomorhamphus (Atherinomorpha: Beloniformes: Zenarchopteridae), endemic to Sulawesi, Indonesia. Raffles Bulletin of Zoology (67): 247-259
D. Reznick, R. Meredith & B.B. Collette (2007): Independent evolution of complex life history adaptations in two families of fishes, livebearing halfbeaks (Zenarchopteridae, Beloniformes) and Poeciliidae (Cyprinodontiformes). Evolution (11): 2570-2583
A.J. Whitten, K.D. Bishop, S.V. Nash & L. Clayton (1987): One or more extinctions from Sulawesi, Indonesia?. Conservation Biology (1): 42-48

Nomorhamphus versicolor Kraemer, Hadiaty & Herder, 2019

- K. de Jong (2019): Nomorhamphus versicolor een nieuwe halfsnabel uit Sulawesi. Poecilia Nieuws (3): 8-10
J. Kraemer, R.K. Hadiaty & F. Herder (2019): Nomorhamphus versicolor, a new species of blunt-nosed halfbeak from a tributary of the Palu River, Sulawesi Tengah (Teleostei: Zenarchopteridae). Ichthyol. Explor. Freshwaters (IEF-1105): 1-8

Nomorhamphus viviparus (Peters, 1865)

- H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12

Nomorhamphus weberi (Boulenger, 1897)

- M. de Bruyn et al (2013): Paleo-drainage basin connectivity predicts evolutionary relationships across three southeast Asian biodiversity hotspots. Systematic biology (3): 398-410
H.-G. Evers (2014): The halfbeaks of Sulawesi. Amazonas (jan/feb): 30-47
H. Hieronimus (2003): Neues bei Halbschnäblern. DGLZ-Rundschau (1): 3-12
M. Kottelat (1989): Der Matano-See. DATZ (10): 616-618
J. Kraemer, P. Thieme, R.K. Hadiaty & F. Herder (2019): Structure of the andropodium of the viviparous halfbeak genus Nomorhamphus (Atherinomorpha: Beloniformes: Zenarchopteridae), endemic to Sulawesi, Indonesia. Raffles Bulletin of Zoology (67): 247-259
D. Reznick, R. Meredith & B.B. Collette (2007): Independent evolution of complex life history adaptations in two families of fishes, livebearing halfbeaks (Zenarchopteridae, Beloniformes) and Poeciliidae (Cyprinodontiformes). Evolution (11): 2570-2583
M. Weber & L.F. de Beaufort (1922): The fishes of the Indo-Australian archipelago IV. Heromi, Solenichthyes, Synentognathus, Percesoces, Labyrinthici, Microcyprini. () 135-170
A.J. Whitten, K.D. Bishop, S.V. Nash & L. Clayton (1987): One or more extinctions from Sulawesi, Indonesia?. Conservation Biology (1): 42-48

Pamphorichthys akroa Figueiredo & Moreira, 2018

- C.A. Figueiredo & C. R. Moreira (2018): Poecilia (Pamphorichthys) akroa, a new poeciliid species (Cyprinodontiformes: Poeciliidae) from the Rio Tocantins basin, Brazil. Zootaxa (4461): 438-444
H. Hieronimus (2018): Ein neuer Lebendgebärender Zahnkarpfen, Poecilia (Pamphorichthys) akroa. DGLZ-Rundschau (2+3): 90-93
K. de Jong (2019): Poecilia (Pamphorichthys) akroa beschrieben. Poecilia Nieuws (1): 19-20

Pamphorichthys araguaiensis Costa, 1991

- W.J.E.M. Costa (1991): Description d'une nouvelle espèce du genre Pamphorichthys (Cyprinodontiformes: Poeciliidae) du bassin de l'Araguaia, Brésil. Revue française d'aquariologie herpetologie (18e année, no 2): 39-42
D. Gentzsch & D. Bork (1994): Der Fünfpunktkärpfing Poecilia heterandria. DATZ (2): 82-84
H. Hieronimus (1993): Revalidierung von Micropoecilia und Redeskription von M. bifurca. DGLZ-Rundschau (3): 62-63
H. Hieronimus (1993): Neuer Lebendgebärender beschrieben. DGLZ-Rundschau (2): 35-35
K. de Jong (1993): Het genus Pamphorichthys en de beschrijving van een nieuwe soort Pamphorichthys araguaiensis (Costa, 1991). Poecilia Nieuws (3): 63-70
H.J. Mayland (1994): Raritäten unter den Lebendgebärenden Zahnkarpfen: Pamphorichthys araguaiensis. Das Aquarium (303): 8-8
P.J. Mellegers (1994): Micropoecilia in ere hersteld. Poecilia Nieuws (4): 62-63
R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2011): Molecular phylogenetic relationships and the coevolution of placentotrophy and superfetation in Poecilia (Poeciliidae: Cyprinodontiformes). Molecular Phylogenetics and Evolution

Pamphorichthys hasemani (Henn, 1916)

- W.J.E.M. Costa (1991): Description d'une nouvelle espèce du genre Pamphorichthys (Cyprinodontiformes: Poeciliidae) du bassin de l'Araguaia, Brésil. Revue française d'aquariologie herpetologie (18e année, no 2): 39-42
A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
K. de Jong (1993): Het genus Pamphorichthys en de beschrijving van een nieuwe soort Pamphorichthys araguaiensis (Costa, 1991). Poecilia Nieuws (3): 63-70
P.J. Mellegers (1994): Micropoecilia in ere hersteld. Poecilia Nieuws (4): 62-63
R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2011): Molecular phylogenetic relationships and the coevolution of placentotrophy and superfetation in Poecilia (Poeciliidae: Cyprinodontiformes). Molecular Phylogenetics and Evolution
S.H. Weitzman & R.P. Vari (1988): Miniaturization in south American freshwater fishes: an overview and discussion. Proceedings of the Biological Society of Washington (2): 444-465

Pamphorichthys hollandi (Henn, 1916)

- W.J.E.M. Costa (1991): Description d'une nouvelle espèce du genre Pamphorichthys (Cyprinodontiformes: Poeciliidae) du bassin de l'Araguaia, Brésil. Revue française d'aquariologie herpetologie (18e année, no 2): 39-42
A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
K. de Jong (1993): Het genus Pamphorichthys en de beschrijving van een nieuwe soort Pamphorichthys araguaiensis (Costa, 1991). Poecilia Nieuws (3): 63-70
P.J. Mellegers (1994): Micropoecilia in ere hersteld. Poecilia Nieuws (4): 62-63
R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2011): Molecular phylogenetic relationships and the coevolution of placentotrophy and superfetation in Poecilia (Poeciliidae: Cyprinodontiformes). Molecular Phylogenetics and Evolution (59): 148-157
R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2011): Molecular phylogenetic relationships and the coevolution of placentotrophy and superfetation in Poecilia (Poeciliidae: Cyprinodontiformes). Molecular Phylogenetics and Evolution
M.K. Meyer (1993): Reinstatement of Micropoecilia Hubbs, 1926, with a redescription of M. bifurca (Eigenmann, 1909) from northeast South America. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (April): 121-

Pamphorichthys minor (Garman, 1895)

- K. de Jong (1993): Het genus Pamphorichthys en de beschrijving van een nieuwe soort Pamphorichthys araguaiensis (Costa, 1991). Poecilia Nieuws (3): 63-70
K. de Jong (1997): Wie is de kleinste?. Poecilia Nieuws (4): 68-70
J.K. Langhammer (1997): The little livebearers. Livebearers (146): 20-21
J.K. Langhammer (2005): The littlest livebearers (2005 version). Livebearers (184): 44-46
P.J. Mellegers (1994): Micropoecilia in ere hersteld. Poecilia Nieuws (4): 62-63
R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2011): Molecular phylogenetic relationships and the coevolution of placentotrophy and superfetation in Poecilia (Poeciliidae: Cyprinodontiformes). Molecular Phylogenetics and Evolution (59): 148-157
S.H. Weitzman & R.P. Vari (1988): Miniaturization in south American freshwater fishes: an overview and discussion. Proceedings of the Biological Society of Washington (2): 444-465

Pamphorichthys pertapeh Figueiredo, 2008

- Carlos Augusto Figueiredo (2008): A new Pamphorichthys (Cyprinodontiformes: Poeciliidae: Poeciliini) from central Brazil. Zootaxa (1918): 59-68
H. Hieronimus (2009): Eine neue Pamphorichthys-Art aus Brasilien. DGLZ-Rundschau (1): 8-9
K. de Jong (2009): Pamphorichthys pertapeh Figueiredo, 2008. Poecilia Nieuws (2): 11-12

Pamphorichthys scalpridens (Garman, 1895)

- PHN Braga, F.P. Ottoni, C. de Souza Gama & E. Henschel (2021): Range extension of a small livebearer fish, Poecilia scalpridens (Garman, 1895) (Cyprinodontiformes, Poeciliidae): a new record for the Jari river drainage, Amapá, Brazilian Amazon. Check List (4): 1081-
S. Garman (1895): The Cyprinodonts. Mem. Mus. Comp. Zool. (1): 1-179
K. de Jong (1993): Het genus Pamphorichthys en de beschrijving van een nieuwe soort Pamphorichthys araguaiensis (Costa, 1991). Poecilia Nieuws (3): 63-70
J.K. Langhammer (1997): The little livebearers. Livebearers (146): 20-21
J.K. Langhammer (2005): The littlest livebearers (2005 version). Livebearers (184): 44-46
P.J. Mellegers (1994): Micropoecilia in ere hersteld. Poecilia Nieuws (4): 62-63

R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2011): Molecular phylogenetic relationships and the coevolution of placentotrophy and superfetation in Poecilia (Poeciliidae: Cyprinodontiformes). *Molecular Phylogenetics and Evolution* 60(1): 1-12
C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. *Proc. Zool. Soc.* (1): 977-1018

Pamphorichthys sp

P. Ilha, S. Rosso & L. Schiesari (2019): Effect of deforestation on headwater stream fish assemblages in the upper Xingu river basins, Southeastern Amazonia. *Neotropical Ichthyology* (1): 1-12

Phallichthys amates amates (Miller, 1907)

- (1966): Kein Platz fürs Aquarium?. *Aquarien Terrarien* (8): 272-273
A. Angulo et al (2017): Fishes from the Tirimbina biological reserve, La Virgen de Sarapiquí, Heredia, Costa Rica. *Check List* (5): 683-702
G. Daul (1979): Het geslacht Phallichthys, leuke maar weinig bekende levendbarenden. *TIH* (19): 9-10
J. Dawes (1980): Overleving. *Het Aquarium* (16): 502-504
U. Dost (2001): Fische aus der Gattung Phallichthys. *DATZ* (6): 8-11
M. Espinoza Mendiola (2008): Sondeo ecológico rápido de las comunidades de peces tropicales
H. Fritscher (1981): Fische aus Costa Rica. *DATZ* (4): 120-123
R. Fritsch (1988): Phallichthys amates, Miller, der Guatema-Käpfpling. *Aquarien Terrarien* (12): 407-407
G. Gerlach (1908): Neue lebendgebärende Zahnkarpfen. V. Girardinus denticulatus Garman. *Wochenschrift für Aquarien und Terrarienkunde* (): 187-188
R.C. Griffiths (1990): The very merry widow. *Livebearers* (111): 6-7
R.C. Griffiths (1999): The very merry widow. *Livebearers* (155): 12-13
M. Hellweg (2013): Meet the Merry Widows The genus Phallichthys. *Tropical Fish Hobbyist* (5): 58-62
A.W. Henn (1916): On various south American poeciliid fishes. *Annals of the Carnegie Museum* (): 93-145
H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. *DGLZ-Rundschau* (4): 14-18
H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. *Poecilia Nieuws* (6): 12-18
M. Holly (1961): Phallichthys amates (Miller). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 1173-1174
A. John (1989): Der Guatamatakäpfpling. *ZAG Lebendgebärende Zahnkarpfen* (4): 8-8
D. Lambert (1996): The livebearer word!: The merry widow and kin. *Tropical Fish Hobbyist* (June): 90-94
J.K. Langhammer (1985): The widow livebearers - genus Phallichthys. *Livebearers* (79): 7-8
P. Loiselle (1986): Results of the A.C.C.A. Costa Rica collecting trip: fishes from the Rio Sixaola. *Livebearers* (91): 9-15
C.L. Lorion (2007): Effects of deforestation and riparian buffers on lotic communities in southeastern Costa Rica: implications for biodiversity conservation in tropical streams. *PHD* (): 1-128
W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. *Zootaxa* (2307): 1-38
M.K. Meyer (1983): Die Gattung Phallichthys. *Aquarien Terrarien* (1): 23-25
N. Miller (1907): The fishes of the Motagua River, Guatemala. *Bulletin American Museum of Natural History* (23): 95-123
J. Moar (1992): Phallichthys amates. *Livebearers* (122): 34-34
J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
H.-A. Pederzani (1966): Beobachtungen am Paarungsverhalten von Girardinus metallicus Poey 1854. *Aquarien Terrarien* (3): 79-82
F.N. Poeser (2008): Endler's Livebearers Eindeloos gezwets of... eindelijk een antwoord?. *Poecilia Nieuws* (4): 24-27
A.C. Radda & E. Schlosser (1979): Poeciliidae-Studien in Guatemala. *Aquaria* (26): 21-30
J.U. Regus, J.B. Johnson, S.A. Webb & D.N. Reznick (2013): Comparative life histories of fishes in the genus Phallichthys (Pisces: Poeciliidae). *Journal of Fish Biology* (83): 144-155
D.E. Rosen & R.M. Bailey (1959): Middle-American Poeciliidae Fishes of the Genera Carhabitria and Phallichthys, with Descriptions of Two New Species. *Zoologica* (44): 1-50
C. van de Sande (1987): Een verzamelreis naar Guatemala II. *Poecilia Nieuws* (3): 46-48
C. van de Sande (1988): Guatemala, land van levendbarende tandkarpers. *Het Aquarium* (9): 210-215
C. van de Sande (1994): Phallichthys amates amates (Miller, 1907). *Poecilia Nieuws* (5): 96-99
R. Scheffler (1976): Op zoek naar levendbarenden in Mexico. *TIH* (7): 24-27
E. Schraml (1978): Damals en vogue - heute tot? Lebendgebärende Zahnkarpfen aus dem Standardsortiment unserer Großväter. *Aquarien Magazin* (4): 186-190
O. Seehausen (1987): Guatemala-Käpflinge als Putzerfische bei Maroni-Buntbarschen. *TI* (83): 40-40
O. Seehausen (1988): Levendbarenden als poetsvis. *Poecilia Nieuws* (1): 14-15
H. Stallknecht (1967): Ein rätselhafter Fall. *Aquarien Terrarien* (4): 134-135
H. Stallknecht (1968): Phallichthys amates (Miller 1907), der Guatamatakäpfpling. *Aquarien Terrarien* (8): 0-0
K.-H. Stein (1964): Namensänderungen bei Lebendgebärenden Zahnkarpfen (Poeciliidae). *ZAG Lebendgebärende Zahnkarpfen* (4): 5-6
F.H. Stoye (1998): The fishes of the order Cyprinodontes Part 3. The livebearers. *Livebearers* (152): 23-31

- W. Toven (2009): Keeping & spawning Phallichthys amates amates. Livebearers (207): 15-16
M.E. Valdez-Moreno, J. Pool-Canul & S. Contreras-Balderas (2005): A checklist of the freshwater ichthyofauna from El Petén and Alta Verapaz, Guatemala, with notes for its conservation and management. Zootaxa (1072): 43-60
J. Vente (1981): Terug van weggeweest, het Guatemalakarpertje, Phallichthys amates amates (Meek, 1907). Het Aquarium (5): 130-131
J. Villa (1982): Peces Nicaragüenses de Agua Dulce. Serie Geografía y Naturaleza (3): 125-136
E. Weiand (2018): Phallichthys amates Der Guatemalakäpfling. VDA-aktuell (2): 24-25
B. Wiley & B. Collette (1970): Breeding tubercles and contact organs in fishes: their occurrence, structure, and significance. Bulletin American Museum of Natural History (143): 145-216
R. Winter (0): Forgotten favourites Part 1. Viviparous (35): 0-
L. Wischnath (0): Le genre Phallichthys Hubbs, 1924. Aquarama (142): 35-37
J. Wubbolt (1997): Life with the merry widow; Phallichthys amates amates. Livebearers (150): 9-10

Phallichthys amates pittieri (Meek, 1912)

- E.H Behre (1928): A list of the fresh water fishes from western Panama between long. 81°45' and 83° 15' W. Annals of the Carnegie Museum (1): 305-328
W.A. Bussing (1993): Fish communities and environmental characteristics of a tropical rain forest river in Costa Rica. Rev. Biol. Trop (3): 791-809
U. Dost (2001): Fische aus der Gattung Phallichthys. DATZ (6): 8-11
U. Dost & Kathrin Seegers (1994): Lebendgebärende aus Costa Rica. DATZ (8): 485-488
K. Eradus (2015): Phallichthys (amates) pittieri (Meek, 1912). Poecilia Nieuws (5): 13-15
H. Fowler (1932): Notes on fresh water fishes from central America. Proc. Acad. Nat. Sci. Phila. (84): 379-385
D. Fromm (1974): 1973 Coas-Fin features Costa Rica expedition. Livebearers (17): 2-9
D. Gentsch (2011): Waldschutzstreifen an Fließgewässern, eine effektive Möglichkeit zum Biotoperhalt. DGLZ-Rundschau (3): 63-69
M. Hellweg (2013): Meet the Merry Widows The genus Phallichthys. Tropical Fish Hobbyist (5): 58-62
J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop (1): 165-170
S.F. Hildebrand (1930): Notes on a collection of fishes from Costa Rica. Copeia (1): 1-9
K. de Jong (1993): Phallichthys amates pittieri, de pittieri tandkarpertje (Meek, 1912). Poecilia Nieuws (1): 4-15
K. de Jong (1993): Phallichthys pittieri (Meek, 1902), der Pittier-Käpfpling. DGLZ-Rundschau (4): 89-93
K. de Jong & E. Meinenma (1994): De levendbarende tandkarpers van Costa Rica 1. Het Aquarium (3): 78-82
D. Lambert (1996): The livebearer word! The merry widow and kin. Tropical Fish Hobbyist (June): 90-94
D. Macallister (2008): Phallichthys amates pittieri. (Meek, 1912). Livebearer News (24): 32-33
S.E. Meek & S.F. Hildebrand (1916): The fishes of these fresh waters of Panama. Publ. Field Museum of Nat. Hist. Chicago (15): 217-374
M.K. Meyer (1983): Die Gattung Phallichthys. Aquarien Terrarien (1): 23-25
A. Rachow (1937): Phallichthys pittieri (Meek). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18C): 156-157
C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018
D.E. Rosen & R.M. Bailey (1959): Middle-American Poeciliid Fishes of the Genera Carlhubbsia and Phallichthys, with Descriptions of Two New Species. Zoologica (44): 1-50
O. Schindler (1935): Cyprinodontiden aus Costa Rica. Zoologischer Anzeiger (7/8): 161-172
R. Suttner (1992): Pittier-Käpfpling Ritterlich im Kampf und in der Liebe. Das Aquarium (Dezember): 15-16
S. Teutloff (1986): Nachwuchs geplänt?. ZAG Lebendgebärende Zahnkarpen (2): 6-7
K.O. Winemiller (1993): Seasonality of reproduction by livebearing fishes in tropical rainforest streams. Oecologia (95): 266-276

Phallichthys fairweatheri Rosen & Bailey, 1959

- W.A. Bussing (1963): A new Poecilid fish, Phallichthys tico, from Costa Rica. Contrib. Sci. Natur. Hist. Mus. Los Angeles County (77): 1-13
T. Coletti (2013): My summer with livebearers. Livebearer News (221): 16-19
U. Dost (2001): Fische aus der Gattung Phallichthys. DATZ (6): 8-11
P.C. Esselman & J.D. Allan (2010): Relative influences of catchment- and reach-scale abiotic factors on freshwater fish communities in rivers of northeastern Mesoamerica. Ecology of Freshwater Fish (19): 439-454
D. Fromm (1982): About the fish I'm advertising, or, everything's different in El Valle. Livebearers (65): 14-17
J. Griffiths (1997): Phallichthys fairweatheri. Livebearers (147): 24-24
M. Hellweg (2013): Meet the Merry Widows The genus Phallichthys. Tropical Fish Hobbyist (5): 58-62
I. Hilton (0): Phallichthys fairweatheri. Livebearer News (15): 7-10
K. de Jong (2013): Levendbarende tandkarpers. Meer dan guppen, platy's en molly's. Houden van Vissen (4): 36-41
K. de Jong (2017): Levendbarende tandkarpers. Meer dan guppen, platy's en molly's. Het Aquarium (2): 29-37
K. de Jong (2020): Tabasco 2019. Op zoek naar Carlhubbsia en Heterophallus. Poecilia Nieuws (1): 17-22

Livebearer Literature List 202201

- K. de Jong (2020): Tabasco 2019 - auf der Suche nach Carlhubbssia und Heterophallus. Das Lebendgebärenden Magazin (2): 23-31
K. de Jong (2020): Tabasco 2019 Op zoek naar Carlhubbssia en Heterophallus Deel 2. Poecilia Nieuws (2): 13-18
K. de Jong (2020): Phallichthys fairweatheri Rosen & Bailey 1959. Poecilia Nieuws Atlas (): -
D. Lambert (0): Phallichthys fairweatheri Rosen & Bailey, 1959. Viviparous (17): 0-
D. Lambert (1996): The livebearer word! The merry widow and kin. Tropical Fish Hobbyist (June): 90-94
J.K. Langhammer (1985): The widow livebearers - genus Phallichthys. Livebearers (79): 7-8
D. Macallister (2005): Phallichthys fairweatheri. Livebearer News (10): 23-24
J.C. Merino (1992): Phallichthys fairweatheri (Rosen & Bailey, 1959). Picasso onder water (): 0-
M.K. Meyer (1983): Die Gattung Phallichthys. Aquarien Terrarien (1): 23-25
J.U. Regus, J.B. Johnson, S.A. Webb & D.N. Reznick (2013): Comparative life histories of fishes in the genus Phallichthys (Pisces: Poeciliidae). Journal of Fish Biology (83): 144-155
D.E. Rosen & R.M. Bailey (1959): Middle-American Poeciliid Fishes of the Genera Carlhubbssia and Phallichthys, with Descriptions of Two New Species. Zoologica (44): 1-50
L.E. Ruiz-Cauich et al (2016): Stability vs organization: Potential of a trophic model for the management of shallow tropical streams. Food Webs (6): 38-47
C. van de Sande (1987): Een verzamelreis naar Guatemala II. Poecilia Nieuws (3): 46-48
C. van de Sande (1988): Guatemala, land van levendbarende tandkarpers. Het Aquarium (9): 210-215
C. van de Sande (1988): Problemen bij het houden van Phallichthys fairweatheri. Het Aquarium (9): 216-217
J.J. Schmitter-Soto (1999): Distribution of continental fishes in northern Quintana Roo, Mexico. The Southwestern Naturalist (2): 166-172
H. Stallknecht (1997): Der andere Guatemala-Kärpfeling. TI (135): 11-13
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
L. Wischnath (2000): Levendbarende tandkarpers, een bont palet deel 2. Het Aquarium (9): 241-245

Phallichthys pittieri (Meek, 1912)

- S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. Zoölogy, Field museum of natural history (4): 215-359
S.E. Meek (1912): New species of fishes from Costa Rica. Publ. Field Museum of Nat. Hist. Chicago (7): 69-75

Phallichthys quadripunctatus Bussing, 1979

- D. Bork (1995): Costa Rica 1995 - Teil I. DGLZ-Rundschau (4): 76-80
W.A. Bussing (1979): A new fish of the genus Phallichthys (Family Poeciliidae) from Costa Rica. Contrib. Sci. Natur. Hist. Mus. Los Angeles County (301): 1-8
K. & U. Dost (1999): Phallichthys quadripunctatus Lange gesucht und endlich gefunden. Das Aquarium (5): 25-26
U. Dost (2001): Fische aus der Gattung Phallichthys. DATZ (6): 8-11
U. Dost & Kathrin Seegers (1994): Lebengebärende aus Costa Rica. DATZ (8): 485-488
D. Gentzsch (1997): Der Vierpunktärpfeling Anmerkungen zu Phallichthys quadripunctatus. Das Aquarium (338): 6-10
D. Gentzsch (2010): Fundorte von Phallichthys quadripunctatus und Erfassung in der Bestandsliste. DGLZ-Rundschau (4): 105-110
D. Gentzsch (2013): Der Weg zum sicheren Aquarienbestand von Phallichthys quadripunctatus. Das Lebendgebärenden Magazin (2): 30-33
M. Hellweg (2013): Meet the Merry Widows The genus Phallichthys. Tropical Fish Hobbyist (5): 58-62
J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop (1): 165-170
M. Heußen (2013): betrifft: Superfötation bei Phallichthys quadripunctatus. Das Lebendgebärenden Magazin (2): 34-34
H. Hieronimus (2019): Neues zur Matrotrophie einiger Lebendgebärender. DGLZ-Rundschau (3): 74-78
H. Hieronimus (2019): Neues zur Matrotrophie einiger Lebendgebärender. DGLZ-Rundschau (2): 74-77
K. de Jong (2014): Phallichthys quadripunctatus. Poecilia Nieuws (Special): 12-12
K. de Jong (2018): Twee kleine levendbarende tandkarpers uit Costa Rica Phallichthys tico en Phallichthys quadripunctatus. Poecilia Nieuws (2): 9-14
K. de Jong (2018): Zwei kleine levendgebärende Zahnkarpfen aus Costa Rica. Das Lebendgebärenden Magazin (2): 24-29
K. de Jong (2019): Der Einfluss der Temperatur auf das Geschlechterverhältnis bei viviparen Zahnkarpfen. Das Lebendgebärenden Magazin (2): 8-12
K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Het Aquarium (8): 62-66
K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Poecilia Nieuws (2): 8-13
K. de Jong (2020): Twee kleine levendbarende tandkarpers uit Costa Rica. Het Aquarium (2): 54-59
G.R. Kolluru & D.N. Reznick (1996): Genetic and social control of male maturation in Phallichthys quadripunctatus. J. Evol. Biol. (9): 695-715
G.R. Kolluru & J.W. Joyner (1997): The influence of male body size and social environment on the mating behavior of Phallichthys quadripunctatus (Pisces: Poeciliidae). Ethology (103): 744-759
D. Lambert (0): Phallichthys quadripunctatus Bussing, 1979. Viviparous (42): 0-
D. Lambert (1996): The livebearer word! The merry widow and kin. Tropical Fish Hobbyist (June): 90-94

- C.L. Lorion (2007): Effects of deforestation and riparian buffers on lotic communities in southeastern Costa Rica: implications for biodiversity conservation in tropical streams. PHD (): 1-128
M.K. Meyer (1983): Die Gattung Phallichthys. Aquarien Terrarien (1): 23-25
J.U. Regus, J.B. Johnson, S.A. Webb & D.N. Reznick (2013): Comparative life histories of fishes in the genus Phallichthys (Pisces: Poeciliidae). Journal of Fish Biology (83): 144-155
D. Rössel (1991): Der Vierpunkt-Kärpfeling - Phallichthys quadripunctatus. DATZ (3): 152-153
D. Rössel (1991): Interessante Geschlechterentwicklung: Der Vierpunkt-Kärpfeling. DATZ (3): 152-153
K. Urban (2012): Phallichthys quadripunctatus ein charmanter kleiner Fisch aus Costa Rica. Das Lebendgebärenden Magazin (2): 5-7
E. Weiand (2019): Phallichthys quadripunctatus: Der Vierpunkt-Kärpfeling. VDA-aktuell (1): 28-29
J. van der Wind (2008): Phallichthys quadripunctatus Bussing, 1979. Poecilia Nieuws (3): 12-13
J. van der Wind (2018): Phallichthys quadripunctatus (Bussing, 1979). Poecilia Nieuws Atlas (): -

Phallichthys tico (?)

- K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 3. Het Aquarium (5): 129-132

Phallichthys tico Bussing, 1963

- W.A. Bussing (1963): A new Poecilid fish, Phallichthys tico, from Costa Rica. Contrib. Sci. Natur. Hist. Mus. Los Angeles County (77): 1-13
W.A. Bussing (1979): A new fish of the genus Phallichthys (Family Poeciliidae) from Costa Rica. Contrib. Sci. Natur. Hist. Mus. Los Angeles County (301): 1-8
W.A. Bussing (1993): Fish communities and environmental characteristics of a tropical rain forest river in Costa Rica. Rev. Biol. Trop (3): 791-809
W.A. Bussing & M.I. López S. (1977): Distribución y aspectos ecológicos de los peces de las cuencas hidrográficas de Arenal, Bebedero y Tempisque, Costa Rica. Rev. Biol. Trop (1): 13-37
G. Daul (1979): Het geslacht Phallichthys, leuke maar weinig bekende levendbarenden. TIH (19): 9-10
U. Dost (2001): Fische aus der Gattung Phallichthys. DATZ (6): 8-11
M. Espinoza Mendiola (2008): Sondeo ecológico rápido de las comunidades de peces tropicales
D. Fromm (1977): Expedition nach Costa Rica. DATZ (6): 227-230
M. Hellweg (2006): Phallichthys tico The pallid widow. Livebearers (192): 36-38
M. Hellweg (2013): Meet the Merry Widows The genus Phallichthys. Tropical Fish Hobbyist (5): 58-62
J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop (1): 165-170
K. de Jong (2004): Phallichthys tico (Bussing, 1963). Poecilia Nieuws (1): 13-16
K. de Jong (2005): Phallichthys tico (Bussing, 1963). Das Lebendgebärenden Magazin (3&4): 21-24
K. de Jong (2014): Phallichthys tico. Poecilia Nieuws (Special): 11-11
K. de Jong (2018): Twee kleine levendbarende tandkarpers uit Costa Rica Phallichthys tico en Phallichthys quadripunctatus. Poecilia Nieuws (2): 9-14
K. de Jong (2018): Zwei kleine lebendgebärende Zahnkarpfen aus Costa Rica. Das Lebendgebärenden Magazin (2): 24-29
K. de Jong (2020): Phallichthys tico Bussing, 1963. Poecilia Nieuws Atlas (): 1-2
K. de Jong (2020): Twee kleine levendbarende tandkarpers uit Costa Rica. Het Aquarium (2): 54-59
K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 1. Het Aquarium (3): 78-82
D. Lambert (0): Phallichthys tico Bussing, 1963. Viviparous (33): 0-
D. Lambert (1996): The livebearer word! The merry widow and kin. Tropical Fish Hobbyist (June): 90-94
J.K. Langhammer (1985): The widow livebearers - genus Phallichthys. Livebearers (79): 7-8
P. Loiselle (1994): Two new livebearers from Costa Rica. Livebearers (138): 4-8
D. Macallister (2006): Phallichthys tico. Livebearer News (13): 26-27
M.K. Meyer (1983): Die Gattung Phallichthys. Aquarien Terrarien (1): 23-25
J.U. Regus, J.B. Johnson, S.A. Webb & D.N. Reznick (2013): Comparative life histories of fishes in the genus Phallichthys (Pisces: Poeciliidae). Journal of Fish Biology (83): 144-155
C. van de Sande (1992): Phallichthys tico (Bussing, 1963). Picasso onder water (): 0-
W. Schreck (1994): Phallichthys tico Bussing, 1963. DGLZ-Rundschau (2): 40-41
T. Schulz (1990): Phallichthys, Neoheterandria oder Xenophallus?. DATZ (3): 142-143
J. Villa (1982): Peces Nicaragüenses de Agua Dulce. Serie Geografía y Naturaleza (3): 125-136

Phalloceros alessandrae Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158
A. Thomaz, T.P. Carvalho, L.R. Malabarba & L.Lacey Knowles (2019): Geographic distributions, phenotypes, and phylogenetic relationships of Phalloceros (Cyprinodontiformes: Poeciliidae): Insights about diversification among sympatric species pools. Molecular

Phalloceros anisophallos Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158
R. Mazzoni et al (2010): Feeding ecology of Phalloceros anisophallos (Osteichthyes: Cyprinodontiformes) from Andorinha stream, Ilha Grande, Brazil. Neotropical Ichthyology (1): 179-182

Phalloceros aspilos Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158

Phalloceros buckupi Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158
F.N. Poeser (2019): Phalloceros buckupi, 2008. Een onbekende levendbarende uit Brazilië. Poecilia Nieuws (4): 8-11
A. Thomaz, T.P. Carvalho, L.R. Malabarba & L.Lacey Knowles (2019): Geographic distributions, phenotypes, and phylogenetic relationships of Phalloceros (Cyprinodontiformes: Poeciliidae): Insights about diversification among sympatric species pools. Molecular

Phalloceros caudimaculatus (Hensel, 1868)

- A. Adloff & B. Alegre (1922): Beobachtungen eines Aquarienfreundes in Süd-Brasilien. Blätter für Aquarien- und Terrarienkunde (8): 113-117
F.G. Araújo, M.G. Peixoto, B.C.T. Pinto & T.P. Texeira (2009): Distribution of guppies Poecilia reticulata (Peters, 1860) and Phalloceros caudimaculatus (Hensel, 1868) along a polluted stretch of the Paraíba Sul river, Brazil. Braz. J. Biol. (1): 41-48
A.-L. Arias & D. Reznick (2000): Life history of Phalloceros caudimaculatus: a novel variation on the theme of livebearing in the family Poeciliidae. Copeia (3): 792-798
A. Bisazza & A. Pilastro (1997): Small male mating advantage and reversed size dimorphism in poeciliid fishes. Journal of Fish Biology (50): 397-406
A. Bisazza, A. Grapputo & L. Nigro (1997): Evolution of reproductive strategies and male sexual ornaments in poeciliid fishes as inferred by mitochondrial 15 rRNA gene phylogeny. Ethology Ecology & Evolution (9): 55-67
M. Bozzetti & U.H. Schulz (2004): An index of biotic integrity based on fish assemblages for subtropical streams in southern Brazil. Hydrobiologia (529): 133-144
J. Chambers (1990): The gonopodia of the fishes of the tribe Cnesterodontini (Cyprinodontiformes, Poeciliidae). Journal of Fish Biology (36): 903-916
J. Chambers (1990): The gonopodia of the fishes of the tribe Cnesterodontini. J. Fish Biology (36): 903-916
G. Daul (1978): De 'caudi' en zijn rassen. TTH (14): 9-9
G. Daul (1988): Lebendgebärende Zahnkarpfen aus Brasilien. Das Aquarium (Juli): 397-399
F. Dias da Silva et al (2006): The upper reaches ichthyofauna of the Tietê river São Paulo, Brazil: aspects of their diversity and conservation. Biodiversity and Conservation (15): 3569-3577
C. Eberhardt (2012): An almost forgotten aquarium fish - the speckled mosquitofish. Amazonas (05/06): 8-10
K. Eichbaum Esteves & J. Lobón-Cerviá (2001): Composition and trophic structure of a fish community of a clear water Atlantic rainforest stream in southeastern Brazil. Environmental Biology of Fishes (62): 429-440
C.H. Eigenmann (1907): The Poeciliid fishes of Rio Grande do Sul and the La Plata basin. Proc. US Nat. Mus. (32): 524-433
J.A. Endler (1983): Natural and sexual selection on color patterns in poeciliid fishes. in: Zaret T.M. Evolutionary ecology of neotropical freshwater fishes (): 95-110
J.A. Endler (1983): Natural and sexual selection on color patterns in poeciliid fishes. Environmental Biology of Fishes (2): 173-190
V. Etzel (2002): Phalloceros caudimaculatus (Hensel, 1868) Bemerkungen zur Verbreitung und zu den Fundorten in Paraguay. DGLZ-Rundschau (4): 98-102
H. Fowler (1940): The fishes obtained by the Wilkes expedition, 1838-1842. Proceedings of the American Philosophical Society (5): 733-800
R. France (1920): Aquarium microscopy. Aquatic Life (May): 49-53
G. Gärtner (1966): Über das Schwarmverhalten der Lebendgebärenden - eine vergleichende Studie. DATZ (12): 361-363
D. Gentzsch (2014): Johann Thum, der erste Züchter von Zuchtformen bei Lebendgebärenden Zahnkarpfen, der Kaudis. DGLZ-Rundschau (3): 108-122
D. Gentzsch (2015): Phalloceros "Kaudi" - ein Vorschlag für den Namen der Kaudi-Zuchtformen. Das Lebendgebärenden Magazin (2): 10-12
D. Gentzsch (2016): Ein echter Phalloceros caudimaculatus. DGLZ-Rundschau (4): 152-159

- D. Gentzsch (2017): Lebendgebärenden Zahnkarpfen: Taxonomie von Zuchtformen. VDA-aktuell (4): 34-36
- D. Gentzsch (2018): Faunenverfälschung und eine schwierige Artbestimmung eines Wildfangkaudis aus Sao Paulo. DGLZ-Rundschau (1): 5-14
- D. Gentzsch (2018): 150-jähriges Jubiläum der Beschreibung von *Phalloceros caudimaculatus* 1868 als *Girardinus caudimaculatus*. DGLZ-Rundschau (2+3): 52-57
- D. Gentzsch & D. Bork (2009): Die über 100-jährige Geschichte der Kaudi-Zuchtformen (*Phalloceros caudimaculatus*) insbesondere der Goldkaudis. DGLZ-Rundschau (4): 83-104
- D. Gentzsch & P. Uhlig (2014): Die Gattung *Phalloceros* Eigenmann, 1907 - seit 1868 interessant. Das Lebendgebärenden Magazin (2): 10-14
- G. Gerlach (1902): *Girardinus decemmaculatus* (echte Form) 2. Blätter für Aquarien- und Terrarienkunde (15): 167-169
- G. Gerlach (1902): *Girardinus decemmaculatus* (echte Form). Blätter für Aquarien- und Terrarienkunde (14): 161-161
- R.C. Griffiths (1992): Australian livebearers. Livebearers (126): 4-5
- M. Günther (1918): *Phalloceros caudomaculatus* (Hens). Blätter für Aquarien- und Terrarienkunde (10): 113-114
- A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
- R. Hensel (1868): Beiträge zur Kenntnis der Wirbeltiere Sudbrasiliens. Archiv für Naturgeschichte (vol. 34): 356-376
- F. Hey (1910): Ein Gambusienbastard???. Blätter für Aquarien- und Terrarienkunde (2): 23-23
- H. Hieronimus (1988): Kaudis - vergessene Schönheiten. TI (87): 16-17
- H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. DGLZ-Rundschau (4): 14-18
- H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. Poecilia Nieuws (6): 12-18
- H. Hieronimus (2002): Zum Thema Matrotrophic und Superfötation. DGLZ-Rundschau (2): 47-49
- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung *Phalloceros*!. DGLZ-Rundschau (3): 72-74
- H. Hieronimus (2009): 21 nieuwe vissoorten in het genus *Phalloceros*. Poecilia Nieuws (4): 21-25
- K. Jacobs (1967): Der Kaudi und der Dezi, begehrte Raritäten zu Zeiten unserer Vorfäder. Aquarien Terrarien (10): 350-351
- K. de Jong (1993): Een oude bekende met een lange naam, *Phalloceros caudimaculatus reticulatus* (Eigenmann, 1907). Poecilia Nieuws (3): 52-56
- K. de Jong (2019): Der Einfluss der Temperatur auf das Geschlechterverhältnis bei viviparen Zahnkarpfen. Das Lebendgebärenden Magazin (2): 8-12
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Het Aquarium (8): 62-66
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Poecilia Nieuws (2): 8-13
- J. Keulemans (2005): *Phalloceros caudimaculatus* (Hensel, 1868). Aquariumwereld (2): 54-55
- S. Koerber & T. Litz (2009): On the erroneous records of *Phalloptychus januarius* (Hensel, 1868) from freshwaters in Argentina. Ichthyological Contributions of PeccesCriollos (15): 1-3
- S. Koerber & T. Litz (2009): On the erroneous records of *Phalloptychus januarius* (Hensel, 1868) from freshwaters in Argentina. Ichthyological Contributions of PeccesCriollos (15): 1-3
- W. Köhler (1906): Nomenklaturfragen. IV. Unsere beiden *Girardinus*-Arten. Blätter für Aquarien- und Terrarienkunde (4): 35-37
- W. Krauß-Bargmann (1924): Ueber das Gonopodium der Zahnkarpfen. Wochenschrift für Aquarien und Terrarienkunde (30): 644-645
- I. Kristensen (1956): *Phalloreres caudomaculatus*. NGK mededelingen (Jubileumboek): 19-20
- I. Kristensen (1985): *Phalloceros caudomaculatus*. Poecilia Nieuws (3): 29-30
- T. Liebig (1909): Von *Girardinus caudimaculatus*. Wochenschrift für Aquarien und Terrarienkunde (47): 646-648
- T. Liebig (1909): Von *Girardinus caudimaculatus*. Wochenschrift für Aquarien und Terrarienkunde (): 646-648
- A. Liebscher (1902): Der echte *Girardinus decemmaculatus*. Blätter für Aquarien- und Terrarienkunde (18): 207-207
- C. & T. Litz (2001): Der Kaudi Herkunft, Merkmale sowie Pflege und Zucht. Das Aquarium (384): 22-25
- T.O. Litz & S. Koerber (2014): Check list of the freshwater fishes of Uruguay (CLOFF-UY). Ichthyological Contributions of PeccesCriollos (28): 1-40
- P.H. Lucinda (2008): Systematics and biogeography of the genus *Phalloceros* Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158
- K.H. Lülling (1983): De leefgebieden van de seizoenvissen *Cynolebias viarius* en *Cynolebias melanotaenia* in oostelijk Uruguay. TTH (32): 7-10
- R. Mazzoni et al (2006): Stream-dwelling fish communities from an Atlantic rain forest drainage. Brazilian Archives of Biology and Technology (2): 1516-8913
- D.L. Morgan, H.S. Gill, M.G. Maddern & S.J. Beatty (2004): Distribution and impacts of introduced freshwater fishes in Western Australia. New Zealand Journal of Marine and Freshwater Research (3): 511-523
- G.S. Myers (1925): Concerning melanodimorphism in killifishes. Copeia (137): 105-107
- D. Palmater (1982): The "Caudo" - a golden oldie. Livebearers (63): 6-9
- D. Palmater (2000): The "Caudo" a golden oldie. Viviparous (49): 0-
- H.-A. Pederzani (1967): Wann kamen die ersten Lebendgebärenden Zahnkarpfen nach Deutschland?. Aquarien Terrarien (4): 134-134
- F.N. Poeser (2005): Aquariumvissen uit Amerika II. Poecilia Nieuws (5): 21-26
- H. Przibram & A. Walther (1914): Keine Größenzunahme der frischgeschlüpften Sphrodromantis mit dem Alter der Mutter. Development Genes and Evolution (3): 416-428
- A. Rachow (1914): Zur Nomenklatur unserer viviparen Zahnkarpfen (Poeciliinae), nebst Bemerkungen über einige neue Arten. Blätter für Aquarien- und Terrarienkunde (11): 185-200
- A. Rachow (1938): *Phalloceros caudomaculatus* (Hensel). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 175-278
- A.C. Radda (1979): Die Tribus Cnesterodontini eine Übersicht. Aquaria (26): 129-134
- E. Ringel (1911): Unsere Lebendgebärenden. Wochenschrift für Aquarien und Terrarienkunde (): 248-250

- J.J.L. Rowley, T.S. Rayner & G.H. Pyke (2005): New records and invasive potential of the poeciliid fish *Phalloceros caudimaculatus*. *New Zealand Journal of Marine and Freshwater Research* (39): 1013-1022
- W. Staek (1995): Zwei Lebendgebärende aus Argentinien. *DATZ* (7): 462-465
- F.H. Stoye (1994): *Phalloceros caudomaculatus* (Hensel) The one-spot livebearer and its variations. *Livebearers* (78): 6-7
- F.H. Stoye (1998): The fishes of the order Cyprinodontes Part 3. The livebearers. *Livebearers* (152): 23-31
- B.C. Teixeira Pinto & F. Gerson Araújo (2007): Assessing of biotic integrity of the fish community in a heavily impacted segment of a tropical river in Brazil. *Brazilian Archives of Biology and Technology* (3): 489-502
- L. Thomas (1966): Haben wir den "Kaudi" noch?. *Aquarien Terrarien* (8): 267-269
- A. Thomaz, T.P. Carvalho, L.R. Malabarba & L.Lacey Knowles (2019): Geographic distributions, phenotypes, and phylogenetic relationships of *Phalloceros* (Cyprinodontiformes: Poeciliidae): Insights about diversification among sympatric species pools. *Molecular K. Tschartner (1974): Die ersten "Lebendgebärenden. ZAG Lebendgebärende Zahnkarpfen* (1-4): 1-3
- P. Uhlig (1989): Der Import des "Kaudie" vor 90 Jahren - die Pflege heute. *ZAG Lebendgebärende Zahnkarpfen* (2): 4-7
- J. Vente (1988): Na een halve eeuw weer in Nederland. *Het Aquarium* (9): 217-219
- W. Voigt (1997): 99 Jahre Lebendgebärende Zahnkarpfen. *DGLZ-Rundschau* (3): 65-68
- L. Wischnath (0): *Phalloceros caudimaculatus*, Hensel, 1868. *Aquarama* (141): 53-56
- L. Wischnath (1995): De eerste levendbarende aquariumvissen. *Het Aquarium* (9): 201-203
- L. Wischnath (1996): Les premiers vivipares en aquarium. *Aquarama* (): 19-21
- L.L. Wolff et al (2007): Population structure of *Phalloceros caudimaculatus* (Hensel, 1868) (Cyprinodontiformes, Poeciliidae) collected in a brook in Guarapuava, PR. *Brazilian Archives of Biology and Technology* (3): 417-423
- J.J. Zúñiga-Vega, C. Macías-García & J.B. Johnson (2010): Hypotheses to explain the evolution of superfetation in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 241-254

Phalloceros caudimaculatus reticulatus (Hensel, 1868)

- A. Arnold (1989): Der Scheckenkäpfing, ein selten gewordener Lebendgebärender. *DATZ* (6): 532-533
- G. Daul (1978): De 'caudi' en zijn rassen. *TIH* (14): 9-9
- D. Gentzsch (2014): Johannes Thum, der erste Züchter von Zuchtformen bei Lebendgebärenden Zahnkarpfen, der Kaudis. *DGLZ-Rundschau* (3): 108-122
- D. Gentzsch (2015): *Phalloceros "Kaudi"*- ein Vorschlag für den Namen der Kaudi-Zuchtformen. *Das Lebendgebärenden Magazin* (2): 10-12
- D. Gentzsch (2017): Lebendgebärenden Zahnkarpfen: Taxonomie von Zuchtformen. *VDA-aktuell* (4): 34-36
- D. Gentzsch (2018): Faunenverfälschung und eine schwierige Artbestimmung eines Wildfangkaudis aus São Paulo. *DGLZ-Rundschau* (1): 5-14
- D. Gentzsch & D. Bork (2009): Die über 100-jährige Geschichte der Kaudi-Zuchtformen (*Phalloceros caudimaculatus*) insbesondere der Goldkaudis. *DGLZ-Rundschau* (4): 83-104
- D. Gentzsch & P. Uhlig (2014): Die Gattung *Phalloceros* Eigenmann, 1907 - seit 1868 interessant. *Das Lebendgebärenden Magazin* (2): 10-14
- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
- M.L. Gutiérrez & G. García (2011): a preliminary linkage map using spotted melanic laboratory strains of the livebearing fish *Phalloceros caudimaculatus* var. Reticulata (Cyprinodontiformes: Poeciliidae). *Journal of genetics* (90): 66-71
- P. Heynhold (1911): Girardinus reticulatus. Ueber Pflege, Zucht und Scheckung. *Wochenschrift für Aquarien und Terrarienkunde* (7): 89-90
- H. Hieronimus (1988): Kaudis - vergessene Schönheiten. *TI* (87): 16-17
- H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. *Poecilia Nieuws* (6): 12-18
- D. Hughes-Phillips (2008): *Phalloceros caudimaculatus reticulatus*. *Livebearer News* (22): 57-58
- K. de Jong (1993): Een oude bekende met een lange naam, *Phalloceros caudimaculatus reticulatus* (Eigenmann, 1907). *Poecilia Nieuws* (3): 52-56
- K. de Jong (2016): *Phalloceros caudimaculatus "reticulatus"* (Hensel, 1868). *Poecilia Nieuws Atlas* (): -
- W. Köhler (1910): Weitere Mitteilungen über den Formenkreis des Girardinus reticulatus Pet.. *Blätter für Aquarien- und Terrarienkunde* (41): 657-659
- D. Lambert (0): *Phalloceros caudimaculatus*. *Viviparous* (8): 0-1
- C.V. Lorang (1912): Glaridichthys (Girardinus) januarinus var.? und seine Zucht. *Blätter für Aquarien- und Terrarienkunde* (36): 589-589
- C. Newell (1998): *Phalloceros caudimaculatus reticulatus*. *Livebearers* (152): 21-22
- L. Nyari (2002): *Phalloceros caudimaculatus* (Hensel, 1868) "reticulatus". *Poecilia Nieuws* (5): 88-89
- D. Palmateer (2000): The "Caudo" a golden oldie. *Viviparous* (49): 0-
- O. Schabronath (1917): *Phalloceros caudimaculatus*, ein fisch für den Anfänger. *Blätter für Aquarien- und Terrarienkunde* (22): 338-340
- H. Stallknecht (1968): *Phalloceros caudimaculatus* (Hensel 1868), der Scheckenkäpfing. *Aquarien Terrarien* (8): 0-0
- F.H. Stoye (1994): *Phalloceros caudomaculatus* (Hensel) The one-spot livebearer and its variations. *Livebearers* (78): 6-7
- M. Stricker (1909): Erfahrungen bei der Zucht des Girardinus januarinus var.? *Blätter für Aquarien- und Terrarienkunde* (22): 340-341
- S. Teutloff (1985): Ein Sommer im Freiland. *ZAG Lebendgebärende Zahnkarpfen* (4): 1-4
- L. Thomas (1966): Haben wir den "Kaudi" noch?. *Aquarien Terrarien* (8): 267-269
- G. Träber (1909): Bemerkungen über Girardinus januarinus var.? *Blätter für Aquarien- und Terrarienkunde* (50): 803-804
- P. Uhlig (1989): Der Import des "Kaudie" vor 90 Jahren - die Pflege heute. *ZAG Lebendgebärende Zahnkarpfen* (2): 4-7
- J. Vente (1988): Na een halve eeuw weer in Nederland. *Het Aquarium* (9): 217-219

- B. Wichand (1906): Diesjährige Neuheiten in Wort und Bild. II Neuimportierte bzw. erstmalig nachgezüchtete Zahnkarpfen (Poeciliidae) 3. Girardinus januaris Hensel. Var. Reticulatus. Blätter für Aquarien- und Terrarienkunde (50): 495-496
Dr. W. Wolterstorff (1910): Weiteres über Girardinus (Acanthophacelus) reticulatus Pet und seine Verwandten. Blätter für Aquarien- und Terrarienkunde (43): 712-712
Dr. W. Wolterstorff (1911): Zur Kenntnis des Girardinus reticulatus Pet (Poecilia reticulata Pet.). Blätter für Aquarien- und Terrarienkunde (18): 284-285

Phalloceros caudimaculatus reticulatus auratus (Hensel, 1868)

- G. Daul (1978): De 'caudi' en zijn rassen. TTH (14): 9-9
G. Daul (1988): Lebendgebärende Zahnkarpfen aus Brasilien. Das Aquarium (Juli): 397-399
W.J.M. Deutz (1939): Girardinus januaris en zijn varieiteiten. Aqua Terra (4): 81-82
D. Gentzsch (2008): Bilder zum Goldkaudi. DGLZ-Rundschau (4): 89-91
D. Gentzsch (2015): Phalloceros "Kaudi"- ein Vorschlag für den Namen der Kaudi-Zuchtformen. Das Lebendgebärenden Magazin (2): 10-12
D. Gentzsch (2018): Faunenverfälschung und eine schwierige Artbestimmung eines Wildfangkaudis aus São Paulo. DGLZ-Rundschau (1): 5-14
D. Gentzsch & D. Bork (2009): Die über 100-jährige Geschichte der Kaudi-Zuchtformen (Phalloceros caudimaculatus) insbesondere der Goldkaudis. DGLZ-Rundschau (4): 83-104
D. Gentzsch & P. Uhlig (2014): Die Gattung Phalloceros Eigenmann, 1907 - seit 1868 interessant. Das Lebendgebärenden Magazin (2): 10-14
J. Griffiths (1988): Phalloceros caudimaculatus reticulatus (gold). Livebearers (102): 18-18
A. Henze (2013): Betrifft: Die "roten" Scheckengoldkaudis in der Wilhelmina. Das Lebendgebärenden Magazin (2): 25-26
M. Heußen (2013): Alte Liebe rostet nicht: Die "roten" Scheckengoldkaudis in der Wilhelmina. Das Lebendgebärenden Magazin (1): 13-13
H. Hieronimus (1988): Kaudis - vergessene Schönheiten. TI (87): 16-17
K. de Jong (2008): Phalloceros caudimaculatus reticulatus auratus (Hensel, 1868). Poecilia Nieuws (3): 28-29
D. Palmerat (2000): The "Caudo" a golden oldie. Viviparous (49): 0-
G.O. Poppe (2001): Der Goldkaudi, Phalloceros caudimaculatus reticulatus auratus - ein Zuchtbericht. DGLZ-Rundschau (4): 84-86
F.H. Stoye (1994): Phalloceros caudimaculatus (Hensel) The one-spot livebearer and its variations. Livebearers (78): 6-7
K. Tschartner (1973): Wo wird die Goldgambuse gepflegt?. ZAG Lebendgebärende Zahnkarpfen (1+2): 9-9
P. Uhlig (1989): Der Import des "Kaudie" vor 90 Jahren - die Pflege heute. ZAG Lebendgebärende Zahnkarpfen (2): 4-7
K. Urban (2013): Phalloceros caudimaculatus reticulatus "auratus" (Hensel, 1868) aus der Wilhelmina. Das Lebendgebärenden Magazin (2): 26-27

Phalloceros elachistos Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158

Phalloceros enneaktinos Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158
A. Thomaz, T.P. Carvalho, L.R. Malabarba & L.Lacey Knowles (2019): Geographic distributions, phenotypes, and phylogenetic relationships of Phalloceros (Cyprinodontiformes: Poeciliidae): Insights about diversification among sympatric species pools. Molecular

Phalloceros harpagos Lucinda, 2008

- A. Claro-García, F.M. Assega & O.A. Shibatta (2018): Diversity and distribution of ichthyofauna in streams of the middle and lower Tibagi river basin, Paraná, Brazil. Check List (1): 43-53
D. Gentzsch (2018): Faunenverfälschung und eine schwierige Artbestimmung eines Wildfangkaudis aus São Paulo. DGLZ-Rundschau (1): 5-14
H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158
R. Lundkvist (2010): Toen vond ik een 'nieuwe caudo'- zonder het te weten. Het Aquarium (9): 22-25
R. Lundkvist (2020): Two rare livebearers from Paraguay. Livebearers (2): 20-23
R. Lundkvist (2020): Twee zeldzame levendbarenen uit Paraguay. Poecilia Nieuws (4): 11-14
F.N. Poeser (2018): Phalloceros harpagos (Lucinda, 2008). Poecilia Nieuws (4): 8-12
A. Thomaz, T.P. Carvalho, L.R. Malabarba & L.Lacey Knowles (2019): Geographic distributions, phenotypes, and phylogenetic relationships of Phalloceros (Cyprinodontiformes: Poeciliidae): Insights about diversification among sympatric species pools. Molecular

Phalloceros heptaktinos Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158

Phalloceros leptokeras Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158
A. Thomaz, T.P. Carvalho, L.R. Malabarba & L.Lacey Knowles (2019): Geographic distributions, phenotypes, and phylogenetic relationships of Phalloceros (Cyprinodontiformes: Poeciliidae): Insights about diversification among sympatric species pools. Molecular

Phalloceros leticiae Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158

Phalloceros lucenorum Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158

Phalloceros malabarbai Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158

Phalloceros megapolos Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158

Phalloceros mikrommatos Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158

Phalloceros ocellatus Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158
A. Thomaz, T.P. Carvalho, L.R. Malabarba & L.Lacey Knowles (2019): Geographic distributions, phenotypes, and phylogenetic relationships of Phalloceros (Cyprinodontiformes: Poeciliidae): Insights about diversification among sympatric species pools. Molecular

Phalloceros pellos Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158

Phalloceros reisi Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158
A. Thomaz, T.P. Carvalho, L.R. Malabarba & L.Lacey Knowles (2019): Geographic distributions, phenotypes, and phylogenetic relationships of Phalloceros (Cyprinodontiformes: Poeciliidae): Insights about diversification among sympatric species pools. Molecular

Phalloceros spiloura Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158
A. Thomaz, T.P. Carvalho, L.R. Malabarba & L.Lacey Knowles (2019): Geographic distributions, phenotypes, and phylogenetic relationships of Phalloceros (Cyprinodontiformes: Poeciliidae): Insights about diversification among sympatric species pools. Molecular

Phalloceros titthos Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158

Phalloceros tupinamba Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158
A. Thomaz, T.P. Carvalho, L.R. Malabarba & L.Lacey Knowles (2019): Geographic distributions, phenotypes, and phylogenetic relationships of Phalloceros (Cyprinodontiformes: Poeciliidae): Insights about diversification among sympatric species pools. Molecular

Phalloceros uai Lucinda, 2008

- H. Hieronimus (2008): 21 neuere Fischarten - in der Gattung Phalloceros!. DGLZ-Rundschau (3): 72-74
H. Hieronimus (2009): 21 nieuwe vissoorten in het genus Phalloceros. Poecilia Nieuws (4): 21-25
P.H. Lucinda (2008): Systematics and biogeography of the genus Phalloceros Eigenmann, 1907, with the description of twenty-one species. Neotropical Ichthyology (2): 113-158
A. Thomaz, T.P. Carvalho, L.R. Malabarba & L.Lacey Knowles (2019): Geographic distributions, phenotypes, and phylogenetic relationships of Phalloceros (Cyprinodontiformes: Poeciliidae): Insights about diversification among sympatric species pools. Molecular

Phalloptychus eigenmanni Henn, 1916

- J. Chambers (1990): The gonopodia of the fishes of the tribe Cnesterodontini. J. Fish Biology (36): 903-916
A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
P.H. Lucinda (2005): Systematics and biogeography of the genus Phalloptychus Eigenmann, 1907. Neotropical Ichthyology (3): 373-382

Phalloptychus iheringii (Boulenger, 1889)

- H. Hieronimus (2005): Phalloptychus und Phallotrynus Neue südamerikanische Lebendgebärende (wieder) beschrieben. DGLZ-Rundschau (4): 97-98
K. de Jong (2006): Ontwikkelingen in de genera Phalloptychus Eigenmann, 1917 en Phallotrynus Henn, 1916. Poecilia Nieuws (2): 15-17
P.H. Lucinda (2005): Systematics and biogeography of the genus Phalloptychus Eigenmann, 1907. Neotropical Ichthyology (3): 373-382

Phalloptychus januarius (Hensel, 1868)

- J. Chambers (1990): The gonopodia of the fishes of the tribe Cnesterodontini (Cyprinodontiformes, Poeciliidae). Journal of Fish Biology (36): 903-916
J. Chambers (1990): The gonopodia of the fishes of the tribe Cnesterodontini. J. Fish Biology (36): 903-916
G. Daul (1988): Lebendgebärende Zahnkarpfen aus Brasilien. Das Aquarium (Juli): 397-399
C.H. Eigenmann (1907): The Poeciliid fishes of Rio Grande do Sul and the La Plata basin. Proc. US Nat. Mus. (32): 524-433
M. Fleuren, J.L. van Leeuwen & B.J.A. Pollux (2019): Superfetation reduces the negative effects of pregnancy on the fast-start escape performance in live-bearing fish. Proc. R. Soc. B. (286): 1-9
H. Fowler (1940): The fishes obtained by the Wilkes expedition, 1838-1842. Proceedings of the American Philosophical Society (5): 733-800
D. Frank (1913): Bericht aus Argentinien. Ueber drei Lebendgebärende Zahnkarpfen aus Argentinien. Blätter für Aquarien- und Terrarienkunde (23): 370-373
R. Haeffner (1982): Phalloptychus januarius The barred millions fish. Livebearers (64): 5-7

Livebearer Literature List 202201

- M. van Hagen (1942): Levendbarende tandkarpers *Phalloptychus januarius* en *Poecilia vivipara*. *Aqua Terra* (2): 135-135
- A.W. Henn (1916): On various south American poeciliid fishes. *Annals of the Carnegie Museum* (): 93-145
- R. Hensel (1868): Beiträge zur Kenntnis der Wirbeltiere Sudbrasiliens. *Archiv für Naturgeschichte* (vol. 34): 356-376
- F. Hey (1909): Hey. *Blätter für Aquarien- und Terrarienkunde* (47): 751-754
- K. de Jong (2007): In de schijnwerper: *Phalloptychus januarius* (Hensel, 1868). *Poecilia Nieuws* (2): 11-15
- K. de Jong (2014): *Phalloptychus januarius*. *Poecilia Nieuws* (Special): 13-13
- P. Kammerer (1908): Donaubarsche. *Blätter für Aquarien- und Terrarienkunde* (16): 185-188
- S. Koerber & T. Litz (2009): On the erroneous records of *Phalloptychus januarius* (Hensel, 1868) from freshwaters in Argentina. *Ichthyological Contributions of PecesCriollos* (15): 1-3
- S. Koerber & T. Litz (2009): On the erroneous records of *Phalloptychus januarius* (Hensel, 1868) from freshwaters in Argentina. *Ichthyological Contributions of PecesCriollos* (15): 1-3
- W. Köhler (1906): Nomenklaturfragen. IV. Unsere beiden Girardinus-Arten. *Blätter für Aquarien- und Terrarienkunde* (4): 35-37
- D. Lambert (0): *Phalloptychus januarius* (Hensel, 1868). *Viviparous* (34): 0-
- D. Lambert (1996): The livebearer world: *Phalloptychus januarius*. *Tropical Fish Hobbyist* (April): 196-198
- W.F. Langer (1913): Beiträge zur Morphologie der viviparen Cyprinodonten. *Gegenbaurs Morphologisches Jahrbuch. Zeitschrift für Anatomie und Entwicklungsgeschichte* (1-2): 193-307
- P.H. Lucinda (2005): Systematics and biogeography of the genus *Phalloptychus* Eigenmann, 1907. *Neotropical Ichthyology* (3): 373-382
- A. Mayer (1912): Importreise nach Brasilien und Argentinien. *Blätter für Aquarien- und Terrarienkunde* (26): 421-424
- J. Novák, L. Kalouš & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- J. Peter (1905): Lebend gebärende Kärpfelinge. *Blätter für Aquarien- und Terrarienkunde* (5): 62-66
- B.J.A. Pollux & D.N. Reznick (2011): Matrotrophy limits a female's ability to adaptively adjust offspring size and fecundity in fluctuating environments. *Functional Ecology* (25): 747-756
- A. Rachow (1914): Zur Nomenklatur unserer viviparen Zahnkarpen (Poeciliinae), nebst Bemerkungen über einige neue Arten. *Blätter für Aquarien- und Terrarienkunde* (11): 185-200
- A. Rachow (1938): *Phalloptychus januarius* (Hensel). *Die Aquarienfische in Wort und Bild* (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 249-251
- K. Riedel (1910): Ueber das Massensterben des Girardinus spec. (=januarius var.?, gescheckte Form). *Blätter für Aquarien- und Terrarienkunde* (48): 775-776
- W. Schreitmüller (1921): *Phalloptychus januarius*. *Blätter für Aquarien- und Terrarienkunde* (4): 53-54
- B. Slocum (2018): Walking on the wild side. *Phalloptychus januarius*: the barred mosquito fish. *Livebearers* (237): 20-21
- M. Stricker (1909): Erfahrungen bei der Zucht des Girardinus januarius var.?. *Blätter für Aquarien- und Terrarienkunde* (22): 340-341
- S. Teutloff (1986): Nachwuchs geplänt?. ZAG Lebendgebärende Zahnkarpen (2): 6-7
- L. Wischnath (): Deux petits ovovivipares en aquarium. *Aquarama* (): 35-
- L. Wischnath (1995): Kleine soorten levendbarende tandkarpers. *Het Aquarium* (6): 127-129

Phallotrynus dispilos Lucinda, De Souza Rosa & Reis, 2005

- B. Allen (2005): Three articles of interest to livebearer fans in the august 2005 Copeia. *Livebearers* (186): 19-22
- H. Hieronimus (2005): *Phalloptychus* und *Phallotrynus* Neue südamerikanische Lebendgebärende (wieder) beschrieben. *DGLZ-Rundschau* (4): 97-98
- K. de Jong (2006): Ontwikkelingen in de genera *Phalloptychus* Eigenmann, 1917 en *Phallotrynus* Henn, 1916. *Poecilia Nieuws* (2): 15-17
- P.H. Lucinda, R. de Souza Rosa & R.E. Reis (2005): Systematics and biogeography of the genus *Phallotrynus* Henn, 1916, with description of three new species. *Copeia* (3): 608-630

Phallotrynus fasciolatus Henn, 1916

- J. Chambers (1990): The gonopodia of the fishes of the tribe Cnesterodontini. *J. Fish Biology* (36): 903-916
- A.W. Henn (1916): On various south American poeciliid fishes. *Annals of the Carnegie Museum* (): 93-145
- K. de Jong (2006): Ontwikkelingen in de genera *Phalloptychus* Eigenmann, 1917 en *Phallotrynus* Henn, 1916. *Poecilia Nieuws* (2): 15-17
- P.H. Lucinda, R. de Souza Rosa & R.E. Reis (2005): Systematics and biogeography of the genus *Phallotrynus* Henn, 1916, with description of three new species. *Copeia* (3): 608-630
- M.K. Meyer & V. Etzel (2006): Studies on *Phallotrynus fasciolatus* Henn, 1916 and *P. victoriae* Oliveros, 1983, with remarks on additional recognized species and ecology of the genus. *Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden* (56): 81-89

Phallotrynus jucundus Ihering, 1930

- H. Hieronimus (1988): Zur Kenntnis von *Phallotrynus jucundus* R. von Ihering, 1930. *DATZ* (12): 545-548
- R. von Ihering (1930): Notas ecologicas referentes a peixes d'agua doce do Estado de São Paulo e descrição de 4 espécies novas. *Arch. Inst. Biol. São Paulo* (3): 93-104
- P.H. Lucinda, R. de Souza Rosa & R.E. Reis (2005): Systematics and biogeography of the genus *Phallotrynus* Henn, 1916, with description of three new species. *Copeia* (3): 608-630
- A.J. Meschiatti & M.S. Arcifa (2009): Threatened fishes of the world: *Phallotrynus jucundus* Ihering, 1930 (Poeciliidae). *Environmental Biology of Fishes* (86): 321-322
- M.K. Meyer & V. Etzel (2006): Studies on *Phallotrynus fasciolatus* Henn, 1916 and *P. victoriae* Oliveros, 1983, with remarks on additional recognized species and ecology of the genus. *Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden* (56): 81-89
- S.H. Weitzman & R.P. Vari (1988): Miniaturization in south American freshwater fishes: an overview and discussion. *Proceedings of the Biological Society of Washington* (2): 444-465

Phallotorynus pankalos Lucinda, De Souza Rosa & Reis, 2005

- B. Allen (2005): Three articles of interest to livebearer fans in the august 2005 Copeia. Livebearers (186): 19-22
H. Hieronimus (2005): Phalloptychus und Phallotorynus Neue südamerikanische Lebendgebärende (wieder) beschrieben. DGLZ-Rundschau (4): 97-98
K. de Jong (2006): Ontwikkelingen in de genera Phalloptychus Eigenmann, 1917 en Phallotorynus Henn, 1916. Poecilia Nieuws (2): 15-17
P.H. Lucinda, R. de Souza Rosa & R.E. Reis (2005): Systematics and biogeography of the genus Phallotorynus Henn, 1916, with description of three new species. Copeia (3): 608-630
M.K. Meyer & V. Etzel (2006): Studies on Phallotorynus fasciolatus Henn, 1916 and P. victoriae Oliveros, 1983, with remarks on additional recognized species and ecology of the genus. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (56): 81-89
Y.R. Suárez et al (2009): Ecology of Phallotorynus pankalos (Cyprinodontiformes: Poeciliidae) in a first-order stream of the upper Paraná Basin. Neotropical Ichthyology (1): 49-54

Phallotorynus psittakos Lucinda, De Souza Rosa & Reis, 2005

- B. Allen (2005): Three articles of interest to livebearer fans in the august 2005 Copeia. Livebearers (186): 19-22
L. van der Berg (2021): Phallotorynus in Paraguay. Poecilia Nieuws (3): 27-40
H. Hieronimus (2005): Phalloptychus und Phallotorynus Neue südamerikanische Lebendgebärende (wieder) beschrieben. DGLZ-Rundschau (4): 97-98
K. de Jong (2006): Ontwikkelingen in de genera Phalloptychus Eigenmann, 1917 en Phallotorynus Henn, 1916. Poecilia Nieuws (2): 15-17
P.H. Lucinda, R. de Souza Rosa & R.E. Reis (2005): Systematics and biogeography of the genus Phallotorynus Henn, 1916, with description of three new species. Copeia (3): 608-630

Phallotorynus victoriae Oliveros, 1983

- L. van der Berg (2021): Phallotorynus in Paraguay. Poecilia Nieuws (3): 27-40
J.A. Chuctaya et al (2018): First record of Phallotorynus victoriae Oliveros, 1983 (Cyprinodontiformes, Poeciliidae) for Uruguay river basin and Rio Grande do Sul, southern Brazil. Check List (1): 159-162
P.H. Lucinda, R. de Souza Rosa & R.E. Reis (2005): Systematics and biogeography of the genus Phallotorynus Henn, 1916, with description of three new species. Copeia (3): 608-630
R. Lundkvist (2020): Two rare livebearers from Paraguay. Livebearers (2): 20-23
R. Lundkvist (2020): Twee zeldzame levendbarenden uit Paraguay. Poecilia Nieuws (4): 11-14
M.K. Meyer & V. Etzel (2006): Studies on Phallotorynus fasciolatus Henn, 1916 and P. victoriae Oliveros, 1983, with remarks on additional recognized species and ecology of the genus. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (56): 81-89
W. Noack (2000): Phallotorynus victoriae Oliveros, 1983 - ein pflegeleichter Problemfisch?. DGLZ-Rundschau (3): 53-54
O.B. Oliveros (1983): Phallotorynus victoriae sp. nov. de la Cuenca del Rio Parana Medio Argentina. Revista de la Asociación de Ciencias naturales del Litoral (14): 17-27
W. Staek (1995): Zwei Lebendgebärende aus Argentinien. DATZ (7): 462-465

Poecilia bifurca (Eigenmann, 1909)

- (1994): Herbeschrijving Micropoecilia bifurca. Aquarium & Terrarium Hobbyist (1): 43-43
D. Bork (1994): Raritäten unter den Lebendgebärenden Zahnkarpfen. Das Aquarium (297): 12-13
W.J.E.M. Costa & A. Sarraf (1997): Poecilia (Lebistes) minima, a new species of neotropical poeciliid fish from the Brazilian Amazon. Ichthyol. Explor. Freshwaters (8): 185-191
E.O. Drachenfels (2002): Kleine Lebendgebärende Zahnkarpfen aus dem nördlichen Südamerika. Aquaristik-Aktuell (2): 32-34
H. Hieronimus (1993): Revalidierung von Micropoecilia und Redeskription von M. bifurca. DGLZ-Rundschau (3): 62-63
H. Hieronimus (2010): Der Schwierige: Micropoecilia bifurca. DGLZ-Rundschau (3): 82-84
A. Ho, C.L. Pruitt & J. Lin (2016): Phylogeny and biogeography of Poecilia (Cyprinodontiformes: Poeciliinae) across Central and South America based on mitochondrial and nuclear DNA markers. Molecular Phylogenetics and Evolution (101): 32-45
M. Kempkes (2020): Auf der Suche nach Guppys und "Sumpfguppys" in Surinam. Aquaristik Fachmagazin (274): 44-47
J.K. Langhammer (1994): Import name changes among livebearers. Viviparous (28): 19-20
P.J. Mellegers (1994): Micropoecilia in ere hersteld. Poecilia Nieuws (4): 62-63
R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2010): Molecular phylogenetic relationships and the evolution of the placenta in Poecilia (Micropoecilia) (Poeciliidae: Cyprinodontiformes). Molecular Phylogenetics and Evolution (55): 631-639
M.K. Meyer (1993): Reinstatement of Micropoecilia Hubbs, 1926, with a redescription of M. bifurca (Eigenmann, 1909) from northeast South America. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (April): 121-
M. Meyer & D. Bork (1994): Die Gattung Micropoecilia. Aquaristik-Aktuell (4): 26-28
M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus Poecilia: (Cyprinodontiformes: Poeciliidae: subgenera Micropoecilia and Acanthophacelus). Biological Journal of the Linnean Society (99): 784-796
M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus Poecilia (Cyprinodontiformes: Poeciliidae: subgenera Micropoecilia and Acanthophacelus). Biological Journal of the Linnean Society (99): 784-796
F.N. Poeser (1998): De kleinere Zuid Amerikaanse soorten van de Poeciliini: de (sub)genera Lebistes, Pamphorichthys en Micropoecilia II. Poecilia Nieuws (4): 65-68
F.N. Poeser (2006): Poecilia in Suriname (deel III en IV). Poecilia Nieuws (3): 7-13
F.N. Poeser (2017): The Guaina guppy. Personal notes (): -129
S. Riese (2005): Die Arten der Gattung Micropoecilia. Das Lebendgebärenden Magazin (3&4): 6-15
F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (153): 21-31

Poecilia boesemani Poeser, 2003

F.N. Poeser (2003): Geographic variation in Poecilia Bloch and Schneider, 1801 with descriptions of three new species and designation of lectotypes for P. dovii Günther, 1866 and for P. vandepollii van Lidth de Jeude, 1887. Proceedings of the Biological Society of

Poecilia branneri Eigenmann, 1894

- P. Arnold (1909): Poecilia heteristia Regan. Wochenschrift für Aquarien und Terrarienkunde (50): 695-697
P. Arnold (1909): Poecilia heteristia Regan. Zur Nomenklatur von Poecilia amazonica. Wochenschrift für Aquarien und Terrarienkunde (): 695-697
J.P. Arnold (1911): Poecilia heteristia Rgn. Blätter für Aquarien- und Terrarienkunde (9): 137-138
J.P. Arnold (1911): Poecilia heteristia Rgn. Blätter für Aquarien- und Terrarienkunde (8): 124-125
G. de Beurs (1959): De Micropoecilia. Guppy (4): 3-4
P.H.N. Braga, W.J.E.M. Costa & C.S. Gama (2011): Poecilia waiaipi, a new poeciliid from the Jari river drainage, northern Brazil (Cyprinodontiformes: Cyprinodontoidei). Ichthyol. Explor. Freshwaters (4): 337-343
J. Constant (1984): Levendbarende import uit Peru. Het Aquarium (9): 234-235
E.O. Drachenfels (2002): Kleine Lebendgebärende Zahnkarpfen aus dem nördlichen Südamerika. Aquaristik-Aktuell (2): 32-34
C.H. Eigenmann (1894): Notes on some South American fishes. Annals New York Academy of Sciences (7): 625-637
G. Gerlach (1910): Weitere Mitteilungen über Poecilia heteristia Regan. Blätter für Aquarien- und Terrarienkunde (44): 707-708
G. Gerlach (1910): Weitere Mitteilungen über Poecilia heteristia Regan. Blätter für Aquarien- und Terrarienkunde (45): 723-725
A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
H. Hieronimus (1989): Een visje met een bijzonder paringsgedrag: Poecilia branneri, het citroentandkarperje. Aquariumwereld (3): 63-64
H. Hieronimus (1989): Poecilia branneri Eichenman, 1894. Poecilia Nieuws (3): 39-42
H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. DGLZ-Rundschau (4): 14-18
H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. Poecilia Nieuws (6): 12-18
H. Hieronimus (1998): Poecilia minima, ein neuer Lebendgebärender. DGLZ-Rundschau (1): 7-9
H. Hieronimus (2010): De nominellen Arten der Gattung Micropoecilia. DGLZ-Rundschau (3): 60-63
H. Hieronimus (2010): Verbergen sich hinter dem Zitronenkärling zwei Arten?. DGLZ-Rundschau (3): 70-72
H. Hieronimus (2010): Die Zitronenkärling, ein ungewöhnlicher Lebendgebärender. DGLZ-Rundschau (3): 64-70
P. Kain (1989): Betr.: Poecilia branneri (DATZ 9/88). DATZ (5): 315-316
R. Kolodzey (1995): Geheimnisumwittert: Poecilia branneri. DATZ (9): 484-485
R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2010): Molecular phylogenetic relationships and the evolution of the placenta in Poecilia (Micropoecilia) (Poeciliidae: Cyprinodontiformes). Molecular Phylogenetics and Evolution (55): 631-639
M. Meyer & D. Bork (1994): Die Gattung Micropoecilia. Aquaristik-Aktuell (4): 26-28
J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus Poecilia: (Cyprinodontiformes: Poeciliidae: subgenera Micropoecilia and Acanthophacelus). Biological Journal of the Linnean Society (99): 784-796
M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus Poecilia (Cyprinodontiformes: Poeciliidae: subgenera Micropoecilia and Acanthophacelus). Biological Journal of the Linnean Society (99): 784-796
M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus Poecilia (Cyprinodontiformes: Poeciliidae: subgenera Micropoecilia and Acanthophacelus). Biological Journal of the Linnean Society (99): 784-796
F.N. Poeser (1998): Poecilia (Lebistes) minima of ook wel: de kleinere Zuid Amerikaanse soorten van de Poeciliini. Poecilia Nieuws (3): 36-39
B.J.A. Pollux, M.N. Pires, A.I. Banet & D.N. Reznick (2009): Evolution of placentas in the fish family poeciliidae: an empirical study of macroevolution. Annu. Rev. Ecol. Evol. Syst. (40): 271-289
A. Rachow (1939): Micropoecilia branneri (Eigenmann). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 417-419
J. Reichelt (1910): Poecilia heteristia Regan. Blätter für Aquarien- und Terrarienkunde (44): 705-707
S. Riese (2005): Die Arten der Gattung Micropoecilia. Das Lebendgebärenden Magazin (3&4): 6-15
E. Ringel (1911): Unsere Lebendgebärenden. (Forsetzung). Wochenschrift für Aquarien und Terrarienkunde (): 275-277
H.O. Specht (1976): Micropoecilia branneri. Livebearers (30): 13-15
K. Stansch (0): The history of Poecilia branneri. Viviparous (5): 0-
K. Stansch (1987): Aus der Geschichte von Poecilia branneri Eigenmann. DGLZ-Rundschau (4): 4-6
F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (153): 21-31
G. Streibel (1990): Zur Pflege und Zucht von Poecilia branneri "Belem 88". DGLZ-Rundschau (1): 16-17

Poecilia butleri Jordan, 1889

- F. Alda, R.G. Reina, I. Doadria & E. Bermingham (2013): Phylogeny and biogeography of the Poecilia sphenops species complex (Actinopterygii, Poeciliidae) in Central America. Molecular and Ecology Resources (66): 1011-1026
J.C. Bagley et al (2015): Assessing species boundaries using multilocus delimitation in a morphologically conserved group of neotropical freshwater fishes, the Poecilis sphenops species complex (Poeciliidae). PlosOne (4): 1-30
G. Daul (1989): Mollys aus Mexiko Teil I: Mollys mit kleiner Rückenflosse. Das Aquarium (November): 679-684
I. Dibble (2000): Fish Ark Project - Mexico. Viviparous (48): 5-10
D.S. Jordan (1889): List of fishes collected by Alphonse Forrer about Mazatlan, with description of two new species - Heros beani and Poecilia butleri. Proc. US Nat. Mus. (719): 329-334
B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. Poecilia Nieuws (4): 76-86
B. Kabbes (2000): San Juan de los Arcos. Poecilia Nieuws (2): 20-26
D. Lambert (1997): The livebearer world: Mexican Mollies. Tropical Fish Hobbyist (January): 132-134
F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 4. Teil. DGLZ-Rundschau (3): 61-70
M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, Mexico. The Southwestern Naturalist (2): 223-236
J. Lyons (1997): Fishes from the land of the trucha de tierra caliente. Freshwater & Marine Aquarium (7): 127-136
J. Lyons (1997): Tolerances of Mexican livebearers to extremes of temperature and dissolved oxygen in the wild. Livebearers (148): 16-19
J. Lyons (2016): Adventures among the wild livebearers of Mexico: beginnings. Livebearers (233): 14-21
J. Lyons (2020): The Insidiousness of invasive species. Livebearers (249): 5-10
J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. Anales del Instituto de Biología, Universidad National (2): 169-190
J. Lyons & S. Navarro-Perez (1990): Fishes of the Sierra de Manantlan, West-Central Mexico. The Southwestern Naturalist (1): 32-46
M. Mateos (2005): Comparative phylogeography of livebearing fishes in the genera Poeciliopsis and Poecilia in central Mexico. Journal of Biogeography (32): 75-780
S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
H. Mück (2003): Kleine Mexikoreise nach Veracruz. DGLZ-Rundschau (4): 81-85
T. Rehbeck (1992): Poeciliopsis baenschi, ein kleiner Lebendgebärender in seinem Biotop. DGLZ-Rundschau (2): 28-30
Z. Rodríguez Álvarez et al (2010): Current status of the viviparous fish species in the Cuitzeo basin of Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 472-475
G. Salgado-Maldonado & R.F. Pineda-López (2003): The Asian fish tapeworm Bothriocephalus acheilognathi: a potential threat to native freshwater fish species in Mexico. Biological Invasions (5): 261-268
E. Torres-Hernández et al (2016): Annotated checklist of the coastal Ichthyofauna from Michoacán State, Mexico. ZooKeys (606): 99-12
E. Velázquez-Velázquez et al (2008): Spatial and temporal variation of fish assemblagers in a coastal lagoon of the biosphere reserve La Encrucijada, Chiapas, Mexico. Rev. Biol. Trop (2): 557-574
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
J.J. Zúñiga-Vega et al. (2014): Do freshwater ecoregions and continental shelf width predict patterns of historical gene flow in the freshwater fish Poecilia butleri?. Biological Journal of the Linnean Society (112): 399-416

Poecilia catemacaonis Miller, 1975

- F. Alda, R.G. Reina, I. Doadria & E. Bermingham (2013): Phylogeny and biogeography of the Poecilia sphenops species complex (Actinopterygii, Poeciliidae) in Central America. Molecular and Ecology Resources (66): 1011-1026
J.C. Bagley et al (2015): Assessing species boundaries using multilocus delimitation in a morphologically conserved group of neotropical freshwater fishes, the Poecilis sphenops species complex (Poeciliidae). PlosOne (4): 1-30
G. Daul (1989): Mollys aus Mexiko Teil I: Mollys mit kleiner Rückenflosse. Das Aquarium (November): 679-684
H. Hieronimus (2008): Neues vom Catemaco - Heterandria tuxtlensis als neuer endemischer Poeciliide. DGLZ-Rundschau (3): 55-57
K. de Jong (1997): De blauwstaart hooglandkarper, een geïsoleerde soort. Het Aquarium (10): 238-241
K. de Jong (1997): Een eenvoudig visje: het Catemaco platy, Xiphophorus milleri Rosen, 1960. Poecilia Nieuws (6): 107-114
D. Lambert (0): Poecilia catemacaonis. Viviparous (20): 0-
D. Lambert (0): The livebearer trail. Viviparous (15): 0-
R.M. Lorán-Núñez et al (2013): Notas sobre la biología y la pesquería del guatopote azul Poecilia catemacaonis del Lago de Catemaco, Veracruz. Ciencia Pesquera (2): 43-46
R.R. Miller (1975): Five new species of Mexican Poeciliid fishes of the genera Poecilia, Gambusia and Poeciliopsis. Occasional papers of the museum of zoology University of Michigan (672): 1-44
H. Mück (2003): Kleine Mexikoreise nach Veracruz. DGLZ-Rundschau (4): 81-85

Poecilia caucana (Steindachner, 1880)

- F. Alda, R.G. Reina, I. Doadria & E. Bermingham (2013): Phylogeny and biogeography of the Poecilia sphenops species complex (Actinopterygii, Poeciliidae) in Central America. Molecular and Ecology Resources (66): 1011-1026
A. Arnold (1989): Der Kaukakärpfing. DATZ (6): 335-337
C.M. Breder jr. (1927): The Fishes of the Rio Chucunaque drainage, eastern Panama. Bulletin American Museum of Natural History (57): 91-176
C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. ZooKeys (708): 25-138
V. Etzel (1994): Bemerkungen zu Biotopen von Poecilia caucana und Priapichthys nigroventralis in Kolumbien. DGLZ-Rundschau (4): 76-78
V. Etzel (2001): Poecilia caucana - Verbreitung und Biotope in Panama. DGLZ-Rundschau (3): 52-55

- A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. Poecilia Nieuws (6): 12-18
S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. Zoölogy, Field museum of natural history (4): 215-359
A. Ho, C.L. Pruitt & J. Lin (2016): Phylogeny and biogeography of Poecilia (Cyprinodontiformes: Poeciliinae) across Central en South America base on mitochondrial and nuclear DNA markers. Molecular Phylogenetics and Evolution (101): 32-45
M. Holly (1961): Allopoecilia caucana (Steindachner). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 1174-1175
K. de Jong (1992): Poecilia caucana (Steindachner, 1880). Poecilia Nieuws (3): 57-60
K. de Jong (2006): Stavanger 2006. Poecilia Nieuws (5): 28-32
D. Kaden (1986): Der Arten und Formenkreis der Mollys. Aquarien Terrarien (9): 302-305
D. Lambert (0): Poecilia caucana (Steindachner, 1880). Viviparous (17): 0-
J.A. Maldonado-Ocampo, R.P. Vari & J.S. Usma (2008): Checklist of the freshwater fishes of Columbia. Biota Colombiana (2): 143-237
J.D. Martínez, C.D. Cadena & M. Torres (2016): Critical thermal limits of Poecilia caucana (Steindachner, 1880) (Cyprinodontiformes: Poeciliidae). Neotropical Ichthyology (1): 1-7
L. van der Meer (2013): Poecilia caucana (Steindachner) 1880. Poecilia Nieuws (2): 9-10
M.K. Meyer (): Des poissons aux tons pastels originaires de la Colombie. Aquarama (): 26-27
D.C. Montoya-Ospina & F.A. Villa-Navarro (2018): Composición y estructura de peces de la microcuenca de río Anchique, Tolima, Colombia. Revista de Biología Tropical (1): 336-351
J. Novák, L. Kalouš & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
F.N. Poeser (2000): Pamphorichthys heterandria (Regan, 1913), a Caribbean mystery Deel 3 Deel 3 "De kleinere Zuid Amerikaanse soorten van de Poeciliini: de (sub) genera Lebistes, Pamphorichthys, Micropoecilia en Allopoecilia". Poecilia Nieuws (1): 2-6
F.N. Poeser (2010): Mijn aquarium. Poecilia Nieuws (5): 14-16
F.N. Poeser (2010): The Derivation of the South American species of Poecilia Bloch and Schneider, 1801 (Teleostei; Cyprinodontiformes). Viviparous Fishes II red. Uribe & Grier (): 13-30
C.T. Regan (190608): Pisces. Biología Centrali-Americana (): 1-203
E. Ringel (1911): Unsere Lebendgebärenden. (Forsetzung). Wochenschrift für Aquarien und Terrarienkunde (): 275-277
F. Steindachner (1880): Fisch-Fauna des Cauca und der Flüsse bei Guayaquil. Denkschriften der Kaiserlichen Akademie der Wissenschaften (42): 55-104
L. Wischnath (0): Beutes indicibles du genre Poecilia. Aquarama (): 13-15

Poecilia chica Miller, 1975

- D. Biggs (2008): Fishing adventures in the Purificación river. Livebearer News (23): 24-47
O. Böhm (2003): The little know livebearing toothcarp. Livebearer News (3/4): 30-32
B.L. Brett & D.J. Grosse (1982): A reproductive pheromone in the Mexican Poeciliid fish Poecilia chica. Copeia (1): 219-223
G. Daul (1989): Mollys aus Mexiko Teil I: Mollys mit kleiner Rückenflosse. Das Aquarium (November): 679-684
I. Dibble (2003): Mein Tagebuch der "Arche-Projekt"- Feldexkursion 2003. DGLZ-Rundschau (4): 86-97
N. Dokoupil (1983): Ein neuer, kleiner Molly, Poecilia chica. Das Aquarium (März): 128-131
N. Dokoupil (1988): Poecilia chica MILLER, 1975 nieuwe molly-hybriden. Poecilia Nieuws (3): 30-33
H. Flöthmann (1987): Bekanntgabe von Kreuzungen. ZAG Lebendgebärende Zahnkarpfen (2): 4-4
G. Jähn (1984): Poecilia chica - eine in der DDR noch wenig bekannte Wildform lebendgebärender Zahnkarpfen. Aquarien Terrarien (11): 382-384
A. John (1990): Rekordwurf bei Poecilia chica Miller, 1975?. ZAG Lebendgebärende Zahnkarpfen (1): 12-12
K. de Jong (2010): Poecilia chica Miller, 1975. Poecilia Nieuws (3): 33-35
K. de Jong (2014): Mexico: (2) Levendbarende vissen en nog veel meer.... Houden van Vissen (2): 1-6
K. de Jong (2014): Von Morelia bis Barra de Navidad. Das Lebendgebärenden Magazin (2): 18-25
K. de Jong (2014): Mexico 2013, deel 3 Van Morelia naar Barra de Navidad en weer terug (1). Poecilia Nieuws (1): 11-17
K. de Jong (2014): Mexico 2013, deel 4 en slot Van Morelia naar Barra de Navidad en terug (2). Poecilia Nieuws (2): 22-27
K. de Jong (2015): Mexiko 2013 Vierter und letzter Teil Von Barra de Navidad zurück nach Morelia. Das Lebendgebärenden Magazin (1): 20-27
K. de Jong (2017): Mexico: levendbarende vissen en nog veel meer (deel 2/2). Het Aquarium (7): 54-61
B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. Poecilia Nieuws (4): 76-86
D. Kaden (1986): Der Arten und Formenkreis der Mollys. Aquarien Terrarien (9): 302-305
P. Lambert (0): Collecting Poecilia chica. Viviparous (1): 0-
D. Lambert (0): Poecilia chica. Viviparous (1): 0-
D. Lambert (1996): The livebearer world: Success with some iminutive Mexicans. Tropical Fish Hobbyist (February): 96-98
D. Lambert (1997): The livebearer world: Poecilia chica ...etc.. Tropical Fish Hobbyist (January): 166-169
L.Z. de Liefde (2001): Mijn ervaring, tot op heden, met Poecilia chica. Poecilia Nieuws (4): 54-56
J. Lyons (1997): Fishes from the land of the trucha de tierra caliente. Freshwater & Marine Aquarium (7): 127-136

Livebearer Literature List 202201

- J. Lyons (2016): Adventures among the wild livebearers of Mexico: beginnings. *Livebearers* (233): 14-21
J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. *Anales del Instituto de Biología, Universidad Nacional* (2): 169-190
J. Lyons & S. Navarro-Perez (1990): Fishes of the Sierra de Manantlan, West-Central Mexico. *The Southwestern Naturalist* (1): 32-46
J. Lyons et al (1995): Index of biotic integrity based on fish assemblage for the conservation of streams and rivers in West-Central Mexico. *Conservation Biology* (3): 569-584
D. Marshall (0): *Poecilia chica*. Viviparous (45): 0-
R.R. Miller (1975): Five new species of Mexican Poeciliid fishes of the genera *Poecilia*, *Gambusia* and *Poeciliopsis*. *Occasional papers of the museum of zoology University of Michigan* (672): 1-44
R.R. Miller (1977): *Poecilia chica*, a small molly. *Livebearers* (35): 4-11
R.R. Miller (2003): *Poecilia chica*, a small molly. *Livebearers* (178): 19-28
A.C. Radda (1982): Neuimporte einiger Arten der Gattung *Poecilia*. *DGLZ-Rundschau* (4): 60-63
A.C. Radda (1984): Studien an cyprinodonten Fischen in Mexiko. 2. Reisen 1982 und 1983. *Aquaria* (31): 24-32
M. Siebelink (1988): Hoe verder de dracht, des te groter de pracht. *Het Aquarium* (9): 224-225
S. Teutloff (1985): Ein Sommer im Freiland. *ZAG Lebendgebärende Zahnkarpfen* (4): 1-4

Poecilia cuneata Garman, 1895

- S. Garman (1895): The Cyprinodonts. *Mem. Mus. Comp. Zool.* (1): 1-179
S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. *Zoology, Field museum of natural history* (4): 215-359
S.E. Meek & S.F. Hildebrand (1916): The fishes of these fresh waters of Panama. *Publ. Field Museum of Nat. Hist. Chicago* (15): 217-374
M.K. Meyer, V. Etzel & D. Bork (2002): A new species of *Poecilia*, subgenus *Mollienesia*, from Columbia, with comments on *Poecilia cuneata* Garman, 1895 and other related taxa. *Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden* (52): 49-55
F.N. Poeser (2021): Temperatuur. *Poecilia Nieuws* (1): 18-20

Poecilia dauli Meyer & Radda, 2000

- G. Daul (2004): Beobachtungen bei Dauls Käpfpling. *DGLZ-Rundschau* (2): 33-33
H. Hieronimus (2000): *Poecilia dauli* Meyer & Radda, 2000 - ein neuer Lebendgebärender. *DGLZ-Rundschau* (4): 88-88
K. de Jong (2001): Twee levendbarende tandkarpers beschreven. *Poecilia Nieuws* (3): 41-43
M.K. Meyer & A.C. Radda (2000): Notes on the subgenus *Mollienesia* Le Sueur, 1821 with a description of *Poecilia* from Venezuela. *Ann. Naturhist. Mus. Wien* (102B): 75-81

Poecilia dominicensis (Evermann & Clark, 1906)

- B.W. Evermann & H.W. Clark (1906): New fishes from Santo Domingo. *Proc. US Nat. Mus.* (1478): 851-855
D. Kroll (1996): Der "Domini an sich", viele Touries, einige Zahnkarpfen und etwas Rum - eine Reise in die Dominikanische Republik. *DGLZ-Rundschau* (2): 27-35
P. Lechner & A.C. Radda (1980): Poeciliiden-Studien in der Dominikanischen Republik. *Aquaria* (27): 1-13
P. Lechner & A.C. Radda (1986): Poeciliiden-Studien in der Dominikanischen Republik. *DGLZ-Rundschau* (4): 6-18
T. Mörschel & M. Meyer (1991): Lebendgebärende Zahnkarpfen von der Dominikanischen Republik. *Das Aquarium (Mai)*: 12-15
G.S. Myers (1935): An annotated list of the cyprinodont fishes of Hispaniola, with descriptions of two new species. *Zoologica* (3): 301-316
G.S. Myers (1989): Livebearers from Hispaniola. *Livebearers* (103): 16-18
J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
A.C. Radda (1976): Die Poeciliiden-Fauna von Haïti. *Aquaria* (23): 85-96
M. Rauchenberger (1988): Historical biogeography of Poeciliid fishes in the Caribbean. *Syst. Zool.* (4): 356-365
L.R. Rivas (1978): A new species of Poeciliid fish of the genus *Poecilia* from Hispaniola, with reinstatement and redescription of *P. dominicensis* (Evermann & Clark). *Northeast Gulf Science* (2): 98-112
L.R. Rivas (1982): Character displacement and coexistence in two Poeciliid fishes from the genus *Poecilia* (Mollienesia) from Hispaniola. *Northeast Gulf Science* (2): 1-24
D.E. Rosen & R.M. Bailey (1963): The poeciliid fishes (Cyprinodontiformes), their structure, zoogeography, and systematics. *American Museum of Natural History* (126): 1-176
F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. *Livebearers* (154): 10-20
E. Trewavas (1948): Cyprinodont Fishes of San Domingo, Island of Haiti. *Proc. Zool. Soc.* (118): 408-415

Poecilia dovii Günther, 1866

- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
M. Palacios et al (2016): Phylogenetic analyses of the subgenus *Mollienesia* (*Poecilia*, Poeciliidae, Teleostei) reveal taxonomic inconsistencies, cryptic biodiversity, and spatio-temporal aspects of diversification in Middle America. *Molecular Phylogenetics and Evolution*
F.N. Poeser (2003): Geographic variation in *Poecilia* Bloch and Schneider, 1801 with descriptions of three new species and designation of lectotypes for *P. dovii* Günther, 1866 and for *P. vandepollii* van Lidt de Jeude, 1887. *Proceedings of the Biological Society of K. Stansch (1911): *Poecilia dovii* Gthr. Ein neuer schwarzgescheckter Käpfling. Wochenschrift für Aquarien und Terrarienkunde* (44): 633-634

Poecilia elegans Trewavas, 1948

- R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
K. de Jong (1994): Nieuwe soorten in Nederland. Poecilia Nieuws (4): 75-78
D. Lambert (0): Poecilia elegans (Trewavas, 1948). Viviparous (10): 0-2
P. Lechner & A.C. Radda (1980): Poeciliiden-Studien in der Dominikanischen Republik. Aquaria (27): 1-13
P. Lechner & A.C. Radda (1986): Poeciliiden-Studien in der Dominikanischen Republik. DGLZ-Rundschau (4): 6-18
M.K. Meyer & T. Mörschel (0): Les vivipares de Saint-Domingue. Aquarama (141): 12-15
T. Mörschel & M. Meyer (1991): Lebendgebärende Zahnkarpen von der Dominikanischen Republik. Das Aquarium (Mai): 12-15
G.S. Myers (1989): Livebearers from Hispaniola. Livebearers (103): 16-18
A.C. Radda (1976): Die Poeciliiden-Fauna von Haïti. Aquaria (23): 85-96
M. Rauchenberger (1988): Historical biogeography of Poeciliid fishes in the Caribbean. Syst. Zool. (4): 356-365
B. Rildå (1991): Poecilia elegans im natürlichen Biotop. DGLZ-Rundschau (4): 76-78
B. Rildå (1991): In der Natur beobachtet: Poecilia elegans. DATZ (7): 431-432
B. Rildå (1991): In der Natur beobachtet: Poecilia elegans. DATZ (7): 431-431
L.R. Rivas & George S. Myers (1950): A new genus of Poeciliid fishes from Hispaniola, with note on genera allied to Poecilia and Mollienesia. Copeia (4): 288-295
E. Trewavas (1948): Cyprinodont Fishes of San Domingo, Island of Haiti. Proc. Zool. Soc. (118): 408-415
E. Trewavas (1948): Cyprinodont fishes of San Domingo, Island of Haiti. Proc. Zool. Soc. (118): 408-416
P.F. Weaver & A. Cruz (2003): The intriguing Poecilia elegans of Hispaniola: a review of systematics, distribution, ecology, and captive care. Livebearers (180): 15-29

Poecilia formosa (Girard, 1859)

- (1994): Vrouwjesvis loopt warm voor overspelig mannetje. Poecilia Nieuws (2): 40-40
(1996): Overspelige mannetjesvis. Het Aquarium (9): 224-224
P. Abramoff, R. M. Darnell & J.S. Balsano (1968): Electrophoretic demonstration of the hybrid origin of the gynogenetic teleost Poecilia formosa. The American Naturalist (928): 555-558
B. Allen (2009): Poecilia formosa; the amazon molly and its unique reproductive strategy. Livebearers (206): 10-12
A.S. Aspbury & C.R. Gabor (2004): Discriminating males alter sperm production between species. Proc. Natl. Acad. Sci. (9): 15970-15973
A.S. Aspbury & C.R. Gabor (2004): Discriminating males alter sperm production between species. Proc. Natl. Acad. Sci. (9): 15970-15973
A.S. Aspbury, C.M. Espinido & C.R. Gabor (2010): Lack of species discrimination based on chemical cues by male sailfin mollies, Poecilia latipinna. Evol Ecol (24): 69-82
A.S. Aspbury, J.M. Coyle & C.R. Gabor (2010): Effect of predation on male mating behaviour in a unisexual-bisexual mating system. Behaviour (147): 53-63
H. Auer (2005): Neues aus der Wissenschaft: Von den Partnerschaftsproblemen bei Poecilia latipinna unter besonderer Berücksichtigung von Poecilia formosa. DGLZ-Rundschau (2): 54-59
J.C. Avise, J.C. Trexler, J. Travis & W.S. Nelson (1991): Poecilia mexicana is the recent female parent of the unisexual fish P. formosa. Evolution (6): 1530-1533
J.S. Balsano, E.M. Rasch & P.J. Monaco (1989): The Evolutionary Ecology of Poecilia formosa and its triploid Associate. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 277-297
L.W. Beukeboom & R.C. Vrijenhoek (1998): Evolutionary genetics and ecology of sperm-dependent parthenogenesis. J. Evol. Biol. (11): 755-782
T. Coletti (2009): Everything you wanted to know about Poecilia formosa. Livebearers (207): 7-12
S.C. le Comber & C. Smith (2004): Polyploidy in fishes: patterns and processes. Biological Journal of the Linnean Society (82): 431-442
G.C. Costa & I. Schlupp (2010): Biogeography of the Amazon molly: ecological niche and range limits of an asexual hybrid species. Global Ecol. Biogeogr. (19): 442-451
G.C. Costa & I. Schlupp (2020): Placing the hybrid origin of the asexual Amazon molly (Poecilia formosa) based on historical climate data. Biological Journal of the Linnean Society (129): 835-843
G.C. Costa & I. Schlupp (2020): Placing the hybrid origin of the asexual Amazon molly (Poecilia formosa) based on historical climate data. Biological Journal of the Linnean Society (129): 835-843
J.L. Dagg (2006): Could sex be maintained through harmful males?. Oikos (112): 232-235
R.M. Darnell & P. Abramoff (1967): Matroclinal inheritance and clonal structure of a Mexican population of the gynogenetic fish, Poecilia formosa. Evolution (1): 168-173
R.M. Darnell & P. Abramoff (1968): Distribution of the gynogenetic fish, Poecilia formosa, with remarks on the evolution of the species. Copeia (2): 354-361
G. Daul (1989): Mollys aus Mexiko Teil I: Mollys mit kleiner Rückenflosse. Das Aquarium (November): 679-684
E. Dolgin (2008): Good golly, miss molly. The Scientist (jul): 17-18
L.A. Dries (2003): Peering through a looking glass at a sexual parasite: are amazon mollies red queens?. Evolution (6): 1387-1396
S. Evans (1972): Livebearers found in continental U.S. waters. Livebearers (4): 11-12
B. Fenner (2003): Livebearing fishes for aquaria And not. Tropical Fish Hobbyist (May): 108-114
C. Fischer & I. Schlupp (2009): Differences in thermal tolerance in coexisting sexual and asexual mollies (Poecilia, Poeciliidae, Teleostei). Journal of Fish Biology (74): 1662-1668
C. Fischer & I. Schlupp (2010): Feeding rates in the sailfin molly Poecilia latipinna and its coexisting sexual parasite, the gynogenetic Amazon molly, Poecilia formosa. Journal of Fish Biology (77): 285-291
R. France (1920): Aquarium microscopy. Aquatic Life (May): 49-53
T. Fuss, S. Nöbel & K. Witte (2019): It's in the eye of the beholder: visual lateralisation in response to the social environment in poeciliids. Journal of Fish Biology (94): 759-771

- C.R. Gabor & M.J. Ryan (2001): Geographical variation in reproductive character displacement in mate choice by male sailfin mollies. Proc. R. Soc. Lond. (268): 1063-1070
- C. R. Gabor & M.S. Grober (2010): A potential role of male and female androgen in species recognition in a unisexual-bisexual mating complex. Hormones and Behavior (57): 427-433
- C.R. Gabor, R. Gonzalez, M. Parmley & A.S. Aspbury (2010): Variation in male sailfin molly, preference for female size: does sympatry with sexual parasites, drive preference for smaller conspecifics?. Behav Ecol Sociobiol (64): 783-792
- P.M. Galetti Junior & E.M. Rasch (1993): NOR variability in diploid and triploid forms of the amazon molly *Poecilia formosa* as showing by silver nitrate and chromomycin A3 staining. Rev. Brasil. Genet. (4): 927-938
- S. Gierszewski, M. Keil & K. Witte (2018): Mate-choice copying in the sailfin molly females: public information use from long-distance interactions. Behav Ecol Sociobiol (26): 1-12
- C. Girard (1859): Ichthyological notices. Proc. Acad. Nat. Sci. Phila. (11): 56-90
- C. Girard (1859): Ichthyological notices. Proc. Acad. Nat. Sci. Phila. (April): 113-122
- J.M. Gumm & M. Thaker (2009): Association preferences of unisexual Amazon mollies (*Poecilia formosa*): differential response to swords bases on seks of the bisexual parental species. Behaviour (146): 907-921
- J.M. Gumm et al (2006): Do I know? Species recognition operates within and between the sexes in a unisexual-bisexual species complex of mollies. Ethology (112): 448-457
- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
- C.P. Haskins (1980): The Amazon molly, *Poecilia formosa*. Livebearers (50): 17-18
- C.P. Haskins, E.F. Haskins & R.E. Hewitt (1960): Pseudogamy as an evolutionary factor in the Poeciliid fish *Mollienisia formosa*. Evolution (4): 473-483
- K.U. Heubel (2004): Population ecology and sexual preferences in the mating complex of the unisexual Amazon molly *Poecilia formosa* (Girard, 1859). Thesis (): -125
- K.U. Heubel & I. Schlupp (2006): Turbidity affects association behaviour in male *Poecilia latipinna*. Journal of Fish Biology (68): 555-568
- K.U. Heubel et al. (2008): Geographic variation in female mate-copying in the species complex of a unisexual fish, *Poecilia formosa*. Behaviour (145): 1041-1064
- K.U. Heubel, D.J. Rankin & H. Kokko (2009): How to go extinct by mating too much: population consequences of male mate choice and efficiency in a sexual-aseexual species complex. Oikos (118): 513-520
- H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. DGLZ-Rundschau (4): 14-18
- H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. Poecilia Nieuws (6): 12-18
- H. Hieronimus (2016): Neues uas Wissenschaft und Forschung. DGLZ-Rundschau (3): 122-12
- H. Hieronimus (2019): Neues zur Matrotrophie einiger Lebendgebärender. DGLZ-Rundschau (2): 74-77
- C.L. Hubbs (1933): Species and hybrids of *Mollienisia*. The Aquarium (February): 263-268
- C.L. Hubbs (1955): Hybridization between fish species in nature. Syst. Zool. (1): 1-20
- C. Hubbs (1997): Sperm retention in Poeciliids. Livebearers (146): 9-9
- C. Hubbs & I. Schlupp (2008): Juvenile survival in a unisexual/sexual complex of mollies. Environmental Biology of Fishes (83): 327-330
- C.L. Hubbs & L.C. Hubbs (0): Experimental breeding of the Amazon molly. Viviparous (22): 0-
- C.L. Hubbs & L.C. Hubbs (1932): Apparent parthenogenesis in nature, in a form of fish of hybrid origin. Science (76): 628-630
- C.L. Hubbs & Laura C. Hubbs (1983): Apparent parthenogenesis in nature, in a form of fish of hybrid origin. Science (76): 628-630
- A.O. Janze (1974): Geslachtsbepaling bij *Xiphophorus* en *Poecilia*. Het Aquarium (10): 261-264
- K. de Jong (1994): Nieuwe soorten in Nederland. Poecilia Nieuws (4): 75-78
- S. de Jong (2018): *Poecilia formosa*, ein einzigartiger Molly. Das Lebendgebärenden Magazin (2): 30-32
- T.J. Kawecki (1988): Unisexal/bisexual breeding complex in Poeciliidae: why do males copulate with unisexual females. Evolution (5): 1018-1023
- D. Kim, J. Waller, A.S. Aspbury & C.R. Gabor (2014): Mating preferences of the gynogenetic amazon molly differ between populations sympatric with different host species. Ethology (120): 1053-1061
- H. Kokko, K.U. Heubel & D.J. Rankin (2008): How populations persist when asexuality requires seks: the spatial dynamics of coping with sperm parasites. Proc. R. Soc. Lond. (275): 817-825
- K.E. Körner et all (1999): The role of experience in mating preferences of the unisexual amazon molly. Behaviour (136): 257-268
- I. Kristensen (1956): *Mollienisia formosa*. NGK mededelingen (Jubileumboek): 25-26
- D. Kroll (1997): Anmerkungen zu *Poecilia formosa*. DGLZ-Rundschau (3): 51-52
- D.K. Lamatsch et al (2000): Noninvasive determination of genome size and ploidy level in fishes by flow cytometry: detection of triploid *Poecilia formosa*. Cytometry (39): 91-95
- D.K. Lamatsch et al (2000): Unusual triploid males in a microchromosome-carrying clone of the Amazon molly, *Poecilia formosa*. Cytogenet Cell Genet (91): 148-156
- D.K. Lamatsch et al (2004): Distribution and stability of supernumerary microchromosomes in natural populations of the Amazon molly, *Poecilia formosa*. Cytogenet Genome Res (106): 189-194
- D.K. Lamatsch et al (2009): Diploid amazon mollies (*Poecilia formosa*) show a higher fitness than triploids in clonal competition experiments. Evol Ecol (23): 687-697
- D.K. Lamatsch, M. Schmid & M. Schartl (2002): A somatic mosaic of the gynogenetic Amazon molly. Journal of Fish Biology (60): 1417-1422
- D. Lambert (1998): The livebearer world. Tropical Fish Hobbyist (March): 134-136
- D. Lambert (1998): *Poecilia formosa* (Girard, 1859). Viviparous (41): 0-
- K.P. Lampert (2009): Clonal reproduction in freshwater fish: mechanisms, systematic overview, genetic and ecological consequences. Fundamental and Applied Limnology (3): 245-260
- K.P. Lampert et al (2005): Evidence for a monophyletic origin of triploid clones of the amazon molly, *Poecilia formosa*. Evolution (4): 881-889
- K.P. Lampert et al (2006): Microsatellites for the gynogenetic Amazon molly, *Poecilia formosa*: useful tools for detection of mutation rate, ploidy determination and overall genetic diversity. Journal of genetics (1): 67-71
- K.P. Lampert et al (2008): A tetraploid amazon molly, *Poecilia formosa*. Journal of Heredity (2): 223-226
- K.P. Lampert, P. Fischer & M. Schartl (2009): Major histocompatibility complex variability in the clonal Amazon molly, *Poecilia formosa*: is copy number less important than genotype?. Molecular Ecology (18): 1124-1136
- K. Landmann, J. Parzefall & I. Schlupp (1999): A sexual preference in the Amazon molly, *Poecilia formosa*. Environmental Biology of Fishes (56): 325-331

- R.A. Leggat & G.K. Iwama (2003): Occurrence of polyploidy in the fishes. *Reviews in Fish Biology and Fisheries* (13): 237-246
- S.R. Lewis et al (1999): Comparative study of dentition among species of Poecilia (Pisces). *Journal of Morphology*
- G. Lübon (1997): Poecilia formosa - ohne Seitensprung kein Nachwuchs. *DGLZ-Rundschau* (1): 13-13
- A.M. Makowicz & I. Schlupp (2015): Effects of female-female aggression in a sexual/unisexual species complex. *Ethology* (121): 903-914
- A.M. Makowicz et al (2015): Pre-existing biases for swords in mollies (Poecilia). *Behavioral Ecology* (aug): 1-10
- A.M. Makowicz, L. Murray & I. Schlupp (2020): Size, species and audience type influence heterospecific female-male competition. *Animal Behaviour* (159): 47-58
- C.A. Marler & M.J. Ryan (1997): Origin and maintenance of female mating preference. *Evolution* (4): 1244-1248
- C.A. Marler, C. Foran & M.J. Ryan (1997): The influence of experience on mating preferences of the gynogenetic Amazon molly. *Anim. Behav.* (53): 1035-1041
- S.E. Meek & S.F. Hildebrand (1916): The fishes of these fresh waters of Panama. *Publ. Field Museum of Nat. Hist. Chicago* (15): 217-374
- P.J. Mellegers (1995): De algebra van de voortplanting. *Poecilia Nieuws* (6): 110-113
- P.J. Mellegers & F. Poeser (2004): Die Mathematik der Fortpflanzung. *Das Lebendgebärenden Magazin* (1): 3-5
- R.R. Miller & C. Hubbs (1983): Designation of a lectotype for the Amazones molly, *Poecilia formosa*. *Copeia* (3): 816-817
- W.L. Minckley & R.K. Koehn (1966): Notes on the Poeciliid fishes *Poecilia formosa* and *Gambusia myersi* from the Río Tamesí system, Tamaulipas, México. *Journal of the Arizona Academy of Science* (1): 46-49
- D. Möller (2001): Aspekte zur Populationsgenetik des eingeschlechtlichen Amazonenkäpfchen *Poecilia formosa* (Girard 1859) unter Berücksichtigung der genetischen parentalen Arten. Thesis (): 1-106
- P.J. Monaco, E.M. Rasch and J.S. Balsano (1981): Sperm availability in naturally occurring bisexual-unisexual breeding complexes involving *Poecilia mexicana* and the gynogenetic teleost, *Poecilia formosa*. *Environmental Biology of Fishes* (2): 159-166
- P.J. Monaco, E.M. Rasch and J.S. Balsano (1983): The occurrence of superfatation on the Amazon molly, *Poecilia formosa*, and its releated sexual species. *Copeia* (4): 969-974
- P.J. Monaco, E.M. Rasch and J.S. Balsano (1984): Apomitic reproduction in the amazon molly, *Poecilia formosa* and its triploid hybrids. in: Turner, Bruce J. *Evolutionary Genetics of Fishes* (): 311-328
- W.S. Moore (1984): Evolutionary ecology of unisexual fishes. in: Turner, Bruce J. *Evolutionary Genetics of Fishes* (): 329-398
- I. Nanda et al (2007): Stable inheritance of host species-derived microchromosomes in the gynogenetic fish *Poecilia formosa*. *Genetics* (177): 917-926
- I. Nanda, M. Schartl et. al. (1993): Primitive sex chromosomes in Poeciliid fishes Harbor simple repetitive DNA sequences. *Journal of experimental zoology* (265): 301-308
- I. Nanda, M. Schartl et. al. (1995): Chromosomal evidence for laboratory synthesis of a triploid hybrid between the gynogenetic teleost *Poecilia formosa* and its host species. *Journal of Fish Biology* (47): 619-623
- A. Niemeitz et al (2002): Male mating behaviour of a molly, *Poecilia latipunctata*: a third host for the sperm-dependent Amazon molly, *Poecilia formosa*. *Acta Ethol* (5): 45-49
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- H. Obregón-Barboza, S. Contreras-Balderas & M. Lozano-Vilano (1994): The fishes of northern and central Veracruz, Mexico. *Hydrobiologica* (286): 79-95
- F.N. Poeser (1998): De amazone molly, *Poecilia formosa* (Girard, 1859), een zwemmende biologieles. *Poecilia Nieuws* (2): 27-33
- F.N. Poeser (2003): Der Amazonen Molly, *Poecilia formosa* (Girard 1859), ein schwimmende Biologiestunde. *Das Lebendgebärenden Magazin* (3/4): 43-48
- F.N. Poeser (2008): *Poecilia formosa* (Girard, 1859). *Poecilia Nieuws* (3): 26-27
- F.N. Poeser (2010): *Poecilia formosa* (Girard, 1859). *Poecilia Nieuws* (3): 22-25
- J.R. Poschadel, M. Plath & I. Schlupp (2009): Divergent female mating preference in a clonal fish. *Acta Ethol* (12): 55-60
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. *DGLZ-Rundschau* (2): 12-21
- L. Reding & M.E. Cummings (2015): Does sensory expansion benefit asexual species? An olfactory discrimination test in Amazon mollies. *Behavioral Ecology* (oct): 1-8
- S. Riese (2004): Die Lebendgebärenden der USA. *Das Lebendgebärenden Magazin* (2): 28-32
- E. Ringel (1911): Unsere Lebendgebärenden. (Schluß). *Wochenschrift für Aquarien und Terrarienkunde* (): 290-292
- M.J. Ryan, L.A. Dries, P.Batra & D.M. Hillis (1996): Male mate preferences in a gynogenetic species complex of Amazon mollies. *Anim. Behav.* (52): 1225-1236
- C. van de Sande (1989): Variabiliteit 1. *Poecilia Nieuws* (5): 77-77
- C. van de Sande (1989): Eenslachtige levendbarenden. *Poecilia Nieuws* (4): 60-60
- M. Schartl et al (1994): Evolutionary origin of a parthenoform, the Amazon molly, *P. formosa*, on the basis of a molecular genealogy. *Evolution* (): 0-
- M. Schartl et al (1995): Evolutionary origin of a parthenoform, the Amazon molly *Poecilia formosa*, on the basis of a molecular genealogy. *Evolution* (49): 827-835
- M. Schartl et al (1995): Incorporation of subgenomic amounts of DNA as compensation for mutational load in a gynogenetic fish. *Nature* (373): 68-71
- A. Schartl et al (1997): Susceptibility to the development of pigment cell tumors in a clone of the Amazon molly, *Poecilia formosa*, introduced through a microchromosome. *Cancer Research* (57): 2993-3000
- H. Schaschl, M. Tobler, M. Plath, D.J. Penn & I. Schlupp (2008): Polymorphic MHC loci in an asexual fish, the amazon molly (*Poecilia formosa*; Poeciliidae). *Molecular Ecology* (17): 5220-5230
- I. Schlupp (2005): The evolutionary ecology of gynogenesis. *Annu. Rev. Ecol. Evol. Syst.* (36): 399-417
- I. Schlupp (2010): Mate choice and the amazon molly: how sexuality and unisexuality can coexist. *Journal of Heredity* (201): 55-61
- I. Schlupp & M. Plath (2005): Male mate choice and sperm allocation in a sexual/asexual mating complex of Poecilia (Poeciliidae, Teleostei). *Biol. Lett.* (1): 169-171
- I. Schlupp & M.J. Ryan (1996): Mixed-species shoals and the maintenance of a sexual-asexual mating system in mollies. *Anim. Behav.* (52): 885-890
- I. Schlupp et. al. (1991): Male male choice in mixed bisexual/unisexual breeding complexes of Poecilia. *Ethology* (88): 215-222
- I. Schlupp et. al. (1992): Pseudomale behaviour and spontaneous masculinization in the all-female teleost *Poecilia formosa* (Teleostei: Poeciliidae). *Behaviour* (122): 88-104
- I. Schlupp et. al. (1992): Pseudomale behaviour and spontaneous masculinization in the all-female Teleost *P. formosa*. *Behaviour* (122): 88-104
- I. Schlupp et. al. (1998): Dispensable and indispensable genes in an ameiotic fish, the Amazon molly *Poecilia formosa*. *Cytogenet Cell Genet* (80): 193-198

- I. Schlupp et. al. (2002): Biogeography of the amazon molly, *Poecilia formosa*. Journal of Biogeography (29): 1-6
- I. Schlupp et. al. (2013): Food finding ability in several molly species (*Poecilia* spp.), including the unisexual Amazon molly. Bulletin of Fish Biology (1/2): 75-81
- I. Schlupp, C. Marler & M.J. Ryan (1994): Benefit to male sailfin mollies of mating with heterospecific females. Science (263): 373-374
- I. Schlupp, J. Parzefall & M. Schartl (0): Discrepancy of the actual and potential biogeographical range of the Amazon molly, *Poecilia formosa*. Copeia (): 0-
- I. Schlupp, J. Parzefall & M. Schartl (1991): Male Mate choice in mixed bisexual/unisexual breeding complexes of *Poecilia*. Ethology (88): 215-222
- I. Schlupp, M. Washulewski & M.J. Ryan (1999): Female preferences for naturally-occurring novel male traits. Behaviour (136): 519-527
- I. Schlupp, Parzefall, Epplen & Schartl (1992): Pseudomale behavior and spontaneous masculinization in the all-female teleost *Poecilia formosa*. Behaviour (122): 88-104
- I. Schlupp, Parzefall, Epplen & Schartl (1996): *Limia vittata* as host species for the Amazon molly: no evidence for sexual reproduction. Journal of Fish Biology (48): 792-795
- I. Schlupp, R. Mc Knab & M.J. Ryan (2001): Sexual harassment as a cost for molly females: bigger males cost less. Behaviour (138): 277-286
- I. Schlupp, R. Riesch & M. Tobler (2007): Quick guide Amazon mollies. Current biology (14): 536-537
- S. Schories et al (2007): Analysis of a possible independent origin of triploid *P. formosa* outside of the Río Purificación river system. Frontiers in Zoology (13): 0-
- R.J. Schultz (1989): Origins and Relationships of Unisexual Poeciliids. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 69-87
- R.J. Schultz & K.D. Kallman (1968): Triploid hybrids between the all-female Teleost *Poecilia formosa* and *P. sphenops*. Nature (July): 280-282
- K. Schwarnweber (2009): Trophic niche segregation between sexual and asexual species of the genus *Poecilia*. Thesis (): 1-70
- R.B. Setlow & A.D. Woodhead (2001): Three unique experimental fish stories: *Poecilia* (the past), *Xiphophorus* (the present), and *Medaka* (the future). Mar. Biotechnol. (3): 17-23
- D. Speirs (1989): Livebearer variability. Livebearers (103): 4-5
- D. Speirs (1992): Poeciliid amazons. Livebearers (121): 12-13
- G. Takeshita (0): The "escaped" livebearers in Hawaii. Viviparous (33): 0-
- R. Tiedemann, K. Moll, K.B. Paulus & I. Schlupp (2005): New microsatellite loci confirm hybrid origin, parthenogenetic inheritance, and mitotic gene conversion in the gynogenetic Amazon molly (*Poecilia formosa*). Molecular Ecology Notes (5): 586-589
- M. Tobler (2004): Sex and parasites in a gynogenetic mating complex. Thesis (): 1-90
- M. Tobler (2005): Männer sind gar nicht nötig - oder doch?. DATZ (11): -25
- M. Tobler (2018): Just ask a scientist!. Livebearers (241): 9-11
- M. Tobler & I. Schlupp (2005): Parasites in sexual and asexual mollies (*Poecilia*, Poeciliidae, Teleostei): a case for the red queen?. Biol. Lett. (1): 166-168
- M. Tobler, M. Plath, H. Burmeister & I. Schlupp (2006): Black spots and female association preferences in a sexual/asexual mating complex. Behav Ecol Sociobiol (60): 159-165
- M. Tobler, T. Wahli & I. Schlupp (2005): Comparison of parasite communities in native and introduced populations of sexual and asexual mollies of the genus *Poecilia*. Journal of Fish Biology (67): 1072-1082
- B.J. Turner, B.-L. Brett & R.R. Miller (1980): Interspecific hybridization and the evolutionary origin of a gynogenetic fish, *Poecilia fomosa*. Evolution (5): 917-922
- B.J. Turner, B.-L. Brett & R.R. Miller (1980): Evolutionary genetics of a gynogenetic fish, *Poecilia formosa*, the Amazon molly. Evolution (2): 246-258
- B.J. Turner, J.S. Balsano, P.J. Monaco & E.M. Rasch (1983): Clonal diversity and evolutionary dynamics in a diploid-triploid breeding complex of unisexual fishes (*Poecilia*). Evolution (4): 798-809
- A. Vakirtzis & S.C. Roberts (): Mate choice copying and mate quality bias: different processes, different species. Behavioral Ecology (): 908-911
- W.C. Warren et al (2018): Clonal polymorphism and high heterozygosity in the celibate genome of the Amazon molly. Ecology and Evolution (): 1-14
- K. Witte & J.-G. J. Godin (2009): Mate choice copying and mate quality bias: are they different processes?. Behavioral Ecology (): 193-194
- A.D. Woodhead & C. Carlson (1986): The role of female competition in the mating success of two clones of the Amazon molly, *Poecilia formosa*. J. Fish Biology (29): 227-232
- A.D. Woodhead & P.C. Bryant (1982): A note on the distribution of ectopic thyrid tissue in five species of poecilid fishes. J. Fish Biology (21): 59-62
- F. Zhu, I. Schlupp & R. Tiedemann (2016): Sequence evolution and expression of the androgen receptor and other pathway-related genes in a unisexual fish, the amazon molly, *Poecilia formosa*, and its bisexual ancestors. PlosOne (6): 1-19

Poecilia gillii (Kner & Steindachner, 1866)

- F. Alda, R.G. Reina, I. Doadria & E. Bermingham (2013): Phylogeny and biogeography of the *Poecilia sphenops* species complex (Actinopterygii, Poeciliidae) in Central America. Molecular and Ecology Resources (66): 1011-1026
- E.P. Anderson et al (2006): Ecological consequences of hydropower development in central America: impacts of small dams and water diversion on neotropical stream fish assemblages. River Res. Applic. (22): 397-411
- A. Angulo et al (2017): Fishes from the Tirimbina biological reserve, La Virgen de Sarapiquí, Heredia, Costa Rica. Check List (5): 683-702
- J.C. Bagley & J.B. Johnson (2014): Testing for shared biogeographic history in the lower Central American freshwater fish assemblage using comparative phylogeography: concerned, independent or multiple evolutionary responses. Ecology and Evolution (9): 1686-1705
- J.C. Bagley et al (2015): Assessing species boundaries using multilocus delimitation in a morphologically conserved group of neotropical freshwater fishes, the *Poecilia sphenops* species complex (Poeciliidae). PlosOne (4): 1-30
- M. Bauermeister (1998): Costa Rica Aquaristische Eindrücke zwischen Karibik und Pazifik. Das Aquarium (354): 24-29
- E.H Behre (1928): A list of the fresh water fishes from western Panama between long. 81°45' and 83° 15' W. Annals of the Carnegie Museum (1): 305-328
- D. Bork (1995): Costa Rica 1995 - Teil I. DGLZ-Rundschau (4): 76-80
- C.M. Breder jr. (1927): The Fishes of the Rio Chucunaque drainage, eastern Panama. Bulletin American Museum of Natural History (57): 91-176
- W.A. Bussing (1993): Fish communities and environmental characteristics of a tropical rain forest river in Costa Rica. Rev. Biol. Trop (3): 791-809
- W.A. Bussing & M.I. López S. (1977): Distribución y aspectos ecológicos de los peces de las cuencas hidrográficas de Arenal, Bebedero y Tempisque, Costa Rica. Rev. Biol. Trop (1): 13-37
- M. Chandler, L.J. Chapman & C.A. Chapman (1995): Patchiness in the abundance of metacercariae parasitizing *Poecilia gillii* (Poeciliidae) isolated in pools of an intermittent tropical stream. Environmental Biology of Fishes (42): 313-321
- L.J. Chapman & C.A. Chapman (1992): Variation in the structure of *Poecilia gillii* populations. Copeia (3): 908-914

Livebearer Literature List 202201

- L.J. Chapman & C.A. Chapman (1993): Desiccation, flooding, and the behavior of *Poecilia gillii* (Pisces: Poeciliidae). Ichthyol. Explor. Freshwaters (3): 279-287
- L.J. Chapman & D.L. Kramer (1991): The consequences of flooding for the dispersal and fate of poeciliid fish in an intermittent tropical stream. Oecologia (87): 299-306
- L.J. Chapman, D.L. Kramer & C.A. Chapman (1991): Population dynamics of the fish *Poecilia gillii* (Poeciliidae) in pools of an intermittent tropical stream. The Journal of Animal Ecology (2): 441-453
- G.D. Constantz, W.A. Bussing & W.G. Saul (1981): Freshwater fishes of Corcovado National Park, Costa Rica. Proc. Acad. Nat. Sci. Phila. (133): 15-19
- M. Dekker et al (2020): High degree of multiple paternity and reproductive skew in highly fecund live-bearing fish *Poecilia gillii* (Family Poeciliidae). Frontiers in Ecology and Evolution (September): 1-14
- C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. ZooKeys (708): 25-138
- U. Dost & Kathrin Seegers (1994): Lebengebärende aus Costa Rica. DATZ (8): 485-488
- D. Fromm (1974): 1973 Coas-Fin features Costa Rica expedition. Livebearers (17): 2-9
- D. Fromm (1975): Über Pflege und Zucht einiger Fische aus Costa Rica. Das Aquarium (1): 77-80
- D. Fromm (1978): The 1976 C.O.A.S. - fin features expedition to Costa Rica. Livebearers (40): 2-15
- A.I. Furness, A. Hagnayer & B.J.A. Pollux (2020): Size-dependent male mating tactics and their morphological correlates in *Poecilia gillii*. Biological Journal of the Linnean Society (131): 880-897
- D. Gentzsch (1994): *Poecilia gilli* kam 1985 und *Poeciliopsis turubarensis* 1984 nach Leipzig. DGLZ-Rundschau (4): 80-81
- D. Gentzsch (2011): Waldschutzstreifen an Fließgewässern, eine effektive Möglichkeit zum Biotoperhalt. DGLZ-Rundschau (3): 63-69
- J. Golcher Benavides & M. Protti Quesada (2011): Fish species richness in lowland streams with a geothermal input phenomenon, Sarapiquí de Heredia, Costa Rica. ISRN Ecology (): 1-4
- J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop (1): 165-170
- S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. Zoölogy, Field museum of natural history (4): 215-359
- A. Ho, C.L. Pruitt & J. Lin (2016): Phylogeny and biogeography of *Poecilia* (Cyprinodontiformes: Poeciliinae) across Central en South America base on mitochondrial and nuclear DNA markers. Molecular Phylogenetics and Evolution (101): 32-45
- C.L. Hubbs (1953): Geographic and systematic status of the fishes described by Kner and Steindachner in 1863 and 1865 from fresh waters in Panamá and Ecuador. Copeia (3): 141-148
- P. Jiménez-Prado, D. Rodriguez-Olarte & D. Taphorn (2020): Efectos de la especie invasora *Poecilia gillii* (Cyprinodontiformes: Poeciliidae) sobre *Pseudopoecilia fria* en ríos costeros de la región de Chocó, Ecuador. Rev. Biol. Trop (1): 122-138
- K. de Jong (1993): *Phallichthys amates* pittieri, de pittieri tandkarper (Meek, 1912). Poecilia Nieuws (1): 4-15
- K. de Jong (1994): Een minder bekende levendbarende tandkarper uit Costa Rica. Poecilia Nieuws (2): 27-35
- K. de Jong (2021): Niet alle mannen zijn gelijk. Poecilia Nieuws (2): 27-32
- K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 1. Het Aquarium (3): 78-82
- K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 3. Het Aquarium (5): 129-132
- R. Kner & F. Steindachner (1866): Neue Gattungen und Arten von Fischen aus Central-Amerika. Cl. D. K. Ak. D. Wiss. (II): 24-28
- D. Lambert (0): *Poecilia gillii* (Kner, 1863). Viviparous (44): 0-
- J.B. Lee & J.B. Johnson (2009): Biogeography of the livebearing fish *Poecilia gillii* in Costa Rica: are phylogeographical breaks congruent with fish community boundaries?. Molecular Ecology (18): 4088-4101
- P. Loiselle (1986): Results of the A.C.C.A. Costa Rica collecting trip: fishes from the Rio Sixaola. Livebearers (91): 9-15
- C.L. Lorion (2007): Effects of deforestation and riparian buffers on lotic communities in southeastern Costa Rica: implications for biodiversity conservation in tropical streams. PHD (): 1-128
- R. Lundkvist (2018): Ein fehlender Dorn macht den Unterscheid. DGLZ-Rundschau (4): 147-150
- W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. Zootaxa (2307): 1-38
- M. Palacios et al (2016): Phylogenetic analyses of the subgenus *Mollinessa* (*Poecilia*, Poeciliidae, Teleostei) reveal taxonomic inconsistencies, cryptic biodiversity, and spatio-temporal aspects of diversification in Middle America. Molecular Phylogenetics and Evolution
- J.P. Picado Barboza & G Umaña Villalobos (2018): Fish assemblages and their ecological traits along an elevational gradient in the Río Pacuare, Costa Rica. Revista de Biología Tropical (1): 132-152
- F.N. Poeser (1995): *Poecilia gillii*, een moeilijk hoofdstuk. Poecilia Nieuws (5): 82-85
- F.N. Poeser (1998): *Poecilia gillii*, het Roodkapje van de mollies. Poecilia Nieuws (1): 11-15
- F.N. Poeser (1998): The role of character displacement in the speciation of Central American members of the genus *Poecilia*. Ital J. Zool (65): 145-147
- F.N. Poeser (2002): Ontbijt in het land der goden, deel2: Het avondeten. Poecilia Nieuws (5): 78-82
- F.N. Poeser (2003): Geographic variation in *Poecilia* Bloch and Schneider, 1801 with descriptions of three new species and designation of lectotypes for *P. dovii* Günther, 1866 and for *P. vandepollii* van Lidth de Jeude, 1887. Proceedings of the Biological Society of
- F.N. Poeser (2011): Mijn aquarium. Poecilia Nieuws (1): 20-22
- K. Seeger & U. Dost (1993): *Poecilia gilli* - ein äußerst variabler Lebendgebärender aus Costa Rica. Das Aquarium (september): 0-
- K. Seeger & U. Dost (1993): *Poecilia gillii*. Ein äußerst variable Lebendgebärender aus Costa Rica. Das Aquarium (291): 15-17
- E. Sosna (1994): Costa Rica Links und rechts der Cordilleren de Talamanca Teil II. T.I. Magazin (119): 53-55
- J. Villa (1982): Peces Nicaragüenses de Agua Dulce. Serie Geografía y Naturaleza (3): 125-136
- K.O. Winemiller (1993): Seasonality of reproduction by livebearing fishes in tropical rainforest streams. Oecologia (95): 266-276
- J.T. Wootton & M.P. Oemke (1992): Latitudinal differences in fish community trophic structure, and the role of fish herbivory in a Costa Rican stream. Environmental Biology of Fishes (35): 311-319

Poecilia hispaniolana Rivas, 1978

- F. Alda, R.G. Reina, I. Doadria & E. Bermingham (2013): Phylogeny and biogeography of the Poecilia sphenops species complex (Actinopterygii, Poeciliidae) in Central America. Molecular and Ecology Resources (66): 1011-1026
R.C. Griffiths (2007): Hispaniolan livebearers Part II. Livebearers (194): 17-37
A. Ho, C.L. Pruitt & J. Lin (2016): Phylogeny and biogeography of Poecilia (Cyprinodontiformes: Poeciliinae) across Central en South America base on mitochondrial and nuclear DNA markers. Molecular Phylogenetics and Evolution (101): 32-45
M. Rauchenberger (1988): Historical biogeography of Poeciliid fishes in the Caribbean. Syst. Zool. (4): 356-365
L.R. Rivas (1978): A new species of Poeciliid fish of the genus Poecilia from Hispaniola, with reinstatement and redescription of P.dominicensis (Evermann & Clark). Northeast Gulf Science (2): 98-112
L.R. Rivas (1982): Character displacement and coexistence in two Poeciliid fishes from the genus Poecilia (Mollies) from Hispaniola. Northeast Gulf Science (2): 1-24

Poecilia hondurensis Poeser, 2011

- F. Alda, R.G. Reina, I. Doadria & E. Bermingham (2013): Phylogeny and biogeography of the Poecilia sphenops species complex (Actinopterygii, Poeciliidae) in Central America. Molecular and Ecology Resources (66): 1011-1026
M. Heußen (2012): Zwei neue Lebendgebärende beschrieben. Das Lebendgebärenden Magazin (1): 43-44
H. Hieronimus (2012): Neue Lebendgebärende beschrieben: Poecilia hondurensis und Poecilia waiapi. DGLZ-Rundschau (1): 19-21
F.N. Poeser (2011): A new species of Poecilia from Honduras (Teleostei: Poeciliidae). Copeia (3): 418-422
F.N. Poeser (2011): Poecilia hondurensis Poeser 2011 Een molly uit Honduras met een lange geschiedenis. Poecilia Nieuws (4): 10-13

Poecilia kempkesi Poeser, 2013

- P.H. Bragança & F.P. Ottoni (2021): On the availability of the name Poecilia kempkesi Poeser 2013 (Cyprinodontiformes: Poeciliidae). Zootaxa (2): 294-296
M. Heußen (2014): Op zoek naar een bijzondere guppy. Poecilia Nieuws (1): 18-20
H. Hieronimus (2013): Wie man eine Art (er)findet. DGLZ-Rundschau (1): 23-26
H. Hieronimus (2021): Poecilia kempkesi revidiert. DGLZ-Rundschau (1): 31-34
A. Ho, C.L. Pruitt & J. Lin (2016): Phylogeny and biogeography of Poecilia (Cyprinodontiformes: Poeciliinae) across Central en South America base on mitochondrial and nuclear DNA markers. Molecular Phylogenetics and Evolution (101): 32-45
M. Kempkes (2020): Auf der Suche nach Guppys und "Sumpfguppys" in Surinam. Aquaristik Fachmagazin (274): 44-47
M. Kempkes (2021): Von Guppys und "Sumpfguppys" in Suriname. Das Lebendgebärenden Magazin (1): 40-50
F.N. Poeser (2013): Unsere Guppys und ihre Namen. DATZ (Dec): 22-27
F.N. Poeser (2013): Die Taxonomie von Poecilia kempkesi: Von der Philosophie, der Psychologie und der Notwendigkeit der Beschreibung. Das Lebendgebärenden Magazin (2): 50-53
F.N. Poeser (2013): Over welke guppy heeft u het?. Poecilia Nieuws (2): 20-25
F.N. Poeser (2013): Apropos Guppys.... Das Lebendgebärenden Magazin (1): 36-40
F.N. Poeser (2015): Phänotypen in Suriname. Das Lebendgebärenden Magazin (2): 29-31
F.N. Poeser (2016): Op zoek naar Poecilia kempkesi Poeser, 2013. Poecilia Nieuws (3): 15-21
F.N. Poeser (2017): The Guaina guppy. Personal notes (): -129
F.N. Poeser (2021): Mededelingen werkgroep Poecilia wildvormen. Poecilia Nieuws (1): 31-33

Poecilia koperi Poeser, 2003

- C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. ZooKeys (708): 25-138
F.N. Poeser (2003): Geographic variation in Poecilia Bloch and Schneider, 1801 with descriptions of three new species and designation of lectotypes for P. dovii Günther, 1866 and for P. vandepollii van Lidth de Jeude, 1887. Proceedings of the Biological Society of

Poecilia kykesis Poeser, 2002

- (1994): Mollies. Aqua geographica (4): 80-82
M. Brenner et al (2002): Limnología y paleolimnología de Petén, Guatemala. Revista Universidad del Valle de Guatemala (12): 2-9
R.D. Burroughs (1973): Mollies, durable, graceful and variable. Livebearers (7): 11-11
C. Clapsaddle (2013): Life with livebearers. Maintaining fancy molly strains. Tropical Fish Hobbyist (12): 28-30
C. Clapsaddle (2013): Life with livebearers Blue mollies. Tropical Fish Hobbyist (August): 28-30
C. Clapsaddle (2015): Life with livebearers cold resistance in mollies?. Tropical Fish Hobbyist (5): 26-28
B. & R. Clarke (1985): Poecilia petenensis the spike tail molly. Livebearers (81): 6-7
G. Daul (1989): Mollies aus Mexiko Teil II: Mollies mit großer Rückenflosse. Das Aquarium (Dezember): 746-747
R. Ellermann (2008): The giant sailfin mollies of central America: Poecilia velifera and Poecilia petenensis. Livebearers (200): 22-45
P.C. Esselman & J.D. Allan (2010): Relative influences of catchment- and reach-scale abiotic factors on freshwater fish communities in rivers of northeastern Mesoamerica. Ecology of Freshwater Fish (19): 439-454
A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386

- S.J. Hankison et al. (2006): Morphological divergence within and between the Mexican sailfin mollies, *Poecilia velifera* and *Poecilia petenensis*. *Journal of Fish Biology* (68): 1610-1630
- S.J. Hankison & M.B. Ptacek (2007): Within and between species variation in male mating behaviors in the mexican sailfin molies *Poecilia velifera* and *P. petenensis*. *Ethology* (113): 802-812
- S.J. Hankison & M.B. Ptacek (2008): Geographical variation of genetic and phenotypic traits in the Mexican sailfin mollies, *Poecilia velifera* and *P. petenensis*. *Molecular Ecology* (17): 2219-2233
- S.J. Hankison & M.B. Ptacek (2010): Geographic variation in genetic and morphological structure in the Mexican sailfin mollies, *Poecilia velifera* and *P. petenensis*. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 442-
- M. Holly (1961): *Mollienesia petenensis* Günther. *Die Aquarienfische in Wort und Bild* (editors: M. Holly, H. Meinken & A. Rachow (18Cc)): 1168-1169
- D. Hughes-Phillips (2010): Guatemala trip 2007. *Livebearer News* (30): 11-32
- K. de Jong (1995): Nieuwe soorten in Nederland. *Poecilia Nieuws* (4): 80-80
- K. de Jong (2020): Tabasco 2019 - auf der Suche nach *Carlhubbsia* und *Heterophallus*. *Das Lebendgebärenden Magazin* (2): 23-31
- K. de Jong (2020): Tabasco 2019. Op zoek naar *Carlhubbsia* en *Heterophallus*. *Poecilia Nieuws* (1): 17-22
- M.M. Kittel, M.N. Harvey, S. Contreras-Balderas & M.B. Ptacek (2005): Wild-caught hybrids between sailfin and shortfin mollies (Poeciliidae, Poecilia): morphological and molecular verification. *Hidrobiológica* (15): 131-137
- H.L. Kozak, L.A. Cirino & M.B. Ptacek (2008): Female mating preferences for male morphological traits used in species and mate recognition in the Mexican sailfin mollies, *Poecilia velifera* and *Poecilia petenensis*. *Behavioral Ecology* (Jan): 463-474
- S. Kunath (1984): Der Petenensis oder Schwertmolly. *DGLZ-Rundschau* (1): 1-10
- E. López-López et al. (2009): Spatial and seasonal distribution patterns of fish assemblages in the Río Champotón, southeastern Mexico. *Reviews in Fish Biology and Fisheries* (19): 127-142
- M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, Mexico. *The Southwestern Naturalist* (2): 223-236
- R. Lundkvist (2011): Op zoek naar mollies in Maya land. *Het Aquarium* (6): 20-27
- R. Lundkvist (2013): Do mollies need salt?. *Amazonas* (July/August): 17-18
- M.K. Meyer, K. Schneider, A.C. Radda, B. Wilde & M. Schartl (2004): A new species of *Poecilia*, subgenus *Mollienesia*, from upper río Cahabón system, Guatemala, with remarks on the Nomenclature of *Mollienesia petenensis* Günther, 1866. *Zoologische Abhandlungen*, J. Norton (0): Diversity in mollies. *Viviparous* (16): 0-
- J. Norton (1973): Notes on a giant sailfin molly. *Livebearers* (9): 3-3
- F.N. Poeser (2002): *Poecilia kykesis* nom. Nov., a new name for *Mollienesia petenensis* Günther, 1866, and redescription, revalidation and the designation of a lectotype for *Poecilia petenensis*, Günther, 1866. *Contributions to Zoology* (4): 243-246
- F.N. Poeser (2002): Zomaar visjes kijken?. *Poecilia Nieuws* (4): 73-75
- F.N. Poeser (2010): Molly's en Mollienesia, waarom heet het allemaal *Poecilia* tegenwoordig?. *Poecilia Nieuws* (3): 26-29
- M.B. Ptacek & S.J. Hankison (2010): Evolutionary diversification of mating signals in the Mexican sailfin mollies (Poeciliidae: Poecilia: Mollienesia). In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 279-292
- C. van de Sande (1987): Een verzamelreis naar Guatemala II. *Poecilia Nieuws* (3): 46-48
- J.J. Schmitter-Soto (1999): Distribution of continental fishes in northern Quintana Roo, Mexico. *The Southwestern Naturalist* (2): 166-172
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. *Livebearers* (154): 10-20
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. *ZooKeys* (632): 99-120
- L. Wischnath (0): Beautes indicibles du genre *Poecilia*. *Aquarama* (): 13-15

Poecilia latipinna (LeSeur, 1821)

- (1990): Een Mollienesia uit Afrika. *Poecilia Nieuws* (2): 19-20
- (1994): Vrouwjesvis loopt warm voor overspelig mannetje. *Poecilia Nieuws* (2): 40-40
- (1994): Mollies. *Aqua geographica* (4): 80-82
- (1996): Overspelige mannetjesvis. *Het Aquarium* (9): 224-224
- M. Ah-King & P.A. Gowaty (2016): A conceptual review of mate choice: stochastic demography, within-sex phenotypic plasticity, and individual flexibility. *Ecology and Evolution* (14): 4607-4642
- D. Alderton (2014): Magnificent Mollies. *Popular Fishkeeping* (jan/feb): 68-73
- B. Allen (2000): Crescent fish farm and the development of the black molly. *Livebearers* (164): 45-47
- B. Allen (2006): To salt or not to salt: sailfin mollies and the salt question. *Tropical Fish Hobbyist* (april): 11-12
- R.A. Angus (1989): A Genetic Overview of Poeciliid Fishes. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 51-68
- R.A. Angus (1989): Genetic analysis of melanistic spotting in sailfin mollies. *Livebearers* (108): 8-18
- A.S. Aspbury (2007): Sperm competition effects on sperm production and expenditure in sailfin mollies, *Poecilia latipinna*. *Behavioral Ecology* (18): 776-780
- A.S. Aspbury & C.R. Gabor (2004): Discriminating males alter sperm production between species. *Proc. Natl. Acad. Sci.* (9): 15970-15973
- A.S. Aspbury & C.R. Gabor (2004): Discriminating males alter sperm production between species. *Proc. Natl. Acad. Sci.* (9): 15970-15973
- A.S. Aspbury, C.M. Espinido & C.R. Gabor (2010): Lack of species discrimination based on chemical cues by male sailfin mollies, *Poecilia latipinna*. *Evol Ecol* (24): 69-82
- A.S. Aspbury, J.M. Coyle & C.R. Gabor (2010): Effect of predation on male mating behaviour in a unisexual-bisexual mating system. *Behaviour* (147): 53-63
- H. Auer (2005): Neues aus der Wissenschaft: Von den Partnerschaftsproblemen bei *Poecilia latipinna* unter besonderer Berücksichtigung von *Poecilia formosa*. *DGLZ-Rundschau* (2): 54-59
- J.C. Avise, J.C. Trexler, J. Travis & W.S. Nelson (1991): *Poecilia mexicana* is the recent female parent of the unisexual fish *P. formosa*. *Evolution* (6): 1530-1533
- R.M. Bailey & R.R. Miller (1950): Mollienesia versus Mollienesia as the name for a genus of Poeciliid fishes. *Copeia* (4): 318-318
- R.C. Baird (1974): Aspects of social behavior in *Poecilia latipinna* (Lesueur). *Rev. Biol. Trop.* (21): 399-416

Livebearer Literature List 202201

- J.S. Balsano, E.M. Rasch & P.J. Monaco (1989): The Evolutionary Ecology of *Poecilia formosa* and its triploid Associate. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 277-297
- A.L. Basolo (2002): Congruence between the sexes in preexisting receiver responses. *Behavioral Ecology* (6): 832-837
- L.J. Becker, A.S. Aspbury en C.R. Gabor (2012): Body size dependent male sexual behavior in a natural population of sailfin mollies (*Poecilia latipinna*). *Am. Midl. Nat.* (167): 366-372
- G. de Beurs (1962): Een praatje over Mollienisia. *Guppy* (2): 8-10
- G. de Beurs (1990): Mollienisia latipinna Lesueur. *Poecilia Nieuws* (1): 10-11
- L. Blanchard (1985): Wild sailfin mollies (*Poecilia latipinna*). *Livebearers* (79): 9-10
- L. Blanchard (2000): Colour variations in wild mollies. *Livebearers* (164): 43-44
- S.A. Bortone & R.P. Cody (1999): Morphological masculinization in Poeciliid females from a paper mill effluent receiving tributary of the St. Johns river, Florida, USA. *Bull. Environ. Contam. Toxicol.* (63): 150-156
- S.A. Bortone & W.P. Davis (1994): Fish intersexuality as indicator of environmental stress. *BioScience* (3): 165-172
- J. Bradner & S.P. McRobert (2001): Background colouration influences body colour segregation in mollies. *Journal of Fish Biology* (59): 673-681
- R.D. Burroughs (1973): Mollies, durable, graceful and variable. *Livebearers* (7): 11-11
- C. Clapsaddle (1981): *Poecilia latipinna*. *Livebearers* (58): 3-4
- C. Clapsaddle (1983): Observations on cold resistance in livebearers. *Livebearers* (68): 7-8
- C. Clapsaddle (2001): Culturing sailfin mollies. *Livebearers* (171): 17-22
- C. Clapsaddle (2009): Tales from Goliad Fish Farm. *Livebearer News* (27): 6-16
- C. Clapsaddle (2012): Life with livebearers Bronze and bronze marble sailfin mollies. *Tropical Fish Hobbyist* (12): 34-36
- C. Clapsaddle (2013): Life with livebearers. Maintaining fancy molly strains. *Tropical Fish Hobbyist* (12): 28-30
- C. Clapsaddle (2013): Life with livebearers Blue mollies. *Tropical Fish Hobbyist* (August): 28-30
- C. Clapsaddle (2014): Life with livebearers *Poecilia latipinna*, the Sailfin Molly. *Tropical Fish Hobbyist* (July): 26-28
- C. Clapsaddle (2015): Life with livebearers cold resistance in mollies?. *Tropical Fish Hobbyist* (5): 26-28
- R. Clark (1994): Mollies - challenge of the big four. *Livebearers* (133): 25-28
- J.R. Cooley (2007): Decoding asymmetries in reproductive character displacement. *Proc. Acad. Nat. Sci. Phila.* (156): 89-96
- D. Cooper (2004): Wild mollies in New Zealand. *Livebearers* (181): 21-23
- G.C. Costa & I. Schlupp (2010): Biogeography of the Amazon molly: ecological niche and range limits of an asexual hybrid species. *Global Ecol. Biogeogr.* (19): 442-451
- W.R. Courtenay Jr. & J.E. Deacon (1982): Status of introduced fishes in certain spring systems in southern Nevada. *Great Basin Naturalist* (3): 361-366
- D.P. Croft et al (2006): Social structure and co-operative interactions in a wild population of guppies (*Poecilia reticulata*). *Behav Ecol Sociobiol* (59): 644-650
- G. Daniels (1993): Lebendgebärende Zahnkarpfen in Texas. *DGLZ-Rundschau* (2): 29-35
- R.M. Darnell & P. Abramoff (1968): Distribution of the gynogenetic fish, *Poecilia formosa*, with remarks on the evolution of the species. *Copeia* (2): 354-361
- G. Daul (1989): Mollys aus Mexiko Teil II: Mollys mit großer Rückenflosse. *Das Aquarium* (Dezember): 746-747
- G. Dietrich (1993): Lebendgebärende Zahnkarpfen in Florida. *DGLZ-Rundschau* (3): 52-54
- B. Dowler (1855): Discovery of viviparous fish in Louisiana. *Amer. Jour. Sci. Arts* (ser. 2, vol. 19): 133-136
- J. Dreifur (1924): Mollienisia latipinna, Zucht und Pflege. *Blätter für Aquarien- und Terrarienkunde* (1): 1-3
- L.A. Dries (2003): Peering through a looking glass at a sexual parasite: are amazon mollies red queens?. *Evolution* (6): 1387-1396
- W. Ehnhle (1910): Mollienisia latipinna. *Blätter für Aquarien- und Terrarienkunde* (38): 605-607
- R. Ellermann (2008): The giant sailfin mollies of central America: *Poecilia velifera* and *Poecilia petenensis*. *Livebearers* (200): 22-45
- R.A. Englund et al (2000): Nonindigenous freshwater and estuarine species introductions and their potential to affect sportfishing in the lower stream and estuarine regions of the south and west shores of Oahu, Hawaii. *Bishop Museum Technical Report* (17): 1-121
- S. Evans (1972): Livebearers found in continental U.S. waters. *Livebearers* (4): 11-12
- J.A. Farr & J. Travis (1986): Fertility advertisement by female sailfin mollies, *Poecilia latipinna* (Pisces: Poeciliidae). *Copeia* (2): 467-472
- J.A. Farr & J. Travis (1989): The effect of ontogenetic experience on variation in growth, maturation, and sexual behavior in the sailfin molly, *Poecilia latipinna* (Pisces: Poeciliidae). *Environmental Biology of Fishes* (26): 39-48
- J.A. Farr, J. Travis & J.C. Trexler (1986): Behavioural allometry and interdemographic variation in sexual behaviour of the sailfin molly, *Poecilia latipinna* (Pisces: Poeciliidae). *Anim. Behav.* (34): 497-509
- A.A. Fernando (1991): Diets and feeding regimes of Poeciliid fishes in Singapore. *Asian Fisheries Science* (4): 99-107
- C. Fischer & I. Schlupp (2009): Differences in thermal tolerance in coexisting sexual and asexual mollies (*Poecilia*, Poeciliidae, Teleostei). *Journal of Fish Biology* (74): 1662-1668
- C. Fischer & I. Schlupp (2010): Feeding rates in the sailfin molly *Poecilia latipinna* and its coexisting sexual parasite, the gynogenetic Amazon molly, *Poecilia formosa*. *Journal of Fish Biology* (77): 285-291
- C.M. Foran & M.J. Ryan (1994): Female-female competition in a unisexual/bisexual complex of mollies. *Copeia* (2): 504-508
- B.A. Fraser et al (2014): Phenotypic and genomic plasticity of alternative male reproductive tactics in sailfin mollies. *Proc. R. Soc. B.* (281): 1-7
- M. Friedrich (1909): Mollienisia latipinna Lesueur. *Blätter für Aquarien- und Terrarienkunde* (26): 949-943
- J.G. Frommen et al (2009): Mate-choice copying when both sexes face high costs of reproduction. *Evol Ecol* (23): 435-446
- T. Fuss, S. Nöbel & K. Witte (2019): It's in the eye of the beholder: visual lateralisation in response to the social environment in poeciliids. *Journal of Fish Biology* (94): 759-771
- C. Gabor (1999): Association patterns of sailfin mollies (*Poecilia latipinna*): alternative hypotheses. *Behav Ecol Sociobiol* (46): 333-340

- C.R. Gabor & A. Contreras (2012): Measuring water-borne cortisol in *Poecilia latipinna*: is the process stressful, can stress be minimized and is cortisol correlated with sex steroid release rates?. *Journal of Fish Biology* (81): 1327-1339
- C.R. Gabor & A.S. Aspbury (2008): Non-repeatable mate choice by male sailfin mollies, *Poecilia latipinna*, in a unisexual-bisexual mating complex. *Behavioral Ecology* (19): 871-878
- C.R. Gabor & M.J. Ryan (2001): Geographical variation in reproductive character displacement in mate choice by male sailfin mollies. *Proc. R. Soc. Lond.* (268): 1063-1070
- C. R. Gabor & M.S. Grober (2010): A potential role of male and female androgen in species recognition in a unisexual-bisexual mating complex. *Hormones and Behavior* (57): 427-433
- C.R. Gabor & R. Page (2003): Female preference for large males in sailfin mollies, *Poecilia latipinna*: the importance of predation pressure and reproductive status. *Acta Ethol* (6): 7-12
- C.R. Gabor, M.J. Ryan & D.C. Morizot (2005): Character displacement in sailfin mollies, *Poecilia latipinna*: allozymes and behavior. *Environmental Biology of Fishes* (73): 75-88
- C.R. Gabor, R. Gonzalez, M. Parmley & A.S. Aspbury (2010): Variation in male sailfin molly, preference for female size: does sympatry with sexual parasites, drive preference for smaller conspecifics?. *Behav Ecol Sociobiol* (64): 783-792
- F.P. Gelwick et al (2001): Fish assemblage structure in relation to environmental variation in a Texas Gulf Coastal Wetland. *Estuaries* (2): 285-296
- S. Gierszewski, M. Keil & K. Witte (2018): Mate-choice copying in the sailfin molly females: public information use from long-distance interactions. *Behav Ecol Sociobiol* (26): 1-12
- C. Girard (1858): Notes upon various new genera and new species of fishes, in the museum of the Smithsonian Institution, and collected in connection with the United States and Mexican boundary survey: Major William Emory, commissioner. *Proc. Acad. Nat. Sci. Phila.*
- C. Girard (1859): Ichthyological notices. *Proc. Acad. Nat. Sci. Phila.* (April): 113-122
- A. Girndt et al (2012): Multiple paternity in different populations of the sailfin molly, *Poecilia latipinna*. *Animal Biology* (62): 245-262
- R.J. Gonzalez, J. Cooper & D. Head (2005): Physiological responses to hyper-saline waters in sailfin mollies (*Poecilia latipinna*). *Comparative Biochemistry and Physiology* (142): 397-403
- J.J. de Greef (1990): Ervaring met *Gambusia rhizophorae* Rivas, 1969. *Poecilia Nieuws* (3): 44-47
- H. Greven (2002): Gleich und gleich gesellt sich gern. *DGLZ-Rundschau* (3): 70-71
- H. Greven (2002): Gleich un gesellt sich gern. *Das Aquarium* (7): 22-22
- H. Grier (1976): Sex and growth in male mollies. *Livebearers* (29): 2-4
- H. Grier (2010): Population differences and the annual reproductive cycle in *Poecilia latipinna* (Atherinomorpha, Poeciliidae) (Lesueur, 1821) as affected by photoperiod and temperature. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications.
- R.C. Griffiths (1992): Australian livebearers. *Livebearers* (126): 4-5
- J.M. Gumm & C.R. Gabor (2005): Asexuals looking for sex: conflict between species and mate-quality recognition in sailfin mollies (*Poecilia latipinna*). *Behav Ecol Sociobiol* (58): 558-565
- J.M. Gumm & M. Thaker (2009): Association preferences of unisexual Amazon mollies (*Poecilia formosa*): differential response to swords bases on sex of the bisexual parental species. *Behaviour* (146): 907-921
- J.M. Gumm et al (2006): Do I know? Species recognition operates within and between the sexes in a unisexual-bisexual species complex of mollies. *Ethology* (112): 448-457
- A. Güttel (1967): Ein schwarze Mutante von *Mollienisia latipinna* (?). *Aquarien Terrarien* (7): 242-243
- A. Güttel (1968): Eine schwarze Mutante von *Mollienisia latipinna* (?). *Aquarien Terrarien* (7): 245-245
- D. Hackenberg (2000): Mollies in Florida. *Livebearers* (164): 42-42
- E. Harrison, J.J. Lorenz & J.C. Trexler (2013): Per capita effects of non-native Mayan cichlids (*Cichlasoma urophthalmus*; Gunther) on native fish in the estuarine southern Everglades. *Copeia* (1): 80-96
- C.J. Heede (1918): *Mollienisia latipinna*. *Aquatic Life* (October): 19-20
- K.U. Heubel & I. Schlupp (2006): Turbidity affects association behaviour in male *Poecilia latipinna*. *Journal of Fish Biology* (68): 555-568
- K.U. Heubel & I. Schlupp (2008): Seasonal plasticity in male mating preferences in sailfin mollies. *Behavioral Ecology* (19): 1080-1086
- K.U. Heubel et al. (2008): Geographic variation in female mate-copying in the species complex of a unisexual fish, *Poecilia formosa*. *Behaviour* (145): 1041-1064
- K.U. Heubel, D.J. Rankin & H. Kokko (2009): How to go extinct by mating too much: population consequences of male mate choice and efficiency in a sexual-aseexual species complex. *Oikos* (118): 513-520
- H. Hieronimus (1986): Geschichte der Lebendgebärenden, Teil 6. *DGLZ-Rundschau* (4): 4-5
- H. Hieronimus (1987): De geschiedenis van de levendbarende. *Poecilia Nieuws* (3): 44-45
- H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. *DGLZ-Rundschau* (4): 14-18
- H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. *Poecilia Nieuws* (6): 12-18
- H. Hieronimus (2010): De geschiedenis van de molly kweekvormen. *Poecilia Nieuws* (3): 16-21
- S.E. Hill & M.J. Ryan (2006): The role of model female quality in the mate choice copying behaviour of sailfin mollies. *Biol. Lett.* (2): 203-205
- M. Holly (1961): *Mollienisia latipinna* Lesueur. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 1166-1167
- C.L. Hubbs (1933): Species and hybrids of *Mollienisia*. *The Aquarium* (February): 263-268
- C.L. Hubbs (1936): Fishes of the Yucatan peninsula. *Carnegie Inst. Wash. Pub.* (457): 157-287
- C.L. Hubbs (1984): Species and hybrids of *Mollienisia*. *Livebearers* (75): 8-11
- C. Hubbs (1997): Sperm retention in Poeciliids. *Livebearers* (146): 9-9
- C.L. Hubbs & Laura C. Hubbs (1983): Apparent parthenogenesis in nature, in a form of fish of hybrid origin. *Science* (76): 628-630
- K. Jacobs (1976): Breitflossenkarperling *Poecilia latipinna*, ein prächtiger Lebendgebärender. *Das Aquarium* (1): 16-17
- K. de Jong (2019): Een molly in Griekenland. *Poecilia Nieuws* (1): 13-16
- K. de Jong (2019): Een molly in Griekenland. *Het Aquarium* (6): 29-33
- K. de Jong (2020): Zieke vissen in de aquariumhandel. *Poecilia Nieuws* (5): 18-19
- K. de Jong (2020): Ein Molly in Griechenland. Das Lebendgebärenden Magazin (1): 38-39
- K. de Jong (2021): Kranke Fische in der Aquaristik. Das Lebendgebärenden Magazin (2): 19-21

Livebearer Literature List 202201

- D.S. Jordan & J.O. Snyder (1900): Notes on a collection of fishes from the rivers of Mexico with description of twenty new species. Bulletin of the United States Fish Commission (): 115-147
- D. Kaden (1986): Der Arten und Formenkreis der Mollys. Aquarien Terrarien (9): 302-305
- D. Kim, J. Waller, A.S. Aspbury & C.R. Gabor (2014): Mating preferences of the gynogenetic amazon molly differ between populations sympatric with different host species. Ethology (120): 1053-1061
- W. Köhler (1906): Noch einige Bemerkungen über hochflossige Mollienesia latipinna Lesueur. Blätter für Aquarien- und Terrarienkunde (52): 516-518
- W. Köhler (1906): Kleine Mitteilungen. Neue und selten importierte Fische. Blätter für Aquarien- und Terrarienkunde (19): 189-190
- R. Kolodzey (1992): Wenn ein Aquarianer Urlaub macht.... Das Aquarium (7): 3-5
- N. Koutsikos et al (2017): First confirmed record of an established population of sailfin molly, *Poecilia latipinna* (Actinopterygii: Cyprinodontiformes: Poeciliidae), in Europe. Acta ichthyologica et piscatoria (3): 311-315
- T. Kroeger (2008): Tropicana mollies. Livebearers (201): 11-12
- T. Kroeger (2015): Into the wild! Florida livebearer collecting: The Mollys. Livebearer News (228): 12-27
- K.P. Kumaraguru vasagam, S. Rajagopal & T. Balasubramian (2005): Effect of salinity on gestation period, fry production, and growth performance of the sailfin molly (*Poecilia latipinna* Leseuer) in captivity. Israeli Journal of Aquaculture (3): 191-196
- K. Landmann, J. Parzefall & I. Schlupp (1999): A sexual preference in the Amazon molly, *Poecilia formosa*. Environmental Biology of Fishes (56): 325-331
- T.F. Laughlin & B.J. Turner (1994): Multilocus DNA fingerprinting detects population differentiation in the outbreed and abundant fish species *Poecilia latipinna*. Molecular Ecology (3): 263-266
- J.M. Ledesma & S.P. McRobert (2008): Innate and learned shoaling preferences based on body coloration in juvenile mollies, *Poecilia latipinna*. Ethology (114): 1044-1048
- S.R. Lewis et al (1999): Comparative study of dentition among species of *Poecilia* (Pisces). Journal of Morphology
- H. Lobregt (1992): De black molly. Poecilia Nieuws (4): 21-22
- G. Lübon & Harro Hieronimus (1988): Mollienesia-Standard. DGLZ-Rundschau (1): 11-19
- R. Lundkvist (2010): Fischbiotope in Südflorida. DGLZ-Rundschau (2): 38-44
- R. Lundkvist (2010): Hebben mollies zout nodig?. Het Aquarium (2): 19-23
- R. Lundkvist (2010): Vissen vangen in het meest zuidelijke deel van Florida. Poecilia Nieuws (4): 16-23
- R. Lundkvist (2013): L'impact du sel sur la croissance des Mollys. Le Vivipare (118): 17-21
- R. Lundkvist (2013): Do mollies need salt?. Amazonas (July/August): 17-18
- R. Lundkvist (2015): Poecilia latipinna, le molly voile. Expérience en aquarium et collecte en Floride. Le Vivipare (125): 4-9
- R. Lundkvist (2015): Poecilia latipinna, der Breitflossenkäpfing Erfahrungen aus der Aquarienhaltung und von natürlichen Biotopen in Florida. DGLZ-Rundschau (4): 165-170
- R. Lundkvist (2016): Poecilia latipinna, de zeilvinmollie. Verzamelde aquariumervaringen en reisinfo uit Florida. Het Aquarium (4): 72-77
- J. Luß (1914): Beobachtungen an Mollienesia latipinna (hochflosser). Blätter für Aquarien- und Terrarienkunde (3): 43-45
- A. Maceda-Veiga & J. Cable (2001): Diseased fish in the freshwater trade: from retailers to private aquarists. Diseases of Aquatic Organisms (132): 157-162
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 289-302
- R.D. MacLaren (2006): The effects of male proximity, apparent size, and absolute size on female preference in the sailfin molly, *Poecilia latipinna*. Behaviour (143): 1457-1472
- R.D. MacLaren & W.J. Rowland (2006): Differences in female preference for male body size in *Poecilia latipinna* using simultaneous versus sequential stimulus presentation designs. Behaviour (143): 273-292
- R.D. MacLaren, W.J. Rowland & N. Morgan (2004): Female preferences for sailfin and body size in the sailfin molly, *Poecilia latipinna*. Ethology (110): 363-379
- A.M. Makowicz & I. Schlupp (2015): Effects of female-female aggression in a sexual/unisexual species complex. Ethology (121): 903-914
- A.M. Makowicz et al (2015): Pre-existing biases for swords in mollies (*Poecilia*). Behavioral Ecology (aug): 1-10
- A.M. Makowicz, L. Murray & I. Schlupp (2020): Size, species and audience type influence heterospecific female-male competition. Animal Behaviour (159): 47-58
- A.M. Makowicz, M. Plath & I. Schlupp (2010): Using video playback to study the effect of an audience on male mating behavior in the sailfin molly (*Poecilia latipinna*). Behavioral Processes (85): 36-41
- C.A. Marler & M.J. Ryan (1997): Origin and maintenance of female mating preference. Evolution (4): 1244-1248
- E. Marsh-Matthews, R. Deaton & M. Brooks (2010): Survey of matrotrophy in lecithotrophic poeciliids. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 255-258
- S.B. Martin et al (2009): Life history variation along a salinity gradient in coastal marshes. Aquat Biol (15): 15-28
- F. Mayer (1952): Hoogvin - Mollienesia's. Waterweerde (september): 107-108
- M.G. McManus & J. Travis (1998): Effects of temperature and salinity on the life history of the sailfin molly (Pisces: Poeciliidae): lipid storage and reproductive allocation. Oecologia (114): 317-325
- S.P. McRobert & J. Bradner (1998): The influence of body coloration on shoaling preferences in fish. Anim. Behav. (56): 611-615
- G.K. Meffe & F.F. Snellson, jr. (1993): Lipid dynamics during reproduction in two livebearing fishes, *Gambusia holbrooki* and *Poecilia latipinna*. Can. J. Fish. Aquat. Sci. (50): 2185-2191
- E. Meinema (1993): Zeg nooit nooit; erfelijkheid van melanistisch pigment bij *Gambusia holbrooki*. Poecilia Nieuws (4): 89-94
- M.K. Meyer (1988): Ein Mollienesia aus Afrika. TI (86): 14-14
- D. Möller (2001): Aspekte zur Populationsgenetik des eingeschlechtlichen Amazonenkäpfling *Poecilia formosa* (Girard 1859) unter Berücksichtigung der genetischen parentalen Arten. Thesis (): 1-106
- P.J. Monaco, E.M. Rasch and J.S. Balsano (1983): The occurrence of superfetation on the Amazon molly, *Poecilia formosa*, and its related sexual species. Copeia (4): 969-974
- J. Moreno (1974): Collectin livebearers in Barbados. Livebearers (18): 7-10
- L. Nico (2000): In our own backyard - *Poecilia latipinna* (Lesuer 1821). Livebearers (164): 38-41
- W. Noack (1990): Reiseabenteuer Kanada - USA und zurück Forsetzung. DGLZ-Rundschau (1): 4-10
- F.G. Nordlie (2000): Patterns of reproduction and development of selected resident teleosts of Florida salt marshes. Hydrobiologia (434): 165-182

- F.G. Nordlie, D.C. Hany & S.J. Walsh (1992): Comparisons of salinity tolerances and osmotic regulatory capabilities in populations of sailfin molly (*Poecilia latipinna*) from brackish and fresh waters. *Copeia* (3): 741-746
- J. Norton (0): Diversity in mollies. *Viviparous* (16): 0-
- J. Norton (1994): What are we doing?. *Livebearers* (78): 4-5
- J. Norton (2006): The stardust molly - a red molly at last?. *Livebearers* (187): 22-25
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- H. Obregón-Barboza, S. Contreras-Balderas & M. Lozano-Vilano (1994): The fishes of northern and central Veracruz, Mexico. *Hydrobiologica* (286): 79-95
- J. Parzefall (1969): Zur vergleichenden Ethologie verschiedener Mollienesia-Arten einschliesslich einer Höhlenform von *M. sphenops*. *Behaviour* (1/2): 1-37
- J. Peter (1905): Lebendig gebärende Kärpfinge. *Blätter für Aquarien- und Terrarienkunde* (5): 62-66
- M. Plath et al (2007): Sexual harassment in live-bearing fishes (Poeciliidae): comparing courting and noncourting species. *Behavioral Ecology* (March): 680-688
- F.N. Poeser (2010): Molly's en Mollienesia, waarom heet het allemaal Poecilia tegenwoordig?. *Poecilia Nieuws* (3): 26-29
- F.N. Poeser (2010): Een inleiding tot de molly's. *Poecilia Nieuws* (3): 2-9
- A.C. Price, C.J. Weadick, J. Shim & F.H. Rodd (2008): Pigments, patterns, and fish behavior. *Zebrafish* (4): 297-307
- M.B. Ptacek (1998): Interspecific mate choice in sailfin and shortfin species of mollies. *Anim. Behav.* (56): 1145-1154
- M.B. Ptacek (2002): Patterns of inheritance of mating signals in interspecific hybrids between sailfin and shortfin mollies (Poeciliidae: *Poecilia*: Mollienesia). *Genetica* (116): 329-342
- M.B. Ptacek (2005): Mating signal divergence, sexual selection, and species recognition in Mollies (Poeciliidae: *Poecilia*: Mollienesia). In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 71-87
- M.B. Ptacek & J. Travis (1996): Inter-population variation in male mating behaviours in the sailfin molly, *Poecilia latipinna*. *Anim. Behav.* (52): 59-71
- M.B. Ptacek & J. Travis (1997): Mate choice in teh sailfin molly, *Poecilia latipinna*. *Evolution* (4): 1217-1231
- M.B. Ptacek & J. Travis (1998): Hierarchical patterns of covariance between morphological and behavioural traits. *Animal Behaviour* (56): 1044-1048
- S. Riese (2004): Die Lebendgebärenden der USA. *Das Lebendgebärenden Magazin* (2): 28-32
- E. Ringel (1911): Unsere Lebendgebärenden. (Schluß). *Wochenschrift für Aquarien und Terrarienkunde* (): 290-292
- W. Rolle (1910): Mollienesia latipinna. *Wochenschrift für Aquarien und Terrarienkunde* (): 246-246
- D.E. Rosen (1973): Fishes of the western north Atlantic. Memoir Sears Foundation for Marine Research (6): 229-262
- S. Ross (1976): Effects of hyperbaric pressure on oxygen concentration in the swim bladder of *Poecilia latipinna*. *J. Fish Biology* (8): 1-4
- M.J. Ryan, L.A. Dries, P.Batra & D.M. Hillis (1996): Male mate preferences in a gynogenetic species complex of Amazon mollies. *Anim. Behav.* (52): 1225-1236
- E. Saathoff (1940): Over Xiphophorus helleri Heckel, zijn kruisingsmogelijkheden en andere bijzonderheden. *Aqua Terra* (oktober): 91-94
- E. Saathoff (1940): De zwarte schoonheid. *Aqua Terra* (september): 62-64
- A.O. Saba et al (2020): Species composition and invasion risks of alien ornamental freshwater fishes from pet stores in Klang Valley, Malaysia. *Scientific Reports* (17205): 1-13
- J.L. Sanchez & J.C. Trexler (2018): When is an herbivore not an herbivore? Detritivory facilitates herbivory in a freshwater system. *Ecology and Evolution* (march): 1-15
- C. van de Sande (1988): Grootteverschillen door zoutgehalte. *Poecilia Nieuws* (4): 58-59
- S. Saroch (1977): *Poecilia* (Mollienesia) latipinna oder?. ZAG Lebendgebärende Zahnkarpfen (4): 15-15
- S. Saroch (1978): *Poecilia* (Mollienesia) latipinna - Der Breitflossenkärpfing. ZAG Lebendgebärende Zahnkarpfen (1): 25-26
- H. Schaschl, M. Tobler, M. Plath, D.J. Penn & I. Schlupp (2008): Polymorphic MHC loci in an asexual fish, the amazon molly (*Poecilia formosa*; Poeciliidae). *Molecular Ecology* (17): 5220-5230
- I. Schlupp & M.J. Ryan (1996): Mixed-species shoals and the maintenance of a sexual-aseexual mating system in mollies. *Anim. Behav.* (52): 885-890
- I. Schlupp & M.J. Ryan (1997): Male sailfin mollies (*Poecilia latipinna*) copy the mate choice of other males. *Behavioral Ecology* (1): 104-107
- I. Schlupp et al. (1991): Male male choice in mixed bisexual/unisexual breeding complexes of *Poecilia*. *Ethology* (88): 215-222
- I. Schlupp et. al. (2006): Male size polymorphism and testis weight in two species of mollies (*Poecilia latipinna*, *P. mexicana*, Poeciliidae, Teleostei). *Zeitschrift für Fischkunde* (1/2): 9-16
- I. Schlupp, C. Marler & M.J. Ryan (1994): Benefit to male sailfin mollies of mating with heterospecific females. *Science* (263): 373-374
- I. Schlupp, J. Parzefall & M. Schartl (1991): Male Mate choice in mixed bisexual/unisexual breeding complexes of *Poecilia*. *Ethology* (88): 215-222
- I. Schlupp, M. Washulewski & M.J. Ryan (1999): Female preferences for naturally-occurring novel male traits. *Behaviour* (136): 519-527
- I. Schlupp, R. Mc Knab & M.J. Ryan (2001): Sexual harassment as a cost for molly females: bigger males cost less. *Behaviour* (138): 277-286
- W. Schreitmüller (1920): Mollienesia latipinna Lesueur. *Blätter für Aquarien- und Terrarienkunde* (3): 33-36
- J.H. Schröder (1968): Fische als objekte der Mutationsforschung. *Aquarien Terrarien* (1): 10-13
- K. Schwarnweber (2009): Trophic niche segregation between sexual and asexual species of the genus *Poecilia*. Thesis (): 1-70
- F.J. Schwartz & C.B. Curtin (1954): An unusual condition in the tropical fish Mollienesia latipinna. *Copeia* (3): 233-23
- J.B. Seda, M.J. Childress & M.B. Ptacek (2012): Individual variation in male size and behavioral repertoire in the sailfin molly *Poecilia latipinna*. *Ethology* (118): 411-421
- W. Shirley (2013): From the archives. The golden-blond Mollienesia. *Livebearers* (218): 24-25
- T. Smith (2021): Livebearers unravelled. *Practical Fishkeeping* (2): 48-53
- F.F. Snellson (1985): Size and morphological variation in males of the sailfin molly, *Poecilia latipinna*. *Environmental Biology of Fishes* (1): 35-47
- F.F. Snellson jr., J.D. Wetherington & H.L. Large (1986): The relationship between interbrood interval and yolk loading in a generalized Poeciliid fish, *Poecilia latipinna*. *Copeia* (2): 295-304

- F.F. Snelson, jr. (1982): Indeterminate growth in males of the sailfin molly *Poecilia latipinna*. *Copeia* (2): 296-304
- D. Speirs (1988): Behavior, genetics and growth in livebearers. *Livebearers* (100): 5-7
- D. Speirs (1990): Behavior and genetic variation in mollies. *Livebearers* (111): 8-9
- H. Stallknecht (1972): Albinos sind oft heikel. *Aquarien Terrarien* (9): 284-295
- H. Stallknecht (1972): Albinos sind oft heikel. *Aquarien Terrarien* (9): 294-295
- H. Stallknecht (1983): Große Mollys.... *Aquarien Terrarien* (2): 61-61
- W.S. Sternke (1985): The golden-blond mollienisia. *Livebearers* (81): 7-8
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. *Livebearers* (154): 10-20
- R. Strauss (1990): Heterochronic variation in the developmental timing of cranial ossifications in Poeciliid fishes (Cyprinodontiformes). *Evolution* (6): 1558-1567
- R. Strauss (1994): Heterochronic variation in the developmental timing of cranial ossifications in Poeciliid fishes. *Livebearers* (137): 19-39
- C.A. Le Sueur (1821): Description of a new Genus, and of several new species of fresh water fish, indigenous to the United States. *Journal of the academy of natural sciences of Philadelphia* (2): 2-10
- I.T. Sumner, J. Travis & C. Johnson (1994): Methods of female fertility advertisement and variation among males in responsiveness in the sailfin molly (*Poecilia latipinna*). *Copeia* (1): 27-34
- R. Suttnar (2000): Molly. Schöne und interessante Lebendgebärende. *Das Aquarium* (10): 22-26
- G. Takeshita (0): The "escaped" livebearers in Hawaii. *Viviparous* (33): 0-
- G. Takeshita (1972): The "escaped" livebearers in Hawaii. *Livebearers* (2): 5-9
- M. Tassigny (2013): La cladistique. *Le Vivipare* (115): 4-13
- E.C. Taylor (1995): Introducing: Florida livebearers. *Tropical Fish Hobbyist* (May): 227-242
- R.C. Taylor, J.C. Trexler & W.F. Loftus (2001): Separating the effects of intra- and interspecific age-structured interactions in an experimental fish assemblage. *Oecologia* (127): 143-152
- C.M. Timmerman & L.J. Chapman (2003): The effect of gestational state on oxygen consumption and response to hypoxia in the sailfin molly, *Poecilia latipinna*. *Environmental Biology of Fishes* (68): 293-299
- C.M. Timmerman & L.J. Chapman (2004): Behavioral and physiological compensation for chronic hypoxia in the sailfin molly (*Poecilia latipinna*). *Physiological and Biochemical Zoology* (4): 601-610
- C.M. Timmerman & L.J. Chapman (2004): Hypoxia and interdemic variation in *Poecilia latipinna*. *Journal of Fish Biology* (65): 635-650
- M. Tobler (2004): Sex and parasites in a gynogenetic mating complex. Thesis (): 1-90
- M. Tobler (2005): Breitflossenkarpflinge in ihren natürlichen Habitaten. *DATZ* (10): 64-68
- M. Tobler & I. Schlupp (2005): Parasites in sexual and asexual mollies (*Poecilia*, Poeciliidae, Teleostei): a case for the red queen?. *Biol. Lett.* (1): 166-168
- M. Tobler, M. Plath, H. Burmeister & I. Schlupp (2006): Black spots and female association preferences in a sexual/asexual mating complex. *Behav Ecol Sociobiol* (60): 159-165
- M. Tobler, T. Wahli & I. Schlupp (2005): Comparison of parasite communities in native and introduced populations of sexual and asexual mollies of the genus *Poecilia*. *Journal of Fish Biology* (67): 1072-1082
- J. Travis (1989): Ecological Genetics of Life History Traits in Poeciliid Fishes. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 185-200
- J. Travis & B.D. Woodward (1989): Social context and courtship flexibility in male sailfin mollies *Poecilia latipinna* (Pisces: Poeciliidae). *Anim. Behav.* (38): 1001-1011
- J. Travis, J.C. Trexler & M. Mulvey (1990): Multiple paternity and its correlates in female *Poecilia latipinna*. *Copeia* (3): 722-729
- J. Travis, M.G. McManus & C.F. Baer (1999): Sources of variation in physiological phenotypes and their evolutionary significance. *American Zoologist* (2): 422-433
- D. Treviño Robinson (1959): The ichthyofauna of the lower Rio Grande, Texas and Mexico. *Copeia* (3): 253-256
- J.C. Trexler (1985): Variation in the degree of viviparity in the sailfin molly, *Poecilia latipinna*. *Copeia* (4): 999-1004
- J.C. Trexler (1988): Hierarchical organization of genetic variation in the sailfin molly, *Poecilia latipinna* (Pisces: Poeciliidae). *Evolution* (5): 1006-1017
- J.C. Trexler (1989): Phenotypic Plasticity in Poeciliid Life Histories. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 201-214
- J.C. Trexler (1997): Resource availability and plasticity in offspring provisioning: embryo nourishment in sailfin mollies. *Ecology* (5): 1370-1381
- J.C. Trexler (1997): Resource availability and plasticity in offspring provisioning: embryo nourishment in sailfin mollies. *Ecology* (5): 1370-1381
- J.C. Trexler & D.L. DeAngelis (2003): Resource allocation in offspring provisioning: an evaluation of the conditions favoring the evolution of matrotrophy. *The American Naturalist* (5): 574-585
- J.C. Trexler & J. Travis (1990): Phenotypic plasticity in the sailfin molly, *Poecilia latipinna*. I. Field experiments. *Evolution* (44): 143-156
- J.C. Trexler, J. Travis & A. Dinep (1997): Variation among populations of the sailfin molly in the rate of concurrent multiple paternity and its implications for mating-system evolution. *Behav Ecol Sociobiol* (40): 297-305
- J.C. Trexler, J. Travis & M. Trexler (1990): Phenotypic plasticity in the sailfin molly, *Poecilia latipinna*. II Laboratory experiment. *Evolution* (1): 157-167
- J.C. Trexler, R.C. Tempe & J. Travis (1994): Size-selective predation of sailfin mollies by two species of heron. *Oikos* (69): 250-258
- J.P. Troutman, D.A. Rutherford & W.E. Kelso (2007): Patterns of habitat use among vegetation-dwelling littoral fishes in the Atchafalaya river basin, Louisiana. *Transactions of the American Fisheries Society* (136): 1063-1075
- A. Vakirtzis & S.C. Roberts (): Mate choice copying and mate quality bias: different processes, different species. *Behavioral Ecology* (): 908-911
- J. Vente (1981): De black molly, een fluweelzwarte schoonheid. *Het Aquarium* (3): 71-72
- L.E. Vermeer (1952): Black molly. *Waterwereld (maart)*: 0-
- C. Visser (1972): *Poecilia latipinna*. NGK mededelingen (1): 14-14
- C. Visser (1972): *Poecilia latipinna* (Zeilvinkarper). NGK mededelingen (aug): 14-14
- W.C. Warren et al (2018): Clonal polymorphism and high heterozygosity in the celibate genome of the Amazon molly. *Ecology and Evolution* (): 1-14
- H.-P. Weil (1982): Eine Reise voller Überraschungen (Folge 1). *DGLZ-Rundschau* (2): 20-22

- B. Wichand (1906): Diesjährige Neuheiten in Wort und Bild. II Neuimportierte bzw. erstmalig nachgezüchtete Zahnkarpen (Poeciliidae) 5. Hochflossige Mollienisia latipinna Lesueur. Blätter für Aquarien- und Terrarienkunde (52): 515-516
- L. Wischnath (0): Beutes indicibles du genre Poecilia. Aquarama (): 13-15
- K. Witte & B. Noltemeier (2002): The role of information in mate-choice copying in female sailfin mollies (*Poecilia latipinna*). Behav Ecol Sociobiol (52): 194-202
- K. Witte & J.-G. J. Godin (2009): Mate choice copying and mate quality bias: are they different processes?. Behavioral Ecology (): 193-194
- K. Witte & K. Ueding (2003): Sailfin molly females (*Poecilia latipinna*) copy the rejection of a male. Behavioral Ecology (3): 389-395
- K. Witte & K.B. Klink (2005): No pre-existing bias in sailfin molly females, *Poecilia latipinna*, for a sword in males. Behaviour (142): 283-303
- K. Witte & M.J. Ryan (1998): Male body length influences mate-choice copying in the sailfin molly *Poecilia latipinna*. Behavioral Ecology (5): 534-539
- K. Witte & M.J. Ryan (2002): Mate choice copying in the sailfin molly, *Poecilia latipinna*, in the wild. Anim. Behav. (63): 943-949
- K. Witte & R. Massmann (2003): Female sailfin mollies, *Poecilia latipinna*, remember males and copy the choice of others after 1 day. Anim. Behav. (65): 1151-1159
- Dr. W. Wolterstorff (1912): Ueber eine gelunge Kreuzung zwischen *Poecilia mexicana* Männchen udn Mollienisia latipinna Weibchen. Blätter für Aquarien- und Terrarienkunde (30): 486-486
- J.A. Wood (1973): Molly Notes. Livebearers (11): 10-10
- A.D. Woodhead & C. Carlson (1986): The role of female competition in the mating success of two clones of the Amazon molly, *Poecilia formosa*. J. Fish Biology (29): 227-232
- A.D. Woodhead & P.C. Bryant (1982): A note on the distribution of ectopic thyroïd tissue in five species of poeciliid fishes. J. Fish Biology (21): 59-62
- M. Yanar, E. Erdoğan & M. Kumlu (2019): Thermal tolerance of thirteen popular ornamental fish species. Aquaculture (501): 382-386
- W.-K. Yang et al (2009): Na+/K+-ATPase expression in gills of the euryhaline sailfin molly, *Poecilia latipinna*, is altered in response to salinity change. Journal of Experimental Marine Biology and Ecology (375): 41-50
- F. Zhu, I. Schlupp & R. Tiedemann (2016): Sequence evolution and expression of the androgen receptor and other pathway-related genes in a unisexual fish, the amazon molly, *Poecilia formosa*, and its bisexual ancestors. PlosOne (6): 1-19
- E.J. Zimmerer (1983): Effect of salinity on the size-hierarchy effect in *Poecilia latipinna*, *P. reticulata* and *Gambusia affinis*. Copeia (1): 243-245

Poecilia latipunctata Meek, 1904

- G. Daul (1989): Mollys aus Mexiko Teil I: Mollys mit kleiner Rückenflosse. Das Aquarium (November): 679-684
- I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de voortgang Deel 1. Poecilia Nieuws (5): 105-110
- P.M. Galetti & E.M. Rasch (1993): Chromosome studies in *Poecilia latipunctata* with NOR polymorphism as show by silver nitrate and chromomycin A3 (Teleostei: Poeciliidae). Ichthyol. Explor. Freshwaters (3): 269-277
- M. Holly (1961): Mollienisia latipunctata Meek. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 1167-1168
- C.L. Hubbs (1984): Species and hybrids of Mollienisia. Livebearers (75): 8-11
- K. de Jong (2004): Auf der Suche nach den Schwerträgern Mexiko 2002 (Teil 2). Das Lebendgebärenden Magazin (1): 5-17
- D. Lambert (0): *Poecilia latipunctata* Meek, 1904. Viviparous (37): 0-
- P. Lambert (1992): Endangered species expedition 1992. Livebearers (123): 13-17
- D. Lambert (1997): The livebearer world: Mexican Mollies. Tropical Fish Hobbyist (January): 132-134
- D. Macallister (2009): *Poecilia latipunctata* - a difficult fish. Livebearer News (28): 11-13
- A.M. Makowicz et al (2015): Pre-existing biases for swords in mollies (Poecilia). Behavioral Ecology (aug): 1-10
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- A. Niemeitz et al (2002): Male mating behaviour of a molly, *Poecilia latipunctata*: a third host for the sperm-dependent Amazon molly, *Poecilia formosa*. Acta Ethol (5): 45-49
- F.N. Poeser (2010): The Derivation of the South American species of *Poecilia* Bloch and Schneider, 1801 (Teleostei; Cyprinodontiformes). Viviparous Fishes II red. Uribe & Grier (): 13-30
- M.B. Ptacek & S.J. Hankison (2010): Evolutionary diversification of mating signals in the Mexican sailfin mollies (Poeciliidae: Poecilia: Mollienisia). In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 279-292
- M.B. Ptacek, M.J. Childress & M.M. Kittell (2005): Characterizing the mating behaviours of the Tamesí molly, *Poecilia latipunctata*, a sailfin with shortfin morphology. Animal Behaviour (70): 139-1348
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
- M. Rejliková (2020): Lebendgebärende von Tamaulipas. Das Lebendgebärenden Magazin (1): 30-35
- R. Riesch et al (2021): Aspects of the life history of the Tamesí molly, *Poecilia latipunctata*, from two populations in the Río Tamesí drainage in northeastern Mexico. Revista Mexicana de Biodiversidad (92): 1-8
- L. Seegers & W. Staek (1984): Die Fische der Laguna Media Luna und der Laguna Anteojoitos, Río Verde Mexiko 2. Die Nicht-Cichliden. DATZ (5): 164-168
- L. Seegers & W. Staek (1984): Die Fische der Laguna Media Luna und der Laguna Anteojoitos, Río Verde Mexiko 1. Der Biotope Laguna Media Luna und seine Bedeutung. DATZ (4): 128-131
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (154): 10-20
- G. Takeshita (0): The "escaped" livebearers in Hawaii. Viviparous (33): 0-
- G. Takeshita (1972): The "escaped" livebearers in Hawaii. Livebearers (2): 5-9
- M. Tobler (2004): Sex and parasites in a gynogenetic mating complex. Thesis (): 1-90
- M. Tobler & I. Schlupp (2009): Threatened fishes of the world: *Poecilia latipunctata* Meek, 1904 (Poeciliidae). Environmental Biology of Fishes (85): 31-32
- H.-P. Weil (1982): Eine Reise voller Überraschungen (Folge 2). DGLZ-Rundschau (3): 38-41

Poecilia marcellinoi Poeser, 1995

- F.S. Álvarez, S. González-Murcia, C.D. McMahan & W.A. Matamoros (2021): Cyprinodontiform fishes of El Salvador. UNED Research Journal (1): 1-24
K. de Jong (1994): Nieuwe soorten in Nederland. Poecilia Nieuws (4): 75-78
W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. Zootaxa (2307): 1-38
F.N. Poeser (1995): Nonrandom variation in *Poecilia marcellinoi* n.sp and *P. salvatoris* Regan, 1907 in El Salvador (Pisces, Poeciliidae). Bijdragen tot de Dierkunde (4): 239-252
F.N. Poeser (1995): Poecilia gillii, een moeilijk hoofdstuk. Poecilia Nieuws (5): 82-85
F.N. Poeser (1998): The role of character displacement in the speciation of Central American members of the genus *Poecilia*. Ital J. Zool (65): 145-147
F.N. Poeser (2002): Poecilia maylandi Meyer, 1983, of toch niet? Een overzicht van de Midden Amerikaanse mollies. Poecilia Nieuws (6): 106-111
F.N. Poeser (2002): Ontbijt in het land der goden, deel2: Het avondeten. Poecilia Nieuws (5): 78-82

Poecilia mechthildae Meyer, Etzel & Bork, 2002

- C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. ZooKeys (708): 25-138
J.A. Maldonado-Ocampo, R.P. Vari & J.S. Usma (2008): Checklist of the freshwater fishes of Columbia. Biota Colombiana (2): 143-237
M.K. Meyer, V. Etzel & D. Bork (2002): A new species of *Poecilia*, subgenus *Mollies*, from Columbia, with comments on *Poecilia cuneata* Garman, 1895 and other related taxa. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (52): 49-55

Poecilia mexicana limantouri Jordan & Snyder, 1900

- (1994): Vrouwjesvis loopt warm voor overspelig mannetje. Poecilia Nieuws (2): 40-40
J.C. Bagley et al (2015): Assessing species boundaries using multilocus delimitation in a morphologically conserved group of neotropical freshwater fishes, the *Poecilis sphenops* species complex (Poeciliidae). PlosOne (4): 1-30
G. Daul (1994): Holenmolly's. Poecilia Nieuws (6): 102-104
I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de voortgang Deel 1. Poecilia Nieuws (5): 105-110
I. Dibble (2008): Monterrey to Morelia, Mexico 2006. Livebearers (203): 12-25
H. Fowler (1903): Life colors of *Poecilia limantouri*, and description of a new Heros from Mexico. Proceedings of the Academy of Natural Sciences of Philadelphia (55): 320-323
T. Fuss, S. Nöbel & K. Witte (2019): It's in the eye of the beholder: visual lateralisation in response to the social environment in poeciliids. Journal of Fish Biology (94): 759-771
H. Hieronimus (2018): Hauptsache Gelb-Reproduktive Isolierung bei Schwefelmollys. DGLZ-Rundschau (2+3): 57-61
K. de Jong (2003): Op zoek naar zwaarddragers Mexico 2002 (tweede deel). Poecilia Nieuws (5): 70-82
K. de Jong (2004): Auf der Suche nach den Schwerträgern Mexiko 2002 (Teil 2). Das Lebendgebärenden Magazin (1): 5-17
D.S. Jordan & J.O. Snyder (1900): Notes on a collection of fishes from the rivers of Mexico with description of twenty new species. Bulletin of the United States Fish Commission (): 115-147
D. Kim, J. Waller, A.S. Aspbury & C.R. Gabor (2014): Mating preferences of the gynogenetic amazon molly differ between populations sympatric with different host species. Ethology (120): 1053-1061
D. Lambert (1997): The livebearer world: Mexican Mollies. Tropical Fish Hobbyist (January): 132-134
S.R. Lewis et al (1999): Comparative study of dentition among species of *Poecilia* (Pisces). Journal of Morphology
M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, México. The Southwestern Naturalist (2): 223-236
B.W. Menzel & R. M. Darnell (1973): Systematics of *Poecilia mexicana* in Northern Mexico. Copeia (2): 225-236
D. Möller (2001): Aspekte zur Populationsgenetik des eingeschlechtlichen Amazonenkärpfung *Poecilia formosa* (Girard 1859) unter Berücksichtigung der genetischen parentalen Arten. Thesis (): 1-106
F.N. Poeser (1997): De Mexicaanse mollie, *Poecilia mexicana* Steindachner, 1863. Poecilia Nieuws (4): 70-73
I. Schlupp et. al. (1991): Male male choice in mixed bisexual/unisexual breeding complexes of *Poecilia*. Ethology (88): 215-222
I. Schlupp, J. Parzefall & M. Schartl (1991): Male Mate choice in mixed bisexual/unisexual breeding complexes of *Poecilia*. Ethology (88): 215-222

Poecilia mexicana mexicana Steindachner, 1863

- M. Ah-King & P.A. Gowaty (2016): A conceptual review of mate choice: stochastic demography, within-sex phenotypic plasticity, and individual flexibility. Ecology and Evolution (14): 4607-4642
F. Alda, R.G. Reina, I. Doadria & E. Bermingham (2013): Phylogeny and biogeography of the *Poecilia sphenops* species complex (Actinopterygii, Poeciliidae) in Central America. Molecular and Ecology Resources (66): 1011-1026
F.S. Álvarez, S. González-Murcia, C.D. McMahan & W.A. Matamoros (2021): Cyprinodontiform fishes of El Salvador. UNED Research Journal (1): 1-24
L.R. Arriaga & I. Schlupp (2013): Poeciliid male mate preference is influenced by female size but not by fecundity. PeerJ (): 1-13
H. Auer (2004): Hölenmollys aus Mexiko. DGLZ-Rundschau (4): 90-95
J.C. Avise, J.C. Trexler, J. Travis & W.S. Nelson (1991): *Poecilia mexicana* is the recent female parent of the unisexual fish *P. formosa*. Evolution (6): 1530-1533
J.C. Bagley et al (2015): Assessing species boundaries using multilocus delimitation in a morphologically conserved group of neotropical freshwater fishes, the *Poecilis sphenops* species complex (Poeciliidae). PlosOne (4): 1-30
J.S. Balsano, E.M. Rasch & P.J. Monaco (1989): The Evolutionary Ecology of *Poecilia formosa* and its triploid Associate. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 277-297
A.L. Basolo (2002): Congruence between the sexes in preexisting receiver responses. Behavioral Ecology (6): 832-837
D. Bierbach et al (2013): Homosexual behaviour increases male attractiveness to females. Biol. Lett. (1): -

- D. Bierbach et al (2015): Personality affects mate choice: bolder males show stronger audience effects under high competition. *Behavioral Ecology* (5): 1314-1325
- D. Bierbach et al (2018): Insights into the social behavior of surface and cave-dwelling fish (*Poecilia mexicana*) in light and darkness through the use of a biomimetic robot. *Frontiers in Robotics and AI* (February): 1-9
- N. Böke (2013): Homo's zijn aantrekkelijk. *Poecilia Nieuws* (1): 26-27
- W. Brose (1925): Aus der Rumpelkammer für lebendgebärende Zahnkarpfen. Ein Beitrag zur Pflege und Zucht von *Mollienisia sphenops* var. *mexicana* Steind. *Wochenschrift für Aquarien und Terrarienkunde* (15): 263-266
- C. Clapsaddle (2012): Life with livebearers The shortfin molly (*Poecilia mexicana*). *Tropical Fish Hobbyist* (Oct): 34-36
- J.R. Cooley (2007): Decoding asymmetries in reproductive character displacement. *Proc. Acad. Nat. Sci. Phila.* (156): 89-96
- F. Córdova-Tapia & L. Zambrano (2016): Fish functional groups in a tropical wetland of the Yucatan Peninsula, Mexico. *Neotropical Ichthyology* (2): 1-10
- Z.W. Culumber et al (2014): Variation in melanism and female preference in proximate but ecologically distinct environments. *Ethology* (120): 1090-1100
- R.M. Darnell & P. Abramoff (1968): Distribution of the gynogenetic fish, *Poecilia formosa*, with remarks on the evolution of the species. *Copeia* (2): 354-361
- G. Daul (1989): Mollys aus Mexiko Teil I: Mollys mit kleiner Rückenflosse. *Das Aquarium* (November): 679-684
- M. Dieterich & K.H. Lavoie (2006): Variability in troglomorphic adaptations of a Mexican cavefish, *Poecilia mexicana*, from Tabasco, Mexico. *Plattsburgh State University of New York* (2): 40-43
- L.A. Dries (2003): Peering through a looking glass at a sexual parasite: are amazon mollies red queens?. *Evolution* (6): 1387-1396
- R.A. Englund et al (2000): Nonindigenous freshwater and estuarine species introductions and their potential to affect sportfishing in the lower stream and estuarine regions of the south and west shores of Oahu, Hawaii. *Bishop Museum Technical Report* (17): 1-121
- L.H. Escalera-Vázquez & L. Zambrano (2010): Competition for food between invasive and native viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 293-302
- P.C. Esselman & J.D. Allan (2010): Relative influences of catchment- and reach-scale abiotic factors on freshwater fish communities in rivers of northeastern Mesoamerica. *Ecology of Freshwater Fish* (19): 439-454
- P.C. Esselman, M.C. Freeman & C.M. Pringle (2006): Fish-assemblage variation between geologically defined regions and across a longitudinal gradient in the Monkey River Basin, Belize. *J.N.Am. Benthol. Soc.* (1): 142-156
- M.E. Fontanier & M. Tobler (2009): A morphological gradient revisited: cave mollies vary not only in eye size. *Environmental Biology of Fishes* (86): 285-292
- R. France (1920): Aquarium microscopy. *Aquatic Life* (May): 49-53
- C.M. Franssen et al (2007): Sperm production in an extremophile fish, the cave molly. *Aquat ecol* (): 1-8
- F.J. García de León et al (2019): Especiación ecológica y origen de nuevas especies en el complejo *Poecilia mexicana* basado en estudios de genética. In: *La biodiversidad en Tabasco. Estudio de Estado* (): 425-431
- A. García-Vásquez et al (2017): Triple trouble? Invasive poeciliid fishes carry the introduced tilapia pathogen *Gyrodactylus cichlidarum* in the Mexican highlands. *Veterinary Parasitology* (235): 37-40
- D. Gentzsch & U. Roßdeutscher (2005): Ökomorphologische Variation bei einer Herkunft von *Poecilia mexicana* aus Belize und Verbreitung von *Poecilia teresae*. *DGLZ-Rundschau* (2): 49-53
- G. Gerlach (1908): Neuere lebendgebärende Zahnkarpfen. III. *Poecilia* sp. II. *Wochenschrift für Aquarien und Terrarienkunde* (): 120-121
- M.S. Gordon & D.E. Rosen (1962): A cavernicolous form of the poeciliid fish *Poecilia sphenops* from Tabasco, Mexico. *Copeia* (2): 360-368
- D.W. Greenfield (1990): *Poecilia teresae*, a new species of poeciliid fish from Belize, Central America. *Copeia* (2): 449-454
- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
- J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. *Rev. Biol. Trop* (1): 165-170
- K.U. Heubel et al. (2008): Geographic variation in female mate-copying in the species complex of a unisexual fish, *Poecilia formosa*. *Behaviour* (145): 1041-1064
- K.U. Heubel, D.J. Rankin & H. Kokko (2009): How to go extinct by mating too much: population consequences of male mate choice and efficiency in a sexual-aseexual species complex. *Oikos* (118): 513-520
- H. Hieronimus (2018): *Haupsache Gelb*. *DGLZ-Rundschau* (1): 19-23
- H. Hieronimus (2018): *Haupsache Gelb-Reproduktive Isolierung bei Schwefelmollys*. *DGLZ-Rundschau* (2+3): 57-61
- N. Hill (2015): Magnificent Mexico. *Practical Fishkeeping* (2): 63-57
- A. Ho, C.L. Pruitt & J. Lin (2016): Phylogeny and biogeography of *Poecilia* (Cyprinodontiformes: Poeciliinae) across Central and South America based on mitochondrial and nuclear DNA markers. *Molecular Phylogenetics and Evolution* (101): 32-45
- M. Holly (1961): *Mollienisia sphenops* Cuvier u. Valenciennes. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 1159-1169
- L.D. Hose & J.A. Pisarowicz (1999): Cueva de villa Luz, Tabasco, Mexico: Reconnaissance study of an active sulfur spring cave and ecosystem. *Journal of Cave and Karst Studies* (1): 13-21
- C.L. Hubbs (1935): Fresh-water fishes collected in British Honduras and Guatemala. *University of Michigan Museum of Zoology Miscellaneous Publications* (28): 1-22
- C.L. Hubbs (1936): Fishes of the Yucatan peninsula. *Carnegie Inst. Wash. Pub.* (457): 157-287
- B.L. Joachim et al (2013): Pigment cell retention in cavernicolous populations of *Poecilia mexicana* (Poeciliidae). *Bulletin of Fish Biology* (1/2): 61-73
- K. de Jong (2010): Boedapest. *Poecilia Nieuws* (5): 17-18
- K. de Jong (2010): Molly's in het donker. *Poecilia Nieuws* (3): 30-33
- K. de Jong (2018): Het geslacht Poecilia Molly's met een snor. *Het Aquarium* (6): 4-6
- K. de Jong (2020): Tabasco 2019 - auf der Suche nach Carlhubbsia und Heterophallus. *Das Lebendgebärenden Magazin* (2): 23-31
- R. Jordan, D. Howe, T. Knight & J. Gould (2006): Female choice linked to male dorsal fin height in a shortfin molly. *J Ethol* (24): 301-304
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. *Poecilia Nieuws* (4): 76-86
- D. Kaden (1986): Der Arten und Formenkreis der Mollys. *Aquarien Terrarien* (9): 302-305
- T.J. Kawecki (1988): Unisexual/bisexual breeding complex in Poeciliidae: why do males copulate with unisexual females. *Evolution* (5): 1018-1023
- M.M. Kittel, M.N. Harvey, S. Contreras-Balderas & M.B. Ptacek (2005): Wild-caught hybrids between sailfin and shortfin mollies (Poeciliidae, *Poecilia*): morphological and molecular verification. *Hidrobiológica* (15): 131-137
- H. Kleine (2013): Atlantik mollys können Seks-Appeal und Stärke ihrer Rivalen einschätzen. *Das Lebendgebärenden Magazin* (1): 42-43
- K.E. Körner et all (2006): Spectral sensitivity of mollies: comparing surface- and cave-dwelling Atlantic mollies, *Poecilia mexican*. *Journal of Fish Biology* (69): 54-65

- U. Korte (2012): Lebendgebärende im Exotarium des Frankfurter Zoos. DGLZ-Rundschau (2): 68-76
- K. Kunz (2013): Die Pfütze lebt!. DATZ (Dec): 8-10
- D. Lambert (0): *Poecilia mexicana* Steindachner, 1863. Viviparous (21): 0-
- P. Lambert (1998): The search for the blind cave molly. Viviparous (41): 0-
- K. Landmann, J. Parzefall & I. Schlupp (1999): A sexual preference in the Amazon molly, *Poecilia formosa*. Environmental Biology of Fishes (56): 325-331
- G.Y. Lau et al (2019): Detection of changes in mitochondrial hydrogen sulfide in vivo in the fish model *Poecilia mexicana* (Poeciliidae). Biology Open (8): 1-5
- S.R. Lewis et al (1999): Comparative study of dentition among species of *Poecilia* (Pisces). Journal of Morphology
- E. López-López et al. (2009): Spatial and seasonal distribution patterns of fish assemblages in the Río Champotón, southeastern Mexico. Reviews in Fish Biology and Fisheries (19): 127-142
- S.A. Loveless, M.K. Kittell & M.B. Ptacek (2009): Patterns of inheritance of mating signals in sailfin and shortfin mollies (Poeciliidae: Poecilia: Mollienesia). Ethology (115): 958-971
- S.A. Loveless, W.C. Bridges & M.B. Ptacek (2010): Genetics of species differences in sailfin and shortfin mollies. Heredity (105): 370-383
- R. Lundkvist (2011): Op zoek naar mollies in Maya land. Het Aquarium (6): 20-27
- R. Lundkvist (2018): Kurzflossenmollys in der Natur - manchmal schwer zu identifizieren. DGLZ-Rundschau (2+3): 49-52
- J. Lyons (2017): Adventures among the wild livebearers of Mexico: part 4 the Yucatan Peninsula. Livebearers (236): 7-14
- J. Lyons & N. Mercado-Silva (2004): *Notropis calabazas*: new species from the Río Pánuco basin of Central México. Copeia (4): 868-875
- R.D. MacLaren & W.J. Rowland (2006): Female preference for male lateral projection area in the shortfin molly, *Poecilia mexicana*: evidence for a pre-existing bias in sexual selection. Ethology (112): 678-690
- A.M. Makowicz et al (2015): Pre-existing biases for swords in mollies (Poecilia). Behavioral Ecology (aug): 1-10
- C.A. Marler & M.J. Ryan (1997): Origin and maintenance of female mating preference. Evolution (4): 1244-1248
- E. Marsh-Matthews, R. Deaton & M. Brooks (2010): Survey of matrotrophy in lecithotrophic poeciliids. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 255-258
- M.G. McRae (2001): Microhabitat use in an assemblage of native and introduced stream fishes in Waioa stream, Island of Hawaii. Thesis (): 1-47
- B.W. Menzel & R. M. Darnell (1973): Systematics of *Poecilia mexicana* in Northern Mexico. Copeia (2): 225-236
- M.K. Meyer (1986): Lebendgebärende Aquarienfische vom Rio Axtla in Mexiko. DATZ (2): 61-64
- M.K. Meyer (1986): Levendbarende tandkarpers van de Rio Coy in Mexico. TIH (46): 6-9
- M.K. Meyer (1988): Mexiko 1987, (Teil 2). DGLZ-Rundschau (3): 4-11
- M.K. Meyer (1989): Mexiko Teil 3. DGLZ-Rundschau (1): 4-13
- M.K. Meyer & L. Wischnath (1986): Een nieuwe Xiphophorus uit Noord-Mexico: De Muzquiz-platy. Aquariumwereld (12): 264-265
- M.K. Meyer & L. Wischnath (1987): De Muzquiz-platy, een nieuwe Xiphophorus uit Noord Mexico. Poecilia Nieuws (1): 14-16
- R.R. Miller (1946): The first know cave fish of the family Poeciliidae: a new subspecies of *Poecilia* from the Atlantica drainage of Tabasco, Mexico. Unpublished (): -
- P.J. Monaco, E.M. Rasch and J.S. Balsano (1981): Sperm availability in naturally occurring bisexual-unisexual breeding complexes involving *Poecilia mexicana* and the gynogenetic teleost, *Poecilia formosa*. Environmental Biology of Fishes (2): 159-166
- R. Moncayo-Estrada et al. (2014): Status and trends in biotic integrity in a sub-tropical river drainage: analysis of the fish assemblage over a three decade period. River Res. Applic. (): -
- W. Noack (1989): Reiseabenteuer Kanada USA. DGLZ-Rundschau (4): 12-17
- W. Noack (1999): *Poecilia cf. mexicana*, Fundort Copan: Was ist aus ihm geworden - wo ist er geblieben?. DGLZ-Rundschau (1): 13-14
- J. Norton (1974): The starburst molly - a red molly at last?. Livebearers (18): 2-3
- J. Norton (1994): What are we doing?. Livebearers (78): 4-5
- J. Norton (2006): Domestic livebearers (summary of 1991 ALA convention program). Livebearers (187): 26-30
- J. Novák, L. Kalouš & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- C. Olivera-Tlahuel et al (2019): Placental structures and their association with matrotrophy and superfetation in poeciliid fishes. Acta Zool. (100): 167-181
- L. Padur et al (2009): Do audience effects lead to relaxed male sexual harassment?. Behaviour (146): 1739-1758
- J. Palacio-Núñez et al (2010): Freshwater fish's spatial patterns in isolated water springs in North-eastern Mexico. Rev. Biol. Trop. (1): 413-426
- M. Palacios et al (2013): The rediscovery of a long described species reveals additional complexity in speciation patterns of Poeciliid fishes in sulfide springs. PlosOne (8): 1-16
- M. Palacios et al (2016): Phylogenetic analyses of the subgenus Mollienesia (*Poecilia*, Poeciliidae, Teleostei) reveal taxonomic inconsistencies, cryptic biodiversity, and spatio-temporal aspects of diversification in Middle America. Molecular Phylogenetics and Evolution
- J. Parzefall (1969): Zur vergleichenden Ethologie verschiedener Mollienesia-Arten einschliesslich einer Höhlenform von *M. sphenops*. Behaviour (1/2): 1-37
- J. Parzefall (1970): Morphologische Untersuchungen an einer Höhlenform von Mollienesia sphenops (Pisces, Poeciliidae). Z. Morph. Tiere (68): 323-342
- J. Parzefall (1974): Attraction and sexual cycle of Poeciliids. Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag 1973 (): 177-183
- J. Parzefall (1979): Zur genetik und biologischen Bedeutung des Aggressionsverhaltens von *Poecilia sphenops* (Pisces, Poeciliidae). Z. Tierpsychol. (50): 399-422
- J. Parzefall (2001): A review of morphological and behavioural changes in the cave molly, *Poecilia mexicana*, from Tabasco, Mexico. Environmental Biology of Fishes (62): 263-275
- J. Parzefall, C. Kraus, M. Tobler & M. Plath (2007): Photophilic behaviour in surface- and cave-dwelling Atlantic mollies *Poecilia mexicana* (Poeciliidae). Journal of Fish Biology (71): 1225-1231
- J. Parzefall, U. Gagelmann & M. Schartl (1997): Aggressive behaviour and optomotor response in different populations of *Poecilia mexicana*. Mémoires de Biospéologie (XXIV): 63-69
- M. Pfenninger et al (2015): Unique evolutionary trajectories in repeated adaptation to hydrogen sulphide-toxic habitats of a neotropical fish (*Poecilia mexicana*). Molecular Ecology (24): 5446-5459
- M. Plath & M. Tobler (2006): Coercive mating and gonopodium length in two populations of a livebearing toothcarp (*Poecilia mexicana*): do cave molly males have shorter gonopodia?. Zeitschrift für Fischkunde (1/2): 103-10

- M. Plath & M. Tobler (2007): Sex recognition in surface- and cave-dwelling Atlantic molly females (*Poecilia mexicana*, Poeciliidae, Teleostei): influence of visual and non-visual cues. *Acta Ethol* (10): 81-88
- M. Plath et al (2003): The role of sexual harassment in cave and surface dwelling populations of the Atlantic molly, *Poecilia mexicana* (Poeciliidae, Teleostei). *Behav Ecol Sociobiol* (54): 303-309
- M. Plath et al (2003): Sex recognition in surface and cave dwelling male atlantic mollies *Poecilia mexicana* (Poeciliidae, Teleostei). *Behaviour* (140): 765-781
- M. Plath et al (2004): Sexual selection in darkness? Female mating preferences in surface- and cave-dwelling Atlantic mollies, *Poecilia mexicana* (Poeciliidae, Teleostei). *Behav Ecol Sociobiol* (55): 596-601
- M. Plath et al (2005): Cave molly females (*Poecilia mexicana*, Poeciliidae, Teleostei) like well-fed males. *Behav Ecol Sociobiol* (58): 144-151
- M. Plath et al (2006): Local adaptation and pronounced genetic differentiation in an extremophile fish, *Poecilia mexicana*, inhabiting a Mexican cave with toxic hydrogen sulphide. *Molecular Ecology* (): 1-10
- M. Plath et al (2006): Choosy males from the underground: male mating preferences in surface- and cave-dwelling Atlantic mollies (*Poecilia mexicana*). *Naturwissenschaften* (93): 103-109
- M. Plath et al (2006): Size-dependent male mating behaviour and sexual harassment in a population of Atlantic mollies (*Poecilia mexicana*) from a sulphur creek. *Acta Ethol* (9): 15-21
- M. Plath et al (2007): Survival in an extreme habitat: the roles of behaviour and energy limitation. *Naturwissenschaften* (94): 991-996
- M. Plath et al (2007): Female choice for large body size in the cave molly, *Poecilia mexicana* (Poeciliidae, Teleostei): influence of species- and seks-specific cues. *Behaviour* (144): 1147-1160
- M. Plath et al (2007): Sexual harassment in live-bearing fishes (Poeciliidae): comparing courting and noncourting species. *Behavioral Ecology* (March): 680-688
- M. Plath et al (2008): Audience effect alters mating preferences in a livebearing fish, the Atlantic molly, *Poecilia mexicana*. *Anim. Behav.* (76): 21-29
- M. Plath et al (2008): Male mating behavior and sexual harassment in population hybrids of cave- and surface-dwelling Atlantic mollies (*Poecilia mexicana* Poeciliidae). *Bulletin of Fish Biology* (1/2): 69-80
- M. Plath et al (2009): Do cave mollies (*Poecilia mexicana*) obtain information about the resource value of food patches from shoal mates?. *Bulletin of Fish Biology* (1/2): 109-112
- M. Plath et al (2010): Locally adapted fish populations maintain small-scale genetic differentiation despite perturbation by a catastrophic flood event. *BMC Evolutionary Biology* (10): -
- M. Plath et al (2010): Complementary effect of natural and sexual selection against immigrants maintains differentiation between locally adapted fish. *Naturwissenschaften* (97): 769-774
- M. Plath et al (2011): Giant water bug (*Belostoma* sp.) predation on a cave fish (*Poecilia mexicana*): effects of female body size and gestational state. *Evolutionary Ecology Research* (13): 133-144
- M. Plath, M. Tobler & I. Schlupp (2004): Cave fish looking for mates: A visual mating preference in surface- and cave-dwelling Atlantic mollies (*Poecilia mexicana*, Poeciliidae). *Zeitschrift für Fischkunde* (1): 61-69
- F.N. Poeser (1996): Erfelijkheid en geslachtsbepaling. *Poecilia Nieuws* (6): 147-151
- F.N. Poeser (1997): De Mexicaanse mollie, *Poecilia mexicana* Steindachner, 1863. *Poecilia Nieuws* (4): 70-73
- F.N. Poeser (1998): The role of character displacement in the speciation of Central American members of the genus *Poecilia*. *Ital J. Zool* (65): 145-147
- F.N. Poeser (2014): Op zoek naar de keizer van Yucatan. *Poecilia Nieuws* (2): 28-33
- M.B. Ptacek (1998): Interspecific mate choice in sailfin and shortfin species of mollies. *Anim. Behav.* (56): 1145-1154
- M.B. Ptacek (2002): Patterns of inheritance of mating signals in interspecific hybrids between sailfin and shortfin mollies (Poeciliidae: *Poecilia*: Mollienesia). *Genetica* (116): 329-342
- M.B. Ptacek (2005): Mating signal divergence, sexual selection, and species recognition in Mollies (Poeciliidae: *Poecilia*: Mollienesia). In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 71-87
- K. Qvist & R. Evjeberg (2012): Tamasopo. Das Lebendgebärenden Magazin (2): 26-32
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. *DGLZ-Rundschau* (2): 12-21
- M. Rejlková (2020): Lebendgebärende von Tamaulipas. Das Lebendgebärenden Magazin (1): 30-35
- R. Riesch et al (2006): Influence of male competition on male mating behaviour in the cave molly, *Poecilia mexicana*. *J Ethol* (24): 27-31
- R. Riesch et al (2009): Variation along the shy-bold continuum in extremophile fishes. *Behav Ecol Sociobiol* (63): 1515-1526
- R. Riesch et al (2009): Variation along the shy-bold continuum in extremophile fishes (*Poecilia mexicana*, *Poecilia sulphuraria*). *Behav Ecol Sociobiol* (63): 1515-1526
- R. Riesch et al (2010): Convergent life-history shifts: toxic environments result in big babies in two clades of poeciliids. *Naturwissenschaften* (97): 133-141
- R. Riesch et al (2010): Extreme habitats are not refuges: poeciliids suffer from increased aerial predation risk in sulphidic souther Mexican habitats. *Biological Journal of the Linnean Society* (101): 417-426
- R. Riesch et al (2010): Matrotrophy in the cave molly: an unexpected provisioning strategy in an extreme environment. *Evol Ecol* (24): 789-801
- R. Riesch et al (2011): Shared and unique patterns of embryo development in extremophile Poeciliids. *PlosOne* (11): 1-11
- R. Riesch et al (2016): Sex-specific local life-history adaptation in surfac- and cave-dwelling Atlantic mollies (*Poecilia mexicana*). *Sci. Rep.* (6): 1-12
- R. Riesch, I. Schlupp, M. Tobler & M. Plath (2006): Redaction of the association preference for conspecifics in cave-dwelling Atlantic mollies, *Poecilia mexicana*. *Behav Ecol Sociobiol* (60): 794-802
- R. Riesch, M. Tobler, M. Plath & I. Schlupp (2009): Offspring number in a livebearing fish (*Poecilia mexicana*, Poeciliidae): reduced fecundity and reduced plasticity in a population of cave mollies. *Environmental Biology of Fishes* (84): 89-94
- Dennis Rijnvis (2010): Mexicaanse vis evolueert door religieus ritueel. *Poecilia Nieuws* (5): 8-9
- E. Ringel (1911): Unsere Lebendgebärenden. (Forsetzung). *Wochenschrift für Aquarien und Terrarienkunde* (): 258-260
- R. Rodiles-Hernández, E. Diaz-Pardo & J. Lyons (1999): Patterns in the species diversity and composition of the fish community of the Lacanja River, Chiapas, Mexico. *Journal of Freshwater Ecology* (4): 455-468
- L.E. Ruiz-Cauich et al (2016): Stability vs organization: Potential of a trophic model for the management of shallow tropical streams. *Food Webs* (6): 38-47
- M.J. Ryan, L.A. Dries, P. Batra & D.M. Hillis (1996): Male mate preferences in a gynogenetic species complex of Amazon mollies. *Anim. Behav.* (52): 1225-1236
- G. Salgado-Maldonado & R.F. Pineda-López (2003): The Asian fish tapeworm *Bothrioccephalus acheilognathi*: a potential threat to native freshwater fish species in Mexico. *Biological Invasions* (5): 261-268
- I. Schlupp et. al. (2006): Male size polymorphism and testis weight in two species of mollies (*Poecilia latipinna*, *P. mexicana*, Poeciliidae, Teleostei). *Zeitschrift für Fischkunde* (1/2): 9-16
- I. Schlupp et. al. (2013): Food finding ability in several molly species (*Poecilia* spp.), including the unisexual Amazon molly. *Bulletin of Fish Biology* (1/2): 75-81
- I. Schlupp, M. Washulewski & M.J. Ryan (1999): Female preferences for naturally-occurring novel male traits. *Behaviour* (136): 519-527
- J.J. Schmitter-Soto (1999): Distribution of continental fishes in northern Quintana Roo, Mexico. *The Southwestern Naturalist* (2): 166-172
- W. Schreitmüller (1913): *Poecilia sphenops* Cuv. Et Val. Var. (?). *Blätter für Aquarien- und Terrarienkunde* (42): 684-686

- K. Schwarnweber (2009): Trophic niche segregation between sexual and asexual species of the genus Poecilia. Thesis (): 1-70
- L. Seegers (1985): De watervallen van Tamasopo. TIH (41): 12-15
- L. Seegers & W. Staek (1984): Die Fische der Laguna Media Luna und der Laguna Antejitos, Río Verde Mexiko 2. Die Nicht-Cichliden. DATZ (5): 164-168
- P. Slattery et al (2012): Twelve new microsatellite for the sulphur molly (*Poecilia sulphuraria*) and the related Atlantic molly (*P. mexicana*). Conservation Genet Resour (4): 935-937
- D. Speirs (1990): Behavior and genetic variation in mollies. Livebearers (111): 8-9
- F. Steindachner (1863): Beiträge zur Kenntnis der Sciaenoiden Brasiliens und der Cyprinodonten Mejicos. Sitzber. Der math.-naturw. Classe der K. Akad. d. Wiss. (48): 17-23
- T. Terceira (2014): The Fish in the mirror. Livebearers (223): 12-13
- M. Tobler (2004): Sex and parasites in a gynogenetic mating complex. Thesis (): 1-90
- M. Tobler (2008): Divergence in trophic ecology characterizes colonization of extreme habitats. Biological Journal of the Linnean Society (95): 517-528
- M. Tobler (2008): The evolutionary ecology of *Poecilia mexicana* in the Cueva del Azufre system effects of abiotic and biotic environmental conditions. Thesis (): 1-149
- M. Tobler (2009): Toxic hydrogen sulphide and dark caves; Phenotypic and genetic divergence across two abiotic environmental gradients in *Poecilia mexicana*. Livebearer News (27): 19-23
- M. Tobler (2009): Does a predatory insect contribute to the divergence between cave- and surface-adapted fish populations?. Biol. Lett. (5): 506-509
- M. Tobler & M. Plath (2007): Wenn das Licht ausgeht: Mollys in Extremhabitaten. DATZ (oktober): 76-79
- M. Tobler & M. Plath (2008): Fish from stinking places. Livebearer News (24): 43-53
- M. Tobler et al (2006): Reduction of a visually mediated association preference in the Cave molly. Subterranean Biology (4): 59-65
- M. Tobler et al (2006): Life on the edge: hydrogen sulfide and the fish communities of a Mexican cave and surrounding waters. Extremophiles (10): 577-585
- M. Tobler et al (2007): Extreme habitats as refuge from parasite infections? Evidence from an extremophile fish. Acta Oecologica (31): 270-275
- M. Tobler et al (2008): Toxic hydrogen sulfide and dark caves: phenotypic and genetic divergence across two abiotic environmental gradients in *Poecilia mexicana*. Evolution (): 1-20
- M. Tobler et al (2008): A new and morphologically distinct population of cavernicolous *Poecilia mexicana*. Environmental Biology of Fishes (82): 101-108
- M. Tobler et al (2008): Male-biased predation of a cave fish by a giant water bug. Naturwissenschaften (): 1-5
- M. Tobler et al (2009): Compensatory behaviour in response to sulphide-induced hypoxia affects time budgets, feeding efficiency, and predation risk. Evolutionary Ecology Research (11): 935-948
- M. Tobler et al (2009): Natural and sexual selection against immigrants maintains differentiation among micro-allopatric populations. J. Evol. Biol. (22): 2298-2304
- M. Tobler et al (2009): Reduced opsin gene expression in a cave-dwelling fish. Biol. Lett. (): -
- M. Tobler et al (2010): An indigenous religious ritual selects for resistance to a toxicant in a livebearing fish. Biol. Lett. (): -
- M. Tobler et al (2010): Reduced opsin in gene expression in a cave-dwelling fish. Biol. Lett. (6): 98-101
- M. Tobler, I. Schlupp & M. Plath (2007): Predation of a cave fish (*Poecilia mexicana*, Poeciliidae) by a giant water-bug (*Belostoma*, Belostomatidae) in a Mexican sulphur cave. Ecological Entomology (32): 492-495
- M. Tobler, I. Schlupp & M. Plath (2008): Does divergence in female mate choice affect male size distributions in two cave fish populations?. Biol. Lett. (4): 452-454
- M. Tobler, K. Wiedemann & M. Plath (2005): Homosexual behaviour in a cavernicolous fish, *Poecilia mexicana* (Poeciliidae, Teleostei). Zeitschrift für Fischkunde (2): 95-99
- M. Tobler, M. Plath, H. Burmeister & I. Schlupp (2006): Black spots and female association preferences in a sexual/asexual mating complex. Behav Ecol Sociobiol (60): 159-165
- E. Trajano (2001): Ecology of subterranean fishes: an overview. Environmental Biology of Fishes (62): 133-160
- J. Travis et al (1989): Environmental effects on adult growth patterns in the male sailfin molly, *Poecilia latipinna* (Poeciliidae). Environmental Biology of Fishes (26): 119-127
- B.J. Turner, J.S. Balsano, P.J. Monaco & E.M. Rasch (1983): Clonal diversity and evolutionary dynamics in a diploid-triploid breeding complex of unisexual fishes (Poecilia). Evolution (4): 798-809
- A. Vakirtzis & S.C. Roberts (): Mate choice copying and mate quality bias: different processes, different species. Behavioral Ecology (): 908-911
- P. Veenvliet (2015): Vuurbuikpadjes tussen het eikenblad. Het Aquarium (11): 30-38
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
- L.H. Walters & V. Walters (1965): Laboratory observations on a cavernicolous Poeciliid from Tabasco, Mexico. Copeia (2): 214-223
- W.C. Warren et al (2018): Clonal polymorphism and high heterozygosity in the celibate genome of the Amazon molly. Ecology and Evolution (): 1-14
- H.-P. Weil (1982): Eine Reise voller Überraschungen (Folge 1). DGLZ-Rundschau (2): 20-22
- L. Wischnath (1987): "Wilde Mexikaner". Aquarien Magazin (9): 347-350
- Dr. W. Wolterstorff (1912): Ueber eine gelunge Kreuzung zwischen *Poecilia mexicana* Männchen udn Mollienisia latipinna Weibchen. Blätter für Aquarien- und Terrarienkunde (30): 486-486
- A.D. Woodhead & C. Carlson (1986): The role of female competition in the mating success of two clones of the Amazon molly, *Poecilia formosa*. J. Fish Biology (29): 227-232
- F. Zhu, I. Schlupp & R. Tiedemann (2016): Sequence evolution and expression of the androgen receptor and other pathway-related genes in a unisexual fish, the amazon molly, *Poecilia formosa*, and its bisexual ancestors. PlosOne (6): 1-19
- M. Ziege et al (2009): Audience effects in the Atlantic molly (*Poecilia mexicana*)-prudent male mate choice in response to perceived sperm competition risk?. Frontiers in Zoology (17): -
- C. Zimmer et al (2018): Female choice undermines the emergence of strong sexual isolation between locally adapted populations of Atlantic mollies (*Poecilia mexicana*). Genes (232): 1-30

Poecilia minima Costa & Sarraf, 1997

- P.H.N. Bragança, W.J.E.M. Costa & C.S. Gama (2011): *Poecilia waiapi*, a new poeciliid from the Jari river drainage, northern Brazil (Cyprinodontiformes: Cyprinodontoidei). Ichthyol. Explor. Freshwaters (4): 337-343
- W.J.E.M. Costa & A. Sarraf (1997): *Poecilia (Lebistes) minima*, a new species of neotropical poeciliid fish from the Brazilian Amazon. Ichthyol. Explor. Freshwaters (8): 185-191
- M. Hellweg (2007): *Poecilia minima*. Livebearers (194): 4-7

- M. Hellweg (2015): Mike's fishroom A miniature conundrum: Poecilia obscura or Poecilia minima?. Livebearers (229): 20-21
H. Hieronimus (1998): Poecilia minima, ein neuer Lebendgebärender. DGLZ-Rundschau (1): 7-9
H. Hieronimus (2010): Der kleine Vetter: Micropoecilia minima. DGLZ-Rundschau (3): 73-74
H. Hieronimus (2010): Micropoecilia züchten, immer noch eine Herausforderung. DGLZ-Rundschau (3): 85-87
H. Hieronimus (2010): De nominellen Arten der Gattung Micropoecilia. DGLZ-Rundschau (3): 60-63
F.N. Poeser (1998): Poecilia (Lebistes) minima of ook wel: de kleinere Zuid Amerikaanse soorten van de Poeciliini. Poecilia Nieuws (3): 36-39
S. Riese (2005): Die Arten der Gattung Micropoecilia. Das Lebendgebärenden Magazin (3&4): 6-15
A. Slinger & J. v. d. Wind (2008): Poecilia (Micropoecilia) minima Costa & Sarraf, 1997. Poecilia Nieuws (3): 16-17

Poecilia nelsoni (Meek, 1904)

- F.S. Álvarez, S. González-Murcia, C.D. McMahan & W.A. Matamoros (2021): Cyprinodontiform fishes of El Salvador. UNED Research Journal (1): 1-24

Poecilia obscura Schories, Meyer & Schartl, 2009

- D. Gentzsch (2010): Poecilia obscura und exakte Fundortangaben zum Campona-Guppy. DGLZ-Rundschau (2): 51-53
M. Hellweg (2015): Mike's fishroom A miniature conundrum: Poecilia obscura or Poecilia minima?. Livebearers (229): 20-21
M. Herdegen et al (2014): Population structure of guppies in north-eastern Venezuela, the area of putative incipient speciation. BMC Evolutionary Biology (28): 1-13
H. Hieronimus (2014): Poecilia wingei und Poecilia reticulata - doch nur eine Guppy-Art?. DGLZ-Rundschau (2): 53-55
M. Kempkes (2010): Poecilia obscura - die dritte Guppy-Art ist beschrieben. Aquaristik Fachmagazin (211): 103-104
M. Kempkes (2010): Befriffst: Zahnkarpfen (DATZ 12/2009). DATZ (2): 73-73
R. Lundkvist (2014): Gaudy-Guppy-nach Tobago der Guppies wegen. DGLZ-Rundschau (3): 93-100
E.A. Nikulina & U. Schmölcke (2013): Ein kleiner Fisch im Fokus der Wissenschaft - wie viele Guppyarten gibt es?. Das Lebendgebärenden Magazin (1): 18-21
F.N. Poeser (2010): En toen waren er drie. Poecilia Nieuws (1): 14-18
F.N. Poeser (2013): Unsere Guppies und ihre Namen. DATZ (Dec): 22-27
F.N. Poeser (2013): Die Taxonomie von Poecilia kempkesi: Von der Philosophie, der Psychologie und der Notwendigkeit der Beschreibung. Das Lebendgebärenden Magazin (2): 50-53
F.N. Poeser (2013): Over welke guppy heeft u het?. Poecilia Nieuws (2): 20-25
F.N. Poeser (2021): Mededelingen werkgroep Poecilia wildvormen. Poecilia Nieuws (1): 31-33
S. Schories & M. Schartl (2013): Poecilia obscura A cryptic species in the guppy complex. Livebearers (220): 18-19
S. Schories & M. Schartl (2013): Eine kryptische Spezies im Guppy-Artenkomplex Poecilia obscura. Das Lebendgebärenden Magazin (1): 29-33
S. Schories, M.K. Meyer & M. Schartl (2009): Description of Poecilia (Acanthophacelus) obscura n.sp., (Teleostei: Poeciliidae), a new guppy species from western Trinidad, with remarks on P. wingei and the status of the "Endler's guppy". Zootaxa (2266): 35-50
E. van Wirdum (2009): Guppy nieuws. Poecilia Nieuws (5): 24-25

Poecilia orri Fowler, 1943

- F. Alda, R.G. Reina, I. Doadria & E. Birmingham (2013): Phylogeny and biogeography of the Poecilia sphenops species complex (Actinopterygii, Poeciliidae) in Central America. Molecular and Ecology Resources (66): 1011-1026
J.C. Bagley et al (2015): Assessing species boundaries using multilocus delimitation in a morphologically conserved group of neotropical freshwater fishes, the Poecilia sphenops species complex (Poeciliidae). Plos One (4): 1-30
F. Córdova-Tapia & L. Zambrano (2016): Fish functional groups in a tropical wetland of the Yucatan Peninsula, Mexico. Neotropical Ichthyology (2): 1-10
C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. ZooKeys (708): 25-138
P.C. Esselman & J.D. Allan (2010): Relative influences of catchment- and reach-scale abiotic factors on freshwater fish communities in rivers of northeastern Mesoamerica. Ecology of Freshwater Fish (19): 439-454
H. Fowler (1943): A new poeciliid fish from Honduras. Notulae Naturae of the Academy of Natural Sciences of Philadelphia (April): 1-3
H. Fowler (1950): Results of the Catherwood-Chaplin West Indies expedition, 1948. Part III The Fishes. Proc. Acad. Nat. Sci. Phila. (52): 69-90
K. de Jong (1994): Nieuwe soorten in Nederland. Poecilia Nieuws (4): 75-78
K. de Jong (2010): Poecilia orri Fowler, 1943. Poecilia Nieuws (4): 24-25
K. de Jong & F. Poeser (1997): Poecilia orri Fowler, 1943, een zelden gehouden 'kortvin' molly. Poecilia Nieuws (2): 22-31
K. de Jong & F. Poeser (1998): Poecilia orri Fowler 1943, een zelden gehouden "kortvin" - mollie. Het Aquarium (6): 150-153
K. de Jong & F. Poeser (2003): Poecilia orri Fowler, 1943, ein selten gepflegerter "kurzflossiger" Molly. Das Lebendgebärenden Magazin (1): 3-12
K. de Jong & F. Poeser (2007): Poecilia orri Fowler 1943 ein selten gepflegerter "kurzflossiger" Molly. Aqua Terra Austria (November): 8-9
B. Kabbes (1998): Vangreis naar Mexico 1997, conclusies en bevindingen. Poecilia Nieuws (5): 72-80
B. Kabbes, S. Kabbes en F. Poeser (1998): Nogmaals een hoofdrol: Poecilia orri Fowler, 1943. Poecilia Nieuws (6): 102-105
D. Kaden (1979): Poecilia orri. Aquarien Terrarien (10): 355-355
M.M. Kittel, M.N. Harvey, S. Contreras-Balderas & M.B. Ptacek (2005): Wild-caught hybrids between sailfin and shortfin mollies (Poeciliidae, Poecilia): morphological and molecular verification. Hidrobiológica (15): 131-137

Livebearer Literature List 202201

- R. Lundkvist (2009): Do mollies need salt?. Livebearer News (28): 14-19
R. Lundkvist (2010): Hebben mollies zout nodig?. Het Aquarium (2): 19-23
R. Lundkvist (2011): Op zoek naar mollies in Maya land. Het Aquarium (6): 20-27
R. Lundkvist (2013): Do mollies need salt?. Amazonas (July/August): 17-18
R. Lundkvist (2014): Der Mangrovenmolly Poecilia orri - Farbige Männchen und rätselhafte Verbreitung. DGLZ-Rundschau (3): 101-108
R. Lundkvist (2014): The mystery of the mangrove molly. Tropical Fish Hobbyist (May): 64-65
R. Lundkvist (2015): De mangrovemolly Poecilia orri. Poecilia Nieuws (2?): 13-17
J.A. Maldonado-Ocampo, R.P. Vari & J.S. Usma (2008): Checklist of the freshwater fishes of Columbia. Biota Colombiana (2): 143-237
W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. Zootaxa (2307): 1-38
R.R. Miller (1974): Classification of the mangrove molly. Livebearers (14): 4-6
R.R. Miller (2003): Classification of the mangrove molly. Livebearers (178): 8-11
H. Mück (2001): Providencia - eine unbekannte Karibikinsel. DGLZ-Rundschau (4): 77-84
H. Mück & M.K. Meyer (2000): Molly und Gambuse Lebendgebärende Zahnkarpfen von Isla de Providencia. Das Aquarium (12): 22-25
P. Mudde (1998): Overleven gaat niet over rozen. Onder het palmblad (2): 32-34
J. Norton (1974): The starburst molly - a red molly at last?. Livebearers (18): 2-3
J. Norton (1994): What are we doing?. Livebearers (78): 4-5
J. Norton (2006): The stardust molly - a red molly at last?. Livebearers (187): 22-25
F. Padmos (2017): Het Yucatan schiereiland in Mexico. Poecilia Nieuws (4): 14-26
F. Padmos (2018): Het Yucatan schiereiland in Mexico deel 2. Poecilia Nieuws (2): 26-29
F. Padmos (2019): Die Yucatán-Halbinsel in Mexiko. Das Lebendgebärenden Magazin (1): 15-29
M. Plath et al (2007): Sexual harassment in live-bearing fishes (Poeciliidae): comparing courting and noncourting species. Behavioral Ecology (March): 680-688
F. Poeser & K. de Jong (1999): Il Molly delle mangrovie. Aquarium (I) (2): 36-44
M.B. Ptacek (1998): Interspecific mate choice in sailfin and shortfin species of mollies. Anim. Behav. (56): 1145-1154
J.J. Schmitter-Soto (1999): Distribution of continental fishes in northern Quintana Roo, Mexico. The Southwestern Naturalist (2): 166-172
E. Vázquez-Domínguez et al (2009): Contrasting genetic structure in two codistributed freshwater fish species of highly seasonal systems. Revista Mexicana de Biodiversidad (80): 181-192

Poecilia pallida De Buen, 1943

- D. Bork (1984): Ein neuer Mollie aus Mexiko: Poecilia maylandi, Meyer 1983 (1). ZAG Lebendgebärende Zahnkarpfen (2): 7-8
G. Daul (1989): Mollys aus Mexiko Teil I: Mollys mit kleiner Rückenflosse. Das Aquarium (November): 679-684
H. Hieronimus (1985): Das Rätsel um Poecilia maylandi ist gelöst!. DATZ (9): 430-430
H. Hieronimus & E. Hnilicka (1984): Rätsel um Poecilia maylandi Meyer, 1983. DATZ (12): 449-451
D. Kaden (1986): Der Arten und Formenkreis der Mollys. Aquarien Terrarien (9): 302-305
H.H. Mejía-Madrid et al. (2015): Relationship between environmental and geographic factors and the distribution of exotic fishes in tributaries of the Balsas river basin, Mexico. Environmental Biology of Fishes (98): 611-621
M.K. Meyer (1983): Une nouvelle espèce de Poecilia du Guerrero, Mexique. Revue française d'aquariologie herpetologie (10): 55-58
C. Meyer & M.K. Meyer (1999): Fischfang am Rio Balsas - in Mexiko bei den Cuitlaken und Mixteken. Das Aquarium (355): 19-21
F.N. Poeser (2000): Belevenissen met Poecilia maylandi Wie het weet mag het zeggen. Poecilia Nieuws (6): 114-115
F.N. Poeser (2002): Poecilia maylandi Meyer, 1983, of toch niet? Een overzicht van de Midden Amerikaanse mollies. Poecilia Nieuws (6): 106-111
F.N. Poeser (2004): Poecilia pallida De Buen, 1943. Poecilia Nieuws (2): 23-26
L. Wischnath (1985): Een nieuwe mollie uit Mexico, Poecilia maylandi Meyer, 1983. Poecilia Nieuws (5): 66-68

Poecilia parae (Eigenmann, 1894)

- J.P. Arnold (1988): Poecilia amazonica Garman. DGLZ-Rundschau (2): 21-22
G. de Beurs (1959): De Micropoecilia. Guppy (4): 3-4
O. Böhm (1993): The little known livebearing toothcarp. Livebearers (132): 9-11
O. Böhm (2003): The little known livebearing toothcarp. Livebearer News (3/4): 30-32
D. Bork (1994): Raritäten unter den Lebendgebärenden Zahnkarpfen. Das Aquarium (297): 12-13
G.R. Bourne & L.C. Watson (2009): Receiver-bias implicated in the nonsexual origin of female mate choice in the pentamorphic fish Poecilia parae Eigenmann, 1894. AACL Bioflux (3): 299-317
G.R. Bourne, F. Breden & T.C. Allen (2003): Females prefer carotenoid colored males as mates in the pentamorphic livebearing fish, Poecilia parae. Naturwissenschaften (90): 402-405
W.J.M. Deutz (1951): Bestaat er een koningsguppi?. Waterweerde (december): 151-152

- E.O. Drachenfels (2002): Kleine Lebendgebärende Zahnkarpfen aus dem nördlichen Südamerika. *Aquaristik-Aktuell* (2): 32-34
- S. Garman (1895): The Cyprinodonts. *Mem. Mus. Comp. Zoöl.* (1): 1-179
- C.P. Haskins & E. Haskins (1949): The role of sexual selection as an isolating mechanism in three species of Poeciliid fishes. *Evolution* (2): 160-169
- M. Hellweg (2013): Mike's fishroom. And now for something completely different.... *Livebearers* (218): 18-19
- A.W. Henn (1916): On various south American poeciliid fishes. *Annals of the Carnegie Museum* (): 93-145
- H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. *DGLZ-Rundschau* (4): 14-18
- H. Hieronimus (2010): Der Para-Kärpfing: Kaum einer ist wandlungsfähiger. *DGLZ-Rundschau* (3): 75-77
- H. Hieronimus (2010): Die Gattung Micropoecilia. *DGLZ-Rundschau* (3): 59-59
- H. Hieronimus (2010): De nominellen Arten der Gattung Micropoecilia. *DGLZ-Rundschau* (3): 60-63
- H. Hieronimus (2012): Das Rätsel um Poecilia amazonica ist gelöst. *DGLZ-Rundschau* (1): 21-22
- H. Hieronimus (2021): Zur guter Letzt. *DGLZ-Rundschau* (2): 95-95
- J.L. Hurtado-Gonzales & J.A.C. Uy (2009): Alternative mating strategies may favour the persistence of a genetically based colour polymorphism in a pentamorphic fish. *Anim. Behav.* (77): 1187-1194
- J.L. Hurtado-Gonzales, D.T. Baldassarre & J.A.C. Uy (2010): Interaction between female mating preferences and predation may explain the maintenance of rare males in the pentamorphic fish *Poecilia parae*. *J. Evol. Biol.* (): 1-9
- K. de Jong (2014): *Poecila parae*. *Poecilia Nieuws* (Special): 8-8
- S. de Jong (2019): *Micropoecilia parae*. *Poecilia Nieuws* (3): 11-13
- H. van der Kooy (2011): (Micro)poecilia parae? *Poecilia Nieuws* (4): 8-9
- J.K. Langhammer (1996): The strange story of *Poecilia melanzona*. *Livebearers* (142): 10-11
- A.K. Lindholm, J. Hunt & R. Brooks (2006): Where do all the maternal effects go? Variation in offspring body size through ontogeny in the live-bearing fish *Poecilia parae*. *Biol. Lett.* (2): 586-589
- A.K. Lindholm, R. Brooks & F. Breden (2004): Extreme polymorphism in a Y-linked sexually selected trait. *Heredity* (92): 156-162
- E. Lorenzen (1989): Zwei Lebendgebärende aus Französisch-Guyana. *DATZ* (5): 272-274
- P.H.F. Lucinda, C.A. Figueiredo & K.E. Hartel (2011): Designation of the lectotype of *Poecilia amazonica* Garman, 1895 (Cyprinodontiformes, Poeciliidae) and discussion of its nomenclatural status. *Zootaxa* (2761): 63-64
- R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2010): Molecular phylogenetic relationships and the evolution of the placenta in *Poecilia* (Micropoecilia) (Poeciliidae: Cyprinodontiformes). *Molecular Phylogenetics and Evolution* (55): 631-639
- M. Meyer & D. Bork (1994): Die Gattung Micropoecilia. *Aquaristik-Aktuell* (4): 26-28
- H. Mück (1996): Französisch-Guyana. *DGLZ-Rundschau* (4): 75-81
- A. Nater, M. Krützen & A.K. Lindholm (2008): Development of polymorphic microsatellite markers for the livebearing fish *Poecilia parae*. *Molecular Ecology Resources* (9): 857-860
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- J. Parzefall (1969): Zur vergleichenden Ethologie verschiedener Mollienesia-Arten einschliesslich einer Höhlenform von *M. sphenops*. *Behaviour* (1/2): 1-37
- M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus *Poecilia* (Cyprinodontiformes: Poeciliidae: subgenera *Micropoecilia* and *Acanthophacelus*). *Biological Journal of the Linnean Society* (99): 784-796
- M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus *Poecilia*: (Cyprinodontiformes: Poeciliidae: subgenera *Micropoecilia* and *Acanthophacelus*). *Biological Journal of the Linnean Society* (99): 784-796
- F.N. Poeser (1998): De kleinere Zuid Amerikaanse soorten van de Poeciliini: de (sub)genera *Lebistes*, *Pamphorichthys* en *Micropoecilia* II. *Poecilia Nieuws* (4): 65-68
- F.N. Poeser (2006): Poecilia in Suriname (deel III en IV). *Poecilia Nieuws* (3): 7-13
- F.N. Poeser (2013): Apropo Guppys.... Das Lebendgebärenden Magazin (1): 36-40
- F.N. Poeser (2015): Phänotypen in Suriname. Das Lebendgebärenden Magazin (2): 29-31
- F.N. Poeser (2016): Op zoek naar Poecilia kempkesi Poeser, 2013. *Poecilia Nieuws* (3): 15-21
- A. Rachow (1910): *Poecilia amazonica* Garman.. *Wochenschrift für Aquarien und Terrarienkunde* (31): 429-430
- A. Rachow (1939): *Micropoecilia para* (Eigenmann). *Die Aquarienfische in Wort und Bild* (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 433-434
- J. Reichelt (1910): *Poecilia ? amazonica* Garman.. *Blätter für Aquarien- und Terrarienkunde* (32): 511-512
- S. Riese (2005): Die Arten der Gattung Micropoecilia. Das Lebendgebärenden Magazin (3&4): 6-15
- E. Ringel (1911): Unsere Lebendgebärenden. (Forsetzung). *Wochenschrift für Aquarien und Terrarienkunde* (): 275-277
- B.G.R. Sammons (2008): Boldness, aggression and exploration: evidence for a behavioural syndrome in male pentamorphic livebearing fish, *Poecilia parae*. *AACL Bioflux* (1): 39-49
- R. Serva & G. Tash (1996): *Micropoecilia parae* Polymorphic and proud of it. *Livebearers* (142): 6-9
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. *Livebearers* (153): 21-31
- M. Stricker (1909): *Poecilia amazonica* Garman. *Wochenschrift für Aquarien und Terrarienkunde* (39): 531-532
- M. Stricker (1909): *Poecilia amazonica* Garman. *Wochenschrift für Aquarien und Terrarienkunde* (): 531-532

Poecilia petenensis (Günther, 1866)

- M. Brenner et al (2002): Limnología y paleolimnología de Petén, Guatemala. Revista Universidad del Valle de Guatemala (12): 2-9
H. Hieronimus (1988): Der Einfluß der Tageslänge auf die Produktivität lebendgebärender Fische. DGLZ-Rundschau (4): 19-20
D. Hughes-Phillips (2009): Mexico - March 2006. Livebearer News (26): 19-32
R. Lundkvist (2011): Op zoek naar mollies in Maya land. Het Aquarium (6): 20-27
M.K. Meyer, K. Schneider, A.C. Radda, B. Wilde & M. Schartl (2004): A new species of Poecilia, subgenus Mollienesia, from upper río Cahabón system, Guatemala, with remarks on the Nomenclature of Mollienesia petenensis Günther, 1866. Zoologische Abhandlungen, F.N. Poeser (2002): Zomaar visjes kijken?. Poecilia Nieuws (4): 73-75
F.N. Poeser (2002): Poecilia kykesis nom. Nov., a new name for Mollienesia petenensis Günther, 1866, and redescription, revalidation and the designation of a lectotype for Poecilia petenensis, Günther, 1866. Contributions to Zoology (4): 243-246
F.N. Poeser (2010): Molly's en Mollienesia, waarom heet het allemaal Poecilia tegenwoordig?. Poecilia Nieuws (3): 26-29
C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018

Poecilia picta Regan, 1913

- O. Böhm (1980): Poecilia picta Regan, 1913 und seine Zuchtprobleme. DATZ (1): 7-8
D. Bork (1995): Raritäten unter den Lebendgebärenden Zahnkarpfen M. picta. Das Aquarium (311): 8-10
P.H.N. Bragança & W.J.E.M. Costa (2010): Poecilia sarrafae, a new poeciliid from the Parnaíba and Mearim river basins, northeastern Brazil (Cyprinodontiformes: Cyprinodontidae). Ichthyol. Explor. Freshwaters (4): 369-376
P.H.N. Bragança, W.J.E.M. Costa & C.S. Gama (2011): Poecilia waiaipi, a new poeciliid from the Jari river drainage, northern Brazil (Cyprinodontiformes: Cyprinodontidae). Ichthyol. Explor. Freshwaters (4): 337-343
F. Breden & M. Bertrand (1999): A test for female attraction to male orange coloration in Poecilia picta. Environmental Biology of Fishes (55): 449-453
C. Clapsaddle (2013): Life with livebearers The swamp guppy (Micropoecilia picta). Tropical Fish Hobbyist (October): 26-28
J.C. Clark (1999): Poecilia picta. Livebearers (155): 31-32
W.J.E.M. Costa & A. Sarraf (1997): Poecilia (Lebistes) minima, a new species of neotropical poeciliid fish from the Brazilian Amazon. Ichthyol. Explor. Freshwaters (8): 185-191
G. Daul (2004): Der Pfauenaugekäpfing und Probleme seiner Haltung. DGLZ-Rundschau (2): 31-32
N. Dokoupil (1985): Veel gevraagd maar jammer genoeg zeer zeldzaam. Het Aquarium (4): 109-111
M. van Emst & B. Vries (2012): Visreis naar Suriname 2011. Het Aquarium (5): 4-13
H. Greven (2002): Ein unattraktives sekundäres Geschlechtsmerkmal. Das Aquarium (3): 20-21
R.C. Griffiths (1993): Poecilia picta - the black banded Poecilia. Livebearers (131): 5-6
A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
H. Hieronimus (1987): Poecilia picta - small but lovely. Livebearers (96): 14-17
H. Hieronimus (1988): Poecilia picta, klein maar fijn. Poecilia Nieuws (4): 47-49
H. Hieronimus (2010): De nominellen Arten der Gattung Micropoecilia. DGLZ-Rundschau (3): 60-63
H. Hieronimus (2010): Von Gelb nach Rot: der Pfauenaugekäpfing. DGLZ-Rundschau (3): 78-81
H. Hieronimus (2010): Micropoecilia züchten, immer noch eine Herausforderung. DGLZ-Rundschau (3): 85-87
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
A. James (0): B.A.P. report includes breeding Poecilia picta. Viviparous (13): 0-
K. de Jong (2014): Poecilia picta. Poecilia Nieuws (Special): 9-9
S. de Jong (2016): Poecilia (Micropoecilia) picta. Poecilia Nieuws (2): 9-11
S. de Jong (2019): Micropoecilia picta. Das Lebendgebärenden Magazin (2): 28-32
S. de Jong (2019): Hybriden en hybridiseren bij levendbarenden. Poecilia Nieuws (1): 24-28
S. de Jong (2020): Superfoetatie bij levendbarende tandkarpers. Poecilia Nieuws (2): 19-23
M. Kempkes (2020): Auf der Suche nach Guppys und "Sumpfguppys" in Surinam. Aquaristik Fachmagazin (274): 44-47
H. van der Kooy (2012): Werkgroep (Micro)Poecilia picta. Poecilia Nieuws (1): 32-32
D. Lambert (0): Micropoecilia picta (Regan, 1913). Viviparous (36): 0-
D. Lambert (1997): The livebearer world: Poecilia chica ...etc.. Tropical Fish Hobbyist (January): 166-169
L.Z. de Liefde (1995): Ervaringen met Micropoecilia picta. Poecilia Nieuws (5): 86-89
A.K. Lindholm et al (2015): Poecilia picta, a close relative to the guppy, exhibits red male coloration polymorphism: a system for Phylogenetic comparisons. PlosOne (nov): 1-13
A.K. Lindholm et al (2015): Poecilia picta, a close relative to the guppy, exhibits red male coloration polymorphism: a system for phylogenetic comparisons. PlosOne (11): 1-13
R. Lundkvist (2008): Zwie kleine Lebendgebärende aus Tobago. DGLZ-Rundschau (3): 58-65
R. Lundkvist (2009): Twee kleine levendbarenden van Tobago. Het Aquarium (5): 4-7
R. Lundkvist (2009): Two tiny livebearers from Tobago. Livebearer News (27): 46-52
R. Lundkvist (2012): Guppen als juwelen. Het Aquarium (6): 33-36

Livebearer Literature List 202201

- R. Lundkvist (2020): Variation in wild offshore guppies in Tobago. Livebearers (248): 8-10
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 289-302
- A.E. Magurran & I.W. Ramnarine (2005): Evolution of mate discrimination in a fish. Current biology (21): 1-2
- H.J. Mayland (1992): Aquarianer in Venezuela. Das Aquarium (november): 15-
- H.J. Mayland (1992): Aquarianer in Venezuela. Das Aquarium (11): 15-18
- P.J. Mellegers (1994): Kwijnende picta's. Poecilia Nieuws (2): 35-38
- R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2010): Molecular phylogenetic relationships and the evolution of the placenta in Poecilia (Micropoecilia) (Poeciliidae: Cyprinodontiformes). Molecular Phylogenetics and Evolution (55): 631-639
- R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2011): Molecular phylogenetic relationships and the coevolution of placentotrophy and superfetation in Poecilia (Poeciliidae: Cyprinodontiformes). Molecular Phylogenetics and Evolution
- R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2011): Molecular phylogenetic relationships and the coevolution of placentotrophy and superfetation in Poecilia (Poeciliidae: Cyprinodontiformes). Molecular Phylogenetics and Evolution (59): 148-157
- J.C. Merino (1993): Poecilia picta een seizoensvis. Poecilia Nieuws (5): 124-127
- M. Meyer & D. Bork (1994): Die Gattung Micropoecilia. Aquaristik-Aktuell (4): 26-28
- C. Naumann (1994): Erfahrungen mit Micropoecilia picta (Regan, 1913). DGLZ-Rundschau (2): 35-35
- L. Nyari (2002): Raar maar waar. Poecilia Nieuws (6): 111-112
- J. Parzefall (1969): Zur vergleichenden Ethologie verschiedener Mollienesia-Arten einschließlich einer Höhlenform von M. sphenops. Behaviour (1/2): 1-37
- M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus Poecilia (Cyprinodontiformes: Poeciliidae: subgenera Micropoecilia and Acanthophacelus). Biological Journal of the Linnean Society (99): 784-796
- M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus Poecilia (Cyprinodontiformes: Poeciliidae: subgenera Micropoecilia and Acanthophacelus). Biological Journal of the Linnean Society (99): 784-796
- F.N. Poeser (2000): Pamphorichthys heterandria (Regan, 1913), a Caribbean mystery Deel 3 Deel 3 "De kleinere Zuid Amerikaanse soorten van de Poeciliini: de (sub) genera Lebistes, Pamphorichthys, Micropoecilia en Allopoecilia". Poecilia Nieuws (1): 2-6
- F.N. Poeser (2004): De vissen van Venezuela, een veelzijdige fauna. Poecilia Nieuws (5): 19-21
- F.N. Poeser (2006): Poecilia in Suriname V De gekleurde Mini-molly: Poecilia (Micropoecilia) picta Regan, 1913. Poecilia Nieuws (4): 8-10
- F.N. Poeser (2008): Endler's Livebearers Eindeloos gezwets of... eindelijk een antwoord?. Poecilia Nieuws (4): 24-27
- F.N. Poeser (2012): Poecilia (Micropoecilia) picta Regan, 1913. Poecilia Nieuws (3): 28-31
- F.N. Poeser (2015): Phänotypen in Suriname. Das Lebendgebärenden Magazin (2): 29-31
- F.N. Poeser (2016): Op zoek naar Poecilia kempkesi Poeser, 2013. Poecilia Nieuws (3): 15-21
- F.N. Poeser (2017): The Guaina guppy. Personal notes (): -129
- F.N. Poeser (2019): Poecilia (Micropoecilia) picta Regan, 1913. Poecilia Nieuws Atlas (): -
- A.C. Radda (1982): Neuimporte einiger Arten der Gattung Poecilia. DGLZ-Rundschau (4): 60-63
- C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018
- D.N. Reznick, D.B. Miles & S. Winslow (1992): Life history of Poecilia picta (Poeciliidae) from the island of Trinidad. Copeia (3): 782-790
- S. Riese (2005): Die Arten der Gattung Micropoecilia. Das Lebendgebärenden Magazin (3&4): 6-15
- S.T. Russell, I.Ramnarine, R. Mahabir & A. Magurran (2006): Genetic detection of sperm from forced copulations between sympatric populations of Poecilia reticulata and Poecilia picta. Biological Journal of the Linnean Society (88): 397-402
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (153): 21-31

Poecilia reticulata guppii Günther, 1866

- H. Grier, M.C. Uribe, L.R. Parenti & G. De la Rosa-Cruz (2005): Fecundity, the germinal epithelium, and folliculogenesis in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 191-216
- S. de Jong (2019): Hybriden en hybridisieren bij levendbarenden. Poecilia Nieuws (1): 24-28
- S. de Jong (2020): Partnerwahl und Reproduktion bei lebendgebärenden Zahnkarpfen. Das Lebendgebärenden Magazin (2): 20-22
- H.H. Mejía-Madrid et al. (2015): Relationship between environmental and geographic factors and the distribution of exotic fishes in tributaries of the Balsas river basin, Mexico. Environmental Biology of Fishes (98): 611-621
- E.A. Nikulina & U. Schmöckle (2013): Ein kleiner Fisch im Fokus der Wissenschaft - wie viele Guppyarten gibt es?. Das Lebendgebärenden Magazin (1): 18-21
- F.N. Poeser (2008): Endler's Livebearers Eindeloos gezwets of... eindelijk een antwoord?. Poecilia Nieuws (4): 24-27
- F.N. Poeser (2017): The Guaina guppy. Personal notes (): -129
- A.D. Woodhead & P.C. Bryant (1982): A note on the distribution of ectopic thyroid tissue in five species of poeciliid fishes. J. Fish Biology (21): 59-62

Poecilia reticulata Peters, 1859

- (0): Visual cues guppy family planning. Viviparous (33): 0-
- (0): Choosing breeders. Viviparous (37): 0-
- (0): Guppy breeding for the beginner. Viviparous (20): 0-
- (1959): Lebistes reticulatus (Peters, 1860). Het Aquarium (5): 108-108
- (1984): Reuzenguppies uit Mexico. Poecilia Nieuws (2): 4-4
- (1987): Der Schwerttypen der Guppys - ein Rückblick. ZAG Lebendgebärende Zahnkarpfen (3): 4-5

- (1989): Onderzoeksresultaten. Poecilia Nieuws (2): 31-32
- (1991): De grondkleur bij guppen. Poecilia Nieuws (1): 7-9
- (1991): De zwaardtypen bij guppen, een terugblik. Poecilia Nieuws (3): 47-48
- (1991): De zwaardtypen bij guppen, een terugblik II. Poecilia Nieuws (4): 56-58
- (1995): Fancy guppy section. Viviparous (30): 0-
- M. Ah-King & P.A. Gowaty (2016): A conceptual review of mate choice: stochastic demography, within-sex phenotypic plasticity, and individual flexibility. *Ecology and Evolution* (14): 4607-4642
- F. Alda, R.G. Reina, I. Doadria & E. Bermingham (2013): Phylogeny and biogeography of the *Poecilia sphenops* species complex (Actinopterygii, Poeciliidae) in Central America. *Molecular and Ecology Resources* (66): 1011-1026
- J. Alderson (0): Pigment and pattern: a new approach. *Viviparous* (15): 0-
- J. Alderson (2003): Kweken van half-zwart/rood. *Poecilia Nieuws* (3): 51-52
- H.J. Alexander & F. Breden (2004): Sexual isolation and extreme morphological divergence in the Cumaná guppy: a possible case of incipient speciation. *J. Evol. Biol.* (17): 1238-1254
- H.J. Alexander, J. Taylor, S. Wu & F. Breden (2006): Parallel evolution and vicariance in the guppy (*Poecilia reticulata*) over multiple spatial and temporal scales. *Evolution* (11): 2352-2369
- M.S. Alfieri & L.A. Dugatkin (2009): Increased survival as a function of interactions with experienced partners. *Ethology Ecology & Evolution* (21): 101-109
- J. Allen (1991): Eine genetische Anomalität. *DGLZ-Rundschau* (2): 31-31
- R. Altorf (2005): Guppen keuren. *Poecilia Nieuws* (5): 9-10
- R. Altorf (2005): Guppen kweken. *Poecilia Nieuws* (4): 20-21
- R. Altorf (2007): Beoordelen van showguppen. *Poecilia Nieuws* (3): 36-38
- T. Amundsen (2003): Fishes as models in studies of sexual selection and parental care. *Journal of Fish Biology* (63): 17-52
- U. Andrich (1970): Zur Geschlechtsumwandlung. *Aquarien Terrarien* (7): 240-240
- R.A. Angus (1989): A Genetic Overview of Poeciliid Fishes. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 51-68
- F.G. Araújo, M.G. Peixoto, B.C.T. Pinto & T.P. Texeira (2009): Distribution of guppies *Poecilia reticulata* (Peters, 1860) and *Phalloceros caudimaculatus* (Hensel, 1868) along a polluted stretch of the Paraíba do Sul river, Brazil. *Braz. J. Biol.* (1): 41-48
- G.A. Archard, I.C. Cuthill & J.C. Partridge (2006): Condition-dependent mate choice in the guppy: a role for short-term food restriction?. *Behaviour* (143): 1317-1340
- G.A. Archard, I.C. Cuthill & J.C. Partridge (2009): Light environment and mating behavior in Trinidadian guppies (*Poecilia reticulata*). *Behav Ecol Sociobiol* (64): 169-182
- S.N. Archer & J. Hirano (1997): Opsin sequences of the rod visual pigments in two species of Poeciliid fish. *Journal of Fish Biology* (51): 215-219
- J.D. Arendt & D.N. Reznick (2005): Evolution of juvenile growth rates in female guppies (*Poecilia reticulata*): predator regime or resource level?. *Proc. R. Soc. Lond.* (272): 333-337
- H. Arfah & S. M. dan Alimuddin (2005): Effect of temperature on reproduction and sex ratio of guppy (*Poecilia reticulata* Peters). *Jurnal Akuakultur Indonesia* (1): 1-4
- P. Arnold (1909): Girardinus guppyi Gthr. *Wochenschrift für Aquarien und Terrarienkunde* (44): 606-608
- P. Arnold (1909): Girardinus guppyi Gthr.. *Wochenschrift für Aquarien und Terrarienkunde* (): 606-608
- P. Arnold (1909): *Poecilia reticulata* Peters. *Blätter für Aquarien- und Terrarienkunde* (16): 249-253
- A. Arnold (1974): Sexuelle Aktivität von Männchen Lebendgebärenden Zahnkarpfen gegenüber artfremden Weibchen. *Aquarien Terrarien* (1): 31-31
- A. Arnold (1987): Zur Biologie von Koboldkärling, *Gambusia affinis* und Guppy (*Poecilia reticulata* (Poeciliidae) in europäischen Freilandgewässern 2. *Aquarien Terrarien* (5): 167-170
- A. Arnold (1987): Zur Biologie von Koboldkärling, *Gambusia affinis* und Guppy (*Poecilia reticulata* (Poeciliidae) in europäischen Freilandgewässern. *Aquarien Terrarien* (4): 128-131
- L.R. Aronson & E. Clark (1952): Evidences of ambidexterity and laterality in the sexual behavior of certain poeciliid fishes. *The American Naturalist* (828): 161-171
- H. Auer (1998): "Labormäuse im Guppybecken". *DGLZ-Rundschau* (4): 87-92
- H. Auer (1999): Bin ich wild genug?-Anmerkungen zur Leistungsschau. *DGLZ-Rundschau* (4): 84-87
- H. Auer (2000): Labormäuse im Guppybecken II - des Kaisers neue Guppies. *DGLZ-Rundschau* (3): 61-67
- H. Auer (2000): "Labormäuse im Guppybecken III" Die Geschichte der wissenschaftlichen Untersuchung von Guppy-Laborstämmen. *DGLZ-Rundschau* (4): 79-88
- H. Auer (2001): Wilde Guppies - Wilde Forschung. *DGLZ-Rundschau* (1): 9-12
- S.K. Auer (2010): Phenotypic plasticity in adult life-history strategies compensates for a poor start in life in Trinidadian guppies (*Poecilia reticulata*). *The American Naturalist* (6): 818-829
- H. Auer (2014): Nach Tobago 2012 - nicht der Guppies wegen. *DGLZ-Rundschau* (3): 100-108
- A.-C. Auge et al (2016): Do males form social associations based on sexual attractiveness in a fission-fusion fish society?. *PlosOne* (March): 1-24
- A.-C. Auge et al (2016): Do males form social associations based on sexual attractiveness in a fission-fusion fish society?. *PlosOne* (3): 1-24
- M. Bachmann (1977): Lebendgebärenden im Gartenteich. ZAG Lebendgebärende Zahnkarpen (2): 14-14
- G.P. Baerends et al (1955): Ethological studies on *Lebiasina reticulata* I An analysis of the male courtship pattern. *Behaviour* (8): 249-334
- T.C.M. Bakker & A. Pomiankowski (1995): The genetic basis of female mate preferences. *J. Evol. Biol.* (8): 129-171
- H.A. Ballon (1908): Malaria in the West Indies. *Science* (729): 885-886
- M. Barbosa & A.E. Magurran (2006): Female mating decisions: maximizing fitness?. *Journal of Fish Biology* (68): 1636-1661
- M. Barbosa & A.E. Magurran (2010): Guppies control offspring size at birth in response to differences in population sex ratio. *Biological Journal of the Linnean Society* (100): 414-419
- M. Barbosa, M. Dornelas & A.E. Magurran (2010): Effects of polyandry on male phenotypic diversity. *J. Evol. Biol.* (23): 2442-2452
- A. Barki, B. Zion, L. Shapira & I. Karplus (2013): The effects of illumination and daily number of collections on fry yields in guppy breeding tanks. *Aquacultural Engineering* (57): 108-113

- A. Barki, B. Zion, L. Shapira & I. Karplus (2013): A novel method using light for increasing fry yield in guppy breeding tanks. *Aquacultural Engineering* (57): 131-134
- A. Barki, B. Zion, L. Shapira & I. Karplus (2014): Using attraction to light to decrease cannibalism and increase fry production in guppy (*Poecilia reticulata* Peters) hatcheries. II: the effects of light and cannibalistic adults. *Aquaculture Research* (45): 1810-1817
- A. Barki, B. Zion, L. Shapira & I. Karplus (2014): Using attraction to light to decrease cannibalism and increase fry production in guppy (*Poecilia reticulata* Peters) hatcheries. I: phototactic reaction and light colour preference. *Aquaculture Research* (45): 1295-1302
- J. Barlow (1992): Nonlinear and logistic growth in experimental populations of guppies. *Ecology* (3): 941-950
- N.J. Barson, J. Cable & C. van Oosterhout (2009): Population genetic analysis of microsatellite variation of guppies (*Poecilia reticulata*) in Trinidad and Tobago: evidence for a dynamic source-sink metapopulation structure, founder events and population bottlenecks. *J. Heredity* (100): 60-67
- V. Baruš & E. Wohlgemuth (1993): Checklist and biogeography of freshwater fishes in eastern Cuba. *Folia Zoologica* (2): 165-177
- V. Baruš & E. Wohlgemuth (1993): Study on the collection of freshwater fishes from eastern Cuba with taxonomical notes. (1): 63-76
- F. Bashey (2006): Cross-generational environmental effects and the evolution of offspring size in the Trinidadian guppy, *Poecilia reticulata*. *Evolution* (2): 348-361
- R.D. Bassar et al. (2010): Local adaptation in Trinidadian guppies alters ecosystem processes. *Proc. Natl. Acad. Sci.* (8): 3616-3621
- M.F. Batell (1991): Judging the albino class. *Livebearers* (119): 21-23
- L. Bates & J. Chappell (2002): Inhibition of optimal behavior by social transmission in the guppy depends on shoaling. *Behavioral Ecology* (6): 827-831
- R. Battiston et al (2018): The fishing mantid: predation on fish as a new adaptive strategy for praying mantids (Insecta: Mantodea). *Journal of Orthoptera Research* (2): 155-158
- G. Baum (1966): Ein Tip für Züchter - und solche, die es werden wollen. *ZAG Lebendgebärende Zahnkarpfen* (1): 13-15
- G. Baum (1976): Guppy Schau in Görlitz. *Aquarien Terrarien* (4): 112-118
- T. Beardsley (1996): Fear and fecundity. *Scientific American* (December): 17-18
- S.A. Becher & A.E. Magurran (2004): Multiple mating and reproductive skew in Trinidadian guppies. *Proc. R. Soc. Lond.* (271): 1009-1014
- S.A. Becher, S.T. Russel & A.E. Magurran (2002): Isolation and characterization of polymorphic microsatellites in the Trinidad guppy (*Poecilia reticulata*). *Molecular Ecology Notes* (2): 456-458
- G. Begemann (2006): Literature review and commentary. *Zebrafish* (3): 383-386
- Bentink (1975): Belevenissen met goudguppen. *Het Aquarium* (3): 79-89
- E. Berezovsky (1999): Mein Weg zur Guppyzucht. *DGLZ-Rundschau* (1): 19-20
- A. Berglund, A. Bisazza & A. Pilastro (1996): Armaments and ornaments: an evolutionary explanation of traits of dual utility. *Biological Journal of the Linnean Society* (58): 385-399
- A. Bernd (2003): Neues vom "Guppyback bei Köln". *DGLZ-Rundschau* (3): 59-63
- A. Bernd (2003): Neophyten und Neozoen - ist der Guppy ein Neozoon?. *DGLZ-Rundschau* (3): 64-66
- T. Bernsee (2015): Singer Aquamarine. *Das Lebendgebärenden Magazin* (2): 34-36
- G. de Beurs (1957): Heeft de temperatuur invloed op de geslachtsvorming?. *Guppy* (4): 11-12
- H. Beuthen (1920): Ein neue Form von *Lebistes reticulatus*. *Blätter für Aquarien- und Terrarienkunde* (17): 261-263
- A. Bhat & A.E. Magurran (2006): Benefits of familiarity persist after prolonged isolation in guppies. *Journal of Fish Biology* (68): 759-766
- A.S. Bias (0): Swordtails in America. *Viviparous* (6): 0-5
- A.S. Bias (2021): Das Arbeiten mit autosomalen Genen für Farbe und Muster: Des Guppyzüchters bester Freund und schlimmster Alptraum.... Teil 1. *DGLZ-Rundschau* (1): 15-26
- A.S. Bias (2021): Das Arbeiten mit autosomalen Genen für Farbe und Muster: des Guppyzüchters bester Freund und schlimmster Alptraum. *DGLZ-Rundschau* (3): 101-128
- A.S. Bias & R.D. Squire (2017): The cellular expression and genetics of purple body (Pb) in the ocular media of the guppy *Poecilia reticulata*. *Poeciliid Research* (1): 93-119
- A.S. Bias & R.D. Squire (2017): The phenotypic expression of Purple body (Pb) in domestic guppy strains of *Poecilia reticulata*. *Poeciliid Research* (1): 125-146
- A.S. Bias & R.D. Squire (2017): The cellular expression and genetics of Purple body (Pb) in *Poecilia reticulata*, and its interactions with Asian blau (Ab) and Blond (bb) under reflect transmitted light. *Poeciliid Research* (1): 59-85
- P. St. Bic (1968): CSSR: Schwerträger und Guppies in Thermalgewässern. *Aquarien Terrarien* (4): 137-137
- D. Bierbach et al (2020): Guppies prefer to follow large (robot) leaders irrespective of own size. *Frontiers in bioengineering and Biotechnology* (May): 1-8
- M. Bildsøe & J.B. Sørensen (1994): A method of modeling time dependent data: swimming in guppies (*Poecilia reticulata*) under threat of a predator. *Behavioural Processes* (331): 75-96
- R. Billard (1984): Ultrastructural changes in the spermatogonia and spermatoocytes of *Poecilia reticulata* during spermatogenesis. *Cell Tissue Res* (237): 219-226
- A. Bisazza & A. Pilastro (1997): Small male mating advantage and reversed size dimorphism in poeciliid fishes. *Journal of Fish Biology* (50): 397-406
- A. Bisazza, A. Grapputo & L. Nigro (1997): Evolution of reproductive strategies and male sexual ornaments in poeciliid fishes as inferred by mitochondrial 15 rRNA gene phylogeny. *Ethology Ecology & Evolution* (9): 55-67
- A. Bisazza, R. Pignatti & G. Vallortigara (1997): Laterality in detour behaviour: interspecific variation in poeciliid fish. *Anim. Behav.* (54): 1273-1281
- R.J. Bischoff, J.L. Gould & D.I. Rubenstein (1985): Tail size and female choice in the guppy (*Poecilia reticulata*). *Behav Ecol Sociobiol* (17): 253-255
- L.J. Blacher (1927): The dependence of secondary sexcharacters upon testicular hormones in *Lebistes reticulatus*. *Biological Bulletin* (50): 374-381
- E. Blaschke (1977): Guppen kweken, ervaringen van een beginner. *TIH* (11): 8-9
- E. Blaschke (1982): Guppys - mehr als bloss Fischfutter?. *Aquarien Magazin* (6): 360-
- N. Blumenthal (1973): Some "cool" guppies - temperature and growth. *Livebearers* (8): 4-7
- N. Blumenthal (1991): Some thoughts on growth. *Livebearers* (117): 8-17
- O. Böhm (1976): Deformatie bij Guppy-wijfjes. *TIH* (5): 21-21
- H. Bollig (2013): Guppys in meinem Garten. *DATZ* (Dec): 34-37
- H. Bollig (2021): Lauter bunte Guppys. *DGLZ-Rundschau* (2): 79-82

Livebearer Literature List 202201

- G.H. Bolstad et al (2012): The effects of purging on sexually selected traits through antagonistic pleiotropy with survival. *Ecology and Evolution* (6): 1181-1194
- D. Bork (1987): Zum Thema Kreuzungen in AM 3/85 und 2/86. ZAG Lebendgebärende Zahnkarpfen (2): 5-6
- D. Bork (1988): Lebendgebärende Fische in Budapester Thermalwässern. ZAG Lebendgebärende Zahnkarpfen (2): 6-7
- D. Bork (1991): Aquarienfische und Planzen in Budapester Thermalgewässern. DGLZ-Rundschau (2): 28-30
- M.S. Botham et al (2006): The effect of different predator species on antipredator behavior in the Trinidadian guppy, *Poecilia reticulata*. *Naturwissenschaften* (93): 431-439
- M.S. Botham et al (2008): Risk-sensitive antipredator behavior in the Trinidadian guppy, *Poecilia reticulata*. *Ecology* (11): 3174-3185
- R. Boutot (2013): Guppy standards. *Le Vivipare* (115): 22-30
- R. Boutot (2013): Le guppy centenaire. *Le Vivipare* (119): 17-26
- T. Brady (1992): Guppy roundtable. *Livebearers* (123): 12-12
- T. Brady (1993): Types pf guppies. *Livebearers* (132): 27-31
- P.H. de Bragança, E.C. Guimarães, P.S. de Brito & F.P. Ottoni (2020): On the natural occurrence of *Poecilia reticulata* Peters, 1859 (Cyprinodontiformes: Poeciliidae). *Cybium* (4): 309-316
- F. Breden & K. Hornaday (1994): Test of indirect models of selection in the Trinidad guppy. *Heredity* (73): 291-297
- F. Breden, D. Novinger & A. Schubert (1995): The effect of experience on mate choice in the Trinidad guppy, *Poecilia reticulata*. *Environmental Biology of Fishes* (42): 323-328
- R.A.P. van der Bree (1957): Kruisingsexperiments met guppen. *Het Aquarium* (2): 45-46
- R.A.P. van der Bree (1959): De gup van A tot Z. Contact (2e druk): 1-36
- H. Breider (1986): De begrippen paring-sperma overdracht-bevruchting. *Poecilia Nieuws* (2): 19-22
- J. Brewster & A. Houde (2003): Are female guppies more likely to flee when approached by two males?. *Journal of Fish Biology* (63): 1056-1059
- S.E. Briggs, J.-G. Godin & L.A. Dugatkin (1996): Mate-choice copying under predation risk in the Trinidadian guppy (*Poecilia reticulata*). *Behavioral Ecology* (2): 151-157
- E.D. Broder et al (2020): Rapid evolution and plasticity of genitalia. *J. Evol. Biol.* (33): 1361-1370
- R. Brooks (1996): Melanin as a visual signal amplifier in male guppies. *Naturwissenschaften* (83): 39-41
- R. Brooks (2002): Variation in female mate choice within guppy populations: population divergence, multiple ornaments and the maintenance of polymorphism. *Genetica* (116): 343-358
- R. Brooks & J.A. Endler (2001): Direct en indirect sexual selection and quantitative genetics of male traits in guppies (*Poecilia reticulata*). *Evolution* (5): 1002-1015
- R. Brooks & J.A. Endler (2001): Female guppies agree to differ: phenotypic and genetic variation in mate-choice behavior and the consequences for sexual selection. *Evolution* (8): 1644-1655
- R. Brooks & N. Caithness (1995): Female choice in a feral guppy population: are there multiple cues. *Anim. Behav.* (50): 301-307
- L. Brown (1982): Can guppies adjust the sex ratio?. *The American Naturalist* (5): 694-698
- G.E. Brown et al (2009): Provenance and threat-sensitive predator avoidance patterns in wild-caught Trinidadian guppies. *Behav Ecol Sociobiol* (63): 699-706
- G.E. Brown et al (2010): Cross-population responses to conspecific chemical alarm cues in wild Trinidadian guppies, *Poecilia reticulata*: evidence for local conservation of cue production. *Can. J. Fish. Aquat. Sci.* (88): 139-147
- K.E. Bruce & W.G. White (1995): Agonistic relationships and sexual behaviour patterns in male guppies, *Poecilia reticulata*. *Anim. Behav.* (50): 1009-1021
- M. aan de Brugh (1997): Gupmannetje evolueert sneller dan gupvrouwje. *NRC* (30 maart): 0-
- M. Brummel et al (2006): Conservation of synteny between guppy and Xiphophorus genomes. *Zebrafish* (3): 347-347
- E. Bruno & Heinz Baer (1970): Guppyzucht, die zum Erfolg führt. *Aquarien Terrarien* (10): 352-352
- E. Bryant (0): The effects of K.W.K.. *Viviparous* (43): 0-
- E. Bryant (0): Good Guppy Management. *Viviparous* (8): 0-3
- M.J. Bryant & D. Reznick (2004): Comparative studies of senescence in natural populations of guppies. *The American Naturalist* (1): 55-68
- P. Burgess, S. McMahon & D.J. Price (2005): Conservation of Trinidad populations of *Poecilia reticulata* Peters, 1859 (Poeciliidae). In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 425-434
- J.G. Burns & F.H. Rodd (2008): Hastiness, brain size and predation regime affect the performance of wild guppies in a spatial memory task. *Anim. Behav.* (76): 911-922
- J.G. Burns, A. Saravan & F.H. Rodd (2009): Rearing environment affects the brain size of guppies: lab-reared guppies have smaller brains than wild-caught guppies. *Ethology* (115): 122-133
- J.G. Burns, P. Di Nardo & F.H. Rodd (2009): The role of predation in variation in body shape in guppies *Poecilia reticulata*: a comparison of field and common garden phenotypes. *Journal of Fish Biology* (74): 1144-1157
- R. Busch (1969): Succesvolle guppenweek. *Het Aquarium* (7): 146-148
- M.J. Cabrera-Álvarez, W.T. Swaney & S.M. Reader (2017): Forebrain activation during social exposure in wild-type guppies. *Physiology & Behavior* (182): 107-113
- M. Camacho-Cervantes et al (2014): Exotic invaders gain foraging benefits by shoaling with native fish. *R. Soc. Open sci* (1): 1-9
- M. Camacho-Cervantes et al (2015): Exploratory behaviour and transmission of information between the invasive guppy and native Mexican topminnows. *Animal Behaviour* (106): 115-120
- M. Camacho-Cervantes et al (2018): Sociability between invasive guppies and native topminnows. *Plos One* (February): 1-9
- M. Camacho-Cervantes et al (2019): Foraging behaviour of a native topminnow when shoaling with invaders. *Aquatic Invasions* (3): 490-501
- J.C. Campuzano-Caballero & M.C. Uribe (2014): Structure of the female gonoduct of the viviparous teleost *Poecilia reticulata* (Poeciliidae) during nongestation and gestation stages. *Journal of Morphology*
- G. Cardozo, A. Devigli, P. Antonelli & A. Pilastro (2020): Female sperm storage mediates post-copulatory costs and benefits of ejaculate anticipatory plasticity in the guppy. *J. Evol. Biol.* (33): 1294-1305
- G.R. Carvalho et al. (1996): Artificial introductions, evolutionary change and population differentiation in Trinidadian guppies. *Biological Journal of the Linnean Society* (57): 219-234
- L. Casatti, C. de Paula Ferreira & F.R. Carvalho (2009): Grass-dominated stream sites exhibit low fish species diversity and dominance by guppies: an assessment of two tropical pasture river basins. *Hydrobiologica* (632): 273-283
- L. Casatti, F. Langeani & C.P. Ferreira (2006): Effects of physical habitat degradation on the stream fish assemblage structure in a pasture region. *Environmental Management* (38): 974-982

Livebearer Literature List 202201

- R. Castaldo (): Guppy. Aquarama (139): 6-11
- D.T. Castleberry & J.J. Cech, jr (1990): Mosquito control in wastewater: a controlled and quantitative comparison of pupfish (*Cyprinodon nevadensis amargosae*), mosquitofish (*Gambusia affinis*) and guppies (*Poecilia reticulata*) in sago pondweed marshes. Journal of the
- S. Cattelan & A. Pilastro (2018): Sperm priming response to perceived mating opportunities is reduced in male guppies with high baseline sperm production. Current Zoology (2): 205-211
- S. Cattelan et al (2016): The effect of sperm production and mate availability on patterns of alternative mating tactics in the guppy. Animal Behaviour (112): 105-110
- B.B. Chapman et al (2008): Early interactions with adults mediate the development of predator defenses in guppies. Behavioral Ecology (19): 87-93
- B.B. Chapman, A.J.W. Ward & J. Krause (2008): Schooling and learning: early social environment predicts social learning ability in the guppy, *Poecilia reticulata*. Anim. Behav. (76): 923-929
- B.B. Chapman, L.J. Morrell & J. Krause (2009): Plasticity in male courtship behaviour as a function of light intensity in guppies. Behav Ecol Sociobiol (63): 1757-1763
- B.B. Chapman, L.J. Morrell & J. Krause (2010): Unpredictability in food supply during early life influences boldness in fish. Behavioral Ecology (21): 501-506
- M. Chappel & J. Odell (2004): Predation intensity does not cause microevolutionary change in maximum speed or aerobic capacity in Trinidadian guppies (*Poecilia reticulata* Peters). Physiological and Biochemical Zoology (1): 27-38
- A. Charlton (2008): Fifteen years of the snakeskin topsword guppy in the UK. Livebearer News (24): 12-29
- A. Charlton (2009): The ups and downs of the FGA. Livebearer News (26): 43-60
- J. Chervinski (1984): Salinity tolerance of the guppy, *Poecilia reticulata*. J. Fish Biology (24): 449-452
- W. Chingjiang & J.H. Schröder (1984): Monomorphic and Polymorphic isozymes in laboratory strains of guppies. Biol. Zent. bl (103): 61-67
- C. Clapsaddle (1980): Livebearer space requirements. Livebearers (50): 6-7
- C. Clapsaddle (2012): Life with livebearers Raising guppies. Tropical Fish Hobbyist (8): 40-42
- C. Clapsaddle (2013): Life with livebearers Raising and showing show-quality livebearers. Tropical Fish Hobbyist (5): 34-37
- C. Clapsaddle (2013): Life with livebearers Expedition to McCauley Spring. Tropical Fish Hobbyist (1): 36-38
- E. Clark & L. R. Aronson (1951): Sexual behavior in the guppy, *Lebiasina reticulatus* (Peters). Zoologica (4): 49-64
- E. Clark & R.P. Kamrin (1951): The role of the pelvic fins in the copulatory act of certain Poeciliid fishes. American Museum Novitates (1509): 1-14
- R. Clarke (1993): Breeding guppies - easy as falling off a log?. Livebearers (127): 12-14
- A. Claro-García, F.M. Assega & O.A. Shibatta (2018): Diversity and distribution of ichthyofauna in streams of the middle and lower Tibagi river basin, Paraná, Brazil. Check List (1): 43-53
- J. Coessens (1967): De keizersnede. Het Aquarium (8): 189-190
- S.W. Coleman & A.G. Jones (2013): Patterns of multiple paternity and maternity in fishes. Biological Journal of the Linnean Society (103): 735-760
- T. Coletti (2010): Livebearers unlimited. Guppy corner: selecting breeding stock from a batch of fry. Tropical Fish Hobbyist (9): 32-34
- T. Coletti (2010): Livebearers unlimited The fancy guppy hobby: current conversations and observations. Tropical Fish Hobbyist (June): 34-36
- T. Coletti (2015): 10 Livebearers for your wishlist. Tropical Fish Hobbyist (5): 60-64
- T. Contreras-MacBeath, H. Mejia Mojica & R. Carillo Wilson (1998): Negative impact on the aquatic ecosystems of the state Morelos, Mexico from introduced aquarium and other commercial fish. Aquarium Sciences and Conservation (2): 67-78
- W.R. Courtenay Jr. & J.E. Deacon (1982): Status of introduced fishes in certain spring systems in southern Nevada. Great Basin Naturalist (3): 361-366
- Courtesy of Tetra (2014): The Guppy. The Fishkeeper (jan/feb): 30-32
- E. Crispo et al (2006): The relative influence of natural selection and geography on gene flow in guppies. Molecular Ecology (15): 49-62
- D.P. Croft et al (2003): Sex-biased movement in the guppy (*Poecilia reticulata*). Oecologia (137): 62-68
- D.P. Croft et al (2003): Mechanisms underlying shoal composition in the Trinidadian guppy, *Poecilia reticulata*. Oikos (100): 429-438
- D.P. Croft et al (2004): Intra-sexual preferences for familiar fish in male guppies. Journal of Fish Biology (64): 279-283
- D.P. Croft et al (2006): Predation risk as a driving force for sexual segregation: a cross-population comparison. The American Naturalist (6): 867-878
- D.P. Croft, J. Krause & R. James (2004): Social networks in the guppy (*Poecilia reticulata*). Proc. R. Soc. Lond. (271): 516-519
- D.P. Croft, M. S. Botham & J. Krause (2004): Is sexual segregation in the guppy, *Poecilia reticulata*, consistent with the predation risk hypothesis?. Environmental Biology of Fishes (71): 127-133
- Z.W. Culumber et al (2014): Variation in melanism and female preference in proximate but ecologically distinct environments. Ethology (120): 1090-1100
- M.E. Cummings (2018): Sexual conflict and sexually dimorphic cognition - reviewing their relationship in poeciliid fishes. Behavioral Ecology and Sociobiology (972:73): 1-12
- M. Dadda (2015): Female social response to male sexual harassment in poeciliid fish: a comparison of six species. Frontiers in Psychology (September): 1-9
- M. Dadda et al (2015): Laterally enhances numerical skills in the guppy, *Poecilia reticulata*. Front. Behav. Neurosci. (October): 1-9
- B.T. Dahlgren (1980): Influences of population density on reproductive output at food excess in the guppy, *Poecilia reticulata* (Peters). Biology of Reproduction (22): 1047-1061
- C. Davis (1968): Quantitative feeding and weight changes in *Poecilia reticulata*. Transactions of the American Fisheries Society (97): 22-27
- R.L. Day et al (2001): Interactions between shoal size and conformity in guppy social foraging. Animal Behaviour (62): 917-925
- A.O. Debrot (2003): A review of the freshwater fishes of Curacao, with comments on those of Aruba and Bonaire. Caribbean Journal of Science (1): 100-108
- K.A. Deere, G.F. Grether, A. Sun & J.S. Sinsheimer (2012): Female mate preference explains countergradient variation in the sexual coloration of guppies (*Poecilia reticulata*). Proc. R. Soc. Lond. (): 1684-1690
- A. DeMarais (2010): Molecular mechanisms of maternal/fetal nutrient transfer in viviparous Poeciliid fishes - a role for β -catenin?. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 259-266
- A. DeMarais & D. Oldis (2005): Matrotrophic transfer of fluorescent microspheres in Poeciliid fishes. Copeia (3): 632-636
- W.J.M. Deutz (1946): *Lebiasina reticulatus* (Peters). Gup.. Aqua Terra (januari): 57-58
- W.J.M. Deutz (1951): Bestaat er een koningsgup?. Waterweelde (december): 151-152

- A. Devigili et al (2016): Postcopulatory cost of immune system activation in *Poecilia reticulata*. Ethology Ecology & Evolution (): 1-14
- A. Devigili, V. Doldán-Martelli & A. Pilastro (2015): Exploring simultaneous allocation to mating effort, sperm production, and body growth in male guppies. Behavioral Ecology (4): 1203-1211
- C. Dick, J. Arendt, D.N. Reznick & C.Y. Hayashi (2018): Linkage analysis and mapping of three sex-linked color pattern genes in the guppy, *Poecilia reticulata*. Evolution & Development (20): 207-218
- J. van Dijk (1959): De standaardgup. Het Aquarium (4): 93-95
- L.M. Dill, A.V. Hedrick & A. Fraser (1999): Male mating strategies under predation risk: do females call the shots?. Behavioral Ecology (4): 452-461
- C. Dogs (1968): Auch Guppys können Schilder lesen. Aquarien Magazin (): 302-303
- P. Don (1995): Geef mij maar guppen. Poecilia Nieuws (2): 28-30
- P. Don (1996): Het effect van kunstmatige selectie van het mannelijke kleurpatroon op de partnerkeuze van vrouwelijke guppen. Poecilia Nieuws (4): 97-100
- P. Don (2003): Geef mij maar guppen. Poecilia Nieuws (5): 83-84
- W. Doornenbal (1968): Hoogoven-guppen. Het Aquarium (7): 157-157
- L.D. Dosen & R. Montgomerie (2004): Female size influences mate preferences of male guppies. Ethology (110): 245-255
- D. Douglass (2013): The livebearers of Idaho. Livebearer News (221): 5-7
- L.A. Dugatkin (1998): Genes, copying, and female mate choice: shifting thresholds. Behavioral Ecology (4): 323-327
- L.A. Dugatkin (2007): Developmental environment, cultural transmission and mate choice copying. Naturwissenschaften (): -
- L.A. Dugatkin & J.J. Godin (1998): How females choose their mates. Scientific American (April): 46-51
- I.C. Duggan, I. Boothroyd & D.A. Speirs (2007): Factors affecting the distribution of stream macroinvertebrates in geothermal areas: Taupo Volcanic Zone, New Zealand. Hydrobiologica (592): 235-247
- J.R.G. Dyer, D.P. Croft, L.J. Morrell & J. Krause (2008): Shoal composition determines foraging success in the guppy. Behavioral Ecology (Oct): 165-171
- R. Dzikowski, G. Hulata, S. Harpaz & I. Karplus (2004): Inducible reproductive plasticity of the guppy *Poecilia reticulata* in response to predation cues. Journal of Experimental Biology (301A): 776-782
- M. Dzwillo (1959): Genetische Untersuchungen an domestizierten Stämmen von Lebiasinae reticulatus (Peters). Mitt. Hamburg. Zool. Mus. Inst. (57): 144-184
- Dr. E.C. & associates (2002): Experimenten met Guppy voeding. Poecilia Nieuws (5): 84-85
- W. Ehngle (1910): Poecilia poecilioides. Wochenschrift für Aquarien und Terrarienkunde (25): 345-346
- D. Eisenmann (2002): Voeding voor guppen. Poecilia Nieuws (3): 48-50
- K.E. Elgee et al (2010): Geographic variation in sperm traits reflects predation risk and natural rates of multiple paternity in the guppy. J. Evol. Biol. (23): 1331-1338
- G. Ellenberg (2007): Guppy-Zucht. Das Lebendgebärenden Magazin (1): 6-10
- S. Elliot (2009): The fourth Malaysian guppy show. Livebearer News (27): 24-29
- C.K. Elvidge, P.J.C. Chuard & G.E. Brown (2016): Local predation risk shapes spatial and foraging neophobia patterns in Trinidadian guppies. Current Zoology (): 1-6
- B. Elvira & A. Almodóvar (2001): Freshwater fish introductions in Spain: facts and figures at the beginning of the 21st century. Journal of Fish Biology (59): 323-331
- S. Endre et al (2016): Cooling water of power plants creates "hot spots" for tropical fishes and parasites. Parasitol Res (115): 85-98
- J.A. Endler (1980): Natural selection on color patterns in *Poecilia reticulata*. Evolution (1): 76-91
- J.A. Endler (1982): Convergent and divergent effects of natural selection on color patterns in two fish fauna. Evolution (1): 178-188
- J.A. Endler (1983): Natural and sexual selection on color patterns in poeciliid fishes. Environmental Biology of Fishes (2): 173-190
- J.A. Endler (1987): Predation, light intensity and courtship behaviour in *Poecilia reticulata* (Pisces: Poeciliidae). Anim. Behav. (35): 1376-
- J.A. Endler (1992): Signals, signal conditions, and the direction of evolution. American Naturalist (139): 125-153
- J.A. Endler (1993): Some general comments on the evolution and design of animal communication systems. Phil. Trans. R. Soc. Land. (1292): 215-225
- J.A. Endler (1995): Multiple-trait coevolution and environmental gradients in guppies. Trends in Ecology & Evolution (1): 22-29
- J.A. Endler & A.E. Houle (1995): Geographic variation in female preferences for male traits in *Poecilia reticulata*. Evolution (3): 456-468
- J.A. Endler & B. Rojas (2009): The spatial pattern of natural selection when selection depends on experience. The American Naturalist (3): 62-78
- J.A. Endler et al (2001): Variation in response to artificial selection for light sensitivity in guppies (*Poecilia reticulata*). American Naturalist (158): 36-48
- A. Engelhardt (1993): Eine Guppypopulation im Raum Cottbus. DATZ (7): 454-457
- R.A. Englund et al (2000): Nonindigenous freshwater and estuarine species introductions and their potential to affect sportfishing in the lower stream and estuarine regions of the south and west shores of Oahu, Hawaii. Bishop Museum Technical Report (17): 1-121
- J. Evans (2009): No evidence for sperm priming responses under varying sperm competition risk or intensity in guppies. Naturwissenschaften (96): 771-779
- J. Evans (2010): Quantitative genetic evidence that males trade attractiveness for ejaculate quality in guppies. Proc. R. Soc. B. (277): 3195-3201
- J.P. Evans & A.E. Magurran (2000): Multiple benefits of multiple mating in guppies. Proc. Acad. Nat. Sci. Phila. (18): 10071-10076
- J.P. Evans & A.E. Magurran (2001): Patterns of sperm precedence and predictors of paternity in the Trinidadian guppy. Proc. R. Soc. Lond. (268): 719-724
- J.P. Evans & A.N. Rutstein (2008): Postcopulatory sexual selection favours intrinsically good sperm competitors. Behav Ecol Sociobiol (62): 1167-1173
- J.P. Evans et al (2004): Sire attractiveness influences offspring performance in guppies. Proc. R. Soc. Lond. (): 1-8
- J.P. Evans et al (2008): Does genetic relatedness of mates influence competitive fertilization success in guppies?. Evolution (11): 2929-2935
- J.P. Evans, A. Bisazza & A. Pilastro (2004): Female mating preferences for colourful males in a population of guppies subject to high predation. Journal of Fish Biology (65): 1154-1159

- J.P. Evans, A. Pilastro & I.W. Ramnarine (2003): Sperm transfer through forced matings and its evolutionary implications in natural guppy (*Poecilia reticulata*) populations. *Biological Journal of the Linnean Society* (78): 605-612
- J.P. Evans, L. Zane, S. Francescato & A. Pilastro (2003): Directional postcopulatory sexual selection revealed by artificial insemination. *Nature* (421): 360-363
- J.P. Evans, T.E. Pitcher & A.E. Magurran (2002): The ontogeny of courtship, colour and sperm production in male guppies. *Journal of Fish Biology* (60): 495-498
- A. Fajen & F. Breden (1992): Mitochondrial DNA sequence variation among natural populations of the Trinidad guppy, *Poecilia reticulata*. *Evolution* (5): 1457-1465
- J.A. Farr (1975): The role of predation in the evolution of social behavior of natural populations of the guppy, *Poecilia reticulata* (Pisces: Poeciliidae). *Evolution* (1): 151-158
- J.A. Farr (1976): Social facilitation of male sexual behavior, intrasexual competition, and sexual selection in the guppy, *Poecilia reticulata* (Pisces: Poeciliidae). *Evolution* (4): 707-717
- J.A. Farr (1977): Male rarity or novelty, female choice behavior, and sexual selection in the guppy, *Poecilia reticulata* Peters (Pisces: Poeciliidae). *Evolution* (1): 162-168
- J.A. Farr (1980): The effects of sexual experience and female receptivity on courtship-rape decisions in male guppies, *Poecilia reticulata* (Pisces: Poeciliidae). *Anim. Behav.* (28): 1195-1201
- J.A. Farr (1980): Social behavior patterns as determinants of reproductive success in the guppy, *Poecilia reticulata* Peters (Pisces: Poeciliidae): an experimental study of the effects of intermale competition, female choice, and sexual selection. *Behaviour* (1/2): 38-91
- J.A. Farr (1981): Biased sex ratios in laboratory strains of guppies, *Poecilia reticulata*. *Heredity* (47): 237-248
- J.A. Farr (1981): Biased sex ratios in laboratory strains of guppies, *Poecilia reticulata*. *Heredity* (2): 237-248
- J.A. Farr (1983): The inheritance of quantitative fitness traits in guppies, *Poecilia reticulata* (Pisces: Poeciliidae). *Evolution* (6): 1193-1209
- J.A. Farr & Peters, K. (1984): The inheritance of quantitative fitness traits in guppies, *Poecilia reticulata* II tests for inbreeding effects. *Heredity* (52): 285-296
- J.A. Farr & W.F. Herkkind (1974): A quantitative analysis of social interaction of the guppy, *Poecilia reticulata* (Pisces: Poeciliidae) as a function of population density. *Anim. Behav.* (22): 582-591
- L. Favilli, S. Piazzini, D. Barbato & G. Manganelli (2018): Acclimatization of *Poecilia reticulata* (Peters, 1859) and *Xiphophorus maculatus* (Günther, 1866) (Cyprinodontiformes: Poeciliidae) in central Italy. *J. Appl. Ichthyol.* (34): 672-675
- K. Feder (1979): Zierfische im Kosmos - Weltraumexperimente. ZAG Lebendgebärende Zahnkarpfen (2+3): 16-18
- B. Fenner (2014): 10 tips for better guppy-keeping. *Tropical Fish Hobbyist* (12): 55-58
- A.A. Fernando (1991): Diets and feeding regimes of Poeciliid fishes in Singapore. *Asian Fisheries Science* (4): 99-107
- A. Fernando & V. Phang (1985): Culture of the guppy, *Poecilia reticulata*, in Singapore. *Aquaculture* (51): 49-63
- A. Fernando & V. Phang (1990): Inheritance of red and blue caudal fin colourations in two domesticated varieties of the guppy, *Poecilia reticulata*. *J. Aqua. Trop.* (5): 209-217
- G.K.A. Fernando et al (2018): A comparison of the larvivorous habits of exotic *Poecilia reticulata* and native *Apocheilus parva*. *BMC Ecology* (25): 1-12
- K.L. Field & T.A. Waite (2004): Absence of female conspecifics induces homosexual behaviour in male guppies. *Animal Behaviour* (6): 1381-1389
- M.C. Finck (1910): Ein Beitrag zur Girardinus guppy-Frage. *Wochenschrift für Aquarien und Terrarienkunde* (24): 329-331
- A. Fischinger (2009): Killing them with kindness. *Livebearer News* (28): 35-44
- P.A. Florschütz (1953): Vissen in Suriname I. Het Aquarium (8): 171-175
- H. Flöthmann (2007): Aquarienbedingte Aggressionen und Verhaltensweisen Lebendgebärender. *DGLZ-Rundschau* (2): 64-67
- Foerster (1987): Worpgrootte versus grondkleur. *Poecilia Nieuws* (2): 26-27
- Foerster (1987): Draagtijd versus grondkleur. *Poecilia Nieuws* (4): 58-58
- W. Förster (1992): Eine weitere Überraschung beim Pink-Guppy. *DGLZ-Rundschau* (2): 31-32
- R. Francis (0): Starting a new strain with unrelated fish. *Viviparous* (10): 0-2
- B.A. Fraser & B.D. Neff (2009): MHC class IIB additive and non-additive effects on fitness measures in the guppy *Poecilia reticulata*. *Journal of Fish Biology* (75): 2299-2312
- D.F. Fraser et al (2004): Night feeding by guppies under predator release: effects on growth and daytime courtship. *Ecology* (2): 312-319
- B.A. Fraser et al (2013): The role of learning by a predator, *Rivulus hartii*, in the rare-morph survival advantage in guppies. *Journal of Evolutionary Biology* (26): 2597-2605
- B.A. Fraser, I.W. Ramnarine & B.D. Neff (2010): Selection at the MHC class IIB locus across guppy (*Poecilia reticulata*) populations. *Heredity* (104): 155-167
- B.A. Fraser, I.W. Ramnarine & B.D. Neff (2010): Temporal variation at the MHC class IIB in wild populations of the guppy (*Poecilia reticulata*). *Evolution* (7): 2086-2096
- J.G. Frommen et al (2009): Mate-choice copying when both sexes face high costs of reproduction. *Evol Ecol* (23): 435-446
- L.E. Fuiman & A.E. Magurran (1994): Development of predator defences in fishes. *Reviews in Fish Biology and Fisheries* (4): 145-183
- Y. Fujio, M. Nakajima & Y. Nagahama (1990): Detection of a low temperature-resistant gene in the guppy (*Poecilia reticulata*), with reference to sex-linked inheritance. *Jpn. J. Genet.* (65): 201-207
- H. Garbe (1995): Wildguppies. *DATZ* (4): 215-215
- G. Gärtner & M. Schartl (2012): Beobachtungen und Versuche zur Erlangung der Schwimmfähigkeit bei neugeborenen Guppys und Platys (DGLZ-Rundschau 1977). *DGLZ-Rundschau* (1): 16-18
- C. Gasparini et al (2010): Effect of male age on sperm traits and sperm competition success in the guppy (*Poecilia reticulata*). *J. Evol. Biol.* (23): 124-135
- C. Gasparini, A. Deviglii, R. Dosselli & A. Pilastro (2013): Pattern of inbreeding depression, condition dependence, and additive genetic variance in Trinidadian guppy ejaculate traits. *Ecology and Evolution* (15): 4940-4953
- C. Gasparini, A.V. Peretti & A. Pilastro (2009): Female presence influences sperm velocity in the guppy. *Biol. Lett.* (5): 792-794
- D. Gentzsch (2001): 30 Jahre erfolgreicher "Leipziger Guppyklub". *DGLZ-Rundschau* (3): 61-61
- D. Gentzsch (2006): Die Geschichte der Zentralen Arbeitsgemeinschaft Lebendgebärende Zahnkarpfen in der DDR von 1963 bis 1990 Teil 2. *DGLZ-Rundschau* (1): 15-28
- D. Gentzsch (2007): Die schwierige Abgrenzung von *Poecilia reticulata*, Endlers Guppy und *Poecilia wingei*. *DGLZ-Rundschau* (1): 20-36
- D. Gentzsch (2008): Gegenwärtiger Wissenstand von Endlers Guppy, Cumana- und Campona-Guppy (*Poecilia wingei*). Das Lebendgebärenden Magazin (1): 8-14
- D. Gentzsch (2010): *Poecilia obscura* und exakte Fundortangaben zum Campona-Guppy. *DGLZ-Rundschau* (2): 51-53
- D. Gentzsch (2017): Lebendgebärenden Zahnkarpfen: Taxonomie von Zuchtfarbenen. *VDA-aktuell* (4): 34-36

Livebearer Literature List 202201

- C.K. Ghalmor, D.N. Reznick & J.A. Walker (2004): Constraints on adaptive evolution: the functional trade-off between reproduction and fast-start swimming performance in the Trinidadian guppy. *American Naturalist* (164): 38-50
- C.K. Ghalmor, J.A. Walker & D.N. Reznick (2003): Multi-trait selection, adaptation, and constraints on the evolution of burs swimming performance. *Integr. Comp. Biol.* (43): 431-438
- C.K. Ghalmor, J.K. McKay, S.P. Carroll & D.N. Reznick (2007): Adaptive versus non-adaptive phenotypic plasticity and the potential for contemporary adaptation in new environments. *Functional Ecology* (21): 394-407
- C. Gheorghiu, D.J. Marcogliese & M.E. Scott (2009): Temporal dynamics of epidermal responses of guppies *Poecilia reticulata* to sublethal rands of waterborne zinc concentrations. *Journal of Fish Biology* (75): 2642-2656
- C. Ghiasvand (2005): Flossenfäule bei Lebendgebärende Zahnkarpfen. *DGLZ-Rundschau* (4): 107-112
- C. Ghiasvand (2006): Phuket in my mind - Wildguppies aus Thailand. *DGLZ-Rundschau* (2): 35-39
- C. Ghiasvand (2006): Warum heißen sie nicht Gollmer?. *DGLZ-Rundschau* (3): 77-89
- S. Ghosh, A. Sinha & C. Sahu (2008): Dietary probiotic supplementation in growth and health of live-bearing ornamental fishes. *Aquaculture Nutrition* (14): 289-299
- S. Ghost, A. Sinha & C. Sahu (2007): Effect of probiotic on reproductive performance in female livebearing ornamental fish. *Aquaculture Research* (38): 518-526
- M. Gibbs (2015): Big-ears guppy. *Practical Fishkeeping* (7): 14-15
- R. Gibson, J.G. Burns & F.H. Rodd (2009): Flexibility in the colouration of the meninx (brain covering) in the guppy (*Poecilia reticulata*): investigations of potential function. *Can. J. Zool.* (87): 529-536
- H. Gienke (1908): Allerlei Interessantes für den Naturfreund. *Blätter für Aquarien- und Terrarienkunde* (37): 505-507
- P.H. van Gijn (1936): *Lebistes reticulatus* Peeters (Millioenenvischjes). *Aqua Terra* (10): 111-113
- J.-G. J. Godin (1995): Predation risk and alternative mating tactics in male Trinidadian guppies (*Poecilia reticulata*). *Oecologia* (103): 224-229
- J.-G. Godin & H.E. McDonough (2003): Predator preference for brightly colored males in the guppy: a viability cost for a sexually selected trait. *Behavioral Ecology* (2): 194-200
- J.-G. J. Godin & K.P.E. Hair (2009): Mate-choice copying in free-ranging Trinidadian guppies (*Poecilia reticulata*). *Behaviour* (146): 1443-1461
- J.-G. J. Godin, E.J.E. Herdman & L.A. Dugatkin (2005): Social influences on female mate choice in the guppy, *Poecilia reticulata*: generalized and repeatable trait-copying behaviour. *Animal Behaviour* (69): 999-1005
- H. Goldstein (2010): Kelly Warm Springs: the tropics of Wyoming's Grand Teton. *Tropical Fish Hobbyist* (October): 80-84
- G. Gomes-Silva et al. (2020): Water pollution affects fish community structure and alters evolutionary trajectories of invasive guppies (*Poecilia reticulata*). *Science of the Total Environment* (730): 1-14
- A. Gong (1997): The effects of predator exposure on the female choice of guppies (*Poecilia reticulata*) from a high-predation population. *Behaviour* (5/6): 373-389
- H.B. Goodrich, J.E. Dee, C.M. Flynn & R.N. Mercer (1934): Germ cells and sex differentiation in *Lebistes reticulatus*. *Biological Bulletin* (67): 83-96
- H.B. Goodrich, N. Josephson, J. Trinkaus & J. Slate (1944): The cellular expression and genetics of two new genes in *Lebistes reticulatus*. *Genetics* (November): 584-592
- M. Gordon (1954): De ontwikkeling van de nomenclatuur der vissen. *Het Aquarium* (4): 86-90
- S.P. Gordon et al (2009): Adaptive changes in life history and survival following a new guppy introduction. *The American Naturalist* (1): 34-45
- A.K. Gosline & F.H. Rodd (2008): Predator-induced plasticity in guppy (*Poecilia reticulata*) life history traits. *Aquat ecol* (42): 693-699
- K.M. Gotanda & A.P. Hendry (2014): Using adaptive traits to consider potential consequences of temporal variation in selection: male guppy colour through time and space. *Biological Journal of the Linnean Society* (112): 108-122
- J. Gourlie (2003): De 'Teveel stammen ziekte'. *Poecilia Nieuws* (1): 4-4
- J. Gourlie (2014): Crazy crosses I have made. *Livebearers* (222): 13-15
- D. Grabs (1972): Betäubungsversuche bei *P. reticulata*. *Aquarien Terrarien* (7): 242-243
- H. Graichen (1909): Einiges über *Poecilia reticulata* Peters. *Wochenschrift für Aquarien und Terrarienkunde* (25): 338-339
- H. Graichen (1909): Einiges über *Poecilia reticulata* Peters. *Wochenschrift für Aquarien und Terrarienkunde* (): 338-339
- S. Graul (1969): Wer züchtete den schwarzen Guppy?. *Aquarien Terrarien* (7): 240-240
- G.G. Grether (2000): Carotenoid limitation and mate preference evolution: a test of the indicator hypothesis in guppies (*Poecilia reticulata*). *Evolution* (5): 1712-1724
- G.G. Grether (2010): The evolution of mate preferences, sensory biases, and indicator traits. in: *advances in the study of behavior*, vol. 41 (): 35-74
- G.G. Grether (2014): Redesigning the genetic architecture of phenotypically plastic traits in a changing environment. *Biological Journal of the Linnean Society* (112): 276-286
- G.F. Grether et al (204): Seks-specific effects of carotenoid intake on the immunological response to allografts in guppies (*Poecilia reticulata*). *Proc. R. Soc. Lond.* (271): 45-49
- G.F. Grether et al (2001): Rain forest canopy cover, resources availability, and life history evolution in guppies. *Ecology* (6): 1546-1559
- G.F. Grether et al (2004): Sex-specific effects of carotenoid intake on the immunological response to allografts in guppies (*Poecilia reticulata*). *Proc. R. Soc. Lond.* (271): 45-49
- G.F. Grether, J. Hudon & D.F. Millie (1999): Carotenoid limitation of sexual coloration along an environmental gradient in guppies. *Proc. R. Soc. Lond.* (266): 1317-1322
- G.F. Grether, J. Hudson & J.A. Endler (2001): Carotenoid scarcity, synthetic pteridine pigments and the evolution of sexual coloration in guppies (*Poecilia reticulata*). *Proc. R. Soc. Lond.* (268): 1245-1253
- G.F. Grether, M.E. Cummings & J. Hudson (2005): Countergradient variation in the sexual coloration of guppies (*Poecilia reticulata*): drosotoperin synthesis balances carotenoid availability. *Evolution* (1): 175-188
- H. Greven (1998): Sichtkontakt mit Artgenossen erhöht die Fruchtbarkeit von Guppys. *Das Aquarium* (354): 32-32
- H. Greven (1999): Sexuelle Belästigung kann teuer werden - allerdings für die Belästigten. *Das Aquarium* (7): 14-14
- H. Greven (2000): "Würmer" beeinträchtigen die Partnerwahl. *Das Aquarium* (7): 22-22
- H. Greven (2001): Zwei Wege - ein Ziel. *Das Aquarium* (5): 12-13
- H. Greven (2002): Früh übt sich... *Das Aquarium* (9): 23-23
- H. Greven (2006): Was hat der Guppy mit dem Bentheimer Landschwein zu tun? Ist der Guppy domestiziert?. *Aquaristik Fachmagazin* (1): 6-13
- H. Greven (2010): Wie Guppys ihre Fortpflanzung optimieren. *Aquaristik Fachmagazin* (211): 56-65
- R.C. Griffiths (1992): Australian livebearers. *Livebearers* (126): 4-5

- S.W. Griffiths & A.E. Magurran (1997): Schooling preferences for familiar fish vary with group size in a wild guppy population. Proc. R. Soc. Lond. (264): 547-551
- A. Groen (1950): Richtlijnen. Klein maar dapper (1): 4-6
- A. Groen (1950): Guppen (Oproep voor een speciaal-club). Het Aquarium (12): 296-296
- A. Groen (1956): De guppen (*Lebistes reticulatus*). NGK mededelingen (Jubileumboek): 7-15
- A. Groen (1956): Richtlijnen. Het Aquarium (8): 198-198
- A. Groiche (2010): Der Guppy als Helfer bedrohter Arten. DGLZ-Rundschau (4): 100-104
- A. Groiche (2011): Die relative Jungfräulichkeit. DGLZ-Rundschau (3): 61-62
- A. Groiche (2014): Poecilia reticulata, El Salto, rio Morichal Largo. Le Vivipare (120): 14-16
- B. de Groot (2007): Ontwikkeling van kleurpatronen bij guppen. Poecilia Nieuws (3): 18-20
- B. de Groot (2008): Over een rode vlek in de analstreek van het kleurpatroon van de guppyman. Poecilia Nieuws (4): 19-23
- A.A.C. de Groot-Moll (1984): De gup, Poecilia reticulata. Het Aquarium (12): 332-333
- M.R. Gross, H. Y. Suk & C.T. Robertson (2007): Courtship and genetic quality: asymmetric males show their best side. Proc. R. Soc. Lond. (274): 2115-2122
- H. Großmann (1998): "Wirklich" züchten?. DGLZ-Rundschau (3): 61-61
- H. Großmann (2004): Wie sollen wie sie nennen? Zur Nomenklatur rezessiver Guppy-Grundfarben. DGLZ-Rundschau (1): 19-20
- L.L. Gross (1961): The effect of thiourea, administered by immersion of the maternal organism, on the embryos of *Lebistes reticulatus*, with notes on the gonadal changes. Biological Bulletin (121): 481-496
- B.D. Grove & J.P. Wourms (1994): Follicular placenta of the viviparous fish, *Heterandria formosa* II. Ultrastructure and development of the follicular epithelium. Journal of Morphology (220): 167-184
- P. Guevara-Fiore et al (2010): Male mate-searching strategies and female cues: how do male guppies find receptive females?. Animal Behaviour ('79): 1191-1197
- P. Guevara-Fiore, A. Skinner & P.J. Watt (2009): Do male guppies distinguish virgin females from recently mated ones?. Animal Behaviour (77): 425-431
- P. Guevara-Fiore, J. Stapley & P.J. Watt (2010): Mating effort and female receptivity: how do male guppies decide when to invest in seks?. Behav Ecol Sociobiol (64): 1665-1672
- O.S. Güllmez (1996): Eine neue Grundfarbe?. DGLZ-Rundschau (2): 40-41
- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
- H. Guthahn (1992): Farbguppies. DGLZ-Rundschau (4): 92-92
- H. Guthahn (1995): Guppy-Hochzucht Teil II: Ernährung. DGLZ-Rundschau (2): 38-39
- H. Guthahn (1995): Eine Zuchtanlage für die Guppy-Hochzucht. DGLZ-Rundschau (1): 19-20
- Haagse Courant (1994): Guppen breken gifstoffen af. Aquarium & Terrarium Hobbyist (1): 5-5
- T.J.A. Hain & B.D. Neff (2007): Multiple paternity and kin recognition mechanisms in a guppy population. Molecular Ecology (16): 3938-3946
- M. Hall, A.K. Lindholm & R. Brooks (2003): Direct selection on male attractiveness and female preference fails to produce a response. BMC Evolutionary Biology (4): 1-10
- H. Hammer (2012): Warum wir keine neuen Guppystandard brauchen. DGLZ-Rundschau (3): 114-119
- H. Hammer (2018): Buchbesprechung: Guppies - Farben, Formen, Fantasien von Gernot Kaden. DGLZ-Rundschau (1): 28-30
- P. Hannik (1911): Zur Girardinus Guppyi-reticulatus-poecilioides-Frage. Blätter für Aquarien- und Terrarienkunde (19): 301-302
- S. Harpaz, T. Slosman & R. Segev (2005): Effect of feeding guppy fish fry (*Poecilia reticulata*) diets in the form of powder versus flakes. Aquaculture Research (36): 996-1000
- P.D. Harris (1986): Species of Gyrodactylus von Nordmann, 1832 from poeciliid fishes, with a description of *G. turnbulli* sp. nov. from the guppy, *Poecilia reticulata* Peters. Journal of Natural History (20): 183-191
- P.D. Harris (1988): Changes in the site specificity of *Gyrodactylus turnbulli* during infections of individual guppies (*Poecilia reticulata* Peters, 1859). journal canadien de zoologie (12): 2854-2857
- P.D. Harris (1989): Interactions between population growth and sexual reproduction in the viviparous monogenean *Gyrodactylus turnbulli* from the guppy. parasitology (98): 245-251
- P.D. Harris & A.M. Lyles (1992): Infections of *Gyrodactylus bullatarudis* and *Gyrodactylus turnbulli* on Guppies (*Poecilia reticulata*) in Trinidad. Journal of Parasitology (78): 912-914
- S. Harris et al (2010): Picking personalities apart: estimating the influence of predation, sex and body size on boldness in the guppy *Poecilia reticulata*. Oikos (119): 1711-1718
- C.P. Haskins & E. Haskins (1947): Albinism, a semi-lethal autosomal mutation in *Lebistes reticulatus*. () 251-262
- C.P. Haskins & E. Haskins (1949): The role of sexual selection as an isolating mechanism in three species of Poeciliid fishes. Evolution (2): 160-169
- C.P. Haskins & E. Haskins (1950): Factors governing sexual selection as an isolating mechanism in the Poeciliid fish *Lebistes reticulatus*. Genetics (36): 464-476
- C.P. Haskins & E. Haskins (1951): The inheritance of certain color patterns in wild populations of *Lebistes reticulatus* in Trinidad. Evolution (5): 216-225
- C.P. Haskins & E. Haskins (1954): Note on a "permanent" experimental alternation of genetic constitution in a natural population. Proc. Natl. Acad. Sci. (40): 627-635
- C.P. Haskins et al (1970): Stabilised heterozygosis of supergenes mediating certain y-linked colour patterns in populations of *Lebistes reticulatus*. Heredity (25): 575-589
- M.L. Head & R. Brooks (2006): Sexual coercion and the opportunity for sexual selection in guppies. Animal Behaviour (71): 515-522
- M.L. Head, A.K. Lindholm & R. Brooks (2007): Operational sex ration and density do not affect directional selection on male sexual ornaments and behavior. Evolution (1): 135-144
- R.J.P. Heathcote et al (2017): Fear of predation drives stable and differentiated social relationships in guppies. Sci. Rep. (7): -
- W. Heinrich & J.H. Schröder (1986): Can males of *Poecilia reticulata* discriminate between females of different genetic quality or different resident time?. Biol. Zent. bl (105): 491-502
- M. Hellweg (2010): Wild-type guppies: there's nothing common about them. Tropical Fish Hobbyist (April): 70-74
- A.P. Hendry et al (2006): Parallel evolution of the sexes? Effects of predation and habitat features on the size and shape of wild guppies. Journal of Evolution Biology (19): 741-754
- A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145

Livebearer Literature List 202201

- J.E. Herbert-Read et al (2017): How predation shapes the social interaction rules of shoaling fish. Proc. R. Soc. Lond. (284): 1-9
- M. Herdegen et al (2014): Population structure of guppies in north-eastern Venezuela, the area of putative incipient speciation. BMC Evolutionary Biology (28): 1-13
- H. Herkner (1982): Vergroeiende guppywijfjes. TH (28): 9-9
- M. Heußen (2011): Welchen Einfluss hat die im Jugendalter verfügbare Nahrungsmenge auf die Entwicklung von Guppys *Poecilia reticulata*. Das Lebendgebärenden Magazin (2): 24-24
- M. Heußen (2014): Auf der Suche nach einem besonderen Guppy. Das Lebendgebärenden Magazin (2): 15-16
- M. Heußen (2014): Op bezoek bij Verena Kottler in Tübingen Duitsland. Poecilia Nieuws (1): 24-26
- M. Heußen (2015): Warum springen Guppys?. Das Lebendgebärenden Magazin (2): 44-44
- M. Heußen & B. Kaubisch (2014): Die Guppys vom Anton Drachtenweg in Paramaribo, Suriname. Das Lebendgebärenden Magazin (2): 16-17
- H. Hieronimus (1985): Geschichte der Lebendgebärenden - Teil 2. DGLZ-Rundschau (2): 13-14
- H. Hieronimus (1985): De geschiedenis van de levendbarende tandkarpers, deel 2. Poecilia Nieuws (5): 58-60
- H. Hieronimus (1988): Welcher Protein-(Eiweiß)Gehalt der Nahrung ist für das Wachstum von Guppys und damit vielleicht auch anderer Lebendgebärender am günstigsten?. DGLZ-Rundschau (1): 21-22
- H. Hieronimus (1988): Guppyvoedsel. Poecilia Nieuws (2): 28-28
- H. Hieronimus (1992): Farbguppys. DGLZ-Rundschau (3): 64-65
- H. Hieronimus (1993): Guppyzucht in Japan. DGLZ-Rundschau (3): 65-65
- H. Hieronimus (1993): 1941 hätte die erste deutsche Guppyschau stattgefunden. DGLZ-Rundschau (1): 13-14
- H. Hieronimus (1995): Fische auf Briefmarken Teil I: Guppys. DGLZ-Rundschau (81): 80-87
- H. Hieronimus (2000): Wie denn nun? Zur Bezeichnung rotäugiger Lebendgebärender. DGLZ-Rundschau (2): 42-42
- H. Hieronimus (2000): Albinos - Lutinos - und kein Ende!. DGLZ-Rundschau (4): 91-92
- H. Hieronimus (2001): Weiter Informationen zum Rotaugen-Guppy. DGLZ-Rundschau (3): 66-68
- H. Hieronimus (2002): Eine neue Guppy-Zuchtfarbe? Der Rundtriangel Guppy. DGLZ-Rundschau (3): 73-74
- H. Hieronimus (2003): Abschied von Lebistes. DGLZ-Rundschau (1): 13-13
- H. Hieronimus (2004): Die Geschichte des Triangelguppys. DGLZ-Rundschau (2): 38-42
- H. Hieronimus (2009): Gillbach in Not?. DGLZ-Rundschau (2): 27-28
- H. Hieronimus (2011): Warum der Guppy in der Gattung *Poecilia* bleiben soll. DGLZ-Rundschau (3): 78-80
- H. Hieronimus (2012): Der Guppy-Standard muss geändert werden - Ein Plädoyer für einen neuen Standard. DGLZ-Rundschau (2): 62-65
- H. Hieronimus (2013): Wie man eine Art (er)findet. DGLZ-Rundschau (1): 23-26
- H. Hieronimus (2014): Neues vom Seks bei Guppys. DGLZ-Rundschau (1): 17-21
- H. Hieronimus (2014): Poecilia wingei und Poecilia reticulata - doch nur eine Guppy-Art?. DGLZ-Rundschau (2): 53-55
- H. Hieronimus (2015): Farbige Guppys haben keinen größeren Reproduktionserfolg!. DGLZ-Rundschau (1): 19-20
- H. Hieronimus (2015): Wieder zwei neue Briefmarken mit Lebendgebärenden. DGLZ-Rundschau (4): 171-172
- H. Hieronimus (2015): Woher kommt die Guppyvielfalt in der Natur?. DGLZ-Rundschau (1): 21-22
- H. Hieronimus (2016): Neues aus der Wissenschaft. DGLZ-Rundschau (2): 69-71
- H. Hieronimus (2018): Aus Wissenschaft und Forschung. DGLZ-Rundschau (4): 162-163
- H. Hieronimus (2018): Schau mir in die Augen, Kleines. DGLZ-Rundschau (1): 15-19
- H. Hieronimus (2021): Wilhelm Schreitmüller, Teo Otto Fredlin und der Fredlin-Guppy. DGLZ-Rundschau (1): 35-44
- W.H. Hildeman & E.D. Wagner (1954): Intraspecific sperm competition in *Lebistes reticulatus*. American Naturalist (86): 87-91
- M. Hill (0): Cull! Cull! Cull! Cull!. Viviparous (16): 0-
- M. Hill (0): Variety in guppies when space is limited. Viviparous (9): 0-6
- M. Hill (1988): How to outcross guppy strains. Livebearers (99): 15-16
- M. Hill (1995): Try this for tail rot. Viviparous (31): 0-
- M. Hill (2002): Guppy gambits. Livebearer News (2): 10-13
- A. Hiskes (1972): De kweek van levendbarende tandkarpers. Het Aquarium (4): 94-94
- A. Ho, C.L. Pruitt & J. Lin (2016): Phylogeny and biogeography of *Poecilia* (Cyprinodontiformes: Poeciliinae) across Central and South America based on mitochondrial and nuclear DNA markers. Molecular Phylogenetics and Evolution (101): 32-45
- J.J. Hoedeman (1947): De openluchtkweek. Het Aquarium (4): 57-57
- J.J. Hoedeman (1953): Guppen in de vrije natuur. Het Aquarium (1): 15-15
- J. Hofmann (1986): Een interessante guppenmutatie. Poecilia Nieuws (1): 15-15
- T.M. Holitzki et al (2013): Differences in ecological structure, function, and native species abundance between native and invaded Hawaiian streams. Ecological Applications (6): 1367-1383
- M. Holly (1961): *Lebistes reticulatus* (Peters). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 1169-1176
- H.A. van Hoof (1961): Aquariumwissen in Suriname. Het Aquarium (6): 134-143

- P. Horn (1968): Fortpflanzungsfähige Siamese Zwillinge beim *Poecilia reticulata*. Aquarien Terrarien (12): 407-409
- K. Hornaday, S. Alexander & F. Breden (1994): Distribution of a repeated DNA sequence in natural populations of Trinidad guppy. Copeia (4): 809-817
- P. Hotz (2014): The quest to breed a red female guppy. Livebearers (225): 5-10
- A.E. Houde (1987): Mate choice based upon naturally occurring color-pattern variation in a guppy population. Evolution (1): 1-10
- A.E. Houde (1992): Sex-linked heritability of a sexually selected character in an natural population of *Poecilia reticulata*. Heredity (69): 229-235
- A.E. Houde (1994): Effect of artificial selection on male colour patterns on mating preference of female guppies. Proc. R. Soc. Lond. (256): 125-130
- A.E. Houde (2001): Sex roles, ornaments, and evolutionary explanation. Proc. Natl. Acad. Sci. (23): 12857-12859
- A.E. Houde & A.J. Torio (1992): Effect of parasitic infection on male color pattern and female choice in guppies. Behavioral Ecology (4): 346-351
- A.E. Houde & J.A. Endler (1990): Correlated evolution of female mating preferences and male color patterns in the guppy *Poecilia reticulata*. Science (248): 1405-1408
- T.M. Houslay et al (2018): Testing the stability of behavioural coping style across stress contexts in the Trinidadian guppy. Functional Ecology (32): 424-438
- T.M. Houslay et al (2019): Habituation and individual variation in the endocrine stress response in the Trinidadian guppy (*Poecilia reticulata*). General and comparative Endocrinology (270): 113-122
- C.L. Hubbs (1926): The structural consequences of modifications of the developmental rate in fishes, considered in reference to certain problems of evolution. The American Naturalist (66): 57-81
- J. Hudon, G.F. Grether & D.F. Millie (2003): Marginal differentiation between the sexual and general carotenoid pigmentation of guppies (*Poecilia reticulata*) and a possible visual explanation. Physiological and Biochemical Zoology (6): 776-790
- K. Hughes (2007): Warum Guppys gerne anders sind als andere. Das Lebendgebärenden Magazin (1): 17-17
- K.A. Hughes et al. (1999): Familiarity leads to female mate preference for novel males in the guppy, *Poecilia reticulata*. Anim. Behav. (58): 907-916
- K.A. Hughes et al. (2005): Genetic and environmental effects on secondary sex traits in guppies (*Poecilia reticulata*). J. Evol. Biol. (18): 35-45
- T.H. Hui (2019): Fishes observed at Windsor Nature Park. Singapore Biodiversity Records (February): 20-21
- M. Huizinga, C.K. Ghalambor & D.N. Reznick (2009): The genetic and environmental basis of adaptive differences in shoaling behaviour among populations of Trinidadian guppies, *Poecilia reticulata*. J. Evol. Biol. (22): 1860-1866
- H. Hulsmann et al (2008): Effect of introduced species and habitat alteration on the occurrence and distribution of euryhaline fishes in fresh- and brackish-water habitats on Aruba, Bonaire and Curaçao (South Caribbean). Contributions to Zoology (1): 45-52
- I. Ignatow (1975): Moskauer Guppy-Wettbewerb. Aquarien Terrarien (12): 421-421
- I. Ignatow (1977): Moskauer Guppy-Wettbewerb. Aquarien Terrarien (11): 378-378
- W.T. Innes (1939): Oude en nieuwe guppy-variaties. Aqua Terra (12): 229-230
- I.E. Intskirveli, M.O. Roinishvili & A.R. Kezelli (2002): Experience-dependent color constancy in guppies. Neural Plasticity (3): 205-216
- C.C. Ioannou, I.W. Ramnarine & C.J. Torney (2017): High-predation habitats affect the social dynamics of collective exploration in a shoaling fish. Sci. Adv. (3): 1-8
- E. Irving & C. Brown (2013): Examining the link between personality and laterality in a feral guppy *Poecilia reticulata* population. Journal of Fish Biology (83): 311-325
- K. Jacobs (1979): Eine neue Züchtung der "Japan-Guppy". Aquarien Magazin (11): 549-549
- W. Jacobs (1995): Over "de Guppy": de miljoenen (??)-vis. Aquariumwereld (7/8): 177-181
- W. Jacobs (1995): Over "de Guppy" de miljoenen (??)-vis. Aquariumwereld (6): 155-159
- M.D. Jennions & M. Petrie (1997): Variation in mate choice and mating preferences: a review of causes and consequences. Biol. Rev. (72): 283-327
- M.D. Jennions & M. Petrie (2000): Why do females mate multiply? A review of the genetic benefits. Biol. Rev. (75): 21-64
- W. van der Jeugt (2002): Poecilia sp. Enlder's. Aquariumwereld (1): 12-14
- M. Jirokul (2000): Male trait distribution determined alternative mating tactics in guppies. Journal of Fish Biology (56): 1427-1434
- J. Johansson, H. Turesson & A. Persson (2004): Active selection for large guppies, *Poecilia reticulata*, by the pike cichlid, *Crenicichla saxatilis*. Oikos (105): 595-605
- J.B. Johnson & M.C. Belk (2001): Predation environment predicts divergent life-history phenotypes among populations of the livebearing fish *Brachyrhaphis rhabdophora*. Oecologia (126): 142-149
- A.M. Johnson et al (2010): Inbreeding depression and inbreeding avoidance in a natural population of guppies (*Poecilia reticulata*). Ethology (116): 448-457
- J.C. Jones & J.D. Reynolds (1997): Effects of pollution on reproductive behaviour of fishes. Reviews in Fish Biology and Fisheries (7): 463-491
- K.A. Jones et al (2010): Size-assortative shoaling in the guppy (*Poecilia reticulata*): the role of active choice. Ethology (116): 147-154
- Dr J.C.M. de Jong (1938): Kruisingsproeven met vissen II. Aqua Terra (6): 109-111
- K. de Jong (1989): Het kruisen van levendbarenen anno 1934. Poecilia Nieuws (4): 65-67
- K. de Jong (1992): Zonnende Gambusia's (levendbarenen in de tuinvijver) deel II. Poecilia Nieuws (6): 7-8
- K. de Jong (1994): Guppen, beginnersvissen voor de specialist. Aquarium & Terrarium Hobbyist (1): 6-10
- K. de Jong (1995): Nieuwe soorten in Nederland. Poecilia Nieuws (4): 80-80
- K. de Jong (1996): Langer plezier van uw guppen. Poecilia Nieuws (4): 109-110
- K. de Jong (1996): Guppen, beginnersvissen voor de specialist. Poecilia Nieuws (4): 74-87
- A. Jong (2003): Guus Gup eine kleine Guppy-Lovestory. DGLZ-Rundschau (3): 70-72
- K. de Jong (2003): Langer plezier van uw guppen. Poecilia Nieuws (1): 12-12
- K. de Jong (2003): Guppen, beginnersvissen voor de specialist Deel 1. Poecilia Nieuws (6): 98-100
- K. de Jong (2004): Guppen, beginnersvissen voor de specialist deel II. Poecilia Nieuws (3): 24-28
- K. de Jong (2006): De ontwikkeling van de balts, kleur en spermaproductie bij mannetjes guppen. Poecilia Nieuws (3): 15-17

Livebearer Literature List 202201

- K. de Jong (2006): Voorkeur van guppenrouwertjes. Poecilia Nieuws (2): 35-36
- K. de Jong (2006): Voorkeur van guppenrouwertjes (slot). Poecilia Nieuws (3): 14-14
- K. de Jong (2006): De overdracht van sperma bij een stiekeme paring. Poecilia Nieuws (4): 20-22
- K. de Jong (2007): Een nieuw boek over guppen. Poecilia Nieuws (2): 30-31
- K. de Jong (2007): Kleur maakt kwetsbaar. Poecilia Nieuws (5): 22-23
- K. de Jong (2008): De gup als eponiem. Poecilia Nieuws (4): 10-10
- K. de Jong (2009): Farbe macht änfällig. Das Lebendgebärenden Magazin (2): 9-10
- K. de Jong (2012): De gup laat zich van zijn beste kant zien. Poecilia Nieuws (4): 33-34
- K. de Jong (2016): De gup en Ameca splendens trekken samen op. Poecilia Nieuws (2): 28-29
- K. de Jong (2016): De gup laat zich van zijn beste kant zien. Het Aquarium (1): 74-75
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Poecilia Nieuws (2): 8-13
- K. de Jong (2019): Der Einfluss der Temperatur auf das Geschlechterverhältnis bei viviparen Zahnkarpfen. Das Lebendgebärenden Magazin (2): 8-12
- K. de Jong (2019): Guppen en platy's in Italië. Poecilia Nieuws (4): 12-13
- K. de Jong (2019): Samen sterk. Poecilia Nieuws (1): 21-23
- S. de Jong (2019): Staeck endler. Een heuse endler of toch een gup?. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (2): 25-27
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Het Aquarium (8): 62-66
- K. de Jong (2020): Zieke vissen in de aquariumhandel. Poecilia Nieuws (5): 18-19
- S. de Jong (2020): Mutaties bij levendbarende tandkarpers. Poecilia Nieuws (1): 23-27
- K. de Jong (2020): Guppies und Platys in Italien. Das Lebendgebärenden Magazin (1): 36-37
- K. de Jong (2021): De verspreiding van de gup. Poecilia Nieuws (2): 17-18
- K. de Jong (2021): Guppy met vrienden heeft meer te eten. Poecilia Nieuws (1): 23-23
- K. de Jong (2021): Kranke Fische in der Aquaristik. Das Lebendgebärenden Magazin (2): 19-21
- S. de Jong (2021): Smaragd iridescent 1927. Een oude laboratorium guppenstam weer boven water.. Poecilia Nieuws (1): 15-17
- S. de Jong (2021): Muppy/golly... een hybride tussen een molly en een guppy. Poecilia Nieuws (3): 20-26
- S. de Jong (2021): Rugvinnen bij mannelijke levendbarenden, grootte maakt wel degelijk wat uit. Poecilia Nieuws (2): 19-26
- K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 1. Het Aquarium (3): 78-82
- D. Jordan (2005): Guppy breeding methods. Livebearer News (10): 8-11
- D. Jordan (2005): Guppy development, health and diseases. Livebearer News (12): 8-10
- D. Jordan (2006): Guppy fry collection and fry development. Livebearer News (13): 6-7
- D. Jordan (2007): Guppies. Livebearer News (18): 5-15
- D. Jordan (2008): Guppies from set up to show bench. Livebearer News (22): 8-21
- J. Jourdan et al (2014): On the natural history of an introduced population of guppies (*Poecilia reticulata* Peters, 1859) in Germany. BioInvasions Records (3): 0-0
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. Poecilia Nieuws (4): 76-86
- B. Kabbes (2000): Over gupwijfjes en mannelijke kleuren. Poecilia Nieuws (5): 86-87
- D. Kaden (1968): Der Gold-Yet-Guppy. Aquarien Terrarien (10): 350-351
- D. Kaden (1976): Die Körpergrundfarben des Guppy. ZAG Lebendgebärende Zahnkarpfen (2): 12-14
- D. Kaden (2002): Beobachtungen einer Geschlechtsumwandlung beim Guppy. DGLZ-Rundschau (4): 112-113
- M. Kahrer (1980): De selectieve guppenweek, een fascinerende hobby. Het Aquarium (14): 414-417
- H. Kaiser, T.G. Paulet & F. Endemann (1998): Water quality fluctuations in a closed recirculating system for the intensive culture of the guppy, *Poecilia reticulata* (Peters). Aquaculture Research (29): 611-615
- I. Karayücel, O. Ak & S. Karayücel (2006): Effect of temperature on sex ratio in guppy *Poecilia reticulata* (Peters 1860). Aquaculture Research (37): 139-150
- I. Karayücel, O. Ak & S. Karayücel (2006): Effect of temperature on sex ratio in guppy *Poecilia reticulata* (Peters 1860). Aquaculture Research (37): 139-150
- K. Karino & A. Sato (2009): Male-biased sex ratios in offspring of attractive males in the guppy. Ethology (115): 682-690
- K. Karino & M. Kobayashi (2005): Male alternative mating behaviour depending on tail length of the guppy, *Poecilia reticulata*. Behaviour (2): 191-202
- K. Karino & N. Kamada (2009): Plasticity in courtship and sneaking behaviors depending on tail length in the male guppy, *Poecilia reticulata*. Ichthyol. Res. (56): 253-259
- K. Karino & Y. Urano (2008): The relative importance of orange spot coloration and total length of males in female guppy preference. Environmental Biology of Fishes (83): 397-405
- K. Karino, K. Orita & A. Sato (2006): Long tails affect swimming performance and habitat choice in the male guppy. Zoological Science (23): 255-260
- K. Karino, Y. Shimada, H. Kudo & A. Sato (2010): Relative importance of the area and intensity of the orange spots of male guppies *Poecilia reticulata* as mating traits preferred by females. Journal of Fish Biology (77): 299-307
- U. Karkos (1995): Guppiotie - oder die Bigamie verheirateter Guppyhochzüchter. DGLZ-Rundschau (81): 89-90
- U. Karkos (1996): Der Fluch der Wahrscheinlichkeit. DGLZ-Rundschau (1): 12-14

- S. Kavumpurath & T.J. Pandian (1992): Production of YY male in the guppy *Poecilia reticulata* by endocrine sex reversal and progeny testing. *Asian Fisheries Science* (5): 265-276
- S. Kearley (2013): Have guppies: will travel. *Popular Fishkeeping* (Summer): 40-44
- J.L. Kelley & A.E. Magurran (2003): Learned predator recognition and antipredator responses in fishes. *Fish and Fisheries* (4): 216-226
- J.L. Kelley & A.E. Magurran (2003): Effects of relaxed predation pressure on visual predator recognition in the guppy. *Behav Ecol Sociobiol* (54): 225-232
- C.D. Kelly & J.-G. J. Godin (2001): Predation risk reduces male-male sexual competition in the Trinidadian guppy (*Poecilia reticulata*). *Behav Ecol Sociobiol* (51): 95-100
- C.D. Kelly, J.-G. J. Godin & J.M. Wright (1999): Geographical variation in multiple paternity within natural populations of the guppy (*Poecilia reticulata*). *Proc. R. Soc. Lond.* (266): 2403-2408
- D. Kemp, D. Reznick, G. Grether & J. Endler (2009): Predicting the direction of ornament evolution in Trinidadian guppies (*Poecilia reticulata*). *Proc. R. Soc. Lond.* (276): 4335-4343
- M. Kempkes (1993): Het kweken van guppen in een school. *Poecilia Nieuws* (5): 112-114
- M. Kempkes (1994): Der Guppys wegen nach Venezuela. *DGLZ-Rundschau* (1): 17-18
- M. Kempkes (1994): Das Züchten von Guppys im Schwarm. *DGLZ-Rundschau* (3): 58-59
- M. Kempkes (1994): Naar Venezuela voor de guppy's. *Poecilia Nieuws* (5): 87-89
- M. Kempkes (1995): Beste guppenvrienden. *Poecilia Nieuws* (2): 39-40
- M. Kempkes (1995): De selectieve kweek van guppen in Europa. *Het Aquarium* (10): 239-243
- M. Kempkes (1995): De geheimen van het succesvol kweken met guppen (slot). *Poecilia Nieuws* (4): 62-65
- M. Kempkes (1995): Guppyhochzucht in Europa. *DATZ* (4): 216-220
- M. Kempkes (1995): Naar Venezuela voor guppen. *Het Aquarium* (6): 134-137
- M. Kempkes (1995): Der Guppys wegen nach Venezuela. *DATZ* (4): 214-214
- M. Kempkes (1995): Puntentelling Guppenkeuring. *Poecilia Nieuws* (3): 42-43
- M. Kempkes (1995): De geheimen van het succesvol kweken met guppen. *Poecilia Nieuws* (3): 56-60
- M. Kempkes (1996): Guppenweek in de USA. *Poecilia Nieuws* (4): 101-108
- M. Kempkes (1996): Guppyzucht in den USA. *DGLZ-Rundschau* (2): 37-39
- M. Kempkes (1996): Weshalb Hochzüchtguppies keine Qualzüchtung darstellen. *DGLZ-Rundschau* (1): 18-19
- M. Kempkes (1996): Beste guppyvrienden. *Poecilia Nieuws* (1): 13-13
- M. Kempkes (1997): Guppen onder de loupe deel 6: de spadestaart. *Poecilia Nieuws* (6): 118-119
- M. Kempkes (1997): Guppen onder de loupe Deel 5: de bovenzwaard. *Poecilia Nieuws* (5): 96-97
- M. Kempkes (1997): Guppen onder de loupe deel 3: de rondstaart. *Poecilia Nieuws* (3): 44-46
- M. Kempkes (1997): Wetenswaardigheden over guppyvrouwjes Deel 2. *Poecilia Nieuws* (4): 74-81
- M. Kempkes (1997): Wetenswaardigheden over guppyvrouwjes deel 1. *Poecilia Nieuws* (3): 55-60
- M. Kempkes (1997): Guppen onder de loupe Deel 4: de triangel. *Poecilia Nieuws* (4): 66-67
- M. Kempkes (1997): Nieuws van het guppenfront. *Poecilia Nieuws* (1): 19-20
- M. Kempkes (1997): Guppen onder de loupe Deel 1: de triangel. *Poecilia Nieuws* (1): 17-19
- M. Kempkes (1997): Guppen onder de loep Deel 2: de "dubbelzwaard". *Poecilia Nieuws* (2): 34-35
- M. Kempkes (1997): Wissenwertes über Guppyweibchen. *DATZ* (8): 494-498
- M. Kempkes (1998): Guppen onder de loupe, deel 7: de triangel. *Poecilia Nieuws* (3): 51-52
- M. Kempkes (1998): 90 jaar guppenweek in Europa. *Poecilia Nieuws* (4): 56-65
- M. Kempkes (1998): Guppen onder de loupe Deel 8: dubbelzwaard. *Poecilia Nieuws* (4): 68-69
- M. Kempkes (1998): 90 Jahre Guppyzucht in Europa. *DGLZ-Rundschau* (2): 31-37
- M. Kempkes (1999): Guppen onder de loep. *Poecilia Nieuws* (5): 100-102
- M. Kempkes (1999): Guppen uit Moskou. *Het Aquarium* (7/8): 222-224
- M. Kempkes (1999): Een nieuwe grondkleur bij de guppy *Poecilia reticulata* Peters, 1859. *Poecilia Nieuws* (3): 64-66
- M. Kempkes (1999): Guppen onder de loep. *Poecilia Nieuws* (3): 53-54
- M. Kempkes (2000): Nachlese zur 5. Weltguppyausstellung (World Guppy Contest) in Wien. *DGLZ-Rundschau* (4): 92-94
- M. Kempkes (2000): Lutino-Pink - Eine weitere neue Grundfarbenkombination beim Guppy. *DGLZ-Rundschau* (1): 17-19
- M. Kempkes (2000): Von Albinos und Lutinos. *DGLZ-Rundschau* (4): 90-91
- M. Kempkes (2000): Doppelschertguppies. *Aquaristik Fachmagazin* (156): 29-31
- M. Kempkes (2001): Weißfarbige Albinogupps als zweifeachrezessive Grundfarbe. *DGLZ-Rundschau* (2): 40-46
- M. Kempkes (2002): Evolutionsbiologische und ethologische Aspekte zur Balz des Guppy, *Poecilia (Lebiasina) reticulata* Peters, 1859. *DGLZ-Rundschau* (1): 7-22
- M. Kempkes (2003): Witkleurige albinoguppen als tweevoudige recessieve grondkleur. *Poecilia Nieuws* (3): 38-51
- M. Kempkes (2003): Kooperation subadulter Männchen von *Poecilia reticulata* Peters, 1859 bei Balz und Paarung. *Zeitschrift für Fischkunde* (1-2): 108-110

Livebearer Literature List 202201

- M. Kempkes (2004): Beobachtungen zum agonistischen Verhalten weiblicher Guppys, *Poecilia reticulata* Peters, 1859. DGLZ-Rundschau (3): 63-70
- M. Kempkes (2005): Lebendgebärende in zoologischen Gärten VII: Die Guppys im Botanischen Garten München. DGLZ-Rundschau (4): 116-118
- M. Kempkes (2005): Ab wann und wie lange speichern Guppy-Weibchen (*Poecilia reticulata* Peters, 1859) Spermien?. Biologie der Aquarienfische (Greven, H. & R. Riehl, eds), Tetra Verlag (): 55-64
- M. Kempkes (2006): Buxeus, a new colour gene in the guppy, *Poecilia reticulata* Peters, 1859. Zeitschrift für Fischkunde (1/2): 99-100
- M. Kempkes (2007): New colour genes in the guppy, *Poecilia reticulata* (Peters, 1859). Bulletin of Fish Biology (1/2): 93-97
- M. Kempkes (2007): De invloed van genetische factoren op de vorm van de staartvin bij de gup *Poecilia (Acanthophacelus) reticulata* Peters, 1859. Poecilia Nieuws (3): 39-43
- M. Kempkes (2008): 150 Jahre *Poecilia reticulata* - 100 Jahre Guppyzucht in Europa. Aquaristik Fachmagazin (204): 4-12
- M. Kempkes (2008): Darwins Guppy. Aquaristik Fachmagazin (204): 14-1
- M. Kempkes (2008): Der Speerschwanz - ein außergewöhnlicher Guppy. Aquaristik Fachmagazin (204): 20-23
- M. Kempkes (2008): Ein kleiner Beitrag zur sexuellen Selektion, zur Partnerwahl, zur Spermien-speicherfähigkeit und zur Spermienkonkurrenz bei *Poecilia reticulata* sowie artübergreifenden Paarungen zwischen *Poecilia wingei* und *Poecilia reticulata*. DGLZ-Rundschau
- M. Kempkes (2009): Een klein bijdrage over seksuele selectie, over partnerkeuze, over het opslagvermogen van spermacellen en over spermaconcurrentie bij *Poecilia reticulata* Peters, 1859 en ook over soort-overschrijdende paringen tussen *Poecilia wingei* Poeser., *Poecilia*
- M. Kempkes (2009): Betrifft: Gillbach in Nor? - Eine aktuelle Bestandsübersicht zur Guppypopulation im Gillbach. DGLZ-Rundschau (4): 105-106
- M. Kempkes (2010): De guppy, *Poecilia reticulata*, als exoot. Poecilia Nieuws (5): 28-32
- M. Kempkes (2011): Guppys in der Erft. DATZ (August): 8-8
- M. Kempkes (2011): Guppys in Potsdam. DATZ (11): 38-40
- M. Kempkes (2013): Guppyzucht in Zuchlinien und im Schwarm. DATZ (Dec): 28-31
- M. Kempkes (2013): Methusalem - ein kleiner Beitrag zur Lebenserwartung von Guppys. DATZ (Dec): 32-33
- M. Kempkes (2013): Zum Einfluss der Reproduktion auf die Ontogenese der Weibchen. DATZ (Dec): 40-42
- M. Kempkes (2015): De guppy, een ware globetrotter!. Poecilia Nieuws (2): 18-21
- M. Kempkes (2018): Bidsprinkhaan eet guppy's. Poecilia Nieuws (4): 27-28
- M. Kempkes (2021): Von Guppys und "Sumpfguppys" in Suriname. Das Lebendgebärenden Magazin (1): 40-50
- M. Kempkes & F. Budesheim (2001): Lutino oder Rotaugenguppy?. DGLZ-Rundschau (1): 16-19
- M. Kempkes & F. Poeser (1999): De overerving van 'pink' bij guppen, *Poecilia reticulata* Peters, 1859. Poecilia Nieuws (3): 66-69
- R.L. Kendal, I. Coolen & K.N. Laland (2004): The role of conformity in foraging when personal and social information conflict. Behavioral Ecology (2): 269-277
- W.R. Kenney (1982): On growth and maximum sizes of fishes. Livebearers (62): 4-8
- G. Khoo et al (1999): Linkage analysis and mapping of three sex-linked color pattern genes in the guppy, *Poecilia reticulata*. Zoological Science (6): 893-903
- G. Khoo, T.M. Lim, W.-K. Chan & V.P.E. Phang (1999): Sex-linkage of the black caudal-peduncle and red tail genes in the tuxedo strain of the guppy, *Poecilia reticulata*. Zoological Science (16): 629-638
- G. Khoo, T.M. Lim, W.-K. Chan & V.P.E. Phang (2007): Colour genes of the ornamental guppies in Singapore. Journal of Science and Technology in the Tropics (3): 75-80
- H.S. Kimbell & L.J. Morrell (2015): Turbidity influences individual and group level responses to predation in guppies, *Poecilia reticulata*. Animal Behaviour (103): 179-185
- M. Kirkpatrick & L.A. Dugatkin (1994): Sexual selection and the evolutionary effects of copying mate choice. Behavioral Ecology and Sociobiology (34): 443-449
- A.J. Klee (1993): A history of the guppy Part 1. Livebearers (129): 17-28
- A.J. Klee (1993): A history of the guppy Part 2. Livebearers (130): 17-26
- A.J. Klee (1994): The genetics of the delta-tail guppy. Livebearers (133): 29-33
- A.J. Klee (1994): The guppy in the wild. Livebearers (138): 12-16
- A.J. Klee (2013): The Guppy 1859 - 1967. (): 1-54
- H. Kleine (2009): Der Guppy (*Poecilia reticulata*) gefährdet den Zweilinienkäpfchen (*Skiffia bilineata*) durch sexuelle Bedrängung. Das Lebendgebärenden Magazin (1): 15-15
- N. Kniel & J.-G. J. Godin (2019): Characterizing the (co)variance of personality traits in female Trinidadian guppies (*Poecilia reticulata*). Environmental Biology of Fishes (102): 1351-1363
- H. Koch (1964): Woher hat der Guppy seinen Namen. ZAG Lebendgebärende Zahnkarpfen (1): 6-10
- H. Koch (1966): Betrachtungen über das Bewerten von Guppys sowie das Arbeitsprogram der Arbeitsgemeinschaft Guppy-Zucht für das Jahr 1966. ZAG Lebendgebärende Zahnkarpfen (1): 1-5
- H. Koch (1966): Auswertung der I. Internationalen Guppy-Schau 1965 in Berlin. ZAG Lebendgebärende Zahnkarpfen (1): 5-7
- H. Koch (1969): Ist die Guppyzucht eine Modeerscheinung? 1. Aquarien Terrarien (8): 259-261
- H. Koch (1969): Ist die Guppyzucht eine Modeerscheinung? 2. Aquarien Terrarien (9): 298-303
- A. Kodric-Brown (1985): Female preference and sexual selection for male coloration in the guppy (*Poecilia reticulata*). Behav Ecol Sociobiol (17): 199-205
- A. Kodric-Brown (1989): Dietary carotenoids and male mating success in the guppy: an environmental component to female choice. Behav Ecol Sociobiol (25): 393-401
- A. Kodric-Brown & P.F. Nicoletto (1996): Consensus among females in their choice of males in the guppy *Poecilia reticulata*. Behav Ecol Sociobiol (39): 395-400
- A. Kodric-Brown & P.F. Nicoletto (1997): Repeatability of female choice in the guppy: response to live and videotaped males. Anim. Behav. (54): 369-376
- A. Kodric-Brown & P.F. Nicoletto (2001): Age and experience affect female choice in the guppy (*Poecilia reticulata*). The American Naturalist (3): 316-323
- A. Kodric-Brown & P.F. Nicoletto (2001): Female choice in the guppy (*Poecilia reticulata*): the interaction between male color and display. Behav Ecol Sociobiol (50): 346-351
- A. Kodric-Brown & P.F. Nicoletto (2005): Courtship behavior, swimming performance, and microhabitat use of Trinidadian guppies. Environmental Biology of Fishes (72): 299-307

- E. Koharian (1996): Pheromones in *Poecilia reticulata*. Livebearers (144): 14-20
- W. Köhler (1906): Neue Fischimporten. Blätter für Aquarien- und Terrarienkunde (7): 70-70
- W. Köhler (1906): Zur Nomenklatur von *Poecilia reticulata* Peters. Blätter für Aquarien- und Terrarienkunde (50): 497-498
- J.D. Kok (1958): Eerste Nederlandse Guppenschouw. Guppy (6): 6-8
- J. Kok & A.J.J. van de Pol (1963): Het miljoenenvisje. Het Aquarium (6): 127-127
- G.R. Kolluru & G.F. Grether (2005): The effect of resource availability on alternative mating tactics in guppies (*Poecilia reticulata*). Behavioral Ecology (1): 294-300
- G.R. Kolluru, G.F. Grether & H. Contreras (2007): Environmental and genetic influences on mating strategies along a replicated food availability gradient in guppies (*Poecilia reticulata*). Behav Ecol Sociobiol (61): 689-701
- L. Koning (1957): Ook u kunt mooie guppen kweken!. Guppy (4): 2-7
- K. Koomans (2007): Basiskennis guppy genetica. Poecilia Nieuws (3): 8-17
- K. Koomans (2007): Endlers en guppen: het kweken van hybriden. Poecilia Nieuws (5): 17-21
- H. van der Kooy (2008): Guppen (kweekvormen en endler's). Poecilia Nieuws (3): 60-61
- C. Koßwig (1964): Problems of polymorphism in fishes. Copeia (1): 65-75
- C. Koßwig (1964): Problems of polymorphism in fishes. Copeia (1): 65-75
- T.A. Kotner (0): Culling for breeders and show males in the blue/green bicolour strain. Viviparous (24): 0-
- A. Kotrschal et al (2018): Brain size does not impact shoaling dynamics in unfamiliar groups of guppies (*Poecilia reticulata*). Behavioural Processes (147): 13-20
- S.M. Kotschekow (1995): Guppies aus Moskau. DATZ (4): 221-224
- V.A. Kottler, A. Fadeev, D. Weigel & C. Dreyer (2013): Pigment pattern formation in the guppy, *Poecilia reticulata*, involves the kita and Csf1ra receptor Tyrosine Kinases. Genetics (July): 631-646
- J. de Kraay (1959): Guppencomplex. Het Aquarium (6): 148-148
- J. de Kraay (1967): Levendbarende tandkarpers. Het Aquarium (10): 218-223
- D.L. Kramer & J.P. Mehegan (1981): Aquatic surface respiration, an adaptive response to hypoxia in the guppy, *Poecilia reticulata* (Pisces, Poeciliidae). Environmental Biology of Fishes (3/4): 299-313
- R. Kratochwil (2019): Der Wienermaragd Guppy. Das Lebendgebärenden Magazin (2): 31-35
- J. Krause & J-G. Godin (1996): Influence of prey foraging posture on flight behavior and predation risk: predators take advantage of unwary prey. Behavioral Ecology (3): 264-271
- I. Kristensen (1952): De invloed van geslachtelijke rijping op de groei. Het Aquarium (1): 14-14
- I. Kristensen (1952): Wie heeft ooit guppen zien paren?. Het Aquarium (1): 4-9
- I. Kristensen (1956): Probleemvis nr 1: de Gup (Lebistes reticulatus). Het Aquarium (11): 250-255
- I. Kristensen (1956): Partogenese bij de gup èn bij de mens?. Het Aquarium (6): 132-133
- I. Kristensen (1957): De geslachtsomkeer bij levendbarenden. Het Aquarium (6): 124-127
- I. Kristensen (1959): Zelfbevruchting bij guppen. Het Aquarium (3): 68-69
- I. Kristensen (1960): Eierleggende guppen. Het Aquarium (8): 194-194
- I. Kristensen (2000): Eierleggende guppen. Poecilia Nieuws (3): 47-48
- I. Kristensen (2000): Zelfbevruchting bij guppen. Poecilia Nieuws (4): 58-60
- I. Kristensen (2000): Links en rechts benaderende levendbarenden. Poecilia Nieuws (2): 18-19
- D. Kroll (1995): "Wildformen aller Länder, vereinigt euch". DGLZ-Rundschau (1): 9-11
- A. Kühne (1997): Der Albinismus bei Zuchtformen und Guppies. DGLZ-Rundschau (3): 53-55
- A. Kühne (2000): Muss man die Guppynamen "Lutino" ernst nehmen. DGLZ-Rundschau (2): 41-42
- A. Kühne (2001): Albinotische Varianten. DGLZ-Rundschau (2): 36-39
- K. Kuhnert (1999): Können Guppies (*Poecilia reticulata*) Farben erkennen?. DGLZ-Rundschau (2): 66-68
- A. Kunard (1980): Line breeding. Livebearers (50): 23-24
- S. Kwartier (1998): Practical guppy keeping & selecting a breeding program. Viviparous (41): 0-
- S. Kwartier (2002): Neutral females. Livebearer News (1): 8-9
- J. Labonne & A.P. Hendry (2010): Natural and sexual selection giveth and taketh away reproductive barriers: models of population divergence in guppies. The American Naturalist (1): 26-39
- D.L. LaFleur, G.A. Lozano & M. Sclafani (1997): Female mate-choice copying in guppies, *Poecilia reticulata*: a re-evaluation. Anim. Behav. (54): 579-586
- K.N. Laland & S.M. Reader (1999): Foraging innovation is inversely related to competitive ability in male but not in female guppies. Behavioral Ecology (3): 270-274
- K.N. Laland & S.M. Reader (1999): Foraging innovation in the guppy. Anim. Behav. (57): 331-340
- D. Lambert (0): The guppy, past, present and future. Viviparous (4): 0-
- D. Lambert (0): *Poecilia reticulata* Peters, 1859. Viviparous (7): 0-2
- J.G.D Lambert (1966): Location of hormone production in the ovary of the guppy, *Poecilia reticulata*. Cellular and Molecular Life Sciences (7): 476-477
- D. Lambert (1996): Beautiful guppies. Tropical Fish Hobbyist (August): 134-136
- H.P. Lammers (1955): Eenvoudige bestrijding van blauwe alg. Het Aquarium (12): 280-281

Livebearer Literature List 202201

- T. Landgraf et al (2016): RoboFish: increased acceptance of interactive robotic fish with realistic eyes and natural motion patterns by live Trinidadian guppies. *Bioinspir. Biomim.* (11): 1-14
- A. Lange (0): Extract from a survey of the guppy. *Viviparous* (34): 0-
- A. Lange (1983): A survey of the guppy its history and development. *Livebearers* (70): 7-13
- G. Lange (1992): Stellungnahmen zum Vorschlag eines Weibchenstandards. *DGLZ-Rundschau* (3): 66-67
- A. Lange (1995): Extract from a survey of the guppy. *Viviparous* (32): 0-
- G. Lange & Horst Schillat (1987): Praxis der Guppyzucht 1. *Aquarien Terrarien* (7): 226-229
- G. Lange & Horst Schillat (1987): Praxis der Guppyzucht 5. *Aquarien Terrarien* (11): 380-381
- G. Lange & Horst Schillat (1987): Praxis der Guppyzucht 3. *Aquarien Terrarien* (9): 304-305
- G. Lange & Horst Schillat (1987): Praxis der Guppyzucht 4. *Aquarien Terrarien* (10): 342-343
- G. Lange & Horst Schillat (1987): Praxis der Guppyzucht 2. *Aquarien Terrarien* (8): 269-271
- G. Lange & Horst Schillat (1987): Praxis der Guppyzucht. *Aquarien Terrarien* (12): 413-414
- R. B. Langerhans & T.J. DeWitt (2004): Shared and unique features of evolutionary diversification. *The American Naturalist* (3): 335-349
- W. Laros (1987): Guppenkweken op papier. *Poecilia Nieuws* (4): 56-57
- E.C. Larr (0): Temperature. *Viviparous* (18): 0-
- E.C. Larr (0): A feeding test. *Viviparous* (12): 0-3
- E.C. Larr (1979): Guppy coloration. *Livebearers* (43): 2-8
- E.C. Larr (1979): Guppy notes. *Livebearers* (46): 2-11
- E.C. Larr (1983): Temperature. *Livebearers* (71): 11-13
- E.C. Larr (1992): Guppy coloration. *Livebearers* (126): 31-37
- E.C. Larr (1993): Experiments with guppy foods. *Livebearers* (131): 19-21
- A.H. Latham (1949): Maken vrouwtjes guppen het hof aan de mannetjes?. *Het Aquarium* (6): 136-136
- S. Lechleiter et al (2011): Guppies in und aus Sri Lanka - Eindrücke von einer Reise. *DATZ* (11): 34-37
- J.M. Ledesma & S.P. McRobert (2008): Shoaling in juvenile guppies: The effects of body size and shoal size. *Behavioural Processes* (77): 384-388
- W.M. Lewis (1970): Morphological adaptations of Cyprinodontoids for inhabiting oxygen deficient waters. *Copeia* (2): 319-326
- F. Liberge (2013): Cristian Salogni portret. *Le Vivipare* (116): 12-20
- D. Liebman (1972): The new half-pink black-belted guppy. *Livebearers* (4): 2-4
- D. Liebman (1994): The new half-pink black-belted guppy. *Viviparous* (28): 20-22
- L.Z. de Liefde (1993): Door selectie verkregen. *Poecilia Nieuws* (6): 151-154
- L.Z. de Liefde (2000): Genetische verrassingen bij guppen. *Poecilia Nieuws* (1): 12-13
- L.Z. de Liefde (2007): Poecilia wingei (Endler) x Poecilia reticulata ("pink"). *Poecilia Nieuws* (3): 33-36
- L.Z. de Liefde (2007): Poetsgedrag tussen guppy en platy. *Poecilia Nieuws* (2): 9-10
- L.Z. de Liefde (2012): Een merkwaardige uitslag na een paring van Poecilia reticulatus vrouw x Poecilia wingei scarlet man. *Poecilia Nieuws* (1): 14-15
- L.Z. de Liefde (2012): Belevissen met de maculatus guppy. *Poecilia Nieuws* (1): 24-25
- L.Z. de Liefde (2013): Poecilia wingei en hybriden. *Poecilia Nieuws* (1): 15-19
- N.R. Liley & W. Wishlow (1974): Factors regulating female guppy receptivity. *Livebearers* (18): 16-16
- A. Lindholm & F. Breden (2002): Sex chromosomes and sexual selection in poeciliid fishes. *The American Naturalist* (160): 214-224
- A.K. Lindholm et al (2005): Invasion success and genetic diversity of introduced populations of guppies *Poecilia reticulata* in Australia. *Molecular Ecology* (14): 3671-3682
- A. Littlewood (1957): Guppenschubben. *Guppy* (1): 8-11
- A. Littlewood (1957): Guppenschubben XII Het kweken naar recessieve kenmerken. *Guppy* (4): 8-10
- A. Littlewood (1958): Guppenschubben XV Het doorkruisen. *Guppy* (3): 11-15
- W. Loch (1997): Gedanken eines "jungen" Guppyzüchters. *DGLZ-Rundschau* (1): 14-21
- W. Loch (1997): Bericht vom World Guppy Contest 1997 in Nürnberg. *DGLZ-Rundschau* (4): 88-91
- W. Loch (1997): Hochzuchtguppies in Europa. *Das Aquarium* (Januar): 6-8
- W. Loch (1998): 2. World Guppy contest 1997 in Nürnberg. *Das Aquarium* (344): 5-10
- J.M. Lodewijks (1950): Oud nieuws over de gup (slot). *Het Aquarium* (5): 106-109
- J.M. Lodewijks (1950): Oud nieuws over de gup. *Het Aquarium* (4): 90-92
- A.J. de Looze (1963): Guppen in de kweek. *Het Aquarium* (6): 122-124
- A.J. de Looze (1985): Guppenkweek. *Poecilia Nieuws* (2): 19-23
- J.V.S.R. Lopes, R.J. Young & C.S. de Azevedo (2019): Effect of the neutral household detergent on the behaviour and personality of the guppy *Poecilia reticulata* (Peters, 1859) (Osteichthys: Poeciliidae). *Acta Ethol* (March): 1-11

- J.V.S. Lopes, R.J. Young, C.S. de Azevedo (2019): Effects of the neutral household detergent on the behaviour and personality of guppy *Poecilia reticulata* (Peters, 1859) (Osteichthys: Poeciliidae). *Acta Ethol* (March): -
- A. López-Sepulcre et al (2013): Beyond lifetime reproductive success: the posthumous reproductive dynamics of male Trinidadian guppies. *Proc. R. Soc. B.* (May): 1-8
- G.A. Lozano (1994): Carotenoids, parasites, and sexual selection. *Oikos* (2): 309-311
- G. Lucas (1977): Hormonen en aquaristiek. *TIH* (10): 28-29
- P.H. Lucinda (2017): Erste bestätige Nachweise des Guppys, *Poecilia reticulata*, aus Paraguay. *Das Lebendgebärenden Magazin* (1): 31-32
- P.H. Lucinda (2017): First confirmed records of the guppy, *Poecilia reticulata*, from Paraguay. *Ichthyological Contributions of PecesCriollos* (51): 1-4
- H. Luckmann (1985): Linienzucht!. *DGLZ-Rundschau* (3): 6-7
- H. Luckmann (1985): Wann ist ein Guppy selbstgezüchtet?. *DGLZ-Rundschau* (1): 4-8
- H. Luckmann (1985): Wanneer is een guppy zelf gekweekt?. *Poecilia Nieuws* (4): 48-52
- H. Luckmann (1990): Unfruchtbarkeit bei Albino-Guppys. *DGLZ-Rundschau* (4): 8-10
- H. Luckmann (1990): Vererbung von schwarz beim Pink-Guppy. *DGLZ-Rundschau* (1): 11-15
- H. Luckmann (1990): Die Grundfarbe des Pink-Guppys. *DGLZ-Rundschau* (2): 4-8
- H. Luckmann (1990): "Snakeskin" bei Schwerträgern: auch über das X-Chromosom. *DGLZ-Rundschau* (3): 14-16
- H. Luckmann (1991): DGLZ-Guppy-Standard für Weibchen. *DGLZ-Rundschau* (3): 60-62
- H. Luckmann (1991): Rezessive Grundfarben beim Guppy. Teil 1: Blond. *DGLZ-Rundschau* (1): 6-8
- H. Luckmann (1991): Rezessive Grundfarben beim Guppy Teil II: Gold, Blau und Albino. *DGLZ-Rundschau* (2): 32-34
- H. Luckmann (1991): Rezessive Grundfarben beim Guppy Teil III: Doppelt-resessive Grundfarben: Weiß, Creme, Silber, Albinokombinationen. *DGLZ-Rundschau* (3): 67-69
- H. Luckmann (1992): Bewertungsstandard für Guppy-Weibchen. *DGLZ-Rundschau* (3): 68-70
- H. Luckmann (1992): Bewertung von Guppy-Weibchen nach Standard. *DGLZ-Rundschau* (1): 18-18
- H. Luckmann (1992): Farbguppys. *DGLZ-Rundschau* (4): 90-91
- H. Luckmann (1992): Silber - eine (fast) unbekannte Grundfarbe. *DGLZ-Rundschau* (1): 19-20
- H. Luckmann (1993): Langzeituntersuchungen an Guppy-Weibchen Teil 1. *DGLZ-Rundschau* (2): 36-39
- H. Luckmann (1993): Langzeituntersuchungen an Guppy-Weibchen Teil II. *DGLZ-Rundschau* (4): 86-88
- H. Luckmann (1993): Unausrottbar. *DGLZ-Rundschau* (3): 60-61
- H. Luckmann (1998): Erhalten wir durch ständiges Kreuzen bessere Guppys?. *DGLZ-Rundschau* (2): 38-39
- H. Luckmann (1999): Wird die Farbung bei der Bewertung der Guppys nicht genügend berücksichtigt?. *DGLZ-Rundschau* (1): 21-21
- H. Luckmann (1999): Große Erfoge auch mit kleinen Zuchtanlagen. *DGLZ-Rundschau* (1): 18-19
- H. Luckmann (2000): Darum gibt es keine 95 Punkte-Guppy. *DGLZ-Rundschau* (1): 21-22
- H. Luckmann (2000): Neues Bewertungsfahren für Guppys auf der nächsten DGLZ-Leistungsschau. *DGLZ-Rundschau* (2): 39-41
- H. Luckmann (2005): Die Folgen der Abnahme der genetischen Variabilität in der Guppy-Zucht - übertriebenes oder wirklich Problem. *Das Lebendgebärenden Magazin* (1&2): 34-40
- T. Lucon-Xiccato & A. Bisazza (2017): Individual differences in cognition among teleost fishes. *Behavioural Processes* (141): 184-195
- T. Lucon-Xiccato & M. Dadda (2017): Personality and cognition: sociability negatively predicts shoal size discrimination performance in guppies. *Frontiers in Psychology* (June): 1-7
- J. Lukas & D. Bierbach (2016): Wer weiß, wo die Guppys sind?. *Amazonas* (67): 7-7
- J. Lukas et al (2017): Feral guppies in Germany - a critical evaluation of a citizen science approach as biomonitoring tool. *Bulletin of Fish Biology* (1/2): 13-27
- K.H. Lülling (1986): Het guppy, *Poecilia reticulata*; een echte cosmopoliet. *TIH* (45): 15-17
- R. Lundkvist (2008): Zwie kleine Lebendgebärende aus Tobago. *DGLZ-Rundschau* (3): 58-65
- R. Lundkvist (2009): Two tiny livebearers from Tobago. *Livebearer News* (27): 46-52
- R. Lundkvist (2009): Twee kleine levendbarenden van Tobago. *Het Aquarium* (5): 4-7
- R. Lundkvist (2012): Guppen als juwelen. *Het Aquarium* (6): 33-36
- R. Lundkvist (2014): Gaudy-Guppy-nach Tobago der Guppys wegen. *DGLZ-Rundschau* (3): 93-100
- R. Lundkvist (2020): Variation in wild offshore guppies in Tobago. *Livebearers* (248): 8-10
- B. Lutz (1983): Raising commercial stock fish. *Livebearers* (71): 14-16
- P.H. Luyten & N.R. Liley (1985): Geographic variation in the sexual behaviour of the guppy, *Poecilia reticulata* (Peters). *Behaviour* (1/2): 164-179
- J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. *Anales del Instituto de Biología, Universidad Nacional* (2): 169-190
- A. Macario, S.K. Darden, F. Verbruggen & D.P. Croft (2021): Intraspecific variation in inhibitory motor control in guppies, *Poecilia reticulata*. *Journal of Fish Biology* (98): 317-328
- A. Maceda-Veiga & J. Cable (2001): Diseased fish in the freshwater trade: from retailers to private aquarists. *Diseases of Aquatic Organisms* (132): 157-162
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 289-302
- K. Magellan & A.E. Magurran (2007): Mate choice, sexual coercion and gene flow in guppy populations. *Journal of Fish Biology* (71): 1864-1872
- K. Magellan & A.E. Magurran (2009): The effect of social environment during ontogeny on life history expression in the guppy *Poecilia reticulata*. *Journal of Fish Biology* (74): 2329-2337

- M. Magris et al (2017): Artificial insemination unveils a first-male fertilization advantage in the guppy. *Animal Behaviour* (13): 45-55
- A.E. Magurran (1998): Population differentiation without speciation. *Philosophical Transactions: Biological Sciences* (353): 275-286
- A.E. Magurran (2001): Sexual conflict and evolution in Trinidadian guppies. *Genetica* (112-113): 463-474
- A.F. Magurran & B. H. Seghers (1990): Risk sensitive courtship in the guppy (*Poecilia reticulata*). *Behaviour* (3/4): 194-201
- A.F. Magurran & B. H. Seghers (1994): Predator inspection behaviour covaries with schooling tendency amongst wild guppy, *Poecilia reticulata*, populations in Trinidad. *Behaviour* (128): 121-134
- A.F. Magurran & B. H. Seghers (1994): Sexual conflict as a consequence of ecology: evidence from guppy, *Poecilia reticulata*, populations in Trinidad. *Proc. R. Soc. Lond.* (255): 31-36
- A.E. Magurran & C. Macías Garcia (2000): Sex differences in behaviour as an indirect consequence of mating system. *Journal of Fish Biology* (57): 839-857
- A.E. Magurran & D.A.T. Phillip (2001): Implications of species loss in freshwater fish assemblages. *Ecography* (24): 645-650
- A.E. Magurran & D.A.T. Phillip (2001): Evolutionary implications of large-scale patterns in the ecology of Trinidadian guppies, *Poecilia reticulata*. *Biological Journal of the Linnean Society* (73): 1-9
- A.E. Magurran & I.W. Ramnarine (2004): Learned mate recognition and reproductive isolation in guppies. *Animal Behaviour* (67): 1077-1082
- A.E. Magurran & I.W. Ramnarine (2005): Evolution of mate discrimination in a fish. *Current biology* (21): 1-2
- A.E. Magurran & M.A. Novak (1991): Another battle of the sexes: the consequences of sexual asymmetry in mating costs and predation risk in the guppy, *Poecilia reticulata*. *Proc. R. Soc. Lond.* (246): 31-38
- A.E. Magurran et al (1996): Genetic divergence, female choice and male mating success in Trinidadian guppies. *Behaviour* (7/8): 503-517
- W. Marschall (1980): Zuchterfolg mit einem Singapur-Guppymännchen. *ZAG Lebendgebärende Zahnkarpfen* (1): 29-31
- D. Marshall (0): The Russian cobra guppy. *Viviparous* (35): 0-
- F. Douglas Martin & M.F. Hengstebeck (1981): Eye colour and aggression in juvenile guppies *Poecilia reticulata* Peters (Pisces: Poeciliidae). *Anim. Behav.* (29): 325-331
- C.H. Martin & S. Johnsen (2007): A field test of the Hamilton-Zuk hypothesis in the Trinidadian guppy (*Poecilia reticulata* Peters). *Behav Ecol Sociobiol* (61): 1897-1909
- C. Martínez et al (2016): Low predictability of colour polymorphism in introduced guppy (*Poecilia reticulata*) populations in Panama. *Plos One* (2): 1-18
- H. März (2003): "Mein Guppy". *DGLZ-Rundschau* (3): 69-69
- I.M. Matthews & A.E. Magurran (2000): Evidence for sperm transfer during sneaky mating in wild Trinidadian guppies. *Journal of Fish Biology* (56): 1381-1386
- I.M. Matthews, J.P. Evans & A.E. Magurran (1997): Male display rate reveals ejaculate characteristics in the Trinidadian guppy *Poecilia reticulata*. *Proc. R. Soc. Lond.* (264): 695-700
- E. Maya Peña & S. Marañón Herrera (2001): Efecto de la temperatura sobre la proporción sexual de *Poecilia reticulata* Peters, 1859 (Pisces: Poeciliidae). *Hidrobiológica* (2): 157-162
- H.J. Mayland (1992): Aquarianer in Venezuela. *Das Aquarium* (november): 15-
- R. Mazzoni et al (2006): Stream-dwelling fish communities from an Atlantic rain forest drainage. *Brazilian Archives of Biology and Technology* (2): 1516-8913
- G.B. McCroskey (1989): Raising a few guppies cheaply or beginning with guppies on budget. *Livebearers* (104): 10-16
- G.B. McCroskey (1997): Raising a few guppies - cheaply or beginning with guppies on a budget. *Viviparous* (39): 0-
- A.E. McKellar, M.M. Turcotte & A.P. Hendry (2009): Environmental factors influencing adult sex ratio in Trinidadian guppies. *Oecologia* (159): 735-745
- H. McMinn (1990): Effect of the nematode parasite *Camallanus cotti* on sexual and non-sexual behaviors in the guppy (*Poecilia reticulata*). *American Zoologist* (2): 245-249
- G.K. Meffe & R.C. Vrijenhoek (1981): Starvation stress and intraovarian cannibalism in livebearers. *Copeia* (3): 702-705
- G.K. Meffe & R.C. Vrijenhoek (1981): Starvation stress and intraovarian cannibalism in livebearers (Atheriniformes: Poeciliidae). *Livebearers* (120): 16-23
- M. Meinecke (1974): Einfluß von Testosteron auf die Färbung und Morphologie des Guppys 4. *Aquarien Terrarien* (6): 201-201
- M. Meinecke (1974): Einfluß von Testosteron auf die Färbung und Morphologie des Guppys. *Aquarien Terrarien* (3): 90-92
- M. Meinecke (1974): Einfluß von Testosteron auf die Färbung und Morphologie des Guppys 3. *Aquarien Terrarien* (5): 168-169
- M. Meinecke (1974): Einfluß von Testosteron auf die Färbung und Morphologie des Guppys 2. *Aquarien Terrarien* (4): 128-130
- M. Meinecke (1979): Zwischenartige Kreuzung. *ZAG Lebendgebärende Zahnkarpfen* (4): 18-18
- I. Meissner (1991): Raubfische verändern Guppy-Gene. *TI* (104): 7-7
- P.J. Mellegers (1996): 'Ze sterven als ratten' - maar het waren guppen!. *Poecilia Nieuws* (4): 116-120
- R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2011): Molecular phylogenetic relationships and the coevolution of placentotrophy and superfetation in Poecilia (Poeciliidae: Cyprinodontiformes). *Molecular Phylogenetics and Evolution*
- J.C. Merino (1993): De 'Don Juan' onder de guppen. *Poecilia Nieuws* (5): 100-102
- M.K. Meyer & D. Vogel (1982): Die Untergattung *Lebistes* de Felippi, 1861. *DATZ* (11): 409-412
- F.W. Miesen (2013): Neighbours or competitors? Alien and native fish species in a thermally polluted stream in North Rhine-Westphalia, Germany. *PHD* (): 1-71
- M.E. Miletto Petrazzini et al (2018): Exploring the solitaire illusion in guppies (*Poecilia reticulata*). *Journal of Comparative Psychology* (1): 48-57
- R.S. Mirza, J.J. Scott & D.P. Chivers (2001): Differential responses of male and female red swordtails to chemical alarm cues. *Journal of Fish Biology* (59): 716-728
- R.S. Mohammed et al (2012): Upstream guppies (*Poecilia reticulata*, Peters, 1859) go against the flow. *Biota Neotrop.* (3): 68-72
- R. Mohsenpour et al (2020): In vitro effects of silver nanoparticles on gills morphology of female Guppy (*Poecilia reticulata*) after a short-term exposure. *Microsc Res Tech.* (83): 1552-1557
- J.H. Mol, D. Resida, J.S. Ramlal & C.R. Becker (2000): Effects of El Niño-related drought on freshwater and brackish-water fishes in Suriname, South America. *Environmental Biology of Fishes* (59): 429-440
- R. Moncayo-Estrada et al. (2014): Status and trends in biotic integrity in a sub-tropical river drainage: analysis of the fish assemblage over a three decade period. *River Res. Applic.* (): -
- J. Moreno (1974): Collecting livebearers in Barbados. *Livebearers* (18): 7-10
- D.L. Morgan, H.S. Gill, M.G. Maddern & S.J. Beatty (2004): Distribution and impacts of introduced freshwater fishes in Western Australia. *New Zealand Journal of Marine and Freshwater Research* (3): 511-523

- D.C. Morizot & M.J. Siciliano (198): Gene mapping in fishes and other vertebrates. in: Turner, Bruce J. Evolutionary Genetics of Fishes (): 173-235
- L.J. Morrell et al (2007): Diet, familiarity and shoaling decisions in guppies. *Animal Behaviour* (74): 311-319
- L.J. Morrell et al (2008): Association patterns and foraging behaviour in natural and artificial guppy shoals. *Anim. Behav.* (76): 855-864
- H. Mousavi-Sabet, H.F. Langroudi & M. RohaniRad (2012): Sex reversal, mortality and growth of guppy (*Poecilia reticulata*) affected by 17-alpha methyltestosterone. *Poeciliid Research* (1): 1-8
- H. Mück (2011): Den Traum gelebt: Mexikorundreisde - Endziel Characodon-Habitate im zentralen Hochland von Durango. *DGLZ-Rundschau* (4): 91-108
- J. Mueller-Paul (2013): Can fish count?. *Popular Fishkeeping* (Summer): 90-91
- N. Mühlhoff, J.R. Stevens & S.M. Reader (2011): Spatial discounting of food and social rewards in guppies (*Poecilia reticulata*). *Frontiers in Psychology* (April): 1-11
- A. Mukherjee, B. Mandal & S. Banerjee (2009): Turmeric as a carotenoid source on pigmentation and growth of fantail guppy, *Poecilia reticulata*. *Proc. Zool. Soc.* (2): 119-1123
- F.-P. Müllenholz (1978): Guppenpopulatie in de buurt van Keulen. *TI'H* (15): 42-42
- F.-P. Müllenholz (1983): Zu "Grundfarben beim Guppy" (AT 1981, S. 349). *Aquarien Terrarien* (5): 152-152
- P. Müller (1967): Interessante Neuzugänge aus Kuba. *Aquarien Terrarien* (10): 336-339
- A. Munakata & M. Kobayashi (2010): Endocrine control of sexual behavior in teleost fish. *General and comparative Endocrinology* (165): 456-468
- B. Myers (0): Notes on guppy breeding. *Viviparous* (13): 0-
- B. Myers (0): Notes on guppy breeding. *Viviparous* (14): 0-
- M. Nakajima, E. Shinohara & Y. Fujio (1999): Fluorescent chromatophore eected in the guppy *Poecilia reticulata*. *Zoological Science* (5): 745-747
- M. Nakajima, K. Fujisawa & N. Taniguchi (2009): Estimation of the mode of inheritance if thermal tolerance in the guppy *Poecilia reticulata*. *Fish Sci* (75): 683-687
- I. Nanda et al (1990): Simple repetitive sequences are associated with differentiation of the sex chromosomes in the guppy fish. *J. Mol. Evol.* (30): 456-462
- I. Nanda, M. Schartl et. al. (1992): Early stages of sex chromosom differentiation in fish analysed by simple repetitive DNA sequences. *Chromosoma* (101): 301-310
- P.L. Nayudu (1979): Genetic studies of melanic color patterns and atypical sex determination in the guppy, *Poecilia reticulata*. *Copeia* (2): 225-231
- P.L. Nayudu (1997): Genetic studies of melanic color patterns and atypical sex determination in the guppy, *Poecilia reticulata*. *Copeia* (2): 225-231
- P.L. Nayudu & Hunter, C.R. (1979): Cytological aspects and differential response to melatonin of melanophore based color mutants in the guppy, *Poecilia reticulata*. *Copeia* (2): 232-242
- B.D. Neff, T.E. Pitcher & I.W. Ramnarine (2008): Inter-population variation in multiple paternity and reproductive skew in the guppy. *Molecular Ecology* (17): 2975-2984
- H.P. Neuse (2002): Amerika, deine Guppyszene hat es (ist) besser!?. *DGLZ-Rundschau* (3): 75-79
- H.P. Neuse (2003): Wir haben ein Problem.... Das Aquarium (3): 52-54
- H.P. Neuse (2003): Wir haben ein Problem.. Teil 2. *DGLZ-Rundschau* (3): 73-75
- H.P. Neuse (2003): Die babylonische Verwirrung!?. *DGLZ-Rundschau* (1): 17-19
- H.P. Neuse (2008): Een eeuw na de eerste import van het miljoenenvisje - de gup. *Het Aquarium* (12): 4-7
- P.F. Nicoletto (1995): Offspring quality and female choice in the guppy, *Poecilia reticulata*. *Anim. Behav.* (49): 377-387
- P.F. Nicoletto (1996): The influence of water velocity on the display behavior of male guppies, *Poecilia reticulata*. *Behavioral Ecology* (3): 272-278
- P.F. Nicoletto & A. Kodric-Brown (1999): The use of digitally-modified videos to study the function of ornamentation and courtship in the guppy, *Poecilia reticulata*. *Environmental Biology of Fishes* (56): 333-341
- G. Nielebock (1999): Gedanken zur Bewertung von Guppys. *DGLZ-Rundschau* (4): 89-90
- G. Nielebock (1999): Mehr Mut bei Punktvergabe. *DGLZ-Rundschau* (4): 91-91
- A. van den Nieuwenhuizen (1994): Aquariumplanten in Hongarije. *Het Aquarium* (1): 23-27
- A. van den Nieuwenhuizen (1999): Van alles over de guppy (deel 1). *Aquariumwereld* (7-8): 176-183
- R. Nijland (2000): Arnhemse vogels maken guppen klein en lastig. *Poecilia Nieuws* (3): 54-56
- K.A. Nilsson & L. Persson (2013): Refuge availability and within-species differences in cannibalism determine population variability and dynamics. *Ecosphere* (8): 1-15
- G.K. Noble (1938): Sexual selection among fishes. *Biol. Rev.* (13): 133-155
- H.-J. Nolte (1986): Het vroege tijdig onderscheiden van de geslachten bij de gup. *Poecilia Nieuws* (2): 30-35
- H.-J. Nolte (1996): Beobachtungen an einer Schleierflossenvariante des Guppy. *DGLZ-Rundschau* (4): 86-89
- H.-J. Nolte (2002): Waarnemingen van een sluierstaartvariant van het guppy. *Poecilia Nieuws* (6): 103-105
- J. Norton (1972): Imported livebearers. *Livebearers* (4): 6-8
- J. Norton (1975): Livebearers in the pet shop. *Livebearers* (19): 3-6
- J. Norton (1994): Should we treat fish with hormones?. *Viviparous* (27): 13-16
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- L. Nyari (2002): Hoe zwak zijn onze kweekguppen. *Poecilia Nieuws* (6): 98-99
- L. Nyari (2002): Hoe word je guppenkweker?!. *Poecilia Nieuws* (2): 20-21
- J.P. Odell et al. (2003): Morphological and enzymatic correlates of aerobic and burst performance in different populations of Trinidadian guppies *Poecilia reticulata*. *Journal of Experimental Biology* (206): 3707-3718
- A.F. Ojanguren & A.E. Magurran (2004): Uncoupling the links between male mating tactics and female attractiveness. *Proc. R. Soc. Lond.* (271): 427-429
- A.F. Ojanguren & A.E. Magurran (2007): Male harassment reduces short-term female fitness in guppies. *Behaviour* (144): 503-514

- E. Olegário de Campos Júnior et al (2018): Validation of the species *Xiphophorus maculatus* for biological control of *Aedes aegypti* by comparing its larvae-eating potential with *Poecilia reticulata*. Biological control (117): 30-34
- R. Olendorf et al (2006): Frequency-dependent survival in natural guppy populations. Nature (441): 633-636
- S. O'Meara Austin (1980): In pursuit of the elusive green cobra. Livebearers (51): 3-8
- P. Ongena (1992): Emancipatie bij guppen. Poecilia Nieuws (3): 63-65
- C. van Oosterhout et al (2003): Marked variation in parasite resistance between two wild populations of the Trinidadian guppy, *Poecilia reticulata* (Pisces: Poeciliidae). Biological Journal of the Linnean Society (79): 645-651
- C. van Oosterhout et al (2006): Balancing selection, random genetic drift, and genetic variation at the major histocompatibility complex in two wild populations of guppies (*Poecilia reticulata*). Evolution (12): 2562-2574
- C. van Oosterhout et al (2007): The guppy as a conservation model: implications of parasitism and inbreeding for reintroduction success. Conservation Biology (6): 1573-1583
- C. van Oosterhout et al (2007): Selection by parasites in spate conditions in wild Trinidadian guppies (*Poecilia reticulata*). International Journal for Parasitology (37): 805-812
- C. van Oosterhout, D.A. Joyce & S.M. Cummings (2006): Evolution of MHC class IIB in the genome of wild and ornamental guppies, *Poecilia reticulata*. Heredity (97): 111-118
- C. Osche (1999): Meine Erfahrungen zum Thema Albino-Pink. DGLZ-Rundschau (2): 69-70
- C. Osche (1999): Einige Anmerkungen zum Kreuzen in der Guppyzucht. DGLZ-Rundschau (1): 17-17
- C. Osche (1999): Das Züchterportrait: Jim Alderson, Guppyzüchter der Superlative. Das Aquarium (2): 9-10
- C. Osche (2000): Kreuzungszuch als Lernprozess. DGLZ-Rundschau (1): 20-20
- C. Osche (2000): Schwarze Moskauer im Standard Triangel. DGLZ-Rundschau (1): 15-16
- C. Osche (2016): Interview Amazonas im Gespräch mit Michael Kempkes. Amazonas (67): 26-29
- C. Osche & K. Tyka (2016): Endler-Guppys. Von der Wildform bis zur Hybridzucht. Amazonas (67): 18-25
- S. O'Steen, A.J. Cullum & A.F. Bennett (2002): Rapid evolution of escape ability in Trinidad guppies. Evolution (4): 776-784
- S. O'Steen, S.L. Eby & J.A. Bunce (2010): Dynamically honest displays: courtship locomotor performance indicates survival in guppies. Functional Ecology (24): 1045-1053
- G. Ott (2011): Guppys auf Sumatra. DATZ (6): 51-51
- G. Ott (2011): Guppys auf Sumatra. DATZ (6): 51-51
- C. Oudshoorn (2001): Noodkreet van een guppenliefhebber. Poecilia Nieuws (1): 5-6
- H.-J. Paepke (1986): Neues zur Entdeckungsgeschichte von *Poecilia reticulata*. Aquarien Terrarien (6): 192-194
- E.P. Palkovacs (2009): Experimental evaluation of evolution and coevolution as agents of ecosystem change in Trinidadian streams. Phil. Trans. R. Soc. Land. (364): 1617-1628
- T.M. Panhuis, R. Butlin, M. Zuk & T. Tregenza (2001): Sexual selection and speciation. Trends in Ecology & Evolution (7): 364-371
- K.M. Parker et al (1998): Isolation and characterization of microsatellite loci from the Gila topminnow (*Poeciliopsis occidentalis*) and their utility in guppies (*Poecilia reticulata*). Molecular Ecology (7): 357-363
- K. Paysan (1982): Selectieve kweek van guppy's. TTH (28): 4-8
- H. Pearson (1957): Vragen van overzee II. Guppy (1): 4-5
- H.-A. Pederzani (1981): Die Grundfarben beim Guppy. Aquarien Terrarien (10): 349-352
- H.-A. Pederzani (1981): Geheimwissenschaft Guppyzucht?. Aquarien Terrarien (7): 226-227
- H.-A. Pederzani (1981): Erste Zuchtvierzecke mit Guppys. Aquarien Terrarien (10): 332-333
- H.-W. Pelz (1967): So entstand ein neuer Farbschlag beim Guppy. Aquarien Terrarien (10): 350-350
- N.D. Pertami et al (2020): The ratio of native and alien fish species in Buyan and Tambligan lakes, Bali. IOP Conf. Ser.: Earth Environ. Sci. (404): 1-10
- N.D. Pertami et al (2020): The ratio of native and alien fish species in Buyan and Tamblingan lakes, Bali. IOP Conf. Ser.: Earth Environ. Sci. (0): 1-10
- W. Peters (1859): Hr. W. Peters legte eine neue von Hr. Jagor im atlantischen Meere gefangen Art der Gattung *Leptocephalus* vor und fügte Mitteilungen über einige andere neue Fische des zoologischen Museums hinzu. Monatsber. K. Preussischen Akad. Wiss., Berlin ()
- I.V. Petrescu-Mag & G.R. Bourne (2008): Crossing-over between Y chromosomes: another possible source of phenotypic variability in the guppy, *Poecilia reticulata* Peters. AACL Bioflux (1): 1-10
- I.V. Petrescu-Mag et al. (2009): Winge's sex-linked color patterns and SDL in the guppy: genes or gene complexes?. AACL Bioflux (1): 71-80
- V.P.E. Phang & A.A. Fernando (1990): Genetics of colour variation in the guppy, *Poecilia reticulata*. Essays in Zoology (): 245-254
- V.P.E. Phang & A.A. Fernando (1991): Linkage analysis of the X-linked green tail and blue tail color genes in the guppy, *Poecilia reticulata*. Zoological Science (8): 975-981
- V.P.E. Phang & R.W. Doyle (1989): Analysis of early growth of guppy strains, *Poecilia reticulata*, with different color patterns. Theor Appl Genet (77): 645-650
- V.P.E. Phang, A.A. Fernando & E.W.K. Chia (1990): Inheritance of the color patterns of the blue snakeskin and red snakeskin varieties of the guppy, *Poecilia reticulata*. Zoological Science (7): 419-425
- V.P.E. Phang, L.N. Ng & A.A. Fernando (1985): Genetics of the colour of the yellow snakeskin variety of the guppy, *Poecilia reticulata*. Aquaculture (51): 49-63
- A. Pilastro & A. Bisazza (1999): Insemination efficiency of two alternative male mating tactics in the guppy (*Poecilia reticulata*). Proc. R. Soc. Lond. (266): 1887-1891
- A. Pilastro & A. Bisazza (1999): Constraints on adaptive evolution the functional trade-off between reproduction and fast-start swimming performance in the Trinidadian guppy. Proc. R. Soc. Lond. (266): 1887-1891
- A. Pilastro et al. (2002): Male phenotype predicts insemination success in guppies. Proc. R. Soc. Lond. (269): 1325-1330
- A. Pilastro et al. (2004): Cryptic female preference for colorful males in guppies. Evolution (3): 665-669
- A. Pilastro et al. (2007): Copulation duration, insemination efficiency and male attractiveness in guppies. Animal Behaviour (74): 321-328
- M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus *Poecilia* (Cyprinodontiformes: Poeciliidae: subgenera *Micropoecilia* and *Acanthophacelus*). Biological Journal of the Linnean Society (99): 784-796
- M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus *Poecilia*: (Cyprinodontiformes: Poeciliidae: subgenera *Micropoecilia* and *Acanthophacelus*). Biological Journal of the Linnean Society (99): 784-796
- T.E. Pitcher et al (2003): Multiple mating and sequential mate choice in guppies: females trade up. Proc. R. Soc. Lond. (270): 1623-1629

Livebearer Literature List 202201

- C. Piyapong et al. (2009): Sex matters: a social context to boldness in guppies (*Poecilia reticulata*). *Behavioral Ecology* (): 3-8
- C. Piyapong et al. (2010): Kin assortment in juvenile shoals in wild guppy populations. *Heredity* (): 1-8
- M. Plath et al (2007): Sexual harassment in live-bearing fishes (Poeciliidae): comparing courting and noncourting species. *Behavioral Ecology* (March): 680-688
- F.N. Poeser (1995): EK voor guppen. *Poecilia Nieuws* (1): 19-20
- F.N. Poeser (1996): Evolutie en classificatie van de levendbarende tandkarpers 5. "Poecilia (Lebistes) reticulata". *Poecilia Nieuws* (4): 111-115
- F.N. Poeser (1996): Lichamelijke aanpassingen van guppen aan het voedselaanbod. *Poecilia Nieuws* (1): 14-15
- F.N. Poeser (1997): EM 2000, de eerste stappen in de guppenweek. *Poecilia Nieuws* (4): 62-65
- F.N. Poeser (1997): EM2000, deel 2: Een groei-beïnvloedend gen bij de gup. *Poecilia Nieuws* (6): 104-107
- F.N. Poeser (1997): Sexuele selectie. *Poecilia Nieuws* (2): 38-39
- F.N. Poeser (1998): EM 2000, deel 3: het plan of ook wel: hoe maakt men een eigen stam?. *Poecilia Nieuws* (1): 2-4
- F.N. Poeser (1998): Verleden, heden en toekomst. Het verhaal van een speciale gup.. *Poecilia Nieuws* (5): 85-87
- F.N. Poeser (1998): EM2000, deel 4: De invloed van de grondkleur blond op het Lineatus-gen of ook wel EM2000, een nieuw plan. *Poecilia Nieuws* (2): 20-22
- F.N. Poeser (1999): De overvoring van staartvormen bij guppen. *Poecilia Nieuws* (3): 50-53
- F.N. Poeser (2000): *Pamphorichthys heterandria* (Regan, 1913), a Caribbean mystery Deel 3 Deel 3 "De kleinere Zuid Amerikaanse soorten van de Poeciliini: de (sub) genera *Lebistes*, *Pamphorichthys*, *Micropoecilia* en *Allopoecilia*". *Poecilia Nieuws* (1): 2-6
- F.N. Poeser (2000): Guppen leven ongeveer anderhalf jaar. *Poecilia Nieuws* (6): 98-100
- F.N. Poeser (2001): De grondslagen van de erfelijkheid bij guppen, deel 3. *Poecilia Nieuws* (4): 57-59
- F.N. Poeser (2001): EM2000, de eindsprint. *Poecilia Nieuws* (2): 22-24
- F.N. Poeser (2001): Kleurenblind. *Poecilia Nieuws* (1): 12-14
- F.N. Poeser (2001): De grondslagen van de erfelijkheid bij guppen, deel 1. *Poecilia Nieuws* (2): 30-33
- F.N. Poeser (2001): De grondslagen van de erfelijkheid bij guppen, deel 2. *Poecilia Nieuws* (3): 38-40
- F.N. Poeser (2002): De wieg van Pink. *Poecilia Nieuws* (6): 99-103
- F.N. Poeser (2002): *Acanthophacelus reticulatus* (Peters, 1859), de nieuwe naam in plaats van *Lebistes reticulatus* (Peters, 1859). *Poecilia Nieuws* (3): 39-41
- F.N. Poeser (2004): De vissen van Venezuela, een veelzijdige fauna. *Poecilia Nieuws* (5): 19-21
- F.N. Poeser (2005): Aquariumvissen uit Amerika II. *Poecilia Nieuws* (5): 21-26
- F.N. Poeser (2006): De bijdragen van Øjvind Winge aan de ontdekking van de genetica van de kleurpatronen in *Poecilia reticulata*. *Poecilia Nieuws* (2): 26-29
- F.N. Poeser (2006): De soorten van *Poecilia* in Suriname II. De gewone guppy: *Poecilia (Acanthophacelus) reticulata* Peters, 1859. *Poecilia Nieuws* (2): 9-14
- F.N. Poeser (2006): De erfelijkheid van kleuren bij guppen. *Poecilia Nieuws* (1): 14-18
- F.N. Poeser (2007): Het opzetten van een guppenweek. *Poecilia Nieuws* (3): 21-32
- F.N. Poeser (2008): Endler's Livebearers Eindeloos gezwets of... eindelijk een antwoord?. *Poecilia Nieuws* (4): 24-27
- F.N. Poeser (2010): En toen waren er drie. *Poecilia Nieuws* (1): 14-18
- F.N. Poeser (2010): The Derivation of the South American species of *Poecilia* Bloch and Schneider, 1801 (Teleostei; Cyprinodontiformes). *Viviparous Fishes* II red. Uribe & Grier (): 13-30
- F.N. Poeser (2012): Waaron Limia melanogaster?. *Poecilia Nieuws* (1): 11-13
- F.N. Poeser (2013): Die Taxonomie von *Poecilia kempkesi*: Von der Philosophie, der Psychologie und der Notwendigkeit der Beschreibung. *Das Lebendgebärenden Magazin* (2): 50-53
- F.N. Poeser (2013): Unsere Guppies und ihre Namen. DATZ (Dec): 22-27
- F.N. Poeser (2013): Over welke guppy heeft u het?. *Poecilia Nieuws* (2): 20-25
- F.N. Poeser (2013): Apropos Guppies.... *Das Lebendgebärenden Magazin* (1): 36-40
- F.N. Poeser (2013): Ontdekking, onderzoek en de dood van het Maculatus gen. *Poecilia Nieuws* (1): 20-22
- F.N. Poeser (2013): De guppy maakt zijn entree in de genetica. *Poecilia Nieuws* (2): 11-13
- F.N. Poeser (2014): De guppy veroorzaakt een sensatie. *Poecilia Nieuws* (3): 14-16
- F.N. Poeser (2015): Phänotypen in Suriname. *Das Lebendgebärenden Magazin* (2): 29-31
- F.N. Poeser (2016): Op zoek naar *Poecilia kempkesi* Poeser, 2013. *Poecilia Nieuws* (3): 15-21
- F.N. Poeser (2017): Het verhaal van het Maculatus fenotype. *Poecilia Nieuws* (2): 15-17
- F.N. Poeser (2021): Mededelingen werkgroep *Poecilia* wildvormen. *Poecilia Nieuws* (1): 31-33
- F.N. Poeser & J.H. Isbrücker (2002): Zum wissenschaftlichen Namen des Guppy. DATZ (4): 47-49
- F. Poeser & M. Kempkes (2000): Nieuwe ontwikkelingen op het gebied van de grondkleurvererving bij de guppy, *Poecilia (Lebistes) reticulata* Peters, 1859. *Poecilia Nieuws* (2): 31-32
- A.A.J. van de Pol (1959): Guppenkleuren en Guppenstandaards. *Guppy* (4): 5-7
- B. Poßeckert (1987): Die Schwerttypen.... (Forsetzung aus 3/87). *ZAG Lebendgebärende Zahnkarpfen* (4): 3-5
- K.H. Potcher & Wolfgang Voigt (1994): Handelt es sich bei *Poecilia reticulata* B 92 um einen echten Inselguppy?. *DGLZ-Rundschau* (2): 28-30
- R. Poulin, N.G. Wolf & D.L. Kramer (1987): The effect of hypoxia on the vulnerability of guppies (*Poecilia reticulata*, Poeciliidae) to an aquatic predator (*Astronotus ocellatus*, Cichlidae). *Environmental Biology of Fishes* (4): 285-292

Livebearer Literature List 202201

- A.C. Price, C.J. Weadick, J. Shim & F.H. Rodd (2008): Pigments, patterns, and fish behavior. *Zebrafish* (4): 297-307
- D. Proctor (2012): Wild guppies on a budget. *Livebearers* (216): 36-40
- K. Pröhls (1984): Stand der Guppyzucht in der DDR - erste Schlussfolgerungen. *ZAG Lebendgebärende Zahnkarpfen* (3): 1-2
- R.J. Pusiak, H.L. Auld & J.-G. J. Godin (2020): Relative sexual attractiveness does not influence mate-choice copying in male Trinidadian guppies, *Poecilia reticulata*. *Animal Behaviour* (162): 123-133
- E.M. Quicazan-Rubio et al (2019): Coasting in live-bearing fish: the drag penalty of being pregnant. *J. R. Soc. Interface* (16): 1-10
- van R. (1973): Guppen in zout water. *Het Aquarium* (9): 221-221
- A. Rachow (1911): Ueber *Acanthophacelus reticulatus* Pet. (=*Poecilia reticulata* Pet.). *Blätter für Aquarien- und Terrarienkunde* (28): 445-446
- A. Rachow (1914): Zur Nomenklatur unserer viviparen Zahnkarpfen (*Poeciliinae*), nebst Bemerkungen über einige neue Arten. *Blätter für Aquarien- und Terrarienkunde* (11): 185-200
- A.C. Radda (1977): Poeciliiden-Studien an der Costa von Peru und Ecuador. *Aquaria* (24): 175-183
- A.C. Radda (1982): Neuimporte einiger Arten der Gattung *Poecilia*. *DGLZ-Rundschau* (4): 60-63
- M. Rahman, J.L. Kelly & J.P. Evans (2013): Condition-dependent expression of pre- and postcopulatory sexual traits in guppies. *Ecology and Evolution* (7): 2197-2213
- A.R. Reddon et al (2018): Wild and laboratory exposure to cues of predation risk increases relative brain mass in male guppies. *Functional Ecology* (april): 1-10
- J.D. Reynolds, M.R. Gross & M.J. Coombs (1999): Environmental conditions and male morphology determine alternative mating behaviour in Trinidadian guppies. *Anim. Behav.* (45): 145-152
- D.N. Reznick (1983): The structure of guppy life histories: the tradeoff between growth and reproduction. *Ecology* (4): 862-873
- D.N. Reznick (1989): Life-history evolution in Guppies: 2. repeatability of field observations and the effects of season on life histories. *Evolution* (6): 1285-1297
- D.N. Reznick (1990): Plasticity in age and size at maturity in male guppies (*Poecilia reticulata*): An experimental evaluation of alternative models of development. *J. Evol. Biol.* (3): 185-203
- D. Reznick & A.P. Yang (1993): The influence of fluctuating resources on life history: patterns of allocation and plasticity in female guppies. *Ecology* (7): 2011-2019
- D.N. Reznick & C.K. Gharambor (2001): The population ecology of contemporary adaptations: what empirical studies reveal about the conditions that promote adaptive evolution. *Genetica* (112-113): 183-198
- D.N. Reznick & C.K. Gharambor (2005): Selection in nature: experimental manipulations of natural populations. *Integr. Comp. Biol.* (45): 456-462
- D.N. Reznick & H. Bryga (1987): Life-history evolution in guppies (*Poecilia reticulata*): 1. Phenotypic and genetic changes in an introduction experiment. *Evolution* (16): 1370-1385
- D.N. Reznick & H.A. Bryga (1996): Life-history evolution in guppies V. Genetic basis of parallelism in life histories. *The American Naturalist* (147): 339-359
- D.N. Reznick & J. Travis (2019): Experimental studies of evolution and eco-evo dynamics in guppies (*Poecilia reticulata*). *Annual Reviews* (50): 335-354
- D. Reznick & J.A. Endler (1982): The impact of predation on life history evolution in Trinidadian guppies (*Poecilia reticulata*). *Evolution* (1): 160-177
- D. Reznick & M. Bryant (2007): Comparative long-term mark-recapture studies of guppies (*Poecilia reticulata*): differences among high and low predation localities in growth and survival. *Ann. Zool. Fennici* (44): 152-160
- D.N. Reznick et al (2004): Effect of extrinsic mortality on the evolution of senescence in guppies. *Nature* (431): 1095-1099
- D.N. Reznick et al (2019): Eco-evolutionary feedbacks predict the time course of rapid life-history evolution. *The American Naturalist* (5): 671-72
- D. Reznick, C. Gharambor & L. Nunney (2002): The evolution of senescence in fish. *Mechanisms of ageing and development* (123): 773-789
- D.N. Reznick, C.K. Gharambor & K. Crooks (2008): Experimental studies of evolution in guppies: a model for understanding the evolutionary consequences of predator removal in natural communities. *Molecular Ecology* (17): 97-107
- D.N. Reznick, F. Rodd & M. Cardenas (1996): Life-history evolution in guppies IV: Parallelism in life-history phenotypes. *The American Naturalist* (147): 319-338
- D. Reznick, H. Callahan & R. Llauredo (1996): Maternal effects on offspring quality in poeciliid fishes. *American Zoologist* (2): 147-156
- D. Reznick, M. Bryant & D. Holmes (2006): The evolution of senescence and post-reproductive lifespan in guppies (*Poecilia reticulata*). *Plos Biol* (1): 136-143
- D.N. Reznick, M. Butler, F. Rodd & P. Ross (1996): Life-History evolution in guppies 6. Differential mortality as a mechanism for natural selection. *Evolution* (4): 1651-1660
- D. Reznick, M.J. Butler & H. Rodd (2001): Life-history evolution in guppies. VII. The comparative ecology of high- and low-predation environments. *The American Naturalist* (2): 126-140
- D.N. Reznick, R.D. Bassar, J. Travis & F.H. Rodd (2012): Life-history evolution in guppies VIII: the demographics of density regulation in guppies (*Poecilia reticulata*). *Evolution* (9): 2903-2915
- E. Richmond (2002): Albino's. *Poecilia Nieuws* (3): 42-43
- R. Riesch, R.A. Martin & R.B. Langerhans (2013): Predation's role in life-history evolution of a livebearing fish and a test of the Trexler-DeAngelis model of maternal provisioning. *The American Naturalist* (1): 78-93
- E. Ringel (1911): Unsere Lebendgebärenden. (Fortsetzung). *Wochenschrift für Aquarien und Terrarienkunde* (): 275-277
- E. Ringel (1911): Unsere Lebendgebärenden. *Wochenschrift für Aquarien und Terrarienkunde* (): 248-250
- R. Robbins (2003): De zorg voor baby guppen. *Poecilia Nieuws* (2): 35-36
- F.H. Rodd & D.N. Reznick (1991): Life history evolution in guppies: III. The impact of prawn predationon guppy life histories. *Oikos* (62): 13-19
- F.H. Rodd & D.N. Reznick (1997): Variation in the demography of guppy populations: the importance of predation and life histories. *Ecology* (2): 405-418
- F.H. Rodd & M.B. Sokolowski (1995): Complex origins of variation in the sexual behaviour of male Trinidadian guppies, *Poecilia reticulata*: interactions between social environment, heredity, body size and age. *Anim. Behav.* (49): 1139-1159
- F.H. Rodd, D.N. Reznick & M.B. Sokolowski (1997): Phenotypic plasticity in the life history traits of guppies: responses to social environment. *Ecology* (2): 419-433
- Z. Rodríguez Álvarez et al (2010): Current status of the viviparous fish species in the Cuitzeo basin of Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 472-475
- D. Röseler (1980): Erfahrungen mit Guppy-Zuchtformen. *ZAG Lebendgebärende Zahnkarpfen* (1): 14-19
- J. Rosengarten (1994): Guppy genetics. *Livebearers* (134): 18-26
- J. Rosengarten (1994): Guppy genetics continued. *Livebearers* (136): 16-29
- H.L. Rosenthal (1952): Observations on reproduction of the Poeciliid *Lebistes reticulatus* (Peters). *Biological Bulletin* (1): 30-38
- H.L. Rosenthal (1955): Abnormal birth of broods in the viviparous Poeciliids *Lebistes reticulatus* and *Xiphophorus helleri*. *Copeia* (1): 52-53

- H. Rother (1979): Eigenartiger Kampf zwischen zwei Guppy-Weibchen. ZAG Lebendgebärende Zahnkarpfen (1): 16-18
- J.
- G. Ruiz-Campos et al. (2002): An annotated distributional checklist of the freshwater fish from Baja California Sur, México. Reviews in Fish Biology and Fisheries (12): 143-155
- S.T. Russell & A.E. Magurran (2006): Intrinsic reproductive isolation between Trinidadian populations of the guppy, *Poecilia reticulata*. J. Evol. Biol. (19): 1294-1303
- S.T. Russell, I.Ramnarine, R. Mahabir & A. Magurran (2006): Genetic detection of sperm from forced copulations between sympatric populations of *Poecilia reticulata* and *Poecilia picta*. Biological Journal of the Linnean Society (88): 397-402
- S.T. Russell, J.L. Kelley, J.A. Graves & E. Magurran (2004): Kin structure and shoal composition dynamics in the guppy, *Poecilia reticulata*. Oikos (106): 520-526
- J. Rutkowsky (1977): Sind Singapur-Guppies steril?. Aquarien Terrarien (6): 195-195
- M.J. Ryan (1998): Sexual selection, receiver biases, and the evolution of differences. Science (september): 1999-2003
- S. Saathoff (1938): Lebistes reticulatus Peters.. Aqua Terra (10): 186-188
- E. Saathoff (1939): Broedzorg bij Lebistes reticulatus. Aqua Terra (7): 162-163
- E. Saathoff (1940): Over Xiphophorus helleri Heckel, zijn kruisingsmogelijkheden en andere bijzonderheden. Aqua Terra (oktober): 91-94
- A.O. Saba et al (2020): Species composition and invasion risks of alien ornamental freshwater fishes from pet stores in Klang Valley, Malaysia. Scientific Reports (17205): 1-13
- J. Sales & G.P.J. Janssens (2003): Nutrient requirements of ornamental fish. Aquatic Living Resources (16): 533-540
- C. van de Sande (1988): Malaria bestrijding door visintroductie. Poecilia Nieuws (3): 43-44
- C. van de Sande (1988): Grootteverschillen door zoutgehalte. Poecilia Nieuws (4): 58-59
- C. van de Sande (1989): De gup in de filatiele. Poecilia Nieuws (5): 79-79
- C. van de Sande (1989): Variabiliteit 1. Poecilia Nieuws (5): 77-77
- C. van de Sande (1995): Over zelfbevruchting bij guppen. Poecilia Nieuws (4): 78-79
- R.C. Sargent et al (1998): Courtship and mate choice in fishes: integrating behavioral and sensory ecology. American Zoologist (1): 82-97
- A. Sato (2018): Mating success of male guppy *Poecilia reticulata* in the wild. Ichthyol. Res. (65): 231-236
- A. Sato & K. Karino (2010): Female control of offspring sex ratios based on male attractiveness in the guppy. Ethology (116): 524-534
- A. Savastio (1988): The benefits of inbreeding. Livebearers (98): 17-17
- O. Schabronath (1918): Die Pflege des Lebistes reticulatus Peters. Blätter für Aquarien- und Terrarienkunde (2): 17-19
- P. van Schagen (1952): Waarnemingen over het paren en opkweken van guppen. Het Aquarium (6): 130-130
- B. Schelkle, R. Doetjes & J. Cable (2014): The salt myth revealed: treatment of gyrodactylid infections on ornamental guppies, *Poecilia reticulata*. Aquaculture (311): 74-79
- B. Schiemann (1913): Ueber Zucht und Pflege unseres kleinen Girardinus guppyi. Wochenschrift für Aquarien und Terrarienkunde (): 377-378
- H. Schillat (1970): Guppyfutter selbst zusammengestellt. Aquarien Terrarien (10): 353-353
- H. Schillat (1973): Der gegenwärtige Stand der Guppyzucht in der DDR. Aquarien Terrarien (1): 24-25
- H. Schillat (1974): Die Entwicklung der Guppyzucht in der DDR. Aquarien Terrarien (7): 244-245
- H. Schillat (1974): Erfahrungen beim Versand von Guppies. Aquarien Terrarien (12): 403-403
- H. Schillat (1984): Stand und Entwicklung der Guppyzucht in der DDR. ZAG Lebendgebärende Zahnkarpfen (1): 1-3
- H. Schillat (1985): Meine Erfahrungen bei der Zucht von Rundschwanz-Guppys. ZAG Lebendgebärende Zahnkarpfen (1): 1-2
- H. Schillat (1985): Die Guppyzucht in der DDR - Rückblick auf die Ergebnisse des Jahres 1985. ZAG Lebendgebärende Zahnkarpfen (4): 4-6
- H. Schillat (1985): Meine Meinung zur Frage "Wann ist ein Guppy selbst geziichtet?". DGLZ-Rundschau (1): 9-9
- H. Schillat (1986): Guppyzucht in der DDR und anderswo. Aquarien Terrarien (1): 4-5
- H. Schillat (1986): Mijn ervaringen bij de kweek van rondstaartguppen. Poecilia Nieuws (6): 76-78
- H. Schillat (1987): Rondstaartguppen, mijn ervaringen bij de kweek. Poecilia Nieuws (3): 34-36
- H. Schiller (1976): Methoden in der Guppy-Hochzucht. ZAG Lebendgebärende Zahnkarpfen (2): 15-16
- H. Schiller (1976): Eine raumsparende Guppy-Zuchtanlage. ZAG Lebendgebärende Zahnkarpfen (4): 28-30
- H. Schimmelpfennig (1980): 25 Jahre organisierte Guppyzucht. DATZ (6): 213-214
- V. Schlömp (1913): Fischzucht im Zimmer. Blätter für Aquarien- und Terrarienkunde (37): 394-602
- E. Schmidt-Focke (1964): Probleme der Guppyzucht. ZAG Lebendgebärende Zahnkarpfen (4): 10-13
- H. Schnorrbusch (1964): Zur Durchführung einer Guppyzschau. ZAG Lebendgebärende Zahnkarpfen (2): 1-2
- A. Scholl & J.H. Schröder (1974): Biochemische Untersuchungen über die genetische Differenzierung mittelamerikanischer Zahnkarpfenarten (Cyprinodontiformes, Poeciliidae). Revue Suisse de Zoologie (Décembre): 690-696
- M.J. Schönefeld (2013): Hochzucht in unerschöpflichen Farben und Formen. DATZ (Dec): 38-39
- S. Schories, M.K. Meyer & M. Scharl (2009): Description of *Poecilia* (*Acanthophacelus*) *obscura* n.sp., (Teleostei: Poeciliidae), a new guppy species from western Trinidad, with remarks on *P. wingei* and the status of the "Endler's guppy". Zootaxa (2266): 35-50
- M. Schrader & J. Travis (2008): Testing the viviparity-driven-conflict hypothesis: parent-offspring conflict and the evolution of reproductive isolation in a Poeciliid fish. The American Naturalist (6): 806-817
- W. Schreitmüller (1922): Lebistes reticulatus Peters. Blätter für Aquarien- und Terrarienkunde (9): 129-131
- J.H. Schröder (1968): Fische als objekte der Mutationsforschung. Aquarien Terrarien (1): 10-13

Livebearer Literature List 202201

- J.H. Schröder (1969): Anmerkungen zur systematischen Revision der Gattungen Mollienesia, Lebistes und Limia. Aquarien Terrarien (12): 410-412
- J.H. Schröder & K. Peters (1988): Differential courtship activity of competing guppy males (*Poecilia reticulata* Peters; pisces: Poeciliidae) as an indicator for low concentrations of aquatic pollutants. Bull. Environ. Contam. Toxicol. (40): 396-404
- J.H. Schröder & S. Holzberg (1972): Population genetics of *Lebistes* (*Poecilia*) *reticulatus* Peters. I. Effects of radiation-induced mutations on the segregation ration in postirradiation F2. Genetics (70): 621-630
- L. Schulze (1911): Aussere Unterscheidungsmerkmale von *Poecilia poecilioides*, Girardinus Guppyi und *Poecilia reticulata* Peters. Blätter für Aquarien- und Terrarienkunde (1): 1-2
- L. Schulze (1911): Aussere Unterscheidungsmerkmale von *Poecilia poecilioides*, Girardinus Guppyi und *Poecilia reticulata* Peters. Blätter für Aquarien- und Terrarienkunde (2): 17-19
- A.K. Schwartz & A.P. Hendry (2010): Testing the influence of local forest canopy clearing on phenotypic variation in Trinidadian guppies. Functional Ecology (24): 354-364
- M.E. Scott & M.A. Robinson (1984): Challenge infections of *Gyrodactylus bullatarudis* (Monogenea) on guppies, *Poecilia reticulata* (Peters) following treatment. J. Fish Biology (24): 581-586
- N.S. Scrimshaw (1945): Development in Poeciliid fishes. Biological Bulletin (3): 233-246
- G. Seddon (0): Guppy Breeding. Viviparous (5): 0-
- G. Seddon (2004): Secrets of the food channel. Livebearer News (7): 24-25
- B.H. Seghers (1974): Schooling behavior in the guppy (*Poecilia reticulata*): an evolutionary response to predation. Evolution (3): 486-489
- I. Seidel (2010): Guppy-Hochzücht in der Wüste Israels. Aquaristik Fachmagazin (211): 18-23
- R. Serva (2000): Breeding the not-so-common guppy. Livebearers (165): 25-27
- R. Serva & G. Tash (1989): The not-so-common guppy: the show guppy. Livebearers (106): 14-16
- P. Shaddock (2008): Blond: a regulatory gene in the guppy (*Poecilia reticulata* Peters 1859). AACL Bioflux (2): 161-164
- P. Shaddock (2009): Genetica. Poecilia Nieuws (3): 1-32
- P. Shaddock (2012): Guppy Color Strains. (third editon): 1-239
- T.K. Shah, VP Saini & ML Ojha (2017): Influence of water temperature on phenotypic sex ratio of an ornamental fish *Poecilia reticulata*. Journal of Entomology and Zoology Studies (3): 1793-1796
- X. Shen, G. Yang & M. Liao (2007): Development of 51 genomic microsatellite DNA markers of guppy (*Poecilia reticulata*) and their application in closely related species. Molecular Ecology Notes (7): 302-306
- L. Sheridan & A. Pomiankowski (1995): Fluctuating asymmetry, spot asymmetry and inbreeding depression in the sexual coloration of male guppy fish. Heredity (79): 515-523
- T. Shikano et al (2001): Temporal changes in allele frequency,genetic variation and inbreeding depression in small populations of the guppy, *Poecilia reticulata*. Heredity (86): 153-160
- T. Shikano, D. Ando & N. Taniguchi (2005): Relationships of vertebral deformity with genetic variation and heterosis in the guppy *Poecilia reticulata*. Aquaculture (246): 133-138
- T. Shikano, M. Nakadate & Y. Fujio (2000): An experimental study on strain combinations in heterosis in salinity tolerance of the guppy *Poecilia reticulata*. Fisheries Science (66): 625-632
- A.J. Shohet & P.J. Watt (2009): Female guppies *Poecilia reticulata* prefer males that can learn fast. Journal of Fish Biology (75): 1323-1330
- S. Shubel (0): Culling of guppies. Viviparous (36): 0-
- S. Shubel (1987): Culling of guppies. Livebearers (94): 10-11
- S. Shubel (2002): Fighting guppy disease. Livebearer News (1): 38-42
- A. Sibeaux, M.L. Keser, G.L. Cole, A.M. Kranz & J.A. Endler (2019): How viewing objects with the dorsal or ventral retina affects colour-related behaviour in guppies (*Poecilia reticulata*). Vision Research (158): 78-89
- M.J. Siciliano (1972): Evidence for a spontaneous ovarian cycle in fish of the genus *Xiphophorus*. Biological Bulletin (142): 480-488
- B. Sicuro et al (2020): Prevalence and antibiotic sensitivity of bacteria isolated from imported ornamental fish in Italy: a translocation of resistant strains?. Preventive Veterinary Medicine (175): 1-10
- A.M.J. Skinner & P.J. Watt (2006): Phenotypic correlates of spermatozoon quality in the guppy, *Poecilia reticulata*. Behavioral Ecology (): 47-52
- A. Slinger (2007): Het verschil tussen guppy's en guppy's. Poecilia Nieuws (3): 3-7
- H. Slomp (1986): Nieuwe ontwikkelingen met betrekking tot kleuren bij guppen. Poecilia Nieuws (5): 67-70
- H. Slomp (1987): Alleen de kweker telt. Poecilia Nieuws (5): 78-79
- H. Slomp (1987): De IHS '86 nader verklaard I. Poecilia Nieuws (6): 90-92
- H. Slomp (1987): Alleen de kweker telt II. Poecilia Nieuws (6): 93-94
- H. Slomp (1987): Van grijze en blanke guppen. Poecilia Nieuws (5): 76-77
- H. Slomp (1988): Guppenweek. Het Aquarium (9): 226-229
- H. Slomp (1988): Alleen de kweker telt III. Poecilia Nieuws (1): 3-6
- H. Slomp (1988): De IHS '86 nader verklaard III. Poecilia Nieuws (3): 39-41
- T. Smith (2021): Livebearers unravelled. Practical Fishkeeping (2): 48-53
- B.R. Smith & D.T. Blumstein (2010): Behavioral types as predictors of survival in Trinidadian guppies (*Poecilia reticulata*). Behavioral Ecology (21): 919-926
- E.J. Smith et al (2002): Ultraviolet vision and mate choice in the guppy (*Poecilia reticulata*). Behavioral Ecology (13): 11-19
- E.J. Smith et al (2002): Ultraviolet vision and mate choice in the guppy (*Poecilia reticulata*). Behavioral Ecology (1): 11-19
- L. Snijders et al (2021): Causal evidence for the adaptive benefits of social foraging in the wild. Communications Biology (94): 1-8
- O. Someha (0): Half tuxedo: quarter black guppy. Livebearer News (11): 17-18
- O. Someha (1996): De Japanse albino. Poecilia Nieuws (4): 93-96
- C. Sommer-Trembo et al (2016): Predator experience homogenizes consistent individual differences in predator avoidance. J Ethol (34): 155-165
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. Aquatic Ecosystem Health and Management (1): 267-276

- D. Speirs (1987): Guppies and water chemistry. Livebearers (95): 6-8
- D. Speirs (1988): Peacock or ninja? Guppy problems of courtship and survival. Livebearers (99): 12-14
- D. Speirs (1989): The brave little guppy. Livebearers (106): 11-12
- D. Speirs (1990): Cruising and choosing. Livebearers (113): 28-29
- W. Staack (2006): Who is who?. Aquaristik Fachmagazin (5): 32-37
- H. Stallknecht (1968): Ein notwendiger Hinweis zur Limia-Diskussion. Aquarien Terrarien (10): 350-351
- E.L. Stanley, R.L. Kendal, J.R. Kendal, S. Grounds & K.N. Laland (2008): The effects of group size, rate of turnover and disruption to demonstration on the stability of foraging traditions in fish. Anim. Behav. (75): 565-572
- D.G. Stead (1919): Viviparous fishes - in - general. Aquatic Life (March): 94-98
- O.M. Stoerzbach (1964): Standard- und Bewertungsregeln der Deutschen Guppy-Gesellschaft - Ausgabe 1962. ZAG Lebendgebärende Zahnkarpfen (1): 11-13
- A. Stolk (1961): Donkere vlek aan de kop van de gup. Het Aquarium (2): 41-41
- A. Stolk (1965): Een merkwaardig geval van kleurpatroonverandering bij de gup, *Lebistes reticulatus*. Het Aquarium (8): 179-183
- A. Stolk (1965): Een merkwaardig geval van kleurpatroonverandering bij de gup, *Lebistes reticulatus* (Peters). Het Aquarium (8): 179-183
- A. Stolk (1966): Vissen uit de hel (II). Het Aquarium (7): 154-158
- A. Stolk (1983): Hormonen en hormoonorganen bij vissen. Het Aquarium (5): 129-131
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (153): 21-31
- R. Strauss (1990): Heterochronic variation in the developmental timing of cranial ossifications in Poeciliid fishes (Cyprinodontiformes). Evolution (6): 1558-1567
- R. Strauss (1990): Predation and life-history variation in *Poecilia reticulata* (Cyprinodontiformes: Poeciliidae). Environmental Biology of Fishes (27): 121-
- R. Strauss (1994): Heterochronic variation in the developmental timing of cranial ossifications in Poeciliid fishes. Livebearers (137): 19-39
- H.Y. Suk & B.D. Neff (2009): Microsatellite genetic differentiation among populations of the Trinidadian guppy. Heredity (102): 425-434
- F.B. Sumner (1934): Does "protective coloration" protect? - results of some experiments with fishes and birds. Proc. Natl. Acad. Sci. (20): 559-564
- G. Suykerbuyk (2021): Effect van voedsel op groei en kleur van de siergup. Aquariumwereld (12): 370-375
- G. Suykerbuyk (2021): Het gecompliceerde sexleven van de gup... De vrouwelijke strategie: meerdere mannetjes en grote vruchtbaarheid en spermabewaring. Aquariumwereld (12): 330-336
- A. Svoboda (1993): Der Moskauer Guppy. DGLZ-Rundschau (1): 15-17
- A. Syriatowicz & R. Brooks (2004): Sexual responsiveness is condition-dependent in female guppies, but preference functions are not. BMC Ecology (4): 1-9
- G. Takeshita (0): The "escaped" livebearers in Hawaii. Viviparous (33): 0-
- G. Takeshita (1972): The "escaped" livebearers in Hawaii. Livebearers (2): 5-9
- G. Takeshita (2003): Swordtail x guppy hybrid-???. Livebearers (179): 10-17
- R. Tammert (1965): Gefahren der Insucht?. ZAG Lebendgebärende Zahnkarpfen (3+4): 7-8
- J.S. Taylor & F. Breden (2000): Slipped-strand mispairing at noncontiguous repeats in *Poecilia reticulata*: a model for minisatellite birth. Genetics (155): 1313-1320
- B.C. Teixeira Pinto & F. Gerson Araújo (2007): Assessing of biotic integrity of the fish community in a heavily impacted segment of a tropical river in Brazil. Brazilian Archives of Biology and Technology (3): 489-502
- C.N. Templeton & W.M. Shriner (2004): Multiple selection pressures influence Trinidadian guppy (*Poecilia reticulata*) antipredator behavior. Behavioral Ecology (4): 673-678
- S. Teutloff (1985): Ein Sommer im Freiland. ZAG Lebendgebärende Zahnkarpfen (4): 1-4
- R.J. Thibault & R.J. Schultz (1978): Reproductive adaptations among viviparous fishes (Cyprinodontiformes: Poeciliidae). Evolution (2): 320-333
- J. Thumm (1910): Zur *Poecilia reticulata* - guppi - poecilioides - Frage. Wochenschrift für Aquarien und Terrarienkunde (): 442-443
- S. Titford (1986): Don't hesitate.....operate!. Livebearers (85): 16-17
- W.A. Tomey (1989): "Colas Azulles" Der Segelflossen-Kärpling *Poecilia velifera* und sein Verbreitungsgebiet. t (92): 15-16
- W.A. Tomey (2014): Gein met guppen (*Poecilia reticulata*) Peters 1859 en (*Poecilia wingei*) Poeser, Kemkes, Isbrücker 2005. Het Aquarium (5): 4-13
- S. Tongnunui & F.W.H. Beamish (2009): Habitat and relative abundance of fishes in small rivers in eastern Thailand. Environmental Biology of Fishes (85): 209-220
- J. Travis (1989): Ecological Genetics of Life History Traits in Poeciliid Fishes. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 185-200
- J.C. Trexler (1989): Phenotypic Plasticity in Poeciliid Life Histories. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 201-214
- N. Tripathi et al (2009): Genetic linkage map of the guppy, *Poecilia reticulata*, and quantitative trait loci analysis of male size and colour variation. Proc. R. Soc. Lond. (276): 2195-2208
- N. Tripathi, M. Hoffmann & C. Dreyer (2008): Natural variation of male ornamental traits of the guppy, *Poecilia reticulata*. Zebrafish (4): 265-278
- N. Tripathi, M. Hoffmann, D. Weigel & C. Dreyer (2009): Linkage analysis reveals the independent origin of Poeciliid sex chromosomes and a case of atypical sex inheritance in the guppy (*Poecilia reticulata*). Genetics (182): 365-374
- W. Tritta (1965): Betrachtungen über des Bewerten von Guppys. ZAG Lebendgebärende Zahnkarpfen (3+4): 1-6
- L. Trompf & C. Brown (2014): Personality affects learning and trade-offs between private and social information in guppies, *Poecilia reticulata*. Animal Behaviour (88): 99-106
- K. Tscherter (1975): Zuchziel Guppy-, Xiphio- oder Molly Schau (Wege zur Verbesserung der Zucht "Lebendgebärende Zahnkarpfen"). ZAG Lebendgebärende Zahnkarpfen (2): 2-3
- K. Tscherter (1975): Standards und Richtlinien für die Guppy-Bewertung in der DDR. ZAG Lebendgebärende Zahnkarpfen (3): 15-16
- K. Tscherter (1976): Guppy's auf DDR-Sondermarken. ZAG Lebendgebärende Zahnkarpfen (4): 5-8
- K. Tscherter (1982): Verhaltenforschung: Kampfverhalten der Lebendgebärenden. ZAG Lebendgebärende Zahnkarpfen (4): 5-5

- F. Turan, S. Cek & E. Atik (2006): Production of monosex male guppy, *Poecilia reticulata* by 17 α methyltestosterone. *Aquaculture Research* (37): 200-203
- J.H. Turesson (2005): Gentische Variabilität in der Guppy-Zucht. *Das Lebendgebärenden Magazin* (1&2): 5-11
- C.L. Turner (1937): Reproductive cycles and superfatation in Poeciliid fishes. *Biological Bulletin* (2): 145-164
- P. Tyberghein (1992): Bompa wordt sentimenteel. *Aquariumwereld* (12): 260-261
- A. Vaas-van Oven & K.F. Vaas (1963): Lebistes reticulatus in de Javaanse rijstvelden. *Het Aquarium* (6): 125-126
- A. Valero, A.E. Magurran & C. Macías Garcia (2009): Guppy males distinguish between familiar and unfamiliar females of a distantly related species. *Animal Behaviour* (78): 441-445
- A. Valero, C. Macías Garcia & A.E. Magurran (2008): Heterospecific harassment of native endangered fishes by invasive guppies in Mexico. *Biol. Lett.* (4): 149-152
- T. Vallinga (1964): Kleurproef bij guppen. *Het Aquarium* (6): 140-140
- R. Vannerom (2015): Poecilia reticulata De passie voor een guppy: een verhaal van starter tot kweker. *Poecilia Nieuws* (special): 2-21
- R. Vannerom (2016): Hoe groot zijn nu mijn guppen?. *Poecilia Nieuws* (3): 32-33
- R. Vannerom (2016): Sierguppen en grondkleuren. Deel 1: grijs en blond. *Poecilia Nieuws* (3): 22-25
- R. Vannerom (2016): Sierguppen en hun grondkleuren. Deel 2: goud en blauw. *Poecilia Nieuws* (4): 16-19
- R. Vannerom (2017): Sierguppen en hun grondkleuren Deel 3: Albino. *Poecilia Nieuws* (1): 18-21
- R. Vannerom (2017): De half moon staartvorm wordt de 13e erkende standaard bij de IKGH?. *Poecilia Nieuws* (1): 29-31
- R. Vannerom (2017): Triangel blue grass. *Poecilia Nieuws* (2): 10-14
- R. Vannerom (2020): Pink/pingu een verhaal door David Liebman. *Poecilia Nieuws* (2): 31-33
- W. van Veldhuizen (2003): Tien gouden guppy tips. *Poecilia Nieuws* (2): 28-28
- R. Veldhuizen (2013): Groot brein eist offer van organen. *Poecilia Nieuws* (3): 17-17
- R. Veldhuizen (2014): Groot brein eist offers van organen. *Poecilia Nieuws* (1): 21-21
- J. Vente (1985): Basis- en dekkleuren. *Poecilia Nieuws* (6): 79-81
- J. Vente (1996): Dekkleuren. *Poecilia Nieuws* (4): 89-91
- S. Verhaeghe (2012): De guppy's. *Poecilia Nieuws* (4): 9-19
- H. Vits (1990): Een klassieker: *Poecilia reticulata*. *Aquariumwereld* (9): 186-190
- G. Vogel (2001): Anregungen zur Guppy-Hochzucht. *DGLZ-Rundschau* (4): 94-96
- W. Voigt (1992): Nur ein Wildguppy?? Ein Leckerbissen und eine Herausforderung für den Aquarianer. *Das Aquarium* (3): 4-6
- R. de Vries (1994): Loch Nessjes?. *Poecilia Nieuws* (4): 64-65
- C. Wach, S. Kunz & C. Riede (2008): Die "wilden" Guppys in Erft und Gillbach - Ein Erfahrungsbericht. *DGLZ-Rundschau* (4): 81-88
- H. Wachtel (1995): Unser erstaunlicher Guppy. *DATZ* (4): 212-213
- M.R. Walsh & D.N. Reznick (2009): Phenotypic diversification across an environmental gradient: a role for predators and resource availability on the evolution of life histories. *Evolution* (12): 3201-3213
- M.R. Walsh & D.N. Reznick (2010): Influence of the indirect effects of guppies on life-history evolution in *Rivulus hartii*. *Evolution* (6): 1583-1593
- X.-Q. Wang, W. Seinen & W. de Wolf (1994): Biotransformation of monochloroanilines in guppy, *Poecilia reticulata*. *Xenobiotica* (24): 59-69
- X. Wapelhorst (2017): Guppyfutter - eine Übersicht. *Das Lebendgebärenden Magazin* (1): 13-17
- H.L. Weaver (1980): Guppies and the sponge filter. *Livebearers* (50): 19-20
- D.J. Weese et al (2010): Spatiotemporal variation in linear natural selection on body color in wild guppies (*Poecilia reticulata*). *Evolution* (6): 1802-1815
- D. Weetman, D. Atkinson & J.C. Chubb (1998): Effects of temperature on anti-predator behaviour in the guppy, *Poecilia reticulata*. *Anim. Behav.* (55): 1361-1372
- D. Weetman, D. Atkinson & J.C. Chubb (1999): Water temperature influences the shoaling decisions of guppies, *Poecilia reticulata*, under predation threat. *Animal Behaviour* (58): 735-741
- H. Weinmann (1978): Erfahrungen mit Lebendgebären. *DATZ* (6): 190-192
- P.G. Weiβ (1968): Geschlechtsumkehr bei Weibchen von *Poecilia* (*Lebistes*) *reticulata*. *Aquarien Terrarien* (7): 244-244
- H. Wenzel (2001): Anmerkungen zu den hochflossigen Guppyweibchen. *DGLZ-Rundschau* (1): 20-20
- M. Werner (1985): Variabilität sozialer Verhaltensweisen beim Guppy. *Ber. nat. - med. Verein Innsbruck* (72): 241-256
- M. Werner & J.H. Schröder (1980): Mutational changes in the courtship activity of male guppies (*Poecilia reticulata*) after X-irradiation. *Behavior Genetics* (4): 427-430
- H.S. White (1958): Het kweken van goede guppen. *Guppy* (5): 11-14
- E. Wiedermann (2016): Swimming in blue genes. Why no glo-guppies?. *Livebearers* (230): 24-27
- S.J. van Wijk et al (2013): Experimental harvesting of fish populations drives genetically based shifts in body size and maturation. *Front Ecol Environ* (4): 181-187
- R. Wildekamp (1985): Malaria bestrijding met behulp van vissen. *Het Aquarium* (4): 103-107
- R. Wildekamp (1994): Vissafari in Oeganda. *Aquarium & Terrarium Hobbyist* (1): 11-19
- P. Wilhelm (1992): Picasso onder water. *Picasso onder water* (): 0-
- E.-A. Willing et al (2010): Genome-wide single nucleotide polymorphism reveal population history and adaptive divergence in wild guppies. *Molecular Ecology* (19): 968-984
- E.-A. Willing et al (2011): Next generation population genomics in the guppy (*Poecilia reticulata*). *Thesis* (): 1-122

- M. Wilmsen (2000): Het ontstaan van de guppenweek. *Poecilia Nieuws* (5): 84-85
- K.O. Winemiller, M. Leslie & R. Roche (1990): Phenotypic variation in male guppies from natural inland populations: an additional test of Haskins' sexual selection/predation hypothesis. *Environmental Biology of Fishes* (29): 179-191
- Ö. Winge (1922): A peculiar mode of inheritance and its cytological explanation. *Journal of genetics* (12): 137-144
- Ö. Winge (1922): One-sided masculine and sex-linked inheritance in *Lebistes reticulatus*. *Journal of genetics* (12): 145-162
- Ö. Winge (1923): Crossing-over between the X- and the Y-chromosome in *Lebistes*. *Journal of genetics* (2): 201-217
- Ö. Winge (1927): The location of eighteen genes in *Lebistes reticulatus*. *Journal of genetics* (March): 1-37
- Ö. Winge (1930): On the occurrence of XX males in *Lebistes*, with some remarks on Aida's so-called "non-disjunctional" males in *Aplocheilus*. *Journal of genetics* (1): 69-76
- Ö. Winge (1955): On interallelic crossing over. *Heredity* (9): 373-384
- Ö. Winge & E. Ditlevsen (1947): Colour inheritance and sex determination in *Lebistes*. *Heredity* (1): 65-83
- E. van Wirdum (2007): Selectie van een kweekkoppel. *Poecilia Nieuws* (3): 45-48
- E. van Wirdum (2008): 12 Standaarden. *Poecilia Nieuws* (3): 62-65
- E. van Wirdum (2009): Guppy nieuws. *Poecilia Nieuws* (5): 24-25
- E. van Wirdum (2009): Onderdrukking van de zwaarden bij dubbelzwaardguppen. *Poecilia Nieuws* (5): 16-20
- E. van Wirdum (2009): Guppy Nieuws. *Poecilia Nieuws* (2): 29-30
- E. van Wirdum (2010): De keuring van guppenpaartjes. *Poecilia Nieuws* (2): 11-13
- E. van Wirdum (2010): Guppy nieuws. *Poecilia Nieuws* (2): 20-21
- E. van Wirdum (2016): Hulpmiddelen bij jongbroed guppen. *Poecilia Nieuws* (2): 12-13
- L. Wischnath (): Deux petits ovovipares en aquarium. *Aquarama* (): 35-
- L. Wischnath (): *Poecilia reticulata* (Peters, 1859) du Venezuela. *Aquarama* (): 19-
- L. Wischnath (1982): Reuze guppy's uit Mexico. *TIH* (28): 3-3
- L. Wischnath (1994): Wildformen Lebendgebärender Zahnkarpfen Teil 1: Guppy, Platys und Gambusen. *Das Aquarium* (299): 16-19
- L. Wischnath (1995): De eerste levendbarende aquariumvissen. *Het Aquarium* (9): 201-203
- L. Wischnath (1996): Les premiers vivipares en aquarium. *Aquarama* (): 19-21
- L. Wischnath (1997): *Poecilia* (*Lebistes*) *reticulata* Peters 1859 Des formes sauvages aux formes d'élevage. *Aquarama* (157): 22-26
- P. Wolfgramm (1979): *Poecilia* (*Lebistes*) *reticulata* Der Guppy. *ZAG Lebendgebärende Zahnkarpfen* (2+3): 31-32
- Dr. W. Wolterstorff (1910): Der Formenkreis der *Poecilia reticulata* Pet. (= *Girardinus reticulatus* Pet.) Eine Mahnung und Bitte. *Blätter für Aquarien- und Terrarienkunde* (39): 626-627
- Dr. W. Wolterstorff (1910): 2. briefliche Mitteilungen zur *Girardinus reticulatus*-Frage. *Blätter für Aquarien- und Terrarienkunde* (49): 797-797
- Dr. W. Wolterstorff (1910): Der Formenkreis der *Poecilia reticulata* Pet. (= *Girardinus reticulatus* Pet.). Eine Mahnung und Bitte. *Blätter für Aquarien- und Terrarienkunde* (40): 638-638
- J. Wubbolt (1997): Raising quality 3/4 black guppies. *Livebearers* (147): 30-31
- M. Yanar, E. Erdogan & M. Kumlu (2019): Thermal tolerance of thirteen popular ornamental fish species. *Aquaculture* (501): 382-386
- M.C. Yeow (1971): Zucht von besonders schönen Guppy-Arten. *ZAG Lebendgebärende Zahnkarpfen* (1+2): 3-4
- A. Young (1986): Wiener smaragd - ein markante Deckfarbe für jeden Standard. *ZAG Lebendgebärende Zahnkarpfen* (2): 1-2
- G.H. Yue & L. Orban (2004): Novel microsatellites from the green swordtail (*Xiphophorus hellerii*) also display polymorphism in guppy (*Poecilia reticulata*). *Molecular Ecology Notes* (4): 474-476
- S.R.K. Zajitschek & R.C. Brooks (2008): Distinguishing the effects of familiarity, relatedness, and color pattern rarity on attractiveness and measuring their effects on sexual selection in guppies (*Poecilia reticulata*). *The American Naturalist* (6): 843-854
- S.R.K. Zajitschek & R.C. Brooks (2010): Inbreeding depression in male traits and preference for outbred males in *Poecilia reticulata*. *Behavioral Ecology* (21): 884-891
- S.R.K. Zajitschek et al (2009): Experimental evidences that high levels of inbreeding depress sperm competitiveness. *J. Evol. Biol.* (22): 1338-1345
- E. Zandonà, S. Auer, S. Kilham & D.N. Reznick (2015): Contrasting population and diet influences on gut length of an omnivorous tropical fish, the Trinidadian guppy (*Poecilia reticulata*). *PlosOne* (sept): 1-18
- K. Zanger & H. Greven (2008): Immunohistochemical localization of androgen receptors in two different types of teleostean testes. *Bulletin of Fish Biology* (1/2): 81-85
- E.J. Zimmerer (1983): Effect of salinity on the size-hierarchy effect in *Poecilia latipinna*, *P. reticulata* and *Gambusia affinis*. *Copeia* (1): 243-245

Poecilia rositae Meyer, Schneider, Radda, Wilde & Schartl, 2004

M.K. Meyer, K. Schneider, A.C. Radda, B. Wilde & M. Schartl (2004): A new species of Poecilia, subgenus Mollienesia, from upper río Cahabón system, Guatemala, with remarks on the Nomenclature of Mollienesia petenensis Günther, 1866. *Zoologische Abhandlungen*,

Poecilia salvatoris Regan, 1907

- F.S. Álvarez, S. González-Murcia, C.D. McMahan & W.A. Matamoros (2021): Cyprinodontiform fishes of El Salvador. *UNED Research Journal* (1): 1-24
- J.C. Bagley et al (2015): Assessing species boundaries using multilocus delimitation in a morphologically conserved group of neotropical freshwater fishes, the *Poecilis sphenops* species complex (Poeciliidae). *PlosOne* (4): 1-30
- W.T. Innes (2013): From the archives The "Liberty Mollie" (A variety of *Mollienia sphenops*). *Livebearers* (219): 27-28
- D. Lambert (1994): *Poecilia salvatoris*, Regan, 1907. *Viviparous* (27): 0-
- J.K. Langhammer (1994): Important name changes among livebearers. *Viviparous* (28): 19-20

- R. Lundkvist (2018): Ein fehlender Dorn macht den Unterscheid. DGLZ-Rundschau (4): 147-150
R.R. Miller (1994): Origin and classification of the liberty molly. Tropical Fish Hobbyist (): 104-108
F.N. Poeser (1995): Nonrandom variation in *Poecilia marcellinoi* n.sp and *P. salvatoris* Regan, 1907 in El Salvador (Pisces, Poeciliidae). Bijdragen tot de Dierkunde (4): 239-252
F.N. Poeser (1995): *Poecilia gilli*, een moeilijk hoofdstuk. Poecilia Nieuws (5): 82-85
F.N. Poeser (1998): The role of character displacement in the speciation of Central American members of the genus *Poecilia*. Ital J. Zool (65): 145-147
F.N. Poeser (2011): Mijn aquarium. Poecilia Nieuws (1): 20-22
C.T. Regan (1907): Diagnoses of new Central-American freshwater fishes of the families Cyprinodontidae and Mugilidae. Annals and Magazine of Natural History (19): 64-66
C.T. Regan (190608): Pisces. Biologia Centrali-Americana (): 1-203
O. Schindler (1959): Mollienesia sphenops petersi nov. Subsp. Eine neue Poeciliiden Unterart aus Nordwest-Honduras. Opuscula Zoologica (31): 1-6
B. Slocum (2017): Waliking on the wild side. *Poecilia salvatoris*: the liberty molly. Livebearers (236): 25-27
G. Takeshita (2000): A mollie hybrid from the wild. Livebearers (163): 14-15
T. Terceira (2014): The Fish in the mirror. Livebearers (223): 12-13
E. Verwijmeren (2011): What's in a name?. Poecilia Nieuws (4): 31-32

Poecilia sarrafae Bragança & Costa, 2010

- P.H.N. Bragança & W.J.E.M. Costa (2010): *Poecilia sarrafae*, a new poeciliid from the Parnaíba and Mearim river basins, northeastern Brazil (Cyprinodontiformes: Cyprinodontidae). Ichthyol. Explor. Freshwaters (4): 369-376
H. Hieronimus (2011): Neue Micropoecilia-Art beschrieben: *Micropoecilia sarrafae* Bragança & Costa, 2011. DGLZ-Rundschau (2): 44-46
F.N. Poeser (2011): *Poecilia sarrafae* Bragança en Costa. Poecilia Nieuws (4): 20-23
E. Weiand & D. Stojek (2012): *Micropoecilia sarrafae* - an old friend newly described. Amazonas (11/12): 8-12

Poecilia sp micropoecilia

- R. Serva (2010): Aquarium science: An exciting new Micropoecilia. Tropical Fish Hobbyist (April): 80-81

Poecilia species

- F. Alda, R.G. Reina, I. Doadria & E. Birmingham (2013): Phylogeny and biogeography of the *Poecilia sphenops* species complex (Actinopterygii, Poeciliidae) in Central America. Molecular and Ecology Resources (66): 1011-1026
M. Bachmann (1977): Lebendgebärenden im Gartenteich. ZAG Lebendgebärende Zahnkarpfen (2): 14-14
U. Bruns (1978): Wie suchet man Mollies? -Einige praktische Erfahrungen-. ZAG Lebendgebärende Zahnkarpfen (4): 17-20
G. Gerlach (1908): Neuere Lebendgebärende Zahnkarpfen. IV. *Poecilia* spec. ad. II.. Wochenschrift für Aquarien und Terrarienkunde (11): 129-130
G. Gerlach (1908): Neuere Lebendgebärende Zahnkarpfen. VII. *Poecilia* spec. IV.. Wochenschrift für Aquarien und Terrarienkunde (27): 353-354
T.M. Holitzki et al (2013): Differences in ecological structure, function, and native species abundance between native and invaded Hawaiian streams. Ecological Applications (6): 1367-1383
A. John (1980): Geschlachtswechsel bei Molly's. ZAG Lebendgebärende Zahnkarpfen (2-4): 29-29
D. Kaden (1985): Wo stehen wir mit der Molly-Zucht. ZAG Lebendgebärende Zahnkarpfen (2): 2-4
H. Knäusel (1982): Meine Albino-Molly's. ZAG Lebendgebärende Zahnkarpfen (1): 7-8
A. Kühne (1996): Der Black Molly - schwarz wie eine Nacht ohne Mond und Sterne. DGLZ-Rundschau (4): 84-86
F. Mayer (1910): Eine neue schwarze Kärpfungsart. Wochenschrift für Aquarien und Terrarienkunde (32): 441-442
H.-A. Pederzani (1975): Molly Standards. ZAG Lebendgebärende Zahnkarpfen (1): 2-14
A. Rachow (1932): Mollienisia formosa (Girard). Wochenschrift für Aquarien und Terrarienkunde (45): 705-707
Z. Rodríguez Álvarez et al (2010): Current status of the viviparous fish species in the Cuitzeo basin of Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 472-475
Stallknecht (1977): Weiterhin problematisch: Lytratail-Mollies. ZAG Lebendgebärende Zahnkarpfen (4): 16-16
K. Tscherterner (1974): Die ersten "Lebendgebärenden. ZAG Lebendgebärende Zahnkarpfen (1-4): 1-3
K. Tscherterner (1975): Zuchziel Guppy-, Xiphio- oder Molly Schau (Wege zur Verbesserung der Zucht "Lebendgebärende Zahnkarpfen"). ZAG Lebendgebärende Zahnkarpfen (2): 2-3
J. Villa (1982): Peces Nicaragüenses de Agua Dulce. Serie Geografía y Naturaleza (3): 125-136

Poecilia sphenops Valenciennes, 1846

- (1913): Importbericht. Wochenschrift für Aquarien und Terrarienkunde (): 945-946
(1966): Black molly's. Het Aquarium (3): 68-69
(1966): Black molly's. Het Aquarium (3): 68-69
(1990): De black molly. Poecilia Nieuws (4): 59-60
(1994): Designer genes. Viviparous (27): 3-11

- A. (1938): Kweek van Black Molly. *Aqua Terra* (5): 86-86
- F. Alda, R.G. Reina, I. Doadria & E. Bermingham (2013): Phylogeny and biogeography of the *Poecilia sphenops* species complex (Actinopterygii, Poeciliidae) in Central America. *Molecular and Ecology Resources* (66): 1011-1026
- D. Alderton (2014): Magnificent Mollies. *Popular Fishkeeping* (jan/feb): 68-73
- F.S. Álvarez, S. González-Murcia, C.D. McMahan & W.A. Matamoros (2021): Cyprinodontiform fishes of El Salvador. *UNED Research Journal* (1): 1-24
- P.L. Angermeier & J.R. Karr (1983): Fish communities along environmental gradients in a system of tropical streams. In: Zaret T.M. *Evolutionary ecology of neotropical freshwater fishes* (): 39-57
- R.A. Angus (1989): A Genetic Overview of Poeciliid Fishes. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 51-68
- B. Barón, F. Bückle & S. Espina (2002): Environmental factors and sexual differentiation in *Poecilia sphenops* Valenciennes (Pisces: Poeciliidae). *Aquaculture Research* (33): 615-619
- G. Bertram (1991): Der Golden Black Molly. *Das Aquarium* (August): 7-7
- G. de Beurs (1962): Een praatje over Mollienisa. *Guppy* (2): 8-10
- O. Böhm (1979): Lebendgebärenden Arten aus Belize und Guatemala. *DATZ* (3): 78-80
- D. Bork (1987): Zum Thema Kreuzungen in AM 3/85 und 2/86. *ZAG Lebendgebärende Zahnkarpfen* (2): 5-6
- D. Bork (1988): Lebendgebärende Fische in Budapester Thermalwässern. *ZAG Lebendgebärende Zahnkarpfen* (2): 6-7
- D. Bork (1991): Aquarienfische und Planzen in Budapester Thermalwässern. *DGLZ-Rundschau* (2): 28-30
- C.M. Breder jr. (1944): A revised list of the fishes of Barro Colorado, Gatun Lake, Panama. *Copeia* (2): 86-89
- M. Brown (1979): A successful failure. *Livebearers* (44): 4-5
- T. Contreras-MacBeath, H. Mejía Mojica & R. Carillo Wilson (1998): Negative impact on the aquatic ecosystems of the state Morelos, Mexico from introduced aquarium and other commercial fish. *Aquarium Sciences and Conservation* (2): 67-78
- M. Le B. Cuvier & M.A. Valenciennes (1846): *Histoire naturelle des poissons*. Paris (vol. 18): 1-505
- G. Daniels (1993): Lebendgebärende Zahnkarpfen in Texas. *DGLZ-Rundschau* (2): 29-35
- J. Das (1999): Der Libertymolly. *Das Aquarium* (10): 26-28
- G. Daul (1989): Mollys aus Mexiko Teil I: Mollys mit kleiner Rückenflosse. *Das Aquarium* (November): 679-684
- G. Daul (1994): Holenmolly's. *Poecilia Nieuws* (6): 102-104
- D. DeFelice & E.M. Rasch (1969): Chronology of spermatogenesis and spermogenesis in Poeciliid fishes. *Journal of Experimental Biology* (171): 191-208
- W.J.M. Deutz (1950): Een dubbelkoppige black molly. *Het Aquarium* (11): 288-288
- N. Dokoupil (1988): *Poecilia chica MILLER, 1975* nieuwe molly-hybriden. *Poecilia Nieuws* (3): 30-33
- C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. *ZooKeys* (708): 25-138
- H. Esterbauer (2016): De black molly *Poecilia* (mollienesia) *sphenops* var. 'Black'. *Het Aquarium* (3): 44-49
- V. Etzel (1992): Verbreitung und Biotope von *Poecilia sphenops* in Panama. *DGLZ-Rundschau* (4): 76-81
- A.A. Fernando (1991): Diets and feeding regimes of Poeciliid fishes in Singapore. *Asian Fisheries Science* (4): 99-107
- M.G. Find (1914): Neuere vivipare Zahnkarpfen. *Blätter für Aquarien- und Terrarienkunde* (13): 225-227
- H. Flöthmann (1987): Bekanntgabe von Kreuzungen. *ZAG Lebendgebärende Zahnkarpfen* (2): 4-4
- H. Fowler (1949): Results of the two Carpenter African expeditions, 1946-1948 Part II - the fishes. *Natural sciences of Philadelphia* (CI): 267-269
- D. Franck, J. Marek & W. Winter (1978): Untersuchungen zum Aggressionsverhalten von *Poecilia sphenops* (Pisces, Poeciliidae) vor der Geschlechtsreife. *Z. Tierpsychol.* (46): 170-183
- S. Ghosh, A. Sinha & C. Sahu (2007): Effect of probiotic on reproductive performance in female livebearing ornamental fish. *Aquaculture Research* (38): 518-526
- A. Gibb et al (2008): Functional significance of intramandibular bending in Poeciliid fishes. *Environmental Biology of Fishes* (83): 473-485
- G. Glaß (1977): Der Spitzmaulkärpfing - *Poecilia sphenops*. *ZAG Lebendgebärende Zahnkarpfen* (2): 12-12
- J.L. Gómez-Márquez, B. Peña-Mendoza & I.H. Salgado-Ugarte (2016): Reproductive biology of *Poecilia sphenops* Valenciennes, 1846 (Cyprinodontiformes: Poeciliidae) at the Emiliano Zapata Reservoir in Morelos, Mexico. *Neotropical Ichthyology* (2): 1-9
- M.S. Gordon & D.E. Rosen (1962): A cavernicolous form of the poeciliid fish *Poecilia sphenops* from Tabasco, Mexico. *Copeia* (2): 360-368
- P. Götting (1986): Zum Thema "Kreuzungen" im AM 3/85. *ZAG Lebendgebärende Zahnkarpfen* (2): 3-4
- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
- de Haas (1965): Een proef met het opkweken van black mollies. *Het Aquarium* (6): 141-141
- H. Heise (1968): Geschlechtsumkehr beim Black-Molly. *Aquarien Terrarien* (7): 244-245
- L.P. Hernandez, A.C. Gibb & L. Ferry-Graham (2009): Trophic apparatus in Cyprinodontiform fishes: functional specializations for picking and scraping behaviors. *Journal of Morphology*
- L.P. Hernandez, L.A. Ferry-Graham & A.C. Gibb (2008): Morphology of a picky eater: a novel mechanism underlies premaxillary protrusion and retraction within cyprinodontiforms. *Zoology* (111): 442-454
- M. Hernández, L.F. Bückle & S. Espina (2002): Temperature preference and acclimation in *Poecilia sphenops* (Pisces, Poeciliidae). *Aquaculture Research* (22): 933-940
- H. Hieronimus (1988): Über das "Putzen" von Lebendgebärenden. *TI* (86): 40-40
- H. Hieronimus (1989): Daglengen en productiviteit. *Poecilia Nieuws* (1): 0-2
- H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. *DGLZ-Rundschau* (4): 14-18
- H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. *Poecilia Nieuws* (6): 12-18
- H. Hieronimus (1993): Der Liberty-Molly. *DGLZ-Rundschau* (3): 55-56

- H. Hieronimus (2002): Mindestens ein Schritt zu weit: Neue Entwicklungen bei Ballon-Mollys. DGLZ-Rundschau (3): 71-72
- H. Hieronimus (2016): Neues aus der Wissenschaft. DGLZ-Rundschau (2): 69-71
- S.F. Hildebrand (1925): Fishes of the republic of El Salvador, central America. Bull. Bur. Fisheries (41): 237-287
- S.F. Hildebrand (1930): Notes on a collection of fishes from Costa Rica. Copeia (1): 1-9
- A. van 't Hoff (1957): Eieren van een levendbarende. Het Aquarium (10): 232-233
- M. Holly (1961): Mollienisia formosa (Girard). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 1164-1167
- M. Holly (1961): Mollienisia sphenops Cuvier u. Valenciennes. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 1159-1169
- C.L. Hubbs (1933): Species and hybrids of Mollienisia. The Aquarium (February): 263-268
- C.L. Hubbs (1935): Fresh-water fishes collected in British Honduras and Guatemala. Miscellaneous Publications University of Michigan (28): 1-21
- C.L. Hubbs (1984): Species and hybrids of Mollienisia. Livebearers (75): 8-11
- C.L. Hubbs & Laura C. Hubbs (1983): Apparent parthenogenesis in nature, in a form of fish of hybrid origin. Science (76): 628-630
- W.T. Innes (2013): From the Archives. Mollienisia sphenops "Red Tail" variety. Livebearer News (221): 26-27
- K. Jacobs (1979): So begatten sich die Lebendgebärenden. Aquarien Magazin (2): 62-67
- A. John (1986): Kreuzung von Limia melanogaster x Poecilia sphenops?. ZAG Lebendgebärende Zahnkarpfen (2): 4-4
- A. John (1987): Meine erste Wildform - Poecilia sphenops liberty. ZAG Lebendgebärende Zahnkarpfen (4): 5-7
- K. de Jong (2010): Molly's met een snoer. Poecilia Nieuws (3): 13-15
- K. de Jong (2019): Der Einfluss der Temperatur auf das Geschlechterverhältnis bei viviparen Zahnkarpfen. Das Lebendgebärenden Magazin (2): 8-12
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Poecilia Nieuws (2): 8-13
- S. de Jong (2021): Muppy/golly... een hybride tussen een molly en een guppy. Poecilia Nieuws (3): 20-26
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusions en bevindingen - Familie Poeciliidae. Poecilia Nieuws (4): 76-86
- D. Kaden (1986): Der Arten und Formenkreis der Mollys. Aquarien Terrarien (9): 302-305
- G. Katzir & J.M. Camhi (1993): Escape response of black mollies (Poecilia sphenops) to predatory dives of a pied kingfisher (Ceryle rudis). Copeia (2): 549-553
- J. Keulemans (1999): Poecilia sphenops. Aquariumwereld (7-8): 196-200
- D.L. Kramer & M. McClure (1982): Aquatic surface respiration, a widespread adaptation to hypoxia in tropical freshwater fishes. Environmental Biology of Fishes (1): 47-55
- H. Lobregt (1989): Levendbarenden in de natuur. Een vindplaats in Hongarije bij min 0°C. Poecilia Nieuws (2): 29-30
- H. Lobregt (1992): De black molly. Poecilia Nieuws (4): 21-22
- G. Lübon & Harro Hieronimus (1988): Mollienisia-Standard. DGLZ-Rundschau (1): 11-19
- R. Lundkvist (2018): Ein fehlender Dorn macht den Unterschied. DGLZ-Rundschau (4): 147-150
- R. Lundkvist (2018): Kurzflossenmollys in der Natur - manchmal schwer zu identifizieren. DGLZ-Rundschau (2+3): 49-52
- A. Maceda-Veiga & J. Cable (2001): Diseased fish in the freshwater trade: from retailers to private aquarists. Diseases of Aquatic Organisms (132): 157-162
- E. Martínez Ramírez et al (2010): Viviparous fishes from Oaxacan area of the biosphere reserver Tehuacán-Cuicatlán. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 437-441
- S.E. Meek (1907): Notes on the fresh-water fishes from Mexican and central America. Field Columbian Museum - Zoology (5): 1-157
- S.E. Meek (1909): Poecilia caudata. Field Columbian Museum - Zoology (7): 207-208
- S.E. Meek (1914): Mollienisia sphenops (Cuvier & Valenciennes). Field museum of natural history - Zoölogy (X): 116-117
- S.E. Meek & S.F. Hildebrand (1916): The fishes of these fresh waters of Panama. Publ. Field Museum of Nat. Hist. Chicago (15): 217-374
- M. Meinecke (1979): Zwischenartige Kreuzung. ZAG Lebendgebärende Zahnkarpfen (4): 18-18
- P.J. Mellegers (1994): De wedstrijd IJsvogel - Black Molly, een ongelijke strijd. Poecilia Nieuws (6): 106-107
- N. Mercado-Silva et al. (2006): Long-term changes in the fish assemblage of the Laja River, Guanajuato, central Mexico. Aquatic Conservation: marine and freshwater ecosystems (16): 533-546
- R.R. Miller (1994): Origin and classification of the liberty molly. Tropical Fish Hobbyist (): 104-108
- R. Moncayo-Estrada et al. (2014): Status and trends in biotic integrity in a sub-tropical river drainage: analysis of the fish assemblage over a three decade periode. River Res. Applic. (): -
- R. Moortgat (1990): Poecilia sphenops Valenciennes 1846 De "Black Molly" toch ook wildvang?. Aquariumwereld (07-08): 196-200
- I. Nanda, M. Schartl et. al. (1992): Early stages of sex chromosom differentiation in fish analysed by simple repetitive DNA sequences. Chromosoma (101): 301-310
- I. Nanda, M. Schartl et. al. (1993): Primitive sex chromosomes in Poeciliid fishes Harbor simple repetitive DNA sequences. Journal of experimental zoology (265): 301-308
- A. van den Nieuwenhuizen (1963): Importen voor de lens. Het Aquarium (6): 134-134
- J. Norton (1972): Molly fins. Livebearers (2): 2-4
- J. Norton (1972): Imported livebearers. Livebearers (4): 6-8
- J. Norton (1974): Black opal molly. Livebearers (16): 3-4
- J. Norton (1975): Livebearers in the pet shop. Livebearers (19): 3-6
- J. Norton (1995): Breeding traps for livebeareres. Viviparous (30): 0-

- J. Norton (2016): From the archives: the freckled molly and other colorful mollies. *Livebearers* (230): 12-16
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- N. Ospina-Álvarez & F. Piferrer (2008): Temperature-dependent sex determination in fish revisited: prevalence, a singel sex ratio response pattern, and possible effects of climate change. *PlosOne* (7): 1-11
- H.-J. Paepke & M.K. Meyer (1995): On the identity of *Mollienesia fasciata* Müller & Troschel, 1844 and *M. surinamensis* Müller & Troschel, 1844. *Ichthyol. Explor. Freshwaters* (3): 283-287
- M. Palacios et al (2016): Phylogenetic analyses of the subgenus *Mollienesia* (*Poecilia*, Poeciliidae, Teleostei) reveal taxonomic inconsistencies, cryptic biodiversity, and spatio-temporal aspects of diversification in Middle America. *Molecular Phylogenetics and Evolution*
- J. Parzefall (1974): Attraction and sexual cycle of Poeciliids. *Genetics and mutagenesis of fish* (ed. J.H. Schröder) Springer Verlag 1973 (): 177-183
- J. Parzefall (1979): Zur genetik und biologischen Bedeutung des Aggressionsverhaltens von *Poecilia sphenops* (Pisces, Poeciliidae). *Z. Tierpsychol.* (50): 399-422
- H.-A. Pederzani (1975): Molly Standards. ZAG Lebendgebärende Zahnkarpfen (1): 2-14
- N. & G. Peters (1968): Zur genetischen Interpretation morphologischer Gesetzmäßigkeiten der degenerativen Evolution. *Z. Morph. Tiere* (62): 211-244
- I.V. Petrescu-Mag et al. (2008): Vegetation and predators mediate color pattern frequencies in *Poecilia sphenops* Valenciennes. *AACL Bioflux* (1): 51-61
- F.N. Poeser (1997): De Mexicaanse mollie, *Poecilia mexicana* Steindachner, 1863. *Poecilia Nieuws* (4): 70-73
- F.N. Poeser (2012): Elevenszilö fogasponyok. *Poecilia Nieuws* (4): 35-36
- B. Proßecker (2008): Probleme mit Schokomollys. Das Lebendgebärenden Magazin (1): 15-15
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
- A. Ramírez-García et al (2017): Reproductive biology of the invasive species *Pseudoxiphophorus bimaculatus* and *Poecilia sphenops* in the Teuchitlán river, México. *J. Appl. Ichthyol.* (): 1-10
- C.T. Regan (1908): A collection of freshwater fishes made by mr. C. F. Underwood in Costa Rica. *Annals and Magazine of Natural History* (vol II): 455-464
- C.T. Regan (190608): Pisces. *Biologia Centrali-Americanica* (): 1-203
- C. van de Sande (1987): Een verzamelreis naar Guatemala II. *Poecilia Nieuws* (3): 46-48
- C. van de Sande (1987): Een verzamelreis naar Guatemala. *Poecilia Nieuws* (2): 30-32
- C. van de Sande (1988): Guatemala, land van levendbarende tandkarpers. *Het Aquarium* (9): 210-215
- S. Saroch (1979): Die Zucht von *Mollienesia sphenops* black. ZAG Lebendgebärende Zahnkarpfen (2+3): 40-41
- M. Schart et al (1995): Incorporation of subgenomic amounts of DNA as compensation for mutational load in a gynogenetic fish. *Nature* (373): 68-71
- I. Schlupp et. al. (2010): A novel, sexually selected trait in poeciliid fishes: female preferences for mustache-like, rostral filaments in male *Poecilia sphenops*. *Behav Ecol Sociobiol* (June): 0-
- F.F. Schmidt (1978): Mexico - een vissenparadijs. *Het Aquarium* (5): 121-125
- A. Scholl & J.H. Schröder (1974): Biochemische Untersuchungen über die genetische Differenzierung mittelamerikanischer Zahnkarpfenarten (Cyprinodontiformes, Poeciliidae). *Revue Suisse de Zoologie* (Décembre): 690-696
- W. Schreitmüller (1913): *Poecilia sphenops* Cuv. Et Val. Var. (?). *Blätter für Aquarien- und Terrarienkunde* (42): 684-686
- J.H. Schröder (1968): Fische als objekte der Mutationsforschung. *Aquarien Terrarien* (1): 10-13
- R.J. Schultz & K.D. Kallman (1968): Triploid hybrids between the all-femala Teleost *Poecilia formosa* and *P. sphenops*. *Nature* (July): 280-282
- G. Schutz (2009): Bringing back the lyreveil molly. *Livebearers* (206): 6-9
- E. Sosna (1994): "Saubermänner"-Spitzmaulkärflinge. *T.I. Magazin* (120): 16-17
- H. Stallknecht (1966): Wie soll ein Lyretail-Molly aussehen?. *Aquarien Terrarien* (7): 240-240
- H. Stallknecht (1969): *Poecilia* (*Mollienesia*) *sphenops* Cuvier & Valenciennes 1846, der Spitzmaulkärfling. *Aquarien Terrarien* (2): 0-0
- H. Stallknecht (1972): Weiterhin problematisch: Lyretail-Mollies. *Aquarien Terrarien* (10): 348-348
- F. Steindachner (1878): Ichthyologische Beiträge. *Sitzber. K. Akad. Wiss. Wien* (77): 386-388
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. *Livebearers* (154): 10-20
- G. Takeshita (1976): Xanthic and white liberty mollies. *Livebearers* (30): 2-4
- R.N. Tembo (2009): The sublethal effects of low-pH exposure on the chemoreception of *Poecilia sphenops*. *Arch. Environ. Contam. Toxicol.* (57): 157-163
- P. Trujillo-Jiménez & H. Toledo Beto (2007): Alimentación de los peces dulceacuícolas tropicales *Heterandria bimaculata* y *Poecilia sphenops* (Cyprinodontiformes: Poeciliidae). *Rev. Biol. Trop* (2): 603-615
- E. Velázquez-Velázquez et al (2008): Spatial and temporal variation of fish assemblages in a coastal lagoon of the biosphere reserve La Encrucijada, Chiapas, Mexico. *Rev. Biol. Trop* (2): 557-574
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. *ZooKeys* (632): 99-120
- J. Vente (1981): De black molly, een fluweelzwarte schoonheid. *Het Aquarium* (3): 71-72
- E. Verwijmeren (2011): What's in a name?. *Poecilia Nieuws* (4): 31-32
- J. Villa (1982): Peces Nicaraguenses de Agua Dulce. Serie Geografía y Naturaleza (3): 125-136
- U. Vodel (1987): *Poecilia sphenops* aus Nikaragua. ZAG Lebendgebärende Zahnkarpfen (1): 5-6
- D. Vogt (1998): "Vivace, variabile"- come il tempo *Poecilia* (*Mollienesia*) *sphenops*. *Aquarium* (I) (11): 14-17
- B. Wiley & B. Collette (1970): Breeding tubercles and contact organs in fishes: their occurrence, structure, and significance. *Bulletin American Museum of Natural History* (143): 145-216
- S. Wind-Heymann (1958): Black mollies. *Het Aquarium* (3): 55-55
- A. Wölfer (1999): Haltung und Zucht von Albino-Mollys (*Poecilia sphenops*). DGLZ-Rundschau (2): 54-55
- A.D. Woodhead & P.C. Bryant (1982): A note on the distribution of ectopic thyroid tissue in five species of poeciliid fishes. *J. Fish Biology* (21): 59-62

B. Zutshi & A. Singh (2020): Impact of photoperiod as an environmental cue on growth and reproductive performance in the red eyed orange molly (*Poecilia sphenops*). Proc. Zool. Soc. (1): 25-31

Poecilia sulphuraria (Alvarez, 1948)

- F. Alda, R.G. Reina, I. Doadria & E. Bermingham (2013): Phylogeny and biogeography of the *Poecilia sphenops* species complex (Actinopterygii, Poeciliidae) in Central America. Molecular and Ecology Resources (66): 1011-1026
- J. Alvarez (1948): Descripción de una nueva especie de Mollinisia capturada en Banos del Azufre, Tabasco. An. Esc. Nac. Cienc. Biol. (5): 275-281
- J.C. Bagley et al (2015): Assessing species boundaries using multilocus delimitation in a morphologically conserved group of neotropical freshwater fishes, the *Poecilis sphenops* species complex (Poeciliidae). PlosOne (4): 1-30
- Z.W. Culumber et al (2014): Variation in melanism and female preference in proximate but ecologically distinct environments. Ethology (120): 1090-1100
- G. Daul (1989): Mollys aus Mexiko Teil I: Mollys mit kleiner Rückenflosse. Das Aquarium (November): 679-684
- C. Doran et al (2022): Fish waves as emergent collective antipredator behavior. Current biology (32): 1-7
- H. Hieronimus (2018): Hauptsache Gelb-Reproduktive Isolierung bei Schwefelmollys. DGLZ-Rundschau (2+3): 57-61
- H. Hieronimus (2018): Hauptsache Gelb. DGLZ-Rundschau (1): 19-23
- D. Hughes-Phillips (2009): Mexico - March 2006. Livebearer News (26): 19-32
- B. Kabbes (1998): Vangreis naar Mexico 1997, conclusies en bevindingen. Poecilia Nieuws (5): 72-80
- D. Kaden (1986): Der Arten und Formenkreis der Mollys. Aquarien Terrarien (9): 302-305
- D. Lambert (0): *Poecilia sulphuraria* Alvarez 1948. Viviparous (25): 0-1
- D. Lambert (1994): No need to mollycode (the sulphur molly). Livebearers (136): 33-36
- D. Lambert (2018): *Poecilia sulphuraria* Alvarez, 1948. Das Lebendgebärenden Magazin (1): 28-29
- M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, Mexico. The Southwestern Naturalist (2): 223-236
- D. Macallister (2004): My experience keeping the sulphur mollies. Livebearer News (6): 22-23
- M. Palacios et al (2013): The rediscovery of a long described species reveals additional complexity in speciation patterns of Poeciliid fishes in sulfide springs. PlosOne (8): 1-16
- M. Plath et al (2010): Complementary effect of natural and sexual selection against immigrants maintains differentiation between locally adapted fish. Naturwissenschaften (97): 769-774
- R. Riesch et al (2009): Variation along the shy-bold continuum in extremophile fishes. Behav Ecol Sociobiol (63): 1515-1526
- R. Riesch et al (2009): Variation along the shy-bold continuum in extremophile fishes (*Poecilia mexicana*, *Poecilia sulphuraria*). Behav Ecol Sociobiol (63): 1515-1526
- R. Riesch et al (2010): Convergent life-history shifts: toxic environments result in big babies in two clades of poeciliids. Naturwissenschaften (97): 133-141
- R. Riesch et al (2010): Extreme habitats are not refuges: poeciliids suffer from increased aerial predation risk in sulphidic souther Mexican habitats. Biological Journal of the Linnean Society (101): 417-426
- R. Riesch et al (2011): Shared and unique patterns of embryo development in extremophile Poeciliids. PlosOne (11): 1-11
- R. Serva & G. Tash (1997): In sort of the "wild" red swordtail (amongst other things). Viviparous (39): 0-
- P. Slattery et al (2012): Twelve new microsatellite for the sulphur molly (*Poecilia sulphuraria*) and the related Atlantic molly (*P. mexicana*). Conservation Genet Resour (4): 935-937
- M. Tobler & M. Plath (2008): Fish from stinking places. Livebearer News (24): 43-53
- M. Tobler & M. Plath (2009): Threatened fishes of the world: *Poecilia sulphuraria* (Alvarez, 1948) (Poeciliidae). Environmental Biology of Fishes (85): 333-334
- M. Tobler et al (2008): Two endemic and endangered fishes, *Poecilia sulphuraria* (Alvarez, 1948) and *Gambusia eurystoma* Miller, 1975 (Poeciliidae, Teleostei) as only survivors in a small sulphidic habitat. Journal of Fish Biology (72): 523-533
- M. Tobler et al (2009): Compensatory behaviour in response to sulphide-induced hypoxia affects time budgets, feeding efficiency, and predation risk. Evolutionary Ecology Research (11): 935-948
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120

Poecilia teresae Greenfield, 1990

- (0): Look out! Look out! There's a scientist about. Viviparous (23): 0-
- (1991): Nieuws uit de wetenschap. Poecilia Nieuws (3): 46-46
- P.C. Esselman & J.D. Allan (2010): Relative influences of catchment- and reach-scale abiotic factors on freshwater fish communities in rivers of northeastern Mesoamerica. Ecology of Freshwater Fish (19): 439-454
- D. Gentzsch & U. Roßdeutscher (2005): Ökomorphologische Variation bei einer Herkunft von *Poecilia mexicana* aus Belize und Verbreitung von *Poecilia teresae*. DGLZ-Rundschau (2): 49-53
- D.W. Greenfield (1990): *Poecilia teresae*, a new species of poeciliid fish from Belize, Central America. Copeia (2): 449-454
- J. Levy (1996): *Poecilia teresae*? Livebearers (143): 20-21
- A.T. Tveteraas (0): Look out there's a scientist about!! Viviparous (12): 0-0

Poecilia vandepolli Van Lidth de Jeude, 1887

- D. Bork (1998): Fischfang in Kolumbien Teil 2 (Schluß): Ergebnisse aus der weiteren Umgebung von Capurgana und Acanti. Das Aquarium (8): 7-10
- A.O. Debrot (2003): A review of the freshwater fishes of Curacao, with comments on those of Aruba and Bonaire. Caribbean Journal of Science (1): 100-108
- A.I.F.C. Ho (2013): The endemic mollies of the ABC Islands: Van de Poll's molly (*Poecilia vandepolli*). Amazonas (09/10): 44-51
- R. Lundkvist (0): A genuine Dutch molly. Livebearer News (16): 4-11
- R. Lundkvist (2008): Een echte Nederlandse mollie. Het Aquarium (9): 8-11

- R. Lundkvist (2009): Een echte nederlandse mollie. Poecilia Nieuws (1): 21-27
R. Lundkvist (2009): Do mollies need salt?. Livebearer News (28): 14-19
R. Lundkvist (2010): Hebben mollies zout nodig?. Het Aquarium (2): 19-23
R. Lundkvist (2012): Hat Salzzusatz Einfluss auf der Mollywachstum. DGLZ-Rundschau (3): 104-108
R. Lundkvist (2013): L'impact du sel sur la croissance des Mollies. Le Vivipare (118): 17-21
R. Lundkvist (2013): Do mollies need salt?. Amazonas (July/August): 17-18
F.N. Poeser (1992): Re-establishment and redescription of *Poecilia vandepolli* Van Lidth de Jeude, 1887, with comments on related species. Studies on the natural history of the Caribbean region (71): 79-98
F.N. Poeser (1994): *Poecilia vandepolli* Van Lidth De Jeude, 1887 (een bekende onbekende). Poecilia Nieuws (3): 42-45
F.N. Poeser (2003): Geographic variation in *Poecilia* Bloch and Schneider, 1801 with descriptions of three new species and designation of lectotypes for *P. dovii* Günther, 1866 and for *P. vandepollii* van Lidth de Jeude, 1887. Proceedings of the Biological Society of
F.N. Poeser (2016): De Nederlandse mangrove molly *Poecilia vandepolli* Van Lidth de Jeude, 1887. Poecilia Nieuws (4): 7-11
T.W. Van Lidth de Jeude (1887): On a collection of reptiles and fishes from the West-Indies. Notes from the Leyden Museum (vol IX): 137-138

Poecilia velifera (Regan, 1914)

- (1994): Mollies. *Aqua geographica* (4): 80-82
D. Alderton (2014): Magnificent Mollies. *Popular Fishkeeping* (jan/feb): 68-73
R.A. Angus (1989): A Genetic Overview of Poeciliid Fishes. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 51-68
M. Bachmann (1966): Geschlechtswechsel bei einem gescheckten Lyratail-Molly. *Aquarien Terrarien* (10): 350-350
T. Bähr (1987): Segelkärpfinge, *Poecilia* (Mollienesia) *velifera*. *Aquarien Terrarien* (4): 120-121
G. de Beurs (1985): *Poecilia velifera*. Poecilia Nieuws (3): 31-33
M. Bildsøe (1988): Aggressive, sexual, and foraging behaviour in *Poecilia velifera* (Pisces: Poeciliidae) during captivity. *Ethology* (79): 1-12
D. Bork (1987): Zum Thema Kreuzungen in AM 3/85 und 2/86. ZAG Lebendgebärende Zahnkarpfen (2): 5-6
H.B. Bouwmeester (1963): Mollienisia velifera. *Het Aquarium* (6): 128-131
C. Brüning (1925): Flussfische im Meerwasser. *Wochenschrift für Aquarien und Terrarienkunde* (21): 371-372
C. Clapsaddle (2013): Life with livebearers. Maintaining fancy molly strains. *Tropical Fish Hobbyist* (12): 28-30
C. Clapsaddle (2013): Life with livebearers. Lyretail mollies. *Tropical Fish Hobbyist* (7): 28-30
C. Clapsaddle (2015): Life with livebearers cold resistance in mollies?. *Tropical Fish Hobbyist* (5): 26-28
T. Coletti (2015): 10 Livebearers for your wishlist. *Tropical Fish Hobbyist* (5): 60-64
G. Daul (1989): Mollys aus Mexiko Teil II: Mollys mit großer Rückenflosse. *Das Aquarium* (Dezember): 746-747
W.J.M. Deutz (1949): Mollienisia velifera. *Het Aquarium* (3): 49-51
R. Ellermann (2008): The giant sailfin mollies of central America: *Poecilia velifera* and *Poecilia petenensis*. *Livebearers* (200): 22-45
P. Götting (1986): Zum Thema "Kreuzungen" im AM 3/85. ZAG Lebendgebärende Zahnkarpfen (2): 3-4
S.J. Hankison et al. (2006): Morphological divergence within and between the Mexican sailfin mollies, *Poecilia velifera* and *Poecilia petenensis*. *Journal of Fish Biology* (68): 1610-1630
S.J. Hankison & M.B. Ptacek (2007): Within and between species variation in male mating behaviors in the mexican sailfin molies *Poecilia velifera* and *P. petenensis*. *Ethology* (113): 802-812
S.J. Hankison & M.B. Ptacek (2008): Geographical variation of genetic and phenotypic traits in the Mexican sailfin mollies, *Poecilia velifera* and *P. petenensis*. *Molecular Ecology* (17): 2219-2233
S.J. Hankison & M.B. Ptacek (2010): Geographic variation in genetic and morphological structure in the Mexican sailfin mollies, *Poecilia velifera* and *P. petenensis*. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 442-
H. Hieronimus (1997): Zum Thema Ballonmolly. DGLZ-Rundschau (2): 39-40
H. Hieronimus (1997): Lebendgebärende auf Briefmarken Teil III (Ende): Mollys und Wildformen. DGLZ-Rundschau (3): 57-61
H. Hieronimus (2015): Wieder zwei neue Briefmarken mit Lebendgebärenden. DGLZ-Rundschau (4): 171-172
M. Holly (1961): Mollienisia velifera Regan. *Die Aquarienfische in Wort und Bild* (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 1158-1159
C.L. Hubbs (1933): Species and hybrids of Mollienisia. *The Aquarium* (February): 263-268
C.L. Hubbs (1936): Fishes of the Yucatan peninsula. *Carnegie Inst. Wash. Pub.* (457): 157-287
C.L. Hubbs (1984): Species and hybrids of Mollienisia. *Livebearers* (75): 8-11
C.L. Hubbs & L.C. Hubbs (1932): Apparent parthenogenesis in nature, in a form of fish of hybrid origin. *Science* (76): 628-630
K. Jacobs (1979): So begatten sich die Lebendgebärenden. *Aquarien Magazin* (2): 62-67
K. de Jong (1989): Het kruisen van levendbarenen anno 1934. Poecilia Nieuws (4): 65-67
W. Junghans (1916): Mollienisia velifera (Der Fahnenkärpfing). *Blätter für Aquarien- und Terrarienkunde* (11): 163-165
C.E. Keen (2002): Saltwater sail-fin mollies. *Livebearer News* (2): 23-25
M.M. Kittel, M.N. Harvey, S. Contreras-Balderas & M.B. Ptacek (2005): Wild-caught hybrids between sailfin and shortfin mollies (Poeciliidae, *Poecilia*): morphological and molecular verification. *Hidrobiológica* (15): 131-137
W. Köhler (1920): Mollienisia velifera Regan. *Blätter für Aquarien- und Terrarienkunde* (21): 323-325

Livebearer Literature List 202201

- H.L. Kozak, L.A. Cirino & M.B. Ptacek (2008): Female mating preferences for male morphological traits used in species and mate recognition in the Mexican sailfin mollies, *Poecilia velifera* and *Poecilia petenensis*. *Behavioral Ecology* (Jan): 463-474
- J. de Kraay (1967): Levendbarende tandkarpers. *Het Aquarium* (10): 218-223
- G. Krasper (1915): Halten sich Mollienisia velifera und andere Exoten im ungeheierten Aquarium?. *Blätter für Aquarien- und Terrarienkunde* (18): 286-286
- A. Kühne (1997): Der Ballon-Molly - eine Laune der Natur?. *DGLZ-Rundschau* (2): 38-39
- D. Lambert (1995): *Poecilia hybrid Lyretail sunburst Molly*. Viviparous (32): 0-
- H. Lobregt (1989): Levendbarenden in de natuur. Een vindplaats in Hongarije bij min 0°C. *Poecilia Nieuws* (2): 29-30
- H. Lobregt (1992): De black molly. *Poecilia Nieuws* (4): 21-22
- S.A. Loveless, M.K. Kittell & M.B. Ptacek (2009): Patterns of inheritance of mating signals in sailfin and shortfin mollies (Poeciliidae: Poecilia: Mollienisia). *Ethology* (115): 958-971
- S.A. Loveless, W.C. Bridges & M.B. Ptacek (2010): Genetics of species differences in sailfin and shortfin mollies. *Heredity* (105): 370-383
- G. Lübon & Harro Hieronimus (1988): Mollienisia-Standard. *DGLZ-Rundschau* (1): 11-19
- R. Lundkvist (0): A beauty from Mexico, the sail fin molly, *Poecilia velifera*. *Livebearer News* (17): 5-10
- R. Lundkvist (2007): Een schoonheid uit Mexico, de hoogvinkarper, *Poecilia velifera*. *Poecilia Nieuws* (5): 27-31
- R. Lundkvist (2008): Een Mexicaanse schone, de zeilvimmolly - *Poecilia velifera*. *Het Aquarium* (4): 30-31
- R. Lundkvist (2009): Do mollies need salt?. *Livebearer News* (28): 14-19
- R. Lundkvist (2010): Hebben mollies zout nodig?. *Het Aquarium* (2): 19-23
- R. Lundkvist (2010): Die haltung des Segelkäpfings *Poecilia velifera*. *DGLZ-Rundschau* (2): 35-37
- R. Lundkvist (2011): Op zoek naar mollies in Maya land. *Het Aquarium* (6): 20-27
- R. Lundkvist (2013): Do mollies need salt?. *Amazonas* (July/August): 17-18
- R. Lundkvist (2016): *Poecilia velifera* - ein Juwel unter den Lebendgebärenden. *DGLZ-Rundschau* (1): 11-20
- R. Lundkvist (2016): *Poecilia velifera* Een juweel onder de levendbarenden!. *Het Aquarium* (7): 6-11
- J. Lyons (2017): Adventures among the wild livebearers of Mexico: part 4 the Yucatan Peninsula. *Livebearers* (236): 7-14
- F. Mayer (1952): Hoogvin - Mollienisia's. *Waterweerde* (september): 107-108
- F. Mazatis (1914): Mollienisia (?) petenensis Günther (richtig: velifera Regan!). *Blätter für Aquarien- und Terrarienkunde* (10): 161-166
- W. Mulder (1966): Zijn levendbarenden werkelijk zo makkelijk houdbaar?. *Het Aquarium* (4): 92-92
- W. Mulder (1966): Zijn levendbarenden werkelijk zo makkelijk houdbaar??. *Het Aquarium* (4): 92-92
- I. Nanda, M. Schartl et. al. (1992): Early stages of sex chromosom differentiation in fish analysed by simple repetitive DNA sequences. *Chromosoma* (101): 301-310
- I. Nanda, M. Schartl et. al. (1993): Primitive sex chromosomes in Poeciliid fishes Harbor simple repetitive DNA sequences. *Journal of experimental zoology* (265): 301-308
- C. de Nooze (1993): Het leven in het brakke sop. *Aquariumwereld* (11): 226-231
- R. Norris (1973): From the tropics - "instant mollies". *Livebearers* (9): 2-2
- J. Norton (0): Diversity in mollies. *Viviparous* (16): 0-
- J. Norton (1973): Notes on a giant sailfin molly. *Livebearers* (9): 3-3
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- C. Osche (1997): Noch eimal Ballonmolly. *DGLZ-Rundschau* (3): 56-56
- F. Padmos (2017): Het Yucatan schiereiland in Mexico. *Poecilia Nieuws* (4): 14-26
- F. Padmos (2018): Het Yucatan schiereiland in Mexico deel 2. *Poecilia Nieuws* (1): 18-20
- F. Padmos (2018): Het Yucatan schiereiland in Mexico deel 2. *Poecilia Nieuws* (2): 26-29
- F. Padmos (2019): Die Yucatán-Halbinsel in Mexiko. *Das Lebendgebärenden Magazin* (1): 15-29
- J. Parzefall (1969): Zur vergleichenden Ethologie verschiedener Mollienisia-Arten einschliesslich einer Höhlenform von *M. sphenops*. *Behaviour* (1/2): 1-37
- F.N. Poeser (2014): Op zoek naar de keizer van Yucatan. *Poecilia Nieuws* (2): 28-33
- B. Poßeckert (1989): Aquarianer reisen - Ungarn 1988. *Aquarien Terrarien* (5): 162-165
- M.B. Ptacek & S.J. Hankison (2010): Evolutionary diversification of mating signals in the Mexican sailfin mollies (Poeciliidae: Poecilia: Mollienisia). In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 279-292
- C.T. Regan (1914): Description of a new Cyprinodont Fish of the Genus Mollienisia from Yucatan. *Annals and Magazine of Natural History* (March): 338-338
- R. Romeijn (1950): Mollienisia velifera (Hoogvinkarper). *Het Aquarium* (10): 253-253
- J.A. Roobol (1973): Liefde is (kleuren)blind?. *Het Aquarium* (8): 193-193
- W.B. Sachs (1917): Pflege und Zucht von Mollienisia velifera. *Beaufortia* (5): 71-71
- R. Scheffler (1976): Op zoek naar levendbarenden in Mexico. *TTB* (7): 24-27
- J.J. Schmitter-Soto (1999): Distribution of continental fishes in northern Quintana Roo, Mexico. *The Southwestern Naturalist* (2): 166-172
- W. Schreitmüller (1925): Verschiedene interessante Bastarde. *Wochenschrift für Aquarien und Terrarienkunde* (36): 609-610
- J.H. Schröder (1968): Fische als objekte der Mutationsforschung. *Aquarien Terrarien* (1): 10-13

- M. Seidel (1984): Poecilia velifera "Gold" - Haltung und Zucht. ZAG Lebendgebärende Zahnkarpfen (4): 2-2
H. Seliger (1982): Experimente zu Poecilia (Mollienesia) velifera. ZAG Lebendgebärende Zahnkarpfen (3): 3-5
X. Shen, G. Yang & M. Liao (2007): Development of 51 genomic microsatellite DNA markers of guppy (*Poecilia reticulata*) and their application in closely related species. Molecular Ecology Notes (7): 302-306
H. Stallknecht (1966): Wie soll ein Lyratail-Molly ausssehen?. Aquarien Terrarien (7): 240-240
H. Stallknecht (1969): Poecilia (Mollienesia) velifera (Regan, 1916), der Segelkärpfing. Aquarien Terrarien (2): 0-0
H. Stallknecht (1983): Große Mollys.... Aquarien Terrarien (2): 61-61
R. Suttner (2000): Molly. Schöne und interessante Lebendgebärende. Das Aquarium (10): 22-26
E.C. Taylor (1995): Introducing: Florida livebearers. Tropical Fish Hobbyist (May): 227-242
W.A. Tomey (1982): Een klein strandbiotoop langs Peru's westkust. Het Aquarium (12): 330-332
W.A. Tomey (1989): "Colas Azuller" Der Segelflossen-Kärpfing Poecilia velifera und sein Verbreitungsgebiet. t (92): 15-16
K.W. Trochu (2015): Going wild four times over. Livebearers (229): 8-11
J. Vente (1981): De black molly, een fluweelzwarte schoonheid. Het Aquarium (3): 71-72
L.E. Vermeer (1952): Black molly. Waterwereld (maart): 0-
F.J. de Vet (1940): Mollienisia velifera. Aqua Terra (8): 174-174
C. Visser (1972): Poecilia velifera (hoogvinkarper). NGK mededelingen (aug): 13-13
C. Visser (1972): Poecilia velifera. NGK mededelingen (1): 13-13
P.J. van de Vlugt (1959): Mollienisia velifera. Het Aquarium (11): 248-251
J. Wengel (1985): Meine Beobachtungen bei Poecilia velifera. ZAG Lebendgebärende Zahnkarpfen (3): 4-5
R. Winter (1995): Information wanted - information given. Viviparous (30): 0-
L. Wischnath (0): Beautés indicibles du genre Poecilia. Aquarama (): 13-15
E.D. Wright (0): Aspects of the habitat of Poecilia velifera. Viviparous (20): 0-
E.D. Wright (1981): Aspects of the habitat of Poecilia velifera. Livebearers (59): 8-10

Poecilia vivipara Bloch & Schneider, 1801

- E. Bade (1918): Our American live-bearing tooth-carp. Aquatic Life (November): 29-30
W.M. Berbel-Filho et al (2018): Poecilia vivipara Bloch & Schneider, 1801 (Cyprinodontiformes, Poeciliidae), a guppy in an oceanic archipelago; from where did it come?. ZooKeys (746): 91-104
M.E. Bloch & J. G. Schneider (1801): Systema ichthyologiae. Berlin (vol. 1&2): 1-584
J.C. Briggs (1984): Freshwater fishes and biogeography of Central America and the Antilles. Syst. Zool. (4): 428-435
M. da Cunha Amaral et al (2001): Activity determination of Na⁺ K⁺ - ATPase adn Mg⁺⁺ - ATPase enzymes in the gill of Poecilia vivipara in different salinities. Brazilian Archives of Biology and Technology (1): 1-6
H. Fowler (1940): The fishes obtained by the Wilkes expedition, 1838-1842. Proceedings of the American Philosophical Society (5): 733-800
H. Fowler (1943): A new poeciliid fish from Honduras. Notulae Naturae of the Academy of Natural Sciences of Philadelphia (April): 1-3
J.L. Gomes-Jr and L.R. Monteiro (2007): Size and fecundity variation in populations of Poecilia vivipara Block & Schneider (Teloeste; Poeciliidae) inhabiting an environmental gradient. Journal of Fish Biology (71): 1799-1809
J.L. Gomes-Jr and L.R. Monteiro (2008): Morphological divergence patterns among populations of Poecilia vivipara (Teleostei Poeciliidae): test of an ecomorphological paradigm. Biological Journal of the Linnean Society (93): 799-812
M. van Hagen (1942): Levendbarende tandkarpers Phalloptychus januarius en Poecilia vivipara. Aqua Terra (2): 135-135
P. Hartman (1985): One spot livebearers. Livebearers (79): 4-5
C.P. Haskins & E. Haskins (1949): The role of sexual selection as an isolating mechanism in three species of Poeciliid fishes. Evolution (2): 160-169
A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
R. Hensel (1868): Beiträge zur kenntnis der Wirbeltiere Sudbrasilien. Archiv für Naturgeschichte (vol. 34): 356-376
H. Hieronimus (1986): De geschiedenis van de levendbarende tandkarpers deel 5. Poecilia Nieuws (6): 78-82
H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. Poecilia Nieuws (6): 12-18
D. Hohl (1981): Erneut importiert: Poecilia vivipara Bloch und Schneider, 1801. Aquarien Terrarien (5): 164-167
D. Hohl (1981): Erneut importiert: Poecilia vivipara Bloch und Schneider, 1801. Aquarien Terrarien (5): 164-167
D. Hohl (2021): Der Augenfleckkärpfing, Poecilia vivipara Bloch & Schneider, 1801 - Der "älteste" Lebendgebärende in der Aquaristik. Das Lebendgebärenden Magazin (1): 15-21
K. Hohmann (1911): Eine hübsche Varietät von Poecilia sphenops Cuv. & Val.. Wochenschrift für Aquarien und Terrarienkunde (38): 545-546
H.A. van Hoof (1961): Aquariumwissen in Suriname. Het Aquarium (6): 134-143
K. de Jong (2010): Poecilia vivipara Bloch & Schneider, 1801. Poecilia Nieuws (3): 10-12
D. Kaden (1986): Der Arten und Formenkreis der Mollys. Aquarien Terrarien (9): 302-305
M. Kempkes (2020): Auf der Suche nach Guppys und "Sumpfguppys" in Surinam. Aquaristik Fachmagazin (274): 44-47
M. Kempkes (2021): Von Guppys und "Sumpfguppys" in Surinam. Das Lebendgebärenden Magazin (1): 40-50

Livebearer Literature List 202201

- S. Koerber & T. Litz (2014): On the erroneous records of *Poecilia vivipara* from Argentina. Ichthyological Contributions of PecesCriollos (33): 1-4
- W. Krauß-Bargmann (1924): Ueber das Gonopodium der Zahnpfoten. Wochenschrift für Aquarien und Terrarienkunde (30): 644-645
- R. Lundkvist (0): A genuine Dutch molly. Livebearer News (16): 4-11
- R. Martins (1973): A colorful *Poecilia vivipara*. Livebearers (7): 6-7
- A. Mayer (1912): Importreise nach Brasilien und Argentinien. Blätter für Aquarien- und Terrarienkunde (26): 421-424
- R. Mazzoni et al (2006): Stream-dwelling fish communities from an Atlantic rain forest drainage. Brazilian Archives of Biology and Technology (2): 1516-8913
- E. Meinema (1993): Een levendbarende huwelijkskado. Poecilia Nieuws (3): 57-61
- H. Mück (1996): Französisch-Guyana. DGLZ-Rundschau (4): 75-81
- F.M. Neves & L.R. Monteiro (2003): Body shape and size divergence among populations of *Poecilia vivipara* in coastal lagoons of south-eastern Brazil. Journal of Fish Biology (63): 928-941
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- H.-J. Paepke (1985): Erinnerung an den Berliner Arzt und Ichtyologen M.E. Bloch. Aquarien Terrarien (1): 18-19
- H.-J. Paepke & M.K. Meyer (1995): On the identity of *Molinessa fasciata* Müller & Troschel, 1844 and *M. surinamensis* Müller & Troschel, 1844. Ichthiol. Explor. Freshwaters (3): 283-287
- H.-A. Pederzani (1967): Wann kamen die ersten Lebendgebärenden Zahnpfoten nach Deutschland?. Aquarien Terrarien (4): 134-134
- F.N. Poeser (1994): *Poecilia vandepolli* Van Lith De Jeude, 1887 (een bekende onbekende). Poecilia Nieuws (3): 42-45
- F.N. Poeser (2006): *Poecilia* in Suriname I. De zuidelijkste molly: *Poecilia* (*Poecilia*) vivipara Bloch & Schneider, 1801. Poecilia Nieuws (1): 21-24
- F.N. Poeser (2010): Een inleiding tot de molly's. Poecilia Nieuws (3): 2-9
- F.N. Poeser (2010): Mijn aquarium. Poecilia Nieuws (5): 14-16
- F.N. Poeser (2010): Molly's en Mollienesia, waarom heet het allemaal *Poecilia* tegenwoordig?. Poecilia Nieuws (3): 26-29
- F.N. Poeser (2010): The Derivation of the South American species of *Poecilia* Bloch and Schneider, 1801 (Teleostei; Cyprinodontiformes). Viviparous Fishes II red. Uribe & Grier (): 13-30
- F.N. Poeser (2013): Apropos Guppies.... Das Lebendgebärenden Magazin (1): 36-40
- F.N. Poeser (2016): Op zoek naar *Poecilia* kempkesi Poeser, 2013. Poecilia Nieuws (3): 15-21
- F.N. Poeser (2017): The Guaina guppy. Personal notes (): -129
- A. Rachow (1937): *Poecilia vivipara* (Bloch u. Schneider). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc)): 140-142
- A.C. Radda (1982): Neuimporte einiger Arten der Gattung *Poecilia*. DGLZ-Rundschau (4): 60-63
- E. Ringel (1911): Unsere Lebendgebärenden. (Forsetzung). Wochenschrift für Aquarien und Terrarienkunde (): 275-277
- T.L. Rocha et al (2010): Morphological analysis of developmental phases and gill ontogenesis in neotropical species *Poecilia vivipara* (Cyprinodontiformes: Poeciliidae) exposed to different salinities. Zoologica (4): 554-562
- D.E. Rosen (1973): Fishes of the western north Atlantic. Memoir Sears Foundation for Marine Research (6): 229-262
- J.
- G. Ruda (1908): Schon länger eingeführte lebendgebärende Zahnpflege. Blätter für Aquarien- und Terrarienkunde (33): 442-443
- N.S. Scrimshaw (1945): Development in Poeciliid fishes. Biological Bulletin (3): 233-246
- A.R.M. Silva, G.B. Santos & T. Ratton (2006): Fish community structure of Juramento reservoir, São Francisco river basin, Minas Gerais, Brazil. Revista Brasileira de Zoologia (3): 832-840
- C. Sommer-Trembo et al (2017): Predation risk and abiotic habitat parameters affect personality traits in extremophile populations of a neotropical fish (*Poecilia vivipara*). Ecology and Evolution (7): 6570-6581
- G. Takeshita (0): The "escaped" livebearers in Hawaii. Viviparous (33): 0-
- G. Takeshita (1972): The "escaped" livebearers in Hawaii. Livebearers (2): 5-9
- C.H. Tonhatti et al (2018): Development of microsatellite loci for the fish *Poecilia vivipara* (Cyprinodontiformes: Poeciliidae). Conservation Genet Resour (6): 383-385
- D. Ventura de Paulo et al (2020): Histological and behavioral toxicity of tributyltin in the tropical guppy *Poecilia vivipara*. Environmental Toxicology and Chemistry (10): 1953-1963
- B. Wichand (1906): Diesjährige Neuheiten in Wort und Bild. II Neuimportierte bezw. erstmalig nachgezüchtete Zahnpfoten (Poeciliidae) *Poecilia vivipara*. Blätter für Aquarien- und Terrarienkunde (49): 483-485
- B. Wichand (1906): Diesjährige Neuheiten in Wort und Bild. II Neuimportierte bezw. erstmalig nachgezüchtete Zahnpfoten (Poeciliidae). Blätter für Aquarien- und Terrarienkunde (47): 463-469
- L. Wischnath (0): Beutes indicibles du genre *Poecilia*. Aquarama (): 13-15
- L. Wischnath (1995): De eerste levendbarende aquariumvissen. Het Aquarium (9): 201-203
- L. Wischnath (1996): Les premiers vivipares en aquarium. Aquarama (): 19-21

Poecilia waiapi Bragança, Costa & Gama, 2011

- P. Bragança & F. Liberge (2013): *Poecilia waiapi*, nouvelle espèce brésilienne. Le Vivipare (116): 4-11
- P.H.N. Bragança, W.J.E.M. Costa & C.S. Gama (2011): *Poecilia waiapi*, a new poeciliid from the Jari river drainage, northern Brazil (Cyprinodontiformes: Cyprinodontoidei). Ichthiol. Explor. Freshwaters (4): 337-343
- M. Heußen (2012): Zwei neue Lebendgebärende beschrieben. Das Lebendgebärenden Magazin (1): 43-44
- M. Heußen (2012): *Poecilia waiapi*, zum Zweiten. Das Lebendgebärenden Magazin (2): 8-8
- H. Hieronimus (2012): Neue Lebendgebärende beschrieben: *Poecilia hondurensis* und *Poecilia waiapi*. DGLZ-Rundschau (1): 19-21
- F. Liberge & P. Bragança (2013): *Poecilia waiapi* A new Brazilian Micropoecilia. Livebearers (219): 17-18

F. Liberge & P. Bragança (2017): Poecilia (Micropoecilia) waiapi. Poecilia Nieuws (4): 27-28

F.N. Poeser (2012): Poecilia (Micropoecilia) waiapi een nieuwe levendbarende tandkarper uit het Amazonegebied. Poecilia Nieuws (2): 19-21

Poecilia wandaе Poeser, 2003

F.N. Poeser (2003): Geographic variation in Poecilia Bloch and Schneider, 1801 with descriptions of three new species and designation of lectotypes for P. dovii Günther, 1866 and for P. vandepollii van Lidth de Jeude, 1887. Proceedings of the Biological Society of

Poecilia wingeи Poeser, Kempkes & Isbrücker, 2005

- (1994): Endler's guppy. Aquarium & Terrarium Hobbyist (1): 11-11
- H.J. Alexander & F. Breden (2004): Sexual isolation and extreme morphological divergence in the Cumaná guppy: a possible case of incipient speciation. J. Evol. Biol. (17): 1238-1254
- M. Angelos (2006): Ten generations of Endlers livebearers. Livebearers (192): 11-19
- T. Coletti (2015): Abstractions..... Livebearers (226): 18-21
- J.A. Endler (1983): Natural and sexual selection on color patterns in poeciliid fishes. in: Zaret T.M. Evolutionary ecology of neotropical freshwater fishes (): 95-110
- J.A. Endler (2013): Endler's Guppy (Poecilia wingeи) und das Zusammenspiel von Ökologie, Taxonomie, dem Schutz der biologischen Vielfalt, Aquarianern und der Beeinträchtigung von Lebensräumen. Das Lebendgebärenden Magazin (1): 22-23
- D. Gentzsch (2007): Die schwierige Abgrenzung von Poecilia reticulata, Endlers Guppy und Poecilia wingeи. DGLZ-Rundschau (1): 20-36
- D. Gentzsch (2008): Zwei Farbschläge beim Campona-Guppy. DGLZ-Rundschau (3): 66-71
- D. Gentzsch (2008): Gegenwärtiger Wissenstand von Endlers Guppy, Cumana- und Campona-Guppy (Poecilia wingeи). Das Lebendgebärenden Magazin (1): 8-14
- D. Gentzsch (2009): Es gibt bereits zwei reinerbige Zuchtformen des Campona-Guppys. DGLZ-Rundschau (1): 5-7
- D. Gentzsch (2010): Poecilia obscura und exakte Fundortangaben zum Campona-Guppy. DGLZ-Rundschau (2): 51-53
- D. Gentzsch (2013): Der Campona-Guppy wird nicht auf der Halbinsel Paria gefunden - ein Beispiel für das Abschreiben eines Fehlers. Das Lebendgebärenden Magazin (1): 24-25
- C. Ghiasvand (2006): Gedanken zur Neubeschreibung von Poecilia wingeи. DGLZ-Rundschau (4): 122-133
- S. Gray & J.S. McKinnon (2006): Linking color polymorphism maintenance and speciation. Trends in Ecology & Evolution (2): 71-79
- T. Grifits (0): Endler's guppy. Viviparous (44): 0-
- C. de Groot (2012): Pit Bull Guppies!. Poecilia Nieuws (2): 11-11
- T. Grum-Schwensen (2014): The endless Endler debate rages on. Livebearers (225): 18-19
- H. Hammer (2009): Hinterher ist man(n) immer klüger.. ein paar Gedanken zum Endler-Championat. DGLZ-Rundschau (4): 111-112
- M. Hellweg (2010): Wild-type guppies: there's nothing common about them. Tropical Fish Hobbyist (April): 70-74
- M. Herdegen et al (2014): Populations structure of guppies in north-eastern Venezuela, the area of putative incipient speciation. BMC Evolutionary Biology (28): 1-13
- M. Herdegen et al (2014): Population structure of guppies in north-eastern Venezuela, the area of putative incipient speciaton. BMC Evolutionary Biology (28): 1-13
- M. Heußen (2013): Kurz berichtet. Das Lebendgebärenden Magazin (2): 7-8
- M. Heußen (2013): Poecilia wingeи und Hybriden - Klassifizierung und Standards in Wettbewerben. Das Lebendgebärenden Magazin (1): 27-28
- M. Heußen (2014): Aufgelesen.....in aquaristischen Zeitschriften. Das Lebendgebärenden Magazin (2): 26-27
- H. Hieronimus (1989): Was ist eigentlich "Endlers Guppy". DGLZ-Rundschau (4): 21-22
- H. Hieronimus (1998): Endlers Guppy - was ist das eigentlich?. DGLZ-Rundschau (2): 27-29
- H. Hieronimus (2006): Poecilia wingeи - eine neue Art?. DGLZ-Rundschau (2): 67-69
- H. Hieronimus (2009): Entwurf für einen Standard für Zuchtformen von Endlers Guppys. DGLZ-Rundschau (2): 45-48
- H. Hieronimus (2012): Poecilia wingeи "Venezuela". DGLZ-Rundschau (2): 66-67
- H. Hieronimus (2013): Der DGLZ-Endlerstandard. Das Lebendgebärenden Magazin (1): 26-27
- H. Hieronimus (2014): Poecilia wingeи und Poecilia reticulata - doch nur eine Guppy-Art?. DGLZ-Rundschau (2): 53-55
- H. Hieronimus (2015): Raffinierte Endlerguppys. DGLZ-Rundschau (1): 27-28
- M. John (2006): Neue Guppy-Art beschrieben: Poecilia wingeи Poeser, Kempkes & Isbrücker, 2005. Aquaristik Fachmagazin (2): 110-110
- S. de Jong (2019): Staek endler. Een heuse endler of toch een gup?. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (2): 25-27
- K. de Jong (2020): Zieke vissen in de aquariumhandel. Poecilia Nieuws (5): 18-19
- K. de Jong (2021): Kranke Fische in der Aquaristik. Das Lebendgebärenden Magazin (2): 19-21
- M. Kempkes (2007): Informatie over de vruchtbaarheid van de vrouwtjes van Poecilia wingeи. Poecilia Nieuws (4): 27-30
- M. Kempkes (2008): Darwins Guppy. Aquaristik Fachmagazin (204): 14-1
- M. Kempkes (2008): Ein kleiner Beitrag zur sexuellen Selektion, zur Partnerwahl, zur Spermien-speicherfähigkeit und zur Spermienkonkurrenz bei Poecilia reticulata sowie artübergreifenden Paarungen zwischen Poecilia wingeи und Poecilia reticulata. DGLZ-Rundschau
- M. Kempkes (2010): Betrifft: Zahnkarpen (DATZ 12/2009). DATZ (2): 73-73
- M. Kempkes (2010): Endler-Guppys im Nano-Aquarium?. DATZ Aquarien-Praxis (6): 8-9
- K. Koomans (2007): Endlers en guppen: het kweken van hybriden. Poecilia Nieuws (5): 17-21

Livebearer Literature List 202201

- L.Z. de Liefde (1999): Blonde 'Endlers'. Poecilia Nieuws (3): 62-63
- L.Z. de Liefde (2005): De Endler-gup of Poecilia sub. Endler. Poecilia Nieuws (2): 16-17
- L.Z. de Liefde (2007): Poecilia wingei (Endler) x Poecilia reticulata ("pink"). Poecilia Nieuws (3): 33-36
- L.Z. de Liefde (2012): Een merkwaardige uitslag na een paring van Poecilia reticulata maculatus vrouw x Poecilia wingei scarlet man. Poecilia Nieuws (1): 14-15
- L.Z. de Liefde (2013): Poecilia wingei en hybriden. Poecilia Nieuws (1): 15-19
- E.H. Linke (2014): Männchenvarianten bei Campona-Guppys. Das Lebendgebärenden Magazin (1): 32-37
- E.H. Linke (2015): XX-Männchen auch bei Poecilia wingei Poeser, Kempkes & Isbrücker 2005. Das Lebendgebärenden Magazin (2): 13-16
- E.H. Linke (2017): Siamesische Zwillinge bei Endlers Guppy (Wildform Campona-Stamm), Poecilia wingei (Poeser, Kempkes und Isbrücker). Das Lebendgebärenden Magazin (1): 6-11
- A. Maceda-Veiga & J. Cable (2001): Diseased fish in the freshwater trade: from retailers to private aquarists. Diseases of Aquatic Organisms (132): 157-162
- L. van der Meer (2005): Hoe ik mijn Endler guppy's houd. Poecilia Nieuws (5): 10-12
- R.A. Newcomb (2000): The origins of Endler's livebearer. Livebearers (161): 23-24
- E.A. Nikulina & U. Schmölcke (2013): Ein kleiner Fisch im Fokus der Wissenschaft - wie viele Guppyarten gibt es?. Das Lebendgebärenden Magazin (1): 18-21
- H. Norfolk (2002): Three unusual livebearers. Livebearer News (1): 10-14
- J. Opletall (2000): Endlers Guppy - oder: Wie Züchte ich Guppys im Aquarienfilzer. DGLZ-Rundschau (4): 78-79
- C. Osche (2016): Interview Amazonas im Gespräch mit Michael Kempkes. Amazonas (67): 26-29
- C. Osche (2016): Interview Endlos viele Endler. Amazonas (67): 30-35
- C. Osche & K. Tyka (2016): Endler-Guppys. Von der Wildform bis zur Hybridzucht. Amazonas (67): 18-25
- J. Pedro (2014): Poecilia wingei, oude en nieuwe collecties. Poecilia Nieuws (Special): 17-20
- M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus Poecilia (Cyprinodontiformes: Poeciliidae: subgenera Micropoecilia and Acanthophacelus). Biological Journal of the Linnean Society (99): 784-796
- M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus Poecilia: (Cyprinodontiformes: Poeciliidae: subgenera Micropoecilia and Acanthophacelus). Biological Journal of the Linnean Society (99): 784-796
- F.N. Poeser (2006): De bijdragen van Øjvind Winge aan de ontdekking van de genetica van de kleurpatronen in Poecilia reticulata. Poecilia Nieuws (2): 26-29
- F.N. Poeser (2008): Poecilia wingei Poeser, Kempkes & Isbrücker, 2005. Poecilia Nieuws (3): 18-19
- F.N. Poeser (2008): Endler's Livebearers Eindeloos gezwets of... eindelijk een antwoord?. Poecilia Nieuws (4): 24-27
- F.N. Poeser (2010): En toen waren er drie. Poecilia Nieuws (1): 14-18
- F.N. Poeser (2012): Elevenszülö fogasponyok. Poecilia Nieuws (4): 35-36
- F.N. Poeser (2013): Unsere Guppys und ihre Namen. DATZ (Dec): 22-27
- F.N. Poeser (2013): Over welke guppy heeft u het?. Poecilia Nieuws (2): 20-25
- F. Poeser & M. Kempkes (0): Poecilia (Acanthophacelus) wingei, a true Caribbean gem. Livebearer News (14): 12-17
- F. Poeser & M. Kempkes (2006): Poecilia (Acanthophacelus) wingei, een waar Caribisch juweel. Poecilia Nieuws (2): 20-25
- F.N. Poeser, M. Kempkes & I.J.H. Isbrücker (2005): Description of Poecilia (Acanthophacelus) wingei n.sp. From the Paria Peninsula, Venezuela, including notes on Acanthophacelus Eigenmann, 1907 and other subgenera of Poecilia Bloch and Schneider, 1801.
- D.V. Prazdnikov (2020): Effect of thyroid hormones on the development of asymmetric pigment patterns in teleost fish: experimental data on the example of Amatitlania nigrofasciata and Poecilia wingei (Poeciliidae). Biology Bulletin (2): 205-212
- R. Řežucha & M. Reichard (2014): The effect of social environment on alternative mating tactics in male Endler's guppy, Poecilia wingei. Animal Behaviour (88): 195-202
- S. Schories, M.K. Meyer & M. Schartl (2009): Description of Poecilia (Acanthophacelus) obscura n.sp., (Teleostei: Poeciliidae), a new guppy species from western Trinidad, with remarks on P. wingei and the status of the "Endler's guppy". Zootaxa (2266): 35-50
- P. Shaddock (2012): Guppy Color Strains. (third edition): 1-239
- G.R. Smid (2007): Endler-guppy's, klein maar fijn. Het Aquarium (3): 94-96
- G. Smith & S. Moody (2006): Endlers livebearer: taking the hobby by storm. Tropical Fish Hobbyist (april): 8-8
- W. Staack (2006): Who is who?. Aquaristik Fachmagazin (5): 32-37
- R. Starmans (2007): Herstart van mijn vissenhobby met de Endler gup. Poecilia Nieuws (2): 23-25
- R. Starmans (2008): Endlerguppen in Nederland. Poecilia Nieuws (3): 66-69
- C. Steinbach et al (2019): Synthetic progestin etonogestrel negatively affects mating behavior and reproduction in Endler's guppies (Poecilia wingei). Science of the Total Environment (663): 206-2154
- N. Svárdal (2015): Wegen Poecilia wingei zur Laguna de los Patos und Laguna Campona in Venezuela. DGLZ-Rundschau (1): 3-18
- W.A. Tomey (2014): Gein met guppen (Poecilia reticulata) Peters 1859 en (Poecilia wingei) Poeser, Kempkes, Isbrücker 2005. Het Aquarium (5): 4-13
- R. Toonen (2003): What is in a name? Endler's livebearer. Tropical Fish Hobbyist (May): 88-92
- U. Werner (2010): Farbtupfer für (größere) Nano-Aquarien. DATZ Aquarien-Praxis (6): 4-6

Poeciliidae all alle

- (1990): Brood records. Livebearers (111): 36-38
- (1991): Brood records. Livebearers (115): 34-36
- (1991): Brood records. Livebearers (117): 42-44
- (1992): Brood records. Livebearers (126): 41-44
- (1992): Brood records. Livebearers (123): 37-40
- (1992): Brood records. Livebearers (121): 33-36
- (1993): Brood records. Livebearers (129): 32-36
- (1993): Brood records. Livebearers (131): 24-28
- (1994): Brood records. Livebearers (134): 27-31
- (1995): ALA brood records. Livebearers (139): 22-31
- E.C. Amoroso (1968): The evolution of viviparity. Proc. Roy. Soc. Med. (61): 1188-1200
- H.W. Balleisen (1920): Breeding viviparous Poeciliids. Aquatic Life (June): 67-68
- G. Baum (1969): Noch einmal "Künstliche Befruchtung". Aquarien Terrarien (7): 241-241
- A. Bisazza (1993): Male competition, female mate choice and sexual size dimorphism in Poeciliid fishes. Mar. Behav. Physiol. (XXIII): 257-286
- D.G. Blackburn (2005): Evolutionary origins of viviparity in fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 303-317
- D.E. Boruchowitz (2003): Livebearing from A to Z. Tropical Fish Hobbyist (May): 94-98
- F. Breden et al. (1999): Molecular phylogeny of the live-bearing fish genus Poecilia. Molecular Phylogenetics and Evolution (2): 95-104
- P.J.H. van Bree (1950): Ei-levendbarende tandkarpers. Het Aquarium (3): 64-64
- H. Breider (1949): Vom Eierlegenden zum Lebendgebärenden. Wochenschrift für Aquarien und Terrarienkunde (2): 152-157
- H. Breider (1949): Vom Eierlegenden zum Lebendgebärenden. Wochenschrift für Aquarien und Terrarienkunde (2): 152-157
- C. Brüning (1910): Amerikanische Zahnkarpfen I. Allgemeine Ueberzicht. Wochenschrift für Aquarien und Terrarienkunde (4): 3-6
- C. Brüning (1910): Amerikanische Zahnkarpfen II. Die Poeciliinae. Wochenschrift für Aquarien und Terrarienkunde (5): 57-59
- E. Canales-Gómez & Quintero-Rivero (2014): Menaces, gestion et conservation des poissons d'eau au Mexique (Poeciliidae, Goodeidae et Cyprinidae). Le Vivipare (121): 11-19
- J. Chambers (1987): The cyprinodontiform gonopodium, with an atlas of the gonopodia of the fish of the genus Limia. J. Fish Biology (30): 389-418
- C. Clapsaddle (2012): Life with livebearers Group breeding. Tropical Fish Hobbyist (1): 34-36
- G.D. Constantz (1989): Reproductive Biology of Poeciliid Fishes. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 33-50
- S. Contreras-Baldaras (2005): Conservation status of Mexican freshwater viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 415-423
- S. Contreras-Baldaras (2005): Fish viviparity: diversity, biogeography, and conservation. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 31-39
- W.J.E.M. Costa (1988): Phylogeny and classification of the Cyprinodontiformes: a reappraisal. Phylogeny and classification of neotropical fishes. L.R. Malabarba ed (): 537-560
- W.R. Courtenay, jr. & G.K. Meffe (1989): Small Fishes in Strange Places: A Review of Introduced Poeciliids. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 319-331
- D. DeFelice & E.M. Rasch (1969): Chronology of spermatogenesis and spermogenesis in Poeciliid fishes. Journal of Experimental Biology (171): 191-208
- K. van Dessel (1997): De aantrekkracht van levendbarenden. Het Aquarium (7/8): 185-188
- W.J.M. Deutz (1955): Levendbarende vissen. Waterweelde (juni): 64-65
- J.B. Diersmann (1972): Hoeveel soorten levendbarenden zijn er?. NGK mededelingen (1): 8-11
- N. Dokoupil (0): Einiges Wissenwertes über die Begattungsorgane der Lebendgebärenden. Aquarien Terrarien (): 193-197
- C. Driessens (1953): Twee eenvoudige hulpmiddelen bij de kweek. Het Aquarium (3): 68-69
- J.A. Endler (1983): Natural and sexual selection on color patterns in poeciliid fishes. Environmental Biology of Fishes (2): 173-190
- J.P. Evans, A. Pilstast & I. Schlupp (editors) (2011): Ecology and evolution of Poeciliid Fishes. (): 1-427
- J.A. Farr (1989): Sexual Selection and Secondary Sexual Differentiation in Poeciliids: Determinants of Male Mating Success and the Evolution of female Choice. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 91-123
- A.I. Furness et al. (2019): How conflict shapes evolution in poeciliid fish. Nature communications (): 1-12
- A.I. Furness et al. (2021): The evolution of the placenta in poeciliid fishes. Current biology (31): 1-8
- A.I. Furness, D.N. Reznick & J.C. Avise (2016): Ecological, evolutionary and human-mediated determinants of poeciliid species richness on Caribbean islands. Journal of Biogeography (43): 1349-1359
- G. en G. (1994): Eilevendbarende tandkarpers. het Aquarium (9): 223-223
- A.B. García-Andrade et al (2021): Evolutionary and environmental drivers of species richness in poeciliid fishes across the Americas. Global Ecol. Biogeogr. (00): 1-13
- S. Garman (1895): The Cyprinodonts. Mem. Mus. Comp. Zool. (1): 1-179
- H. Geidies (1918): Können lebendgebärende Zahnkarpfen nach einmaliger Befruchtung wiederholt trächtig werden?. Blätter für Aquarien- und Terrarienkunde (9): 107-108
- D. Gentzsch (1997): Art- und Bestandshalterung und Patenschaften bei Wildformen Lebendgebärender Zahnkarpfen. DGLZ-Rundschau (2): 34-36
- D. Gentzsch (2004): Wurfabstädte und Anzahl Jungtiere bei Lebendgebärende Zierfischen. Das Lebendgebärenden Magazin (4): 13-20

Livebearer Literature List 202201

- D. Gentsch (2018): W.F. Langer - bedeutendster Ichthyologe bei der Durchsetzung des Gonopodiums als Artbestimmungsmerkmal. Das Lebendgebärenden Magazin (1): 21-24
- D. Gentsch (2021): Diskussionbeitrag zum Artikel von H. Greven in "viviparos 37, 2021 (1), 31-39". Das Lebendgebärenden Magazin (2): 40-41
- M.J. Ghedotti (2000): Phylogenetic analysis and taxonomy of the poecilioid fishes (Teleostei: Cyprinodontiformes). Zoological Journal of the Linnean Society (130): 1-53
- A. Gibb et al (2008): Functional significance of intramandibular bending in Poeciliid fishes. Environmental Biology of Fishes (83): 473-485
- D.L. Goldberg et al. (2019): In love and war: the morphometric and phylogenetic basis of ornamentation, and the evolution of male display behavior, in the livebearer genus *Poecilia*. Evolution (2): 360-377
- N.B. Goodwin, N.K. Dulvy & J.D. Reynolds (2002): Life-history of the evolution of live bearing in fishes. Phil. Trans. R. Soc. Land. (357): 259-267
- N.B. Goodwin, N.K. Dulvy & J.D. Reynolds (2002): Life-history correlates of the evolution of live bearing in fishes. Philosophical Transactions: Biological Sciences (1419): 259-267
- N.B. Goodwin, N.K. Dulvy & J.D. Reynolds (2005): Macroecology of live-bearing in fishes: latitudinal and depth range comparisons with egg-laying relatives. Oikos (110): 209-218
- H. Greven (1995): Viviparie bei Aquarienfischen (Poeciliidae, Goodeidae, Anablepidae, Hemirhamphidae). In: Fortpflanzungsbiologie des Aquarienfische, Schmettkamp Verlag, Bornhem (Greven et al ed) (): 141-160
- H. Greven (1999): Anmerkungen zur sexuellen Selektion bei Lebendgebärenden. In: Fortpflanzungsbiologie des Aquarienfische, Schmettkamp Verlag, Bornhem (Greven et al ed) (): 27-41
- H. Greven (2005): Structural and behavioral traits associated with sperm transfer in Poeciliinae. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 147-165
- H. Greven (2011): Gonads, genitals and reproductive biology. in: Biology and Evolution of Poeciliids (J. Evens, A. Pilastro & I. Schlupp eds.) (): 3-17
- H. Greven (2021): Die "Penisse" viviparer Fische - Beispiele für die "systemimmanente Irrationalität" zoologische Fachbegriffe?. Das Lebendgebärenden Magazin (1): 31-39
- H. Grier, M.C. Uribe, L.R. Parenti & G. De la Rosa-Cruz (2005): Fecundity, the germinal epithelium, and folliculogenesis in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 191-216
- R.C. Griffiths (1989): Brood record statistics of the ALA 1977-1988. Livebearers (106): 5-10
- R.C. Griffiths (1992): A brief and general discussion of subfamily Poeciliinae. Livebearers (126): 12-12
- R.C. Griffiths (1992): The male reproductive organ - the gonopodium of the Poeciliidae. Livebearers (123): 6-8
- R.C. Griffiths (1994): Bits and pieces. Livebearers (136): 11-11
- R.C. Griffiths (1994): More bits and pieces. Livebearers (136): 13-13
- A. Groiche (2011): Warum die Viviparie die Evolution der Arten vorantreibt. DGLZ-Rundschau (4): 85-90
- P. Hartman (2019): Feeding tiny Poeciliid fry. Livebearers (244/245): 9-12
- T. Hayes (1991): Look (or perhaps we should say think) before crossing. Livebearers (120): 14-15
- T. Hayes (1991): Care and feeding of baby livebearers. Livebearers (119): 11-13
- T. Hayes (1995): Care and feeding of baby livebearers. Viviparous (30): 0-
- J.L. Haynes (1995): Standardized classification of Poeciliid development for life-history studies. Copeia (1): 147-154
- W. Hebig (1966): Informationen und Bemerkungen zur Systematik der Lebendgebärenden Zahnkarpfen. Aquarien Terrarien (10): 351-351
- W. Hebig (1969): In der DDR gepflegte Wildformen lebendgebärender Zahnkarpfen. Aquarien Terrarien (10): 354-355
- M. Hellweg (2014): Livebearers - more than just the big four. Tropical Fish Hobbyist (May): 56-62
- M. Hellweg (2015): Mike's fishroom. Livebearers (226): 22-23
- M. Hellweg (2015): Mike's fishroom. Livebearer reproduction: lecithotrophy and matrotrophy. Livebearers (226): 22-23
- A.J. Helmstetter et al (2016): Viviparity stimulates diversification in an order of fish. Nature communications (April): 1-6
- A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
- S.T. Hertwig (2008): Phylogeny of the Cyprinodontiformes (Teleostei, Atherinomorpha): the contribution of cranial soft tissue characters. Zoologica Scripta (2): 141-174
- H. Hieronimus (1995): "Levend baren" wat is dat eigenlijk?. Poecilia Nieuws (2): 22-27
- H. Hieronimus (2006): Brasilianische Verwandtschaften bei Cnesterodontini. DGLZ-Rundschau (4): 133-135
- H. Hieronimus (2019): Die Entstehungsgeschichte der Lebendgebärenden - Versuch einer Annäherung. DGLZ-Rundschau (1): 30-37
- H. Hieronimus (2021): Was früher eine Besonderheit war - aktuelle Lebendgebärende im Jahr 1903. DGLZ-Rundschau (1): 27-30
- A.L.F.C. Ho (2015): Reproductive biology, trophic ecology, and ecomorphology of a group of neotropical livebearers (Cyprinodontiformes: Poeciliidae) in contrasting wet and dry environments. PHD (): 1-231
- M. Holly, H. Meinken & A. Rachow (0): Familie: Poeciliidae. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (): 374-380
- T. Hrbek, J. Seckinger & A. Meyer (2007): A phylogenetic and biogeographic perspective on the evolution of poeciliid fishes. Molecular Phylogenetics and Evolution (43): 986-998
- C.L. Hubbs (1924): Studies of the fishes of the order Cyprinodontes. Miscellaneous Publications University of Michigan (13): 1-31
- J.H. Huber (2019): A nomenclatural and systematic analysis of livebearing Cyprinodontiformes (Acanthopterygii: Anablepsinae, Goodeinae, Poeciliidae). Killi-Data Series (): 4-155
- R. Javonillo, J.R. Burns & S.H. Weitzman (2010): Sperm transfer: the first step toward viviparity. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 143-150
- H.L. Jelks et al (2008): Conservation status of imperiled North American Freshwater and Diadromous Fishes. Fisheries (8): 372-407
- M.D. Jennions & M. Petrie (2000): Why do females mate multiply? A review of the genetic benefits. Biol. Rev. (75): 21-64
- Dr J.C.M. de Jong (1951): De levenswijze van de vissen. Levendbarende vissen. Waterweelde (December): 153-154
- K. de Jong (2008): Enige gedachten bij het voeren van levendbarenden. Poecilia Nieuws (2): 28-30
- K. de Jong (2010): Over mannen en mannetjes. Poecilia Nieuws (5): 19-21
- K. de Jong (2013): Levendbarende tandkarpers. Meer dan guppen, platy's en molly's. Houden van Vissen (4): 36-41

Livebearer Literature List 202201

- K. de Jong (2017): Levendbarende tandkarpers. Meer dan guppen, platy's en molly's. *Het Aquarium* (2): 29-37
- S. de Jong (2019): Paringskeuze en voortplanting bij eierlevendbarende tandkarpers. *Poecilia Nieuws* (3): 25-28
- M. Kempkes (2015): David N. Reznick und Bart Pollux. *DATZ* (November): 34-38
- M. Kempkes (2015): Überlegungen zur Gruppenhaltung Lebendgebärender Zahnkarpfen. *DATZ* (November): 28-33
- W. Kochsieck (2015): Auf die Länge kommt es an. *Aquaristik* (1): 22-26
- H.A. Kohl (1988): The livebearers. *Livebearers* (100): 8-14
- W. Krauß-Bargmann (1924): Ueber das Gonopodium der Zahnkarpfen. *Wochenschrift für Aquarien und Terrarienkunde* (30): 644-645
- D. Kroll (1994): Diskussion der Methoden zur Zucht von Lebendgebärenden Zahnkarpfen. *DGLZ-Rundschau* (3): 60-63
- D. Lambert (1994): To live or let die?. *Livebearers* (137): 3-6
- J. Lombardi (1996): Postzygotic maternal influences and the maternal-embryonic relationship of viviparous fishes. *American Zoologist* (36): 106-115
- P.H. Lucinda (2003): Family Poeciliidae (Livebearers) -- checklist of the freshwater fishes of south and central America. *ResearchGate* (january): 558-584
- P.H. Lucinda (2003): Check list of the freshwater fishes of south and central America Family Poeciliidae. *Pontifícia Universidade Católica do Rio Grande do Sul* (): 555-581
- P.H.F. Lucinda & R.E. Reis (2005): Systematics of the subfamily Poeciliinae Bonaparte (Cyprinodontiformes: Poeciliidae), with an emphasis on the tribe Cnesterodontini Hubbs. *Neotropical Ichthyology* (1): 1-60
- C. Lydeard (1993): Phylogenetic analysis of species richness: has viviparity increased the diversification of Actinopterygian fishes?. *Copeia* (2): 514-518
- J. Lyons (1999): Officially protected livebearers in Mexico. *Livebearers* (157): 4-7
- T. Maitre-Allain (1998): Die Vermehrung der Aquarienfische. *Aquarium Live* (5): 23-31
- E. Marsh-Matthews & R. Deaton (2006): Resources and offspring provisioning: a test of the Trexler-Deangelis model for matrotrophy evolution. *Ecology* (12): 3014-3020
- S.B. Martin, J.S. Albert & P.L. Leberg (2010): The evolution of the Poeciliid gonopodium: integrating morphological and behavioral traits. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 451-454
- G.K. Meffe (1989): An Ecological Overview of Poeciliid Fishes. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 13-31
- A.D. Meisner (2005): Male modifications associated with insemination in Teleosts. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 165-190
- P.J. Mellegers (2000): Levendbarendheid, een inleiding. *Poecilia Nieuws* (6): 101-107
- R.W. Meredith, M.N. Pires, D.N. Reznick & M.S. Springer (2011): Molecular phylogenetic relationships and the coevolution of placentotrophy and superfetation in Poecilia (Poeciliidae: Cyprinodontiformes). *Molecular Phylogenetics and Evolution* (59): 148-157
- A. M. Meyer & C. Lydeard (1993): The evolution of copulatory organs, internal fertilization, placentae and viviparity in killifishes (Cyprinodontiformes) inferred from a DNA phylogeny of the tyrosine kinase gene X-src. *Proceedings: Biological Sciences* (1340): 153-162
- P. Miller (0): A brief review of livebearing. *Viviparous* (7): 0-14
- R.R. Miller (1966): Geographical distribution of central American freshwater fishes. *Copeia* (4): 773-802
- R.R. Miller (1986): Composition and derivation of the freshwater fish fauna of México. *Anales de la escuela nacional de ciencias biologicas* (30): 121-153
- A. Morales-Cazan & J.S. Albert (2012): Monophyly of Heterandriini (Teleostei: Poeciliidae) revisited: a critical review of the data. *Neotropical Ichthyology* (1): 19-44
- P. Mudde (1995): Tandkarpers vrouwtjes kiezen zelf. *Mens en Wetenschap* (6): 362-364
- G.S. Myers (4): Derivation of the freshwater fish fauna of central America. *Copeia* (1966): 766-773
- L.R. Parenti (1981): A phylogenetic and biogeographic analysis of Cyprinodontiform fishes. *Bulletin American Museum of Natural History* (168): 335-557
- L.R. Parenti (2005): The phylogeny of Atherinomorphs: evolution of a novel fish reproductive system. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 13-30
- L.R. Parenti (2005): The phylogeny of Atherinomorphs: evolution of a novel fish reproductive system. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 13-30
- L.R. Parenti & H. J. Grier (2004): Evolution and phylogeny of gonad morphology in bony fishes. *Integr. Comp. Biol.* (5): 333-348
- L.R. Parenti & M. Rauchenberger (1989): Systematic overview of the Poeciliines. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 3-12
- H.-A. Pederzani (1964): Punktbewertung für die Zuchtformen der Gattungen Xiphophorus und Mollies. *ZAG Lebendgebärende Zahnkarpfen* (2): 3-4
- H.-A. Pederzani (1969): Künstliche Befruchtung. *Aquarien Terrarien* (4): 134-134
- R. Pineda-López et al (2005): Helminth parasites of viviparous fishes in Mexico. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 455-474
- M.N. Pires, J. Arendt & D.N. Reznick (2010): The evolution of placentas and superfetation in the fish genus Poecilia (Cyprinodontiformes: Poeciliidae: subgenera Micropoecilia and Acanthophacelus). *Biological Journal of the Linnean Society* (99): 784-796
- F.N. Poeser (1995): Evolutie en classificatie van de levendbarende tandkarpers Deel 1 'Roots'. *Poecilia Nieuws* (6): 102-105
- F.N. Poeser (1996): Evolutie en classificatie van de levendbarende tandkarpers Deel 3. *Poecilia Nieuws* (2): 34-37
- F.N. Poeser (2003): Zusammenfassung der Dissertation über die Taxonomie und Evolution der Gattung Poecilia: "Vom Amazonas zum Amazonenmolly und zurück". *DGLZ-Rundschau* (4): 79-80
- F.N. Poeser (2005): The evolution, taxonomy, and biogeography of Poecilia Bloch ans Schneider, 1801 in Central America. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 41-48
- F.N. Poeser (2008): De familie Poeciliidae: de poeciliiden. *Poecilia Nieuws* (3): 7-11
- F.N. Poeser (2010): The Derivation of the South American species of Poecilia Bloch and Schneider, 1801 (Teleostei; Cyprinodontiformes). *Viviparous Fishes II red. Uribe & Grier* (): 13-30
- F.N. Poeser (2014): Poeciliidae De kleinere soorten levendbarenden, een Zuid-Amerikaans onderonsje. *Poecilia Nieuws (Special)*: 2-3
- F.N. Poeser (2020): Werkgroepen. Het genus Poecilia. *Poecilia Nieuws* (5): 9-11
- F. Poeser & K. de Jong (2005): Het D(EF)G van onze vissen. *Poecilia Nieuws* (2): 20-23
- F. Poeser & K. de Jong (2005): Het ABC van onze vissen. *Poecilia Nieuws* (1): 28-31
- F. Poeser & K. de Jong (2009): Het GHIJ van onze vissen (vervolg). *Poecilia Nieuws* (5): 28-31

- B.J.A. Pollux, M.N. Pires, A.I. Banet & D.N. Reznick (2009): Evolution of placentas in the fish family Poeciliidae: an empirical study of macroevolution. *Annu. Rev. Ecol. Evol. Syst.* (40): 271-289
- B. Poßeckert (1998): Bewertungsrichlinie für Wildformen lebendgebärender Zierfische. *Das Aquarium* (344): 2-5
- D.J. Price (2005): Genetic considerations in the conservation of freshwater fish. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 351-364
- D.J. Price (2010): Genetic strategies for captive breeding of viviparous fishes for conservation and other purposes: practicalities and limitations. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 389-402
- M.B. Ptacek & J. Travis (1998): Hierarchical patterns of covariance between morphological and behavioural traits. *Animal Behaviour* (56): 1044-1048
- E.M. Quicazan-Rubio et al (2019): Coasting in live-bearing fish: the drag penalty of being pregnant. *J. R. Soc. Interface* (16): 1-10
- J. Ransier (2005): Tagging livebearing fish: potential role in enhancing and restoring livebearing fish populations. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 475-480
- C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. *Proc. Zool. Soc.* (): 977-1018
- D.N. Reznick & D.B. Miles (1989): Review of Life History Patterns in Poeciliid Fishes. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 125-148
- D.N. Reznick et al (2017): The origin and biogeographic diversification of fishes in the family Poeciliidae. *Plos One* (3): 1-20
- D. Reznick, J. Travis, B.J.A. Pollux & A.I. Furness (2021): Reproductive mode and conflict shape the evolution of male attributes and rate of speciation in the fish family Poeciliidae. *Frontiers in Ecology and Evolution* (May): 1-20
- D. Reznick, R. Meredith & B.B. Collette (2007): Independent evolution of complex life history adaptations in two families of fishes, live-bearing halfbeaks (Zenarchopteridae, Beloniformes) and Poeciliidae (Cyprinodontiformes). *Evolution* (11): 2570-2583
- S. Riese (2007): Neue Arten Lebendgebärender Zahnkarpfen. *Das Lebendgebärenden Magazin* (1): 4-5
- L.R. Rivas (1986): Comments on Briggs (1984): Freshwater fishes and biogeography of central America and the Antilles. *Syst. Zool.* (4): 633-639
- C.M. Rodriguez (1997): Phylogenetic analysis of the tribe poeciliini. *Copeia* (4): 663-679
- D.E. Rosen (0): The gonopodium of male livebearers. *Viviparous* (25): 0-7
- D.E. Rosen (1975): A vicariance model of Caribbean biogeography. *Syst. Zool.* (4): 431-464
- D.E. Rosen (1988): The gonopodium of male live-bearers. *Livebearers* (97): 9-13
- D.E. Rosen & A. Tucker (1961): Evolution of Secondary Sexual Characters and Sexual Behavior Patterns in a Family of Viviparous Fishes. *Copeia* (2): 201-212
- D.E. Rosen & J.R. Mendelson (1960): The sensory canals of the head in Poeciliid fishes with reference to dentitional types. *Copeia* (3): 203-210
- D.E. Rosen & K.D. Kallman (1959): Development and evolution of skeletal deletions in a family of viviparous fishes. *The Quarterly Journal of the Florida Academy of Sciences* (4): 169-190
- D.E. Rosen & M. Gordon (1953): Functional anatomy and evolution of male genitalia in Poeciliid fishes. *Zoologica* (38): 1-47
- D.E. Rosen & R.M. Bailey (1963): The poeciliid fishes (Cyprinodontiformes), their structure, zoogeography, and systematics. *American Museum of Natural History* (126): 1-176
- D. Safian, G.F. Wiegertjes & B.J.A. Pollux (2021): The fish family Poeciliidae as a model to study the evolution and diversification of regenerative capacity in vertebrates. *Frontiers in Ecology and Evolution* (613157): 1-15
- C. van de Sande (1990): Bastaardisering. *Poecilia Nieuws* (1): 12-13
- C. van de Sande (2002): Voeding van levendbarenden. *Poecilia Nieuws* (2): 22-25
- I. Schindler (2014): Zur taxonomischen Erforschung der Unterfamilie Poeciliinae. *Das Lebendgebärenden Magazin* (1): 13-16
- I. Schlupp (2018): Male mate choice in livebearing fishes: an overview. *Current Zoology* (3): 393-403
- N.S. Scrimshaw (1944): Superfetation in Poeciliid fishes. *Copeia* (3): 180-183
- N.S. Scrimshaw (1945): Embryonic development in Poeciliid fishes. *Biological Bulletin* (88): 233-246
- N.S. Scrimshaw (1946): Egg size in Poeciliid fishes. *Copeia* (1): 20-23
- T. Sels (1995): Levendbarenden: een aanpassing aan het milieu. *Aquariumwereld* (1): 6-12
- R. Serva (2020): Livebearing aquariumfish Part 2: in the tank. *Livebearers* (2): 6-12
- R.P. Sethi (1960): Osteology and phylogeny of oviparous cyprinodont fishes (Order Cyprinodontiformes). *PHD* (): 1-275
- S.A. Smith & E. Bermingham (2005): The biogeography of lower Mesoamerican freshwater fishes. *Journal of Biogeography* (32): 1835-1854
- F.F. Nelson, jr. (1989): Social and Environmental Control of Life History Traits in Poeciliid Fish. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 149-161
- H. Stallknecht (1983): Die T-Stellung und deren ethologische Bedeutung beim Kampf- und Balzverhalten von Fischen. *Aquarien Terrarien* (6): 197-201
- C.A. Stockwell & S.M. Henkanathhegedara (2011): Evolutionary conservation biology, in: *Ecology and Evolution of Poeciliid Fishes* (ed. Evans, Pilastro & Schlupp) (Chapter 12): 128-377
- F.H. Stoye (1998): The Fishes of the Order Cyprinodontes Part 1. *Livebearers* (151): 20-26
- R. Strauss (1993): Developmental variability and heterochronic evolution in Poeciliid fishes. *Livebearers* (127): 15-44
- M. Tassigny (2013): La gestion des souches. *Le Vivipare* (117): 20-26
- M. Tobler (2018): Just ask a scientist!. *Livebearers* (237): 22-24
- M. Tobler (2018): Just ask the scientist. What fishes have livebearing poeciliids evolved from, and what are they closely related to?. *Livebearers* (238): 11-13
- J.C. Trexler & D.L. DeAngelis (2003): Resource allocation in offspring provisioning: an evaluation of the conditions favoring the evolution of matrotrophy. *The American Naturalist* (5): 574-585
- J.C. Trexler & D.L. DeAngelis (2010): Modeling the evolution of complex reproductive adaptations in Poeciliid fishes: matrotrophy and superfetation. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 231-240
- K. Tschartner (1977): Wir stellen vor: Lebendgebärende Zahnpfauen 4. Fortsetzung. *ZAG Lebendgebärende Zahnpfauen* (4): 26-26
- K. Tschartner (1977): Wir stellen vor: Lebendgebärende Zahnpfauen 2. Fortsetzung. *ZAG Lebendgebärende Zahnpfauen* (2): 26-26
- K. Tschartner (1977): Wir stellen vor: Lebendgebärende Zahnpfauen . Fortsetzung. *ZAG Lebendgebärende Zahnpfauen* (3): 21-21
- K. Tschartner (1978): Wir stellen vor: Lebendgebärende Zahnpfauen 5. Fortsetzung (Anschluß an Heft 4/1977). *ZAG Lebendgebärende Zahnpfauen* (1): 21-21

- K. Tschertner (1978): Wir stellen vor: Lebendgebärende Zahnkarpfen 6. Fortsetzung (Anschluß an Heft 1/1978). ZAG Lebendgebärende Zahnkarpfen (2): 28-28
- K. Tschertner (1978): Wir stellen vor: Lebendgebärende Zahnkarpfen 8. Fortsetzung (Anschluß Heft 3/1978). ZAG Lebendgebärende Zahnkarpfen (4): 41-41
- K. Tschertner (1979): Wir stellen vor: Lebendgebärende Zahnkarpfen 10. Fortsetzung (Anschluß Heft 1/1979). ZAG Lebendgebärende Zahnkarpfen (2+3): 19-19
- K. Tschertner (1979): Wir stellen vor: Lebendgebärende Zahnkarpfen 11. Fortsetzung (Anschluß Heft 2-3/1979). ZAG Lebendgebärende Zahnkarpfen (4): 19-19
- K. Tschertner (1979): Wir stellen vor: Lebendgebärende Zahnkarpfen 9. Fortsetzung (Anschluß Heft 4/1979). ZAG Lebendgebärende Zahnkarpfen (1): 19-19
- K. Tschertner (1980): Wir stellen vor: Lebendgebärende Zahnkarpfen 12. Fortsetzung (Anschluß Heft 4/1979). ZAG Lebendgebärende Zahnkarpfen (1): 20-20
- K. Tschertner (1980): Wir stellen vor: Lebendgebärende Zahnkarpfen 13. Fortsetzung (Anschluß Heft 1/1980). ZAG Lebendgebärende Zahnkarpfen (2-4): 20-20
- K. Tschertner (1980): Die Einrichtung eines Freiland-Aquariums. ZAG Lebendgebärende Zahnkarpfen (2-4): 25-28
- C.L. Turner (1937): Reproductive cycles and superfetation in Poeciliid fishes. Biological Bulletin (2): 145-164
- C.L. Turner (1939): The pseudo-amnion, pseudo-chorion, pseudo-placenta and other foetal structures in viviparous Cyprinodont fishes. Science (3224): 42-43
- C.L. Turner (1940): Superfetation in viviparous Cyprinodont fishes. Copeia (2): 88-91
- C.L. Turner (1947): Viviparity in Teleost fishes. The Scientific Monthly (6): 508-518
- B.J. Turner (1983): Does matrotrophy promote chromosomal evolution in viviparous fish?. American Naturalist (122): 152-154
- M.R. Tversted (2003): Lage temperaturen bei cyprinodonten. Poecilia Nieuws (6): 86-89
- M.R. Tversted (2003): Zahnkarpfen und niedrige Temperaturen. Das Lebendgebärenden Magazin (2): 35-38
- M.R. Tversted (2003): Niedrige Temperaturen und Karpfenfische. DGLZ-Rundschau (3): 67-68
- M.C. Uribe Aranzábal et al (2010): Functional structure of the testis and spermatogenesis of goodeids and poeciliids. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 151-172
- M.C. Uribe Aranzábal et al (2010): Ovarian structure and embryonic traits associated with viviparity in poeciliids and goodeids. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 211-230
- W. Voigt (1997): 99 Jahre Lebendgebärende Zahnkarpfen. DGLZ-Rundschau (3): 65-68
- W. Voigt (2002): Artkreuzungen bei Poeciliinen und ihre Grenzen. Das Aquarium (2): 2-4
- U. Werner (2011): Mehr als nur "Anfängerfische": Lebendgebärende Zahnkarpfen. DATZ (11): 22-31
- B. Wichand (1906): Diesjährige Neuheiten in Wort und Bild. II Neuimportierte bzw. erstmalig nachgezüchtete Zahnkarpfen (Poeciliidae). Blätter für Aquarien- und Terrarienkunde (47): 463-469
- M.J. Wilson (1988): Hybrid potential of wild livebearers. Livebearers (97): 3-5
- R. Wilson (2010): Livebearers unlimited. Breeding livebearers. Tropical Fish Hobbyist (October): 26-28
- J.P. Wourms (1981): Viviparity: the maternal-fetal relationship in fishes. American Zoologist (2): 473-515
- J.P. Wourms & J. Lombardi (1992): Reflections on the evolution of piscine viviparity. American Zoologist (2): 276-293

Poeciliopsis 'alle'

- C. Busack (1980): The genus Poeciliopsis. Livebearers (51): 13-16
- S.W. Coleman, A. Harlin-Cognato & A.G. Jones (2009): Reproductive isolation, reproductive mode, and sexual selection: empirical tests of the viviparity driven conflict hypothesis. The American Naturalist (3): 291-303
- G. Daul (1992): Poeciliopsis - Einige Arten dieser Gattung Lebendgebärende Zahnkarpfen. Das Aquarium (juni): 7-9
- G. Daul (1994): De soorten van het geslacht Poeciliopsis (slot). Poecilia Nieuws (4): 66-69
- D. Gentzsch (2014): Die Gattung Poeciliopsis Regan, 1913 - in den Aquarien wenig verbreitet, aber sehr interessant. DGLZ-Rundschau (2): 56-67
- L. Huidobro et al. (2006): Distributional patterns of freshwater taxa (fishes, crusaceans and plants) from the Mexican Transition Zone. Journal of Biogeography (33): 731-741
- M. Mateos, O. Domínguez-Domínguez & A. Varela-Romero (2019): A multilocus phylogeny of the fish genus Poeciliopsis: Solving taxonomic uncertainties and preliminary evidence of reticulation. Ecology and Evolution (9): 1845-1857
- M. Mateos, O.I. Sanjur & R.C. Vrijenhoek (2002): Historical biogeography of the livebearing fish genus Poeciliopsis. Evolution (5): 972-984
- J. Norton (1994): Livebearers in the pet shop. Livebearers (134): 11-14
- P.N. Pires et al (2011): Why do placentas evolve? An evaluation of the life-history facilitation hypothesis in the fish genus Poeciliopsis. Functional Ecology (25): 757-768
- B.J.A. Pollux, M.N. Pires, A.I. Banet & D.N. Reznick (2009): Evolution of placentas in the fish family Poeciliidae: an empirical study of macroevolution. Annu. Rev. Ecol. Evol. Syst. (40): 271-289
- J.M. Quattro & S.C. Weeks (1991): Correlation between egg size and egg energetic content within and among biotypes of the genus Poeciliopsis. Journal of Fish Biology (38): 331-334
- A.C. Radda (1985): Studien an cyprinodonten Fischen in Mexiko 5. Die Tribus Heterandriini. Aquaria (32): 81-92
- A.C. Radda (1987): Studien an cyprinodonten Fischen in Mexiko 5. Die Tribus Heterandriini. DGLZ-Rundschau (2): 9-23
- J.-C. Simon, F. Delmotte, C. Rispe & T. Crease (2003): Phylogenetic relationships between parthenogens and their sexual relatives: the possible routes to parthenogenesis in animals. Biological Journal of the Linnean Society (79): 151-163

Poeciliopsis baenschi Meyer, Radda, Riehl & Feichtinger, 1985

- D. Biggs (2008): Fishing adventures in the Purificación river. Livebearer News (23): 24-47
- K. de Jong (2014): Mexico 2013, deel 4 en slot Van Morelia naar Barra de Navidad en terug (2). Poecilia Nieuws (2): 22-27
- K. de Jong (2014): Von Morelia bis Barra de Navidad. Das Lebendgebärenden Magazin (2): 18-25
- K. de Jong (2014): Mexico 2013, deel 3 Van Morelia naar Barra de Navidad en weer terug (1). Poecilia Nieuws (1): 11-17

Livebearer Literature List 202201

- K. de Jong (2015): Poeciliopsis baenschi eine selten gepflegte Poeciliopsis-art. Das Lebendgebärenden Magazin (2): 6-9
- K. de Jong (2015): Poeciliopsis baenschi Een andere gevlekte soort uit het genus Poeciliopsis. Het Aquarium (11): 44-47
- K. de Jong (2015): Een andere gevlekte soort uit het genus Poeciliopsis: Poeciliopsis baenschi. Poecilia Nieuws (5): 19-23
- K. de Jong (2015): Mexiko 2013 Vierter und letzter Teil Von Barra de Navidad zurück nach Morelia. Das Lebendgebärenden Magazin (1): 20-27
- K. de Jong (2017): Mexico: levendbarende vissen en nog veel meer (deel 2/2). Het Aquarium (7): 54-61
- K. de Jong (2017): Poeciliopsis baenschi aneb další tečkový druh. e-akvarium.cz (37): 1-4
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Poecilia Nieuws (2): 8-13
- K. de Jong (2019): Der Einfluss der Temperatur auf das Geschlechterverhältnis bei viviparen Zahnkarpen. Das Lebendgebärenden Magazin (2): 8-12
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Het Aquarium (8): 62-66
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. Poecilia Nieuws (4): 76-86
- D. Lambert (1996): The livebearer world: Success with some imminute Mexicans. Tropical Fish Hobbyist (February): 96-98
- J. Lyons (1997): Fishes from the land of the trucha de tierra caliente. Freshwater & Marine Aquarium (7): 127-136
- J. Lyons (2016): Adventures among the wild livebearers of Mexico: beginnings. Livebearers (233): 14-21
- J. Lyons (2021): The insidiousness of invasive species. Livebearer News (67): 7-13
- J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. Anales del Instituto de Biología, Universidad National (2): 169-190
- J. Lyons & S. Navarro-Perez (1990): Fishes of the Sierra de Manantlan, West-Central Mexico. The Southwestern Naturalist (1): 32-46
- E. Meinema (1986): Twee nieuwe Poeciliopsisoorten. Poecilia Nieuws (3): 49-52
- M.K. Meyer & Radda & Riehl & Feichtinger (1986): Poeciliopsis baenschi n.sp., un nouveau taxon de Jalisco, Mexico. Rev. fr. Aquariol/DGLZ-Rundschau (2): 13-18
- T. Rehbeck (1992): Poeciliopsis baenschi, ein kleiner Lebendgebärender in seinem Biotop. DGLZ-Rundschau (2): 28-30
- G. Salgado-Maldonado & R.F. Pineda-López (2003): The Asian fish tapeworm Bothriocephalus acheilognathus: a potential threat to native freshwater fish species in Mexico. Biological Invasions (5): 261-268
- L.E. Scott & J.B. Johnson (2010): Does sympathy predict life history and morphological diversification in the Mexican livebearing fish Poeciliopsis baenschi?. Biological Journal of the Linnean Society (100): 608-618
- J.J. Zúñiga-Vega et al. (2012): Population abundance and sex ratio of the viviparous freshwater fish Poeciliopsis baenschi (Poeciliidae) throughout its range in western Mexico. Western North American Naturalist (3): 367-368
- J.J. Zúñiga-Vega et al. (2017): Superfetation increases total fecundity in a viviparous fish regardless of the ecological context. Acta Oecologica (84): 48-56
- J.J. Zúñiga-Vega, C. Macías-Garcia & J.B. Johnson (2010): Hypotheses to explain the evolution of superfetation in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 241-254

Poeciliopsis balsas Hubbs, 1926

- T. Contreras-MacBeath, H. Mejia Mojica & R. Carillo Wilson (1998): Negative impact on the aquatic ecosystems of the state Morelos, Mexico from introduced aquarium and other commercial fish. Aquarium Sciences and Conservation (2): 67-78
- G. Daul (1994): De soorten van het geslacht Poeciliopsis deel 1. Poecilia Nieuws (3): 46-50
- C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
- C. Meyer & M.K. Meyer (1999): Fischfang am Rio Balsas - in Mexiko bei den Cuitlaken und Mixteken. Das Aquarium (355): 19-21
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, I. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21

Poeciliopsis catemaco Miller, 1975

- G. Daul (1994): De soorten van het geslacht Poeciliopsis deel 1. Poecilia Nieuws (3): 46-50
- H. Hieronimus (2008): Neues vom Catemacosee - Heterandria tuxtlensis als neuer endemischer Poeciliide. DGLZ-Rundschau (3): 55-57
- K. de Jong (1995): Nieuwe soorten in Nederland. Poecilia Nieuws (5): 98-100
- K. de Jong (1997): De blauwstaart hooglandkarp, een geïsoleerde soort. Het Aquarium (10): 238-241
- K. de Jong (1997): Een eenvoudig visje: het Catemaco platy, Xiphophorus milleri Rosen, 1960. Poecilia Nieuws (6): 107-114
- P. Lambert (0): Aquarian endangered species expedition. Viviparous (21): 0-
- D. Lambert (0): The livebearer trail. Viviparous (15): 0-
- D. Lambert (1990): Mexico - the livebearer trail part 1. Aquarist & Pondkeeper (March): 62-
- R.R. Miller (1975): Five new species of Mexican Poeciliid fishes of the genera Poecilia, Gambusia and Poeciliopsis. Occasional papers of the museum of zoology University of Michigan (672): 1-44
- S. Riese (1995): Leider kein Zuchtbericht - Poeciliopsis catemaco. DGLZ-Rundschau (2): 36-36
- J.J. Zúñiga-Vega, C. Macías-Garcia & J.B. Johnson (2010): Hypotheses to explain the evolution of superfetation in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 241-254

Poeciliopsis elongata (Günther, 1866)

- G. Daul (1994): De soorten van het geslacht Poeciliopsis deel 1. Poecilia Nieuws (3): 46-50
A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. Zoölogy, Field museum of natural history (4): 215-359
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
S.E. Meek & S.F. Hildebrand (1916): The fishes of these fresh waters of Panama. Publ. Field Museum of Nat. Hist. Chicago (15): 217-374
O. Schindler (1935): Cyprinodontiden aus Costa Rica. Zoologischer Anzeiger (7/8): 161-172

Poeciliopsis fasciata (Meek, 1904)

- N. Álvarez-Pliero et al (2018): Occurrence of Poeciliopsis fasciata (Meek, 1904) (Poeciliidae) in the floodplain of the Grijalva river basin, Mexico. Poeciliid Research (1): 1-5
G. Daul (1994): De soorten van het geslacht Poeciliopsis deel 1. Poecilia Nieuws (3): 46-50
C.L. Hubbs & R.R. Miller (1954): Studies of cyprinodont fishes. XXI. Glaridodon latidens, from Northwestern Mexico, redescribed and referred to Poeciliopsis. University of Michigan Museum of Zoology Miscellaneous Publications (39): 1-12
J.K. Langhammer (1988): Poeciliopsis fasciata. Een nieuwe soort voor de hobby en zijn ongewone voortplanting. Poecilia Nieuws (4): 56-58
J.K. Langhammer (1988): Poeciliopsis fasciata A new species to the hobby and its unusual reproductive strategy. Livebearers (98): 18-19
M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, Mexico. The Southwestern Naturalist (2): 223-236
E. Martínez Ramírez et al (2010): Viviparous fishes from Oaxacan area of the biosphere reserver Tehuacán-Cuicatlán. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 437-441
M. Mateos (2005): Comparative phylogeography of livebearing fishes in the genera Poeciliopsis and Poecilia in central Mexico. Journal of Biogeography (32): 75-780
S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
S.E. Meek (1907): Notes on the fresh-water fishes from Mexico and central America. Field Columbian Museum - Zoology (5): 1-157
A.C. Radda (1978): Ueber einige aquaristisch neue Poeciliiden aus Mittelamerika. Aquaria (25): 21-27
A.C. Radda (1982): Ueber einige aquaristisch neue Poeciliiden aus Mittelamerika. DGLZ-Rundschau (3): 42-48
E. Velázquez-Velázquez et al (2008): Spatial and temporal variation of fish assemblages in a coastal lagoon of the biosphere reserve La Encrucijada, Chiapas, Mexico. Rev. Biol. Trop (2): 557-574
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120

Poeciliopsis gracilis (Heckel, 1848)

- O. Böhm (1979): Lebendgebärenden Arten aus Belize und Guatemala. DATZ (3): 78-80
O. Böhm (1984): Leider zu wenig eingeführt: die Gattung Poeciliopsis. DATZ (10): 365-368
M. Camacho-Cervantes et al (2019): Foraging behaviour of a native topminnow when shoaling with invaders. Aquatic Invasions (3): 490-501
J.C. Campuzano-Caballero & M.C. Uribe (2017): Functional morphology of the gonoduct of the viviparous teleost Poeciliopsis gracilis (Heckel, 1848) (Poeciliidae). Journal of Morphology
C. Clapsaddle (2014): Life with livebearers: The porphole livebearer (Poeciliopsis gracilis). Tropical Fish Hobbyist (3): 32-34
T. Contreras-MacBeath, H. Mejia Mojica & R. Carillo Wilson (1998): Negative impact on the aquatic ecosystems of the state Morelos, Mexico from introduced aquarium and other commercial fish. Aquarium Sciences and Conservation (2): 67-78
G. Daul (1994): De soorten van het geslacht Poeciliopsis deel 1. Poecilia Nieuws (3): 46-50
P. Frías-Alvarez & J.J. Zúñiga-Vega (2016): Superfetation in live-bearing fishes is not always the result of a morphological constraint. Oecologia (181): 645-658
P. Frías-Alvarez et al (2014): Spatial and temporal variation in superfoetation and related life history traits of two viviparous fishes: Poeciliopsis gracilis and P. infans. Naturwissenschaften (101): 1085-1098
A. García-Vásquez et al (2017): Triple trouble? Invasive poeciliid fishes carry the introduced tilapia pathogen Gyrodactylus cichlidarum in the Mexican highlands. Veterinary Parasitology (235): 37-40
J.L. Gómez-Márquez et al (2010): Reproductive strategies of Poeciliopsis gracilis in a tropical shallow reservoir in Morelos, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 484-489
J.L. Gómez-Márquez, B. Peña-Mendoza & I.H. Salgado-Ugarte (2008): Reproduction of the fish Poeciliopsis gracilis (Cyprinodontiformes: Poeciliidae) in Coatepec, a tropical shallow lake in Mexico. Rev. Biol. Trop (4): 1801-1812
M.W. Guernsey et al (2020): Molecular signatures of placentation and secretion uncovered in Poeciliopsis maternal follicles. Mol. Biol. Evol (9): 2679-2690
A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
H. van Hassett (1987): Poeciliopsis gracilis. Poecilia Nieuws (3): 37-38
H. van Hassett (1989): Vissenorexia. Poecilia Nieuws (1): 0-0
J. Heckel (1848): Eine neue Gattung von Poecilien mit rochenartigem Anklammerungs-Organe. Sitzber. K. Akad. Wiss. Wien (1): 289-303
H. Hieronimus (1989): Daglengen en productiviteit. Poecilia Nieuws (1): 0-2
L.E. Hightower et al (1999): Heat shock responses of closely related species of tropical and desert fish. Amer. Zool. (39): 877-888
N. Hildén (1989): Gesucht-Gefunden Priapella intermedia. II (96): 18-19
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
K. de Jong (1988): Poeciliopsis gracilis. Poecilia Nieuws (1): 7-10
K. de Jong (2009): Poeciliopsis gracilis (Heckel, 1848). Poecilia Nieuws (1): 13-15

Livebearer Literature List 202201

- K. de Jong (2009): Het Poeciliopsis gracilis-complex en een nieuwe soort uit Costa Rica; Poeciliopsis santaelena Bussing 2008. *Poecilia Nieuws* (1): 16-20
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. *Poecilia Nieuws* (2): 8-13
- K. de Jong (2019): Der Einfluss der Temperatur auf das Geschlechterverhältnis bei viviparen Zahnkarpfen. *Das Lebendgebärenden Magazin* (2): 8-12
- K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. *Het Aquarium* (8): 62-66
- S. de Jong (2020): Partnerwahl und Reproduktion bei lebendgebärenden Zahnkarpfen. *Das Lebendgebärenden Magazin* (2): 20-22
- S. de Jong (2020): Superfoetatie bij levendbarende tandkarpers. *Poecilia Nieuws* (2): 19-23
- D. & D. King (1988): Breeding five spot livebearers. *Livebearers* (102): 14-14
- D. Lambert (0): Poeciliopsis gracilis (Heckel, 1848). *Viviparous* (18): 0-
- M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeografica y ecologica de la ictiofauna continental de Chiapas, Mexico. *The Southwestern Naturalist* (2): 223-236
- J. Lyons (2019): Livebearers: good and bad. *Livebearers* (244/245): 13-16
- J. Lyons (2020): The Insidiousness of invasive species. *Livebearers* (249): 5-10
- J. Malke (2007): Damals, vor 30 Jahren: Die DGLZ-Mexikoexpedition 1977. *DGLZ-Rundschau* (4): 108-117
- E. Martínez Ramírez et al (2010): Viviparous fishes from Oaxacan area of the biosphere reserver Tehuacán-Cuicatlán. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 437-441
- H.J. Mayland (1992): Liebe oder was Lebendgebärende dafür halten. *Das Aquarium* (3): 6-7
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. *Field Columbian Museum - Zoology* (5): 1-252
- S.E. Meek (1907): Notes on the fresh-water fish from Mexican and central America. *Field Columbian Museum - Zoology* (5): 1-157
- E. Meinema (1987): Vissen-spreekuur. *Poecilia Nieuws* (5): 73-73
- H.H. Mejía-Madrid et al. (2015): Relationship between environmental and geographic factors and the distribution of exotic fishes in tributaries of the Balsas river basin, Mexico. *Environmental Biology of Fishes* (98): 611-621
- N. Miller (1907): The fishes of the Motagua River, Guatemala. *Bulletin American Museum of Natural History* (23): 95-123
- A. Molina-Moctezuma, A.L. Hernández-Rosas, J.J. Zúñiga-Vega (2020): Resource availability and its effects on mother to embryo nutrient transfer in two viviparous fish species. *Journal of Experimental Zoology* (333): 181-193
- C.E. Norris et al (1995): Variation in heat shock proteins within tropical and desert species of Poeciliid fishes. *Mol. Biol. Evol* (6): 1048-1062
- J. Novák, L. Kalouš & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- H. Obregón-Barboza, S. Contreras-Balderas & M. Lozano-Vilano (1994): The fishes of northern and central Veracruz, Mexico. *Hydrobiologica* (286): 79-95
- C. Olivera-Tlahuel et al (2019): Placental structures and their association with matrotrophy and superfetation in poeciliid fishes. *Acta Zool.* (100): 167-181
- H.-A. Pederzani (1977): Poeciliopsis gracilis (Heckel, 1848). *Aquarien Terrarien* (11): 389-389
- E.M. Quicazan-Rubio et al (2019): Coasting in live-bearing fish: the drag penalty of being pregnant. *J. R. Soc. Interface* (16): 1-10
- A. Rachow (1913): Girardinus pleurospilus Guenther. *Blätter für Aquarien- und Terrarienkunde* (46): 750-751
- A.C. Radda (1978): Ueber einige aquaristisch neue Poeciliiden aus Mittelamerika. *Aquaria* (25): 21-27
- A.C. Radda (1982): Ueber einige aquaristisch neue Poeciliiden aus Mittelamerika. *DGLZ-Rundschau* (3): 42-48
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. *DGLZ-Rundschau* (2): 12-21
- C. van de Sande (1988): Guatemala, land van levendbarende tandkarpers. *Het Aquarium* (9): 210-215
- C. Sciarone (2010): Poeciliopsis gracilis (Heckel, 1848). *Poecilia Nieuws* (1): 12-13
- D. Speirs (1987): Recent studies on livebearers. *Livebearers* (92): 5-6
- S. Teutloff (1985): Meine Erfahrungen mit Poeciliopsis gracilis (Heckel, 1848). *ZAG Lebendgebärende Zahnkarpfen* (3): 5-7
- M.E. Valdez-Moreno, J. Pool-Canul & S. Contreras-Balderas (2005): A checklist of the freshwater ichthyofauna from El Petén and Alta Verapaz, Guatemala, with notes for its conservation and management. *Zootaxa* (1072): 43-60
- J. Vente (1982): Onopvallend maar interessant, Poeciliopsis gracilis. *Het Aquarium* (7): 193-194
- J. Villa (1982): Peces Nicaragüenses de Agua Dulce. Serie Geografía y Naturaleza (3): 125-136

Poeciliopsis hnilickai Meyer & Vogel, 1981

- G. Daul (1994): Poeciliopsis hnilickai. *DATZ* (12): 811-811
- B. Kabbes (1998): Vangreis naar Mexico 1997, conclusies en bevindingen. *Poecilia Nieuws* (5): 72-80
- M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeografica y ecologica de la ictiofauna continental de Chiapas, Mexico. *The Southwestern Naturalist* (2): 223-236
- E. Meinema (1993): Supergroei en superfoetatie. *Poecilia Nieuws* (6): 154-158
- M.K. Meyer & D. Vogel (1980): Ein neuer Poeciliopsis aus Chiapas, Mexico. *Senckenbergiana biol.* (61): 357-361
- M.K. Meyer & D. Vogel (1983): Ein neuer Poeciliopsis aus Chiapas, Mexiko. *DGLZ-Rundschau* (1): 12-16
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. *ZooKeys* (632): 99-120
- L. Wischnath (1982): Een nieuwe ontdekking: Poeciliopsis hnilickai n.sp., het Chiapas karpertje. *TiH* (29): 38-38
- L. Wischnath (1984): Een nieuwe Poeciliopsis uit Chiapas, Mexico. *Het Aquarium* (9): 240-241
- L. Wischnath (1987): Lebendgebärende Zahnkarpfen aus Mexiko. *Aquarien Magazin* (8): 336-340

Poeciliopsis infans Woolman, 1894

- J. Alvarez (1963): Ictiologia Michoacana III. Los peces de San Juanico y de Tocumbo. Mich.. An. Esc. Nac. Cienc. Biol. (12): 111-138
- R.G. Béltran-López et al (2018): Evolving in the highlands:the case of the Neotropical Lerma live-bearing Poeciliopsis infans (Woolman, 1894) (Cyprinodontiformes: Poeciliidae) in Central Mexico. BMC Evolutionary Biology (): 1-21
- J.G.A. Caballos Corona et al (1994): Analisis limnologico de lage de Cuitzeo, Michoacan, Mexico. Universidad Michoacana de San Nicolás de Hidalgo Facultad de Biología (): 1-45
- M. Camacho-Cervantes et al (2018): Sociability between invasive guppies and native topminnows. Plos One (February): 1-9
- U. Dost (2000): In der Heimat des Flitterkärlings Ameba splendens. Aquaristik-Aktuell (11-12): 56-59
- P. Frias-Alvarez & J.J. Zúñiga-Vega (2016): Superfetation in live-bearing fishes is not always the result of a morphological constraint. Oecologia (181): 645-658
- P. Frías-Alvarez et al (2014): Spatial and temporal variation in superfetation and related life history traits of two viviparous fishes: Poeciliopsis gracilis and P. infans. Naturwissenschaften (101): 1085-1098
- M.W. Guernsey et al (2020): Molecular signatures of placentation and secretion uncovered in Poeciliopsis maternal follicles. Mol. Biol. Evol (9): 2679-2690
- H. Hieronimus (1990): Erstaunliches Verhalten von Poeciliopsis infans. DATZ (3): 185-186
- K. de Jong (1992): Poeciliopsis infans (Woolman, 1894). Picasso onder water (): 0-
- K. de Jong (2004): Auf der Suche nach den Schwerträgern Mexiko 2002 (Teil 2). Das Lebendgebärenden Magazin (1): 5-17
- K. de Jong (2014): Mexico 2013, deel 4 en slot Van Morelia naar Barra de Navidad en terug (2). Poecilia Nieuws (2): 22-27
- K. de Jong (2015): Mexico 2013 Vierter und letzter Teil Von Barra de Navidad zurück nach Morelia. Das Lebendgebärenden Magazin (1): 20-27
- K. de Jong (2019): Samen sterk. Poecilia Nieuws (1): 21-23
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. Poecilia Nieuws (4): 76-86
- B. Kabbes (2000): San Juan de los Arcos. Poecilia Nieuws (2): 20-26
- A. Kobelkowsky (2010): Morphology and asymmetry of the gonopodial suspensorium of Poeciliopsis infans (Teleostei: Poeciliidae). In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 185-192
- J. Lyons (1997): Tolerances of Mexican livebearers to extremes of temperature and dissolved oxygen in the wild. Livebearers (148): 16-19
- J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. Anales del Instituto de Biología, Universidad National (2): 169-190
- M. Medina-Nava et al (2005): Conservation of two sites in central Mexico with a high diversity of livebearing fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 499-504
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- A. Molina-Moctezuma, A.L. Hernández-Rosas, J.J. Zúñiga-Vega (2020): Resource availability and its effects on mother to embryo nutrient transfer in two viviparous fish species. Journal of Experimental Zoology (333): 181-193
- R. Moncayo-Estrada et al. (2014): Status and trends in biotic integrity in a sub-tropical river drainage: analysis of the fish assemblage over a three decade period. River Res. Applic. (): -
- C. Olivera-Tlahuel et al (2019): Placental structures and their association with matrotrophy and superfetation in poeciliid fishes. Acta Zool. (100): 167-181
- A.C. Radda (1984): Studien an cyprinodonten Fischen in Mexiko. 2. Reisen 1982 und 1983. Aquaria (31): 24-32
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
- A. Ramírez-García, R. Moncayo-Estrada, O. Domínguez-Domínguez (2020): Small lake, high biodiversity: Lake Zacapu, México. Livebearers (246): 12-15
- J.P. Ramírez-Herjón et al (2010): Historical assessment of livebearing fishes in Zacapu Lake, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 476-479
- C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018
- D.N. Reznick, M. Mateo & M. Springer (2002): Independent origins and rapid evolution of the placenta in fish genus Poeciliopsis. Science (5595): 1018-1020
- Z. Rodríguez Álvarez et al (2010): Current status of the viviparous fish species in the Cuitzeo basin of Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 472-475
- G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. Das Lebendgebärenden Magazin (2): 8-23
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. Aquatic Ecosystem Health and Management (1): 267-276
- E. Soto-Galera et al (1999): Change in fish fauna as indication of aquatic ecosystem condition in Río Grande de Morelia - Lago de Cuitzeo Basin, Mexico. Environmental Management (1): 133-140
- A. Valdés González & Carreón Zapiaín (2011): Amazonische Harnischwelse bedrohen Mexikos Süßwasserfische. DATZ (August): 66-69
- A.J. Woolman (1894): Report on a collection of fishes from the rivers of central and northern Mexico. Bull. U.S. Fish Comm. (XIV): 55-66

Poeciliopsis jackschultzi Conway, Mateos & Vrijenhoek, 2019

- K.W. Conway, M. Mateos & R.C. Vrijenhoek (2019): A new species of the live-bearing fish genus Poeciliopsis from northern Mexico (Cyprinodontiformes, Poeciliidae). ZooKeys (883): 91-118
- K. de Jong (2020): Poeciliopsis jackschultzi Een nieuwe Poeciliopsis soort uit noord Mexico beschreven. Poecilia Nieuws (1): 13-15
- K. de Jong (2021): Ein neue Poeciliopsis-Art aus Nordmexiko. Das Lebendgebärenden Magazin (2): 13-15

Poeciliopsis latidens (Garman, 1895)

- O. Böhm (1984): Leider zu wenig eingeführt: die Gattung Poeciliopsis. DATZ (10): 365-368
- S. Garman (1895): The Cyprinodonts. Mem. Mus. Comp. Zool. (1): 1-179
- G. Gerlach (1908): Neuere lebendgebärende Zahnkarpen. VI. Glaridodon latidens Garman. Wochenschrift für Aquarien und Terrarienkunde (21): 269-271
- C.L. Hubbs & R.R. Miller (1954): Studies of cyprinodont fishes. XXI. Glaridodon latidens, from Northwestern Mexico, redescribed and referred to Poeciliopsis. University of Michigan Museum of Zoology Miscellaneous Publications (39): 1-12

- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. *Poecilia Nieuws* (4): 76-86
- J. Lanza (1983): Population control of an all-female fish, *Poeciliopsis monacha-latidens*. *Biotropica* (2): 100-107
- J. Lanza (1983): Microhabitat use by bisexual and unisexual fishes (*Poeciliopsis*: Poeciliidae) in an artificial stream. *Oecologia* (57): 142-147
- J. Malke (2007): Damals, vor 30 Jahren: Die DGLZ-Mexikoexpedition 1977. *DGLZ-Rundschau* (4): 108-117
- M. Mateos (2005): Comparative phylogeography of livebearing fishes in the genera *Poeciliopsis* and *Poecilia* in central Mexico. *Journal of Biogeography* (32): 75-780
- A. Mayer (1912): Ueber Glaridichthys latidens Garman. *Blätter für Aquarien- und Terrarienkunde* (20): 326-327
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. *Field Columbian Museum - Zoology* (5): 1-252
- A. Rachow (1914): Zur Nomenklatur unserer viviparen Zahnkarpfen (*Poeciliinae*), nebst Bemerkungen über einige neue Arten. *Blätter für Aquarien- und Terrarienkunde* (11): 185-200
- A.J. Roth-Monzón et al (2020): Beyond pairwise interactions: multispecies character displacement in Mexican freshwater fish communities. *The American Naturalist* (6): 1-14
- R.J. Schultz (1974): Origin and synthesis of a unisexual fish. *Genetics and mutagenesis of fish* (ed. J.H. Schröder) Springer Verlag 1973 (): 207-210
- R.J. Schultz (1989): Origins and Relationships of Unisexual Poeciliids. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 69-87
- R.C. Vrijenhoek (1984): The evolution of clonal diversity in *Poeciliopsis*. In: Turner, Bruce J. *Evolutionary Genetics of Fishes* (): 399-430

Poeciliopsis letonai (Hildebrand, 1925)

- S.F. Hildebrand (1925): Fishes of the republic of El Salvador, central America. *Bull. Bur. Fisheries* (41): 237-287
- K. de Jong (2009): Het *Poeciliopsis gracilis*-complex en een nieuwe soort uit Costa Rica; *Poeciliopsis saetaelena* Bussing 2008. *Poecilia Nieuws* (1): 16-20

Poeciliopsis lucida Miller, 1960

- L.W. Beukeboom & R.C. Vrijenhoek (1998): Evolutionary genetics and ecology of sperm-dependent parthenogenesis. *J. Evol. Biol.* (11): 755-782
- M.C. Cimino (1972): Meiosis in triploid all-female fish (*Poeciliopsis*, Poeciliidae). *Science* (4029): 1484-1486
- R.M. Dawley, J.D. Rupprecht & R.J. Schultz (1997): Genome size of bisexual and unisexual *Poeciliopsis*. *Journal of Heredity* (3): 249-252
- P.J. dilorio et al (1996): Quantitative evidence that both Hsc70 and Hsp70 contribute to thermal adaptation in hybrids of the livebearing fishes *Poeciliopsis*. *Cell Stress & Chaperones* (1): 139-147
- A.B. Eisenbrey & W.S. Moore (1981): Evolution of histocompatibility diversity in an asexual vertebrate, *Poeciliopsis 2 monacha-lucida* (Pisces: Poeciliidae). *Evolution* (5): 1180-1191
- M.M. Gray & S.C. Weeks (2001): Niche breadth in clonal and sexual fish (*Poeciliopsis*): a test of the frozen niche variation model. *Can. J. Fish. Aquat. Sci.* (58): 1313-1318
- S. Guerrero-Estévez & Moreno-Mendoza (2010): Sexual determination and differentiation in teleost fish. *Reviews in Fish Biology and Fisheries* (20): 101-121
- V. Keegan-Rogers (1984): Unfamiliar-female mating advantage among clones of unisexual fish (*Poeciliopsis*: Poeciliidae). *Copeia* (1): 169-174
- V. Keegan-Rogers & R.J. Schultz (1988): Sexual selection among clones of unisexual fish (*Poeciliopsis*: Poeciliidae): genetic factors and rare-female advantage. *The American Naturalist* (6): 846-868
- K.P. Lampert (2009): Clonal reproduction in freshwater fish: mechanisms, systematic overview, genetic and ecological consequences. *Fundamental and Applied Limnology* (3): 245-260
- J. Lanza (1983): Microhabitat use by bisexual and unisexual fishes (*Poeciliopsis*: Poeciliidae) in an artificial stream. *Oecologia* (57): 142-147
- R.A. Leggat & G.K. Iwama (2003): Occurrence of polyploidy in the fishes. *Reviews in Fish Biology and Fisheries* (13): 237-246
- N.R.W. Lima & R.C. Vrijenhoek (1996): Avoidance of filial cannibalism by sexual and clonal forms of *Poeciliopsis*. *Anim. Behav.* (51): 293-301
- N.R.W. Lima, C.J. Kobak & R.C. Vrijenhoek (1996): Evolution of sexual mimicry in sperm-dependent all-female forms of *Poeciliopsis*. *J. Evol. Biol.* (9): 185-203
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 289-302
- M. Mateos & R.C. Vrijenhoek (2002): Ancient versus reticulate origin of a hemiconal lineage. *Evolution* (2): 985-992
- M. Mateos & R.C. Vrijenhoek (2005): Independent origins of allotriплоidy in the fish genus *Poeciliopsis*. *Journal of Heredity* (1): 32-39
- F.E. McKay (1971): Behavioral aspects of population dynamics in unisexual-bisexual *Poeciliopsis* (Pisces: Poeciliidae). *Ecology* (5): 778-790
- P.J. Mellegers (1995): De algebra van de voortplanting. *Poecilia Nieuws* (6): 110-113
- P.J. Mellegers & F. Poeser (2004): Die Mathematik der Fortpflanzung. *Das Lebendgebärenden Magazin* (1): 3-5
- R.R. Miller (1960): Four new species of viviparous fishes, genus *Poeciliopsis*, from northwestern Mexico. *Occasional papers of the museum of zoology University of Michigan* (619): 1-11
- W.S. Moore (1975): Stability of small unisexual-bisexual populations of *Poeciliopsis* (Pisces: Poeciliidae). *Ecology* (4): 791-808
- W.S. Moore (1984): Evolutionary ecology of unisexual fishes. In: Turner, Bruce J. *Evolutionary Genetics of Fishes* (): 329-398
- W.S. Moore & A.B. Eisenbrey (1979): The population structure of an asexual vertebrate, *Poeciliopsis 2 monacha-lucida* (Pisces: Poeciliidae). *Evolution* (2): 563-578
- N. Ospina-Álvarez & F. Piferrer (2008): Temperature-dependent sex determination in fish revisited: prevalence, a singel sex ratio response pattern, and possible effects of climate change. *PlosOne* (7): 1-11
- P.N. Pires et al (2011): Why do placentas evolve? An evaluation of the life-history facilitation hypothesis in the fish genus *Poeciliopsis*. *Functional Ecology* (25): 757-768
- J.M. Quattro & S.C. Weeks (1991): Correlation between egg size and egg energetic content within and among biotypes of the genus *Poeciliopsis*. *Journal of Fish Biology* (38): 331-334
- J.M. Quattro, J.C. Avise & R.C. Vrijenhoek (1991): Molecular evidence for multiple origins of hybridogenetic fish clones. *Genetics* (127): 391-398
- J.M. Quattro, J.C. Avise & R.C. Vrijenhoek (1992): Mode of origin and sources of genotypic diversity in triploid genyogenetic fish clones (*Poeciliopsis*: Poeciliidae). *Genetics* (130): 621-628
- R.A. Schenck & R.C. Vrijenhoek (1986): Spatial and temporal factors affecting coexistence among sexual and clonal forms of *Poeciliopsis*. *Evolution* (5): 1060-1070
- R.J. Schultz (1961): Reproductive mechanism of unisexual and bisexual strains of the viviparous fish *Poeciliopsis*. *Evolution* (3): 302-325

- R.J. Schultz (1966): Hybridization experiments with an all-female fish of the genus *Poeciliopsis*. *Biological Bulletin* (130): 415-429
- R.J. Schultz (1974): Origin and synthesis of a unisexual fish. *Genetics and mutagenesis of fish* (ed. J.H. Schröder) Springer Verlag 1973 (): 207-210
- R.J. Schultz (1989): Origins and Relationships of Unisexual Poeciliids. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 69-87
- D. Speirs (1986): Some notes on livebearers. *Livebearers* (89): 12-14
- D. Speirs (1989): Send in the clones. *Livebearers* (105): 6-7
- R.E. Thibault (1978): Ecological and evolutionary relationships among diploid and triploid unisexual fishes associated with the bisexual species, *Poeciliopsis lucida* (Cyprinodontiformes: Poeciliidae). *Evolution* (3): 613-623
- R.J. Thibault & R.J. Schultz (1978): Reproductive adaptations among viviparous fishes (Cyprinodontiformes: Poeciliidae). *Evolution* (2): 320-333
- M.M. Turcotte, M.N. Pires, R.C. Vrijenhoek & D.N. Reznick (2008): Pre- and post-fertilization maternal provisioning in livebearing fish species and their hybrids (Poeciliidae: Poeciliopsis). *Functional Ecology* (22): 1118-1124
- R.C. Vrijenhoek (1972): Genetic relationships of unisexual-hybrid fishes to their progenitors using lactate dehydrogenase isozymes as gene markers (Poeciliopsis, poeciliidae). *The American Naturalist* (952): 754-766
- R.C. Vrijenhoek (1984): The evolution of clonal diversity in *Poeciliopsis*. In: Turner, Bruce J. *Evolutionary Genetics of Fishes* (): 399-430
- R.C. Vrijenhoek (1994): Unisexual fish: model systems for studying ecology and evolution. *Annu. Rev. Ecol. Evol. Syst.* (25): 71-96
- R.C. Vrijenhoek (1998): Animal clones and diversity. *BioScience* (8): 617-628
- R.C. Vrijenhoek & R.J. Schultz (1974): Evolution of a trihybrid unisexual fish (Poeciliopsis, Poeciliidae). *Evolution* (2): 306-319
- S.C. Weeks (1993): Phenotypic plasticity of life-history traits in clonal and sexual fish (Poeciliopsis) at high and low densities. *Oecologia* (93): 307-314
- S.C. Weeks (1995): Comparisons of life-history traits between clonal sexual fish (Poeciliopsis: Poeciliidae) raised in monoculture and mixed treatments. *Evolutionary Ecology* (9): 258-274
- S.C. Weeks (1996): A reevaluation of the Red Queen model for the maintenance of sex in a clonal-sexual fish complex (Poeciliidae: Poeciliopsis). *Can. J. Fish. Aquat. Sci.* (53): 1157-1164
- S.C. Weeks & J.M. Quattro (1991): Life-history plasticity under resource stress in a clonal fish (Poeciliidae: Poeciliopsis). *Journal of Fish Biology* (39): 485-494
- S.C. Weeks & O.E. Caggiotti (1993): Patterns of offspring size at birth in clonal and sexual strains of *Poeciliopsis* (Poeciliidae). *Copeia* (4): 1003-1009
- S.C. Weeks & O.E. Caggiotti (1993): Patterns in offspring size at birth in clonal and sexual strains of *Poeciliopsis* (Poeciliidae). *Copeia* (4): 1003-1009
- S.C. Weeks et al (1992): Feeding behavior in sexual and clonal strains of *Poeciliopsis*. *Behav Ecol Sociobiol* (30): 1-6
- J.D. Wetherington et al (1989): Genotypic and environmental components of variation in growth and reproduction of fish hemichromes (Poeciliopsis: Poeciliidae). *Evolution* (3): 635-645
- J.D. Wetherington, R.A. Schenck & R.C. Vrijenhoek (1989): The Origins and Ecological Success of Unisexual *Poeciliopsis*: The Frozen Niche-Variation Model. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 259-276

Poeciliopsis lutzi Meek, 1902

- K. de Jong (2009): Het *Poeciliopsis gracilis*-complex en een nieuwe soort uit Costa Rica; *Poeciliopsis santaelena* Bussing 2008. *Poecilia Nieuws* (1): 16-20
- S.E. Meek (1907): Notes on the fresh-water fishes from Mexico and central America. *Field Columbian Museum - Zoology* (5): 1-157
- N. Miller (1907): The fishes of the Motagua River, Guatemala. *Bulletin American Museum of Natural History* (23): 95-123

Poeciliopsis monacha Miller, 1960

- A.I. Banet & D.N. Reznick (2008): Do placental species abort offspring? Testing an assumption of the Trexler-DeAngelis model. *Functional Ecology* (22): 323-331
- A.I. Banet, A.G. Au & D.N. Reznick (2010): Is mom in charge? Implications of resource provisioning on the evolution of the placenta. *Evolution* (11): 3172-3182
- L.W. Beukeboom & R.C. Vrijenhoek (1998): Evolutionary genetics and ecology of sperm-dependent parthenogenesis. *J. Evol. Biol.* (11): 755-782
- M.C. Cimino (1972): Meiosis in triploid all-female fish (Poeciliopsis, Poeciliidae). *Science* (4029): 1484-1486
- K.W. Conway, M. Mateos & R.C. Vrijenhoek (2019): A new species of the live-bearing fish genus *Poeciliopsis* from northern Mexico (Cyprinodontiformes, Poeciliidae). *ZooKeys* (883): 91-118
- R.M. Dawley, J.D. Rupprecht & R.J. Schultz (1997): Genome size of bisexual and unisexual *Poeciliopsis*. *Journal of Heredity* (3): 249-252
- P.J. dilorio et al (1996): Quantitative evidence that both Hsc70 and Hsp70 contribute to thermal adaptation in hybrids of the livebearing fishes *Poeciliopsis*. *Cell Stress & Chaperones* (1): 139-147
- A.B. Eisenbrey & W.S. Moore (1981): Evolution of histocompatibility diversity in an asexual vertebrate, *Poeciliopsis 2 monacha-lucida* (Pisces: Poeciliidae). *Evolution* (5): 1180-1191
- M.M. Gray & S.C. Weeks (2001): Niche breadth in clonal and sexual fish (Poeciliopsis): a test of the frozen niche variation model. *Can. J. Fish. Aquat. Sci.* (58): 1313-1318
- D.A. Hendrickson et al. (1980): Fishes of the Río Yaqui Basin, México and United States. *Journal of the Arizona Academy of Science* (3): 65-106
- H. Hieronimus (2002): Fishes zum Thema Matrotrophie und Superfötation. *DGLZ-Rundschau* (2): 47-49
- L.E. Hightower et al (1999): Heat shock responses of closely related species of tropical and desert fish. *Amer. Zool.* (39): 877-888
- V. Keegan-Rogers & R.J. Schultz (1988): Sexual selection among clones of unisexual fish (Poeciliopsis: Poeciliidae): genetic factors and rare-female advantage. *The American Naturalist* (6): 846-868
- K.P. Lampert (2009): Clonal reproduction in freshwater fish: mechanisms, systematic overview, genetic and ecological consequences. *Fundamental and Applied Limnology* (3): 245-260
- J. Lanza (1983): Population control of an all-female fish, *Poeciliopsis monacha-latidens*. *Biotropica* (2): 100-107
- J. Lanza (1983): Microhabitat use by bisexual and unisexual fishes (Poeciliopsis: Poeciliidae) in an artificial stream. *Oecologia* (57): 142-147
- P.L. Leberg & R.C. Vrijenhoek (1994): Variation among desert topminnows in their susceptibility to attack by exotic parasites. *Conservation Biology* (2): 419-424
- R.A. Leggat & G.K. Iwama (2003): Occurrence of polyploidy in the fishes. *Reviews in Fish Biology and Fisheries* (13): 237-246
- J.F. Leslie & R.C. Vrijenhoek (1977): Genetic analysis of natural populations of *Poeciliopsis monacha*. *The Journal of Heredity* (68): 301-306
- N.R.W. Lima & R.C. Vrijenhoek (1996): Avoidance of filial cannibalism by sexual and clonal forms of *Poeciliopsis*. *Anim. Behav.* (51): 293-301

- N.R.W. Lima, C.J. Kobak & R.C. Vrijenhoek (1996): Evolution of sexual mimicry in sperm-dependent all-female forms of *Poeciliopsis*. *J. Evol. Biol.* (9): 185-203
- M. Mateos & R.C. Vrijenhoek (2002): Ancient versus reticulate origin of a hemiplonal lineage. *Evolution* (2): 985-992
- M. Mateos & R.C. Vrijenhoek (2005): Independent origins of allotriплоidy in the fish genus *Poeciliopsis*. *Journal of Heredity* (1): 32-39
- F.E. McKay (1971): Behavioral aspects of population dynamics in unisexual-bisexual *Poeciliopsis* (Pisces: Poeciliidae). *Ecology* (5): 778-790
- G.K. Meffe & R.C. Vrijenhoek (1981): Starvation stress and intraovarian cannibalism in livebearers (Atheriniformes: Poeciliidae). *Livebearers* (120): 16-23
- G.K. Meffe & R.C. Vrijenhoek (1981): Starvation stress and intraovarian cannibalism in livebearers. *Copeia* (3): 702-705
- R.R. Miller (1960): Four new species of viviparous fishes, genus *Poeciliopsis*, from northwestern Mexico. *Occasional papers of the museum of zoology University of Michigan* (619): 1-11
- W.S. Moore (1975): Stability of small unisexual-bisexual populations of *Poeciliopsis* (Pisces: Poeciliidae). *Ecology* (4): 791-808
- W.S. Moore (1976): Components of fitness in the unisexual fish *Poeciliopsis monacha*-occidentalis. *Evolution* (3): 564-578
- W.S. Moore (1984): Evolutionary ecology of unisexual fishes. In: Turner, Bruce J. *Evolutionary Genetics of Fishes* (): 329-398
- W.S. Moore & A.B. Eisenbrey (1979): The population structure of an asexual vertebrate, *Poeciliopsis 2 monacha-lucida* (Pisces: Poeciliidae). *Evolution* (2): 563-578
- W.S. Moore & F.E. McKay (1971): Coexistence in unisexual-bisexual species complexes of *Poeciliopsis* (Pisces: Poeciliidae). *Ecology* (5): 791-799
- P.N. Pires et al (2011): Why do placentas evolve? An evaluation of the life-history facilitation hypothesis in the fish genus *Poeciliopsis*. *Functional Ecology* (25): 757-768
- J.M. Quattro & S.C. Weeks (1991): Correlation between egg size and egg energetic content within and among biotypes of the genus *Poeciliopsis*. *Journal of Fish Biology* (38): 331-334
- J.M. Quattro et al (1992): An ancient clonal lineage in the fish genus *Poeciliopsis*. *Proc. Natl. Acad. Sci.* (89): 348-352
- J.M. Quattro, J.C. Avise & R.C. Vrijenhoek (1991): Molecular evidence for multiple origins of hybridogenetic fish clones. *Genetics* (127): 391-398
- J.M. Quattro, J.C. Avise & R.C. Vrijenhoek (1992): Mode of origin and sources of genotypic diversity in triploid genyogenetic fish clones (Poeciliopsis: Poeciliidae). *Genetics* (130): 621-628
- R.A. Schenck & R.C. Vrijenhoek (1986): Spatial and temporal factors affecting coexistence among sexual and clonal forms of *Poeciliopsis*. *Evolution* (5): 1060-1070
- R.J. Schultz (1961): Reproductive mechanism of unisexual and bisexual strains of the viviparous fish *Poeciliopsis*. *Evolution* (3): 302-325
- R.J. Schultz (1974): Origin and synthesis of a unisexual fish. *Genetics and mutagenesis of fish* (ed. J.H. Schröder) Springer Verlag 1973 (): 207-210
- R.J. Schultz (1989): Origins and Relationships of Unisexual Poeciliids. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 69-87
- D. Speirs (1989): Send in the clones. *Livebearers* (105): 6-7
- D.G. Spinella & R.C. Vrijenhoek (1982): Genetic dissection of clonally inherited genomes of *Poeciliopsis*. II. Investigation of a silent carboxylesterase allele. *Genetics* (100): 279-286
- R.J. Thibault & R.J. Schultz (1978): Reproductive adaptations among viviparous fishes (Cyprinodontiformes: Poeciliidae). *Evolution* (2): 320-333
- M.M. Turcotte, M.N. Pires, R.C. Vrijenhoek & D.N. Reznick (2008): Pre- and post-fertilization maternal provisioning in livebearing fish species and their hybrids (Poeciliidae: Poeciliopsis). *Functional Ecology* (22): 1118-1124
- R.C. Vrijenhoek (1972): Genetic relationships of unisexual-hybrid fishes to their progenitors using lactate dehydrogenase isozymes as gene markers (Poeciliopsis, poeciliidae). *The American Naturalist* (952): 754-766
- R.C. Vrijenhoek (1984): The evolution of clonal diversity in *Poeciliopsis*. In: Turner, Bruce J. *Evolutionary Genetics of Fishes* (): 399-430
- R.C. Vrijenhoek (1994): Unisexual fish: model systems for studying ecology and evolution. *Annu. Rev. Ecol. Evol. Syst.* (25): 71-96
- R.C. Vrijenhoek (1998): Animal clones and diversity. *BioScience* (8): 617-628
- R.C. Vrijenhoek & P.L. Leberg (1991): Let's not throw the baby out with the bathwater: a comment on management for MHC diversity in captive populations. *Conservation Biology* (2): 252-254
- R.C. Vrijenhoek & R.J. Schultz (1974): Evolution of a trihybrid unisexual fish (Poeciliopsis, Poeciliidae). *Evolution* (2): 306-319
- R.C. Vrijenhoek, E. Pfeiler & J.D. Wetherington (1992): Balancing selection in a desert stream-dwelling fish, *Poeciliopsis monacha*. *Evolution* (6): 1642-1657
- S.C. Weeks (1993): Phenotypic plasticity of life-history traits in clonal and sexual fish (*Poeciliopsis*) at high and low densities. *Oecologia* (93): 307-314
- S.C. Weeks (1995): Comparisons of life-history traits between clonal sexual fish (*Poeciliopsis*: Poeciliidae) raised in monoculture and mixed treatments. *Evolutionary Ecology* (9): 258-274
- S.C. Weeks (1996): A reevaluation of the Red Queen model for the maintenance of sex in a clonal-sexual fish complex (*Poeciliopsis*: Poeciliidae). *Can. J. Fish. Aquat. Sci.* (53): 1157-1164
- S.C. Weeks & J.M. Quattro (1991): Life-history plasticity under resource stress in a clonal fish (Poeciliidae: *Poeciliopsis*). *Journal of Fish Biology* (39): 485-494
- S.C. Weeks & O.E. Caggiotti (1993): Patterns of offspring size at birth in clonal and sexual strains of *Poeciliopsis* (Poeciliidae). *Copeia* (4): 1003-1009
- S.C. Weeks & O.E. Caggiotti (1993): Patterns of offspring size at birth in clonal and sexual strains of *Poeciliopsis* (Poeciliidae). *Copeia* (4): 1003-1009
- S.C. Weeks et al (1992): Feeding behavior in sexual and clonal strains of *Poeciliopsis*. *Behav Ecol Sociobiol* (30): 1-6
- J.D. Wetherington et al (1989): Genotypic and environmental components of variation in growth and reproduction of fish hemiplones (Poeciliopsis: Poeciliidae). *Evolution* (3): 635-645
- J.D. Wetherington, R.A. Schenck & R.C. Vrijenhoek (1989): The Origins and Ecological Success of Unisexual *Poeciliopsis*: The Frozen Niche-Variation Model. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 259-276
- C.N. White, L.E. Hightower & R.J. Schultz (1994): Variation in heat-shock proteins among species of desert fishes (Poeciliidae, *Poeciliopsis*). *Mol. Biol. Evol.* (11): 106-119
- J.J. Zúñiga-Vega, C. Macías-García & J.B. Johnson (2010): Hypotheses to explain the evolution of superfetation in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 241-254

Poeciliopsis occidentalis (Baird & Girard, 1853)

S.F. Baird & C. Girard (1853): Descriptions of new species of fishes collected by Mr. John H. Clark, on the U.S. and Mexican boundary survey, under Lt. Col. Jas. D. Graham. *Proc. Acad. Nat. Sci. Phila.* (vol. 6): 387-390

T.N. Cardwell, R.J. Sheffer & P.W. Hedrick (2001): MHC Variation and tissue transplantation in fish. *The Journal of Heredity* (4): 305-308

C.J. Carveth, A.M. Widmer & S.A. Bonar (2006): Comparison of upper thermal tolerances of native and nonnative fish species in Arizona. *Transactions of the American Fisheries Society* (135): 1433-1440

J.P. Collins et al (1981): Impact of flooding in a Sonoran desert stream, including elimination of an endangered fish population (*Poeciliopsis* o. *occidentalis*, Poeciliidae). *The Southwestern Naturalist* (4): 415-423

- G.D. Constantz (1974): Reproductive effort in *Poeciliopsis occidentalis* (Poeciliidae). *The Southwestern Naturalist* (1): 47-52
- G.D. Constantz (1975): Behavioral ecology of mating in the male gila topminnow, *Poeciliopsis occidentalis* (Cyprinodontiformes: Poeciliidae). *Ecology* (56): 966-973
- G.D. Constantz (1979): Life history patterns of a livebearing fish in contrasting environments. *Oecologia* (2): 189-201
- G.D. Constantz (1980): Energetics of viviparity in the gila topminnow (Pisces: Poeciliidae). *Copeia* (4): 876-878
- K.W. Conway, M. Mateos & R.C. Vrijenhoek (2019): A new species of the live-bearing fish genus *Poeciliopsis* from northern Mexico (Cyprinodontiformes, Poeciliidae). *ZooKeys* (883): 91-118
- S. Garman (1895): The Cyprinodonts. *Mem. Mus. Comp. Zool.* (1): 1-179
- D. Gentzsch (1994): Bedeutung der Lebendgebärenden Zahnkarpfen und Ursachen des Aussterben von Arten. *DGLZ-Rundschau* (2): 33-34
- D. Gentzsch (2015): Alterhaltung gefährdeter Lebendgebärender Zahnkarpfen, dargestellt bei *Poeciliopsis occidentalis* und *P. sonoriensis*. *DGLZ-Rundschau* (2): 65-76
- A.R. Giese & P.W. Hedrick (2003): Genetic variation and resistance to a bacterial infection in the endangered Gila topminnow. *Animal Conservation* (6): 369-377
- C. Girard (1859): Ichthyological notices. *Proc. Acad. Nat. Sci. Phila.* (April): 113-122
- P.W. Hedrick & K.M. Parker (1998): MHC variation in the endangered gila topminnow. *Evolution* (1): 194-199
- P.W. Hedrick, R.N. Lee & C.R. Hurt (2006): The endangered Sonoran topminnow: Examination of species and ESUs using three mtDNA genes. *Conservation Genetics* (7): 483-492
- P.W. Hedrick, T.J. Kim & K.M. Parker (2001): Parasite resistance and genetic variation in the endangered Gila topminnow. *Animal Conservation* (4): 103-109
- D.A. Hendrickson et al. (1980): Fishes of the Río Yaqui Basin, México and United States. *Journal of the Arizona Academy of Science* (3): 65-106
- H. Hieronimus (2016): Die zweite Chance: Wiederansiedlung des Gilakärpfings *Poeciliopsis occidentalis* in Nordamerika. *DGLZ-Rundschau* (4): 145-151
- L.E. Hightower et al (1999): Heat shock responses of closely related species of tropical and desert fish. *Amer. Zool.* (39): 877-888
- C.L. Hubbs & R.R. Miller (1941): Studies of the fishes of the order Cyprinodontes XVII. Genera and species of the Colorado river system. *Occasional papers of the museum of zoology University of Michigan* (433): 1-9
- C.R. Hurt & P.W. Hedrick (2003): Initial stages of reproductive isolation in two species of the endangered Sonoran topminnow. *Evolution* (12): 2835-2841
- C.R. Hurt, M. Farzin & P.W. Hedrick (2005): Premating, not postmating, barriers drive genetic dynamics in experimental hybrid populations of the endangered Sonoran topminnow. *Genetics* (171): 655-662
- J.E. Johns & C. Hubbs (1989): Status and Conservation of Poeciliid Fishes. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 301-317
- J. Johnson (1991): Gefährdete lebendgebärende Fische des amerikanischen Südwesten. *DGLZ-Rundschau* (1): 9-11
- A. Kodric-Brown (1998): Sexual dichromatism and temporary color changes in the reproduction of fishes. *Amer. Zool.* (38): 70-81
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 289-302
- G.K. Meffe (1984): Density-dependent cannibalism in the endangered sonoran topminnow (*Poeciliopsis occidentalis*). *The Southwestern Naturalist* (4): 500-503
- G.K. Meffe (1992): Attempted chemical renovation of an Arizona springbrook for management of the endangered Sonoran topminnow. *Livebearers* (121): 21-32
- G.K. Meffe et al (1983): Factors resulting in decline of the endangered Sonoran topminnow *Poeciliopsis occidentalis* (Atheriniformes: Poeciliidae) in the United States. *Biological Conservation* (25): 135-159
- G.K. Meffe, A. Hendrickson & J.N. Rinne (1982): Description of a new topminnow population in Arizona, with observations on topminnow/mosquitofish co-occurrence. *The Southwestern Naturalist* (2): 226-228
- R.R. Miller (1962): Man and the changing fish fauna of the American Southwest. *Papers of the Michigan Academy of Science, Arts, and Letters* (46): 365-404
- W.L. Minckley (1999): Ecological review and management recommendations for recovery of the endangered topminnow. *Great Basin Naturalist* (3): 230-244
- W.S. Moore (1976): Components of fitness in the unisexual fish *Poeciliopsis monacha-occidentalis*. *Evolution* (3): 564-578
- W.S. Moore & F.E. McKay (1971): Coexistence in unisexual-bisexual species complexes of *Poeciliopsis* (Pisces: Poeciliidae). *Ecology* (5): 791-799
- K.M. Parker et al (1998): Isolation and characterization of microsatellite loci from the Gila topminnow (*Poeciliopsis o. occidentalis*) and their utility in guppies (*Poecilia reticulata*). *Molecular Ecology* (7): 357-363
- P.N. Pires et al (2011): Why do placentas evolve? An evaluation of the life-history facilitation hypothesis in the fish genus *Poeciliopsis*. *Functional Ecology* (25): 757-768
- J.M. Quattro et al (1992): An ancient clonal lineage in the fish genus *Poeciliopsis*. *Proc. Natl. Acad. Sci.* (89): 348-352
- S. Riese (2004): Die Lebendgebärenden der USA. *Das Lebendgebärenden Magazin* (2): 28-32
- R.J. Schultz (1961): Reproductive mechanism of unisexual and bisexual strains of the viviparous fish *Poeciliopsis*. *Evolution* (3): 302-325
- R.J. Schultz (1989): Origins and Relationships of Unisexual Poeciliids. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 69-87
- R. J. Sheffer, P.W. Hedrick & C. Shirley (1998): No bilateral asymmetry in wild-caught endangered *Poeciliopsis o. occidentalis* (Gila topminnows). *Heredity* (80): 214-217
- D. Speirs (1988): Livebearer taxonomy: a race between discovery and extinction. *Livebearers* (97): 6-8
- D.G. Spinella & R.C. Vrijenhoek (1982): Genetic dissection of clonally inherited genomes of *Poeciliopsis*. II. Investigation of a silent carboxylesterase allele. *Genetics* (100): 279-286
- R. Strauss (1990): Heterochronic variation in the developmental timing of cranial ossifications in Poeciliid fishes (Cyprinodontiformes). *Evolution* (6): 1558-1567
- R. Strauss (1994): Heterochronic variation in the developmental timing of cranial ossifications in Poeciliid fishes. *Livebearers* (137): 19-39
- U. Wagenknecht (2004): Die Dexter National Fish Hatchery - Eine Fisch-Arche im Süden der USA. *Das Lebendgebärenden Magazin* (1): 18-23
- J.D. Wetherington, R.A. Schenck & R.C. Vrijenhoek (1989): The Origins and Ecological Success of Unisexual *Poeciliopsis*: The Frozen Niche-Variation Model. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 259-276
- C.N. White, L.E. Hightower & R.J. Schultz (1994): Variation in heat-shock proteins among species of desert fishes (Poeciliidae, *Poeciliopsis*). *Mol. Biol. Evol.* (11): 106-119
- J.E. Williams & R.R. Miller (1990): Conservation status of the north American fish fauna in fresh water. *Journal of Fish Biology* (37): 79-85

***Poeciliopsis paucimaculata* Bussing, 1966**

- W.A. Bussing (1966): New species and new records of Costa Rican freshwater fishes with a tentative list of species. Rev. Biol. Trop (14(2)): 205-249
G. Dietrich (1992): Poeciliiden in Costa Rica. DGLZ-Rundschau (4): 82-84
J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop (1): 165-170
H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. DGLZ-Rundschau (3): 21-22
K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 1. Het Aquarium (3): 78-82
K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 4. Het Aquarium (6): 152-155

***Poeciliopsis pleurospilus* (Günther, 1866)**

- F.S. Álvarez, S. González-Murcia, C.D. McMahan & W.A. Matamoros (2021): Cyprinodontiform fishes of El Salvador. UNED Research Journal (1): 1-24
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
K. de Jong (2009): Het Poeciliopsis gracilis-complex en een nieuwe soort uit Costa Rica; Poeciliopsis santaelena Bussing 2008. Poecilia Nieuws (1): 16-20
K. Kunz (2013): Die Pfütze lebt!. DATZ (Dec): 8-10
W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. Zootaxa (2307): 1-38
A. Rachow (1941): Poecilistes pleurospilus (Günther). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cb): 643-644
S. Saroch (1980): Ein weniger bekannte Wildform. ZAG Lebendgebärende Zahnkarpfen (2-4): 35-35
N.S. Scrimshaw (1945): Development in Poeciliid fishes. Biological Bulletin (3): 233-246
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120

***Poeciliopsis presidionis* (Jordan, 1895)**

- H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. DGLZ-Rundschau (3): 21-22
H. Hieronimus (2019): Neues zur Matrotrophie einiger Lebendgebärender. DGLZ-Rundschau (3): 74-78
H. Hieronimus (2019): Neues zur Matrotrophie einiger Lebendgebärender. DGLZ-Rundschau (2): 74-77
C.L. Hubbs & R.R. Miller (1954): Studies of cyprinodont fishes. XXI. Glaridodon latidens, from Northwestern Mexico, redescribed and referred to Poeciliopsis. University of Michigan Museum of Zoology Miscellaneous Publications (39): 1-12
D.S. Jordan (1895): The fishes of Sinaloa. Proc. Calif. Acad. Sci (5): 377-514
M. Mateos (2005): Comparative phylogeography of livebearing fishes in the genera Poeciliopsis and Poecilia in central Mexico. Journal of Biogeography (32): 75-780
C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018
D.N. Reznick, M. Mateo & M. Springer (2002): Independent origins and rapid evolution of the placenta in fish genus Poeciliopsis. Science (5595): 1018-1020

***Poeciliopsis prolificula* Miller, 1960**

- A.I. Banet & D.N. Reznick (2008): Do placental species abort offspring? Testing an assumption of the Trexler-DeAngelis model. Functional Ecology (22): 323-331
A.I. Banet, A.G. Au & D.N. Reznick (2010): Is mom in charge? Implications of resource provisioning on the evolution of the placenta. Evolution (11): 3172-3182
G. Daul (1994): De soorten van het geslacht Poeciliopsis deel 1. Poecilia Nieuws (3): 46-50
N. Dokoupil (1989): Ein Kobold mit Charme - Poeciliopsis prolificula Miller, 1960. TI (92): 8-9
D. Gentzsch (1989): Die Gattung Poeciliopsis mit näheren Hinweisen zu Poeciliopsis prolificula. Aquarien Terrarien (9): 302-303
D. Gentzsch (1991): Superfötation beim Zwerg-Schmuckkäpfchen. DATZ (5): 288-290
M.W. Guernsey et al (2020): Molecular signatures of placentation and secretion uncovered in Poeciliopsis maternal follicles. Mol. Biol. Evol (9): 2679-2690
D.A. Hendrickson et al. (1980): Fishes of the Río Yaqui Basin, México and United States. Journal of the Arizona Academy of Science (3): 65-106
H. Hieronimus (2019): Neues zur Matrotrophie einiger Lebendgebärender. DGLZ-Rundschau (3): 74-78
S. de Jong (2018): Een kleine superfoetatieve levendbarende Poeciliopsis prolificula. Poecilia Nieuws (4): 21-24
B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. Poecilia Nieuws (4): 76-86
C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 289-302
G.K. Meffe & R.C. Vrijenhoek (1981): Starvation stress and intraovarian cannibalism in livebearers (Atheriniformes: Poeciliidae). Livebearers (120): 16-23
G.K. Meffe & R.C. Vrijenhoek (1981): Starvation stress and intraovarian cannibalism in livebearers. Copeia (3): 702-705
R.R. Miller (1960): Four new species of viviparous fishes, genus Poeciliopsis, from northwestern Mexico. Occasional papers of the museum of zoology University of Michigan (619): 1-11
C. Olivera-Tlahuel et al (2019): Placental structures and their association with matrotrophy and superfetation in poeciliid fishes. Acta Zool. (100): 167-181
M.J. O'Neill et al (2007): Ancient and continuing Darwinian selection on insulin-like growth factor II in placental fishes. Proc. Natl. Acad. Sci. (30): 12404-12409
P.N. Pires et al (2011): Why do placentas evolve? An evaluation of the life-history facilitation hypothesis in the fish genus Poeciliopsis. Functional Ecology (25): 757-768

- M.N. Pires, K.E. McBride & D.N. Reznick (2007): Interpopulation variation in life-history traits of *Poeciliopsis prolifica*: Implications for the study of placental evolution. *Journal of Experimental Biology* (307A): 113-125
D.N. Reznick, M. Mateo & M. Springer (2002): Independent origins and rapid evolution of the placenta in fish genus *Poeciliopsis*. *Science* (5595): 1018-1020
A.J. Roth-Monzón et al (2020): Beyond pairwise interactions: multispecies character displacement in Mexican freshwater fish communities. *The American Naturalist* (6): 1-14
M. Schrader & J. Travis (2008): Testing the viviparity-driven-conflict hypothesis: parent-offspring conflict and the evolution of reproductive isolation in a Poeciliid fish. *The American Naturalist* (6): 806-817
G. Streibel (1995): Platz ist wichtig für die erfolgreiche Zucht. *DGLZ-Rundschau* (2): 37-37
R.J. Thibault & R.J. Schultz (1978): Reproductive adaptations among viviparous fishes (Cyprinodontiformes: Poeciliidae). *Evolution* (2): 320-333
C.N. White, L.E. Hightower & R.J. Schultz (1994): Variation in heat-shock proteins among species of desert fishes (Poeciliidae, Poeciliopsis). *Mol. Biol. Evol* (11): 106-119

Poeciliopsis retropinna (Regan, 1908)

- E.H Behre (1928): A list of the fresh water fishes from western Panama between long. 81°45' and 83° 15' W. *Annals of the Carnegie Museum* (1): 305-328
D. Bork (1996): Costa Rica 1995 - Teil II. *DGLZ-Rundschau* (1): 4-8
G. Dietrich (1992): Poeciliiden in Costa Rica. *DGLZ-Rundschau* (4): 82-84
D. Gentzsch (1998): *Poeciliopsis retropinna* Erstmals lebend in Europa. *Das Aquarium* (347): 26-28
M.W. Guernsey et al (2020): Molecular signatures of placentation and secretion uncovered in *Poeciliopsis* maternal follicles. *Mol. Biol. Evol* (9): 2679-2690
A. Hagemayer et al (2020): Predation risk shapes the degree of placentation in natural populations of live-bearing fish. *Ecology Letters* (23): 831-840
A. Hagemayer, A.I. Furness & B.J.A. Pollux (2020): Parasite infestation influences life history but not boldness behavior in placental live-bearing fish. *Oecologia* (194): 635-648
J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. *Rev. Biol. Trop* (1): 165-170
S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. *Zoölogy*, Field museum of natural history (4): 215-359
K. de Jong & E. Meinenma (1994): De levendbarende tandkarpers van Costa Rica 1. *Het Aquarium* (3): 78-82
H. van Kruistum et al (2020): The genome of the livebearing fish species *Poeciliopsis retropinna* and *Poeciliopsis turrubarensis* reflect their different reproductive strategies. *Mol. Biol. Evol* (5): 1376-1386
A.C. Radda & H. Fritscher (1980): Poeciliiden-Studien im karibischen Raum. *Aquaria* (27): 77-88
C.T. Regan (1908): A collection of freshwater fishes made by mr. C. F. Underwood in Costa Rica. *Annals and Magazine of Natural History* (vol II): 455-464
C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. *Proc. Zool. Soc.* (): 977-1018

Poeciliopsis santaelena Bussing, 2008

- W.A. Bussing (2008): A new species of poeciliid fish, *Poeciliopsis santaelena*, from Peninsula Santa Elena, Área de Conservación Guanacaste, Costa Rica. *Rev. Biol. Trop* (2): 829-838
H. Hieronimus (2008): Ein neuer Lebendgebärender, *Poeciliopsis santaelena* Bussing, 2008. *DGLZ-Rundschau* (4): 79-80
K. de Jong (2009): Het *Poeciliopsis gracilis*-complex en een nieuwe soort uit Costa Rica; *Poeciliopsis santaelena* Bussing 2008. *Poecilia Nieuws* (1): 16-20
S. Riese (2009): Neu beschriebene Lebendgebärende im Jahr 2008. *Das Lebendgebärenden Magazin* (1): 14-14

Poeciliopsis scarlli Meyer, Riehl, Dawes & Dibble, 1985

- J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. *Anales del Instituto de Biología, Universidad Nacional* (2): 169-190
E. Meinenma (1986): Twee nieuwe Poeciliopsisoorten. *Poecilia Nieuws* (3): 49-52
M.K. Meyer, R. Riehl, J. Dawes & I. Dibble (1985): *Poeciliopsis scarlli* spec. nov., a new taxon from Michoacán, Mexico. *Rev. fr. Aquariol.* (12): 23-26
M.K. Meyer, R. Riehl, J. Dawes & I. Dibble (1986): *Poeciliopsis scarlli* spec. nov., a new taxon from Michoacán. *Rev. fr. Aquariol/DGLZ-Rundschau* (2): 7-10

Poeciliopsis sonoriensis (Girard, 1859)

- D.L. Galat & B. Robertson (1992): Response of endangered *Poeciliopsis occidentalis sonoriensis* in the Río Yaqui drainage, Arizona, to introduced *Gambusia affinis*. *Environmental Biology of Fishes* (33): 249-264
D. Gentzsch (2015): Alterhaltung gefährdeter Lebendgebärender Zahnkarpfen, dargestellt bei *Poeciliopsis occidentalis* und *P. sonoriensis*. *DGLZ-Rundschau* (2): 65-76
C. Girard (1859): Ichthyological notices. *Proc. Acad. Nat. Sci. Phila.* (April): 113-122
P.W. Hedrick, R.N. Lee & C.R. Hurt (2006): The endangered Sonoran topminnow: Examination of species and ESUs using three mtDNA genes. *Conservation Genetics* (7): 483-492
C.R. Hurt & P.W. Hedrick (2003): Initial stages of reproductive isolation in two species of the endangered Sonoran topminnow. *Evolution* (12): 2835-2841

Poeciliopsis turneri Miller, 1975

- F.S. Álvarez, S. González-Murcia, C.D. McMahan & W.A. Matamoros (2021): Cyprinodontiform fishes of El Salvador. *UNED Research Journal* (1): 1-24
D. Biggs (2008): Fishing adventures in the Purificación river. *Livebearer News* (23): 24-47
I. Dibble (2003): Mein Tagebuch der "Arche-Projekt"- Feldexkursion 2003. *DGLZ-Rundschau* (4): 86-97
M. Fleuren, J.L. van Leeuwen & B.J.A. Pollux (2019): Superfetation reduces the negative effects of pregnancy on the fast-start escape performance in live-bearing fish. *Proc. R. Soc. B.* (286): 1-9
M.W. Guernsey et al (2020): Molecular signatures of placentation and secretion uncovered in *Poeciliopsis* maternal follicles. *Mol. Biol. Evol* (9): 2679-2690

- K. de Jong (2001): Een interessante en fraaie vis uit het genus *Poeciliopsis* Regan, 1913, *Poeciliopsis turneri* Miller, 1975. *Poecilia Nieuws* (4): 59-65
- K. de Jong (2004): Ein interessanter und attraktiver Fisch aus der Gattung *Poeciliopsis* Regan, 1913, *Poeciliopsis turneri* Miller, 1975. *Das Lebendgebärenden Magazin* (3): 3-10
- K. de Jong (2006): Een interessante en fraaie vis uit het genus *Poeciliopsis* Regan, 1913. *Het Aquarium* (4): 136-139
- K. de Jong (2014): Mexico 2013, deel 3 Van Morelia naar Barra de Navidad en weer terug (1). *Poecilia Nieuws* (1): 11-17
- K. de Jong (2014): Mexico 2013, deel 4 en slot Van Morelia naar Barra de Navidad en terug (2). *Poecilia Nieuws* (2): 22-27
- K. de Jong (2014): Von Morelia bis Barra de Navidad. *Das Lebendgebärenden Magazin* (2): 18-25
- K. de Jong (2015): Mexiko 2013 Vierter und letzter Teil Von Barra de Navidad zurück nach Morelia. *Das Lebendgebärenden Magazin* (1): 20-27
- K. de Jong (2015): Een andere gevlekte soort uit het genus *Poeciliopsis*: *Poeciliopsis baenschi*. *Poecilia Nieuws* (5): 19-23
- K. de Jong (2021): *Poeciliopsis turneri* Miller, 1975. *Poecilia Nieuws* Atlas (): -
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. *Poecilia Nieuws* (4): 76-86
- D. Lambert (1996): The livebearer world: Success with some imminutive Mexicans. *Tropical Fish Hobbyist* (February): 96-98
- D. Lambert (1996): The livebearer world: back to Mexico. *Tropical Fish Hobbyist* (September): 166-169
- D. Lambert (1996): The search for Skiffia francesae The Aquarian Expedition 1996. *Tropical Fish Hobbyist* (November): 118-133
- J. Lyons (1997): Fishes from the land of the trucha de tierra caliente. *Freshwater & Marine Aquarium* (7): 127-136
- J. Lyons (2016): Adventures among the wild livebearers of Mexico: beginnings. *Livebearers* (233): 14-21
- J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. *Anales del Instituto de Biología, Universidad Nacional* (2): 169-190
- J. Lyons & S. Navarro-Perez (1990): Fishes of the Sierra de Manantlan, West-Central Mexico. *The Southwestern Naturalist* (1): 32-46
- J. Lyons et al (1995): Index of biotic integrity based on fish assemblage for the conservation of streams and rivers in West-Central Mexico. *Conservation Biology* (3): 569-584
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 289-302
- M. Mateos (2005): Comparative phylogeography of livebearing fishes in the genera *Poeciliopsis* and *Poecilia* in central Mexico. *Journal of Biogeography* (32): 75-780
- R.R. Miller (1975): Five new species of Mexican Poeciliid fishes of the genera *Poecilia*, *Gambusia* and *Poeciliopsis*. *Occasional papers of the museum of zoology University of Michigan* (672): 1-44
- L.E. Scott & J.B. Johnson (2010): Does sympatry predict life history and morphological diversification in the Mexican livebearing fish *Poeciliopsis baenschi*? *Biological Journal of the Linnean Society* (100): 608-618
- R.J. Thibault & R.J. Schultz (1978): Reproductive adaptations among viviparous fishes (Cyprinodontiformes: Poeciliidae). *Evolution* (2): 320-333
- J.J. Zúñiga-Vega, C. Macías-García & J.B. Johnson (2010): Hypotheses to explain the evolution of superfetation in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 241-254

Poeciliopsis turubarensis (Meek, 1912)

- D. Bork (1995): Costa Rica 1995 - Teil I. DGLZ-Rundschau (4): 76-80
- D. Bork (1996): Costa Rica 1995 - Teil II. DGLZ-Rundschau (1): 4-8
- J. Cabrera Peña & Y. Solano López (1995): Fertilidad y fecundidad en *Poeciliopsis turubarensis* (Pisces: Poeciliidae). *Rev. Biol. Trop.* (1-3): 317-320
- G.D. Constantz, W.A. Bussing & W.G. Saul (1981): Freshwater fishes of Corcovado National Park, Costa Rica. *Proc. Acad. Nat. Sci. Phila.* (133): 15-19
- G. Dietrich (1992): Poeciliiden in Costa Rica. *DGLZ-Rundschau* (4): 82-84
- C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. *ZooKeys* (708): 25-138
- C.H. Eigenmann (1912): Some results of an ichthyological reconnaissance of Colombia, South America. *Indiana Univ. Studies* (8): 1-27
- P. Frías-Alvarez & J.J. Zúñiga-Vega (2016): Superfetation in live-bearing fishes is not always the result of a morphological constraint. *Oecologia* (181): 645-658
- D. Fromm (1974): 1973 Coas-Fin features Costa Rica expedition. *Livebearers* (17): 2-9
- D. Gentzsch (1994): *Poecilia gilli* kam 1985 und *Poeciliopsis turubarensis* 1984 nach Leipzig. *DGLZ-Rundschau* (4): 80-81
- D. Gentzsch (1996): Der Vierstreifenkärpfling. *DATZ* (12): 774-776
- M.W. Guernsey et al (2020): Molecular signatures of placentation and secretion uncovered in *Poeciliopsis* maternal follicles. *Mol. Biol. Evol.* (9): 2679-2690
- A.W. Henn (1916): On various south American poeciliid fishes. *Annals of the Carnegie Museum* (): 93-145
- J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. *Rev. Biol. Trop.* (1): 165-170
- S.F. Hildebrand (1925): Fishes of the republic of El Salvador, central America. *Bull. Bur. Fisheries* (41): 237-287
- K. de Jong (1993): *Brachyrhaphis roseni* Bussing, 1988, een fraai gekleurde levendbarende tandkarper. *Poecilia Nieuws* (5): 128-137
- K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 1. *Het Aquarium* (3): 78-82
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. *Poecilia Nieuws* (4): 76-86
- H. van Kruistum et al (2020): The genome of the livebearing fish species *Poeciliopsis retrospinna* and *Poeciliopsis turubarensis* reflect their different reproductive strategies. *Mol. Biol. Evol.* (5): 1376-1386
- D. Lambert (0): The livebearer trail. *Viviparous* (15): 0-
- D. Lambert (1996): The search for Skiffia francesae The Aquarian Expedition 1996. *Tropical Fish Hobbyist* (November): 118-133
- J.A. Maldonado-Ocampo, R.P. Vari & J.S. Usma (2008): Checklist of the freshwater fishes of Columbia. *Biota Colombiana* (2): 143-237
- W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. *Zootaxa* (2307): 1-38

- S.E. Meek (1912): New species of fishes from Costa Rica. Publ. Field Museum of Nat. Hist. Chicago (7): 69-75
A. Rachow (1951): Poeciliopsis turubarensis (Meek). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cb): 824-825
D.N. Reznick, M. Mateo & M. Springer (2002): Independent origins and rapid evolution of the placenta in fish genus Poeciliopsis. Science (5595): 1018-1020
E. Velázquez-Velázquez et al (2008): Spatial and temporal variation of fish assemblages in a coastal lagoon of the biosphere reserve La Encrucijada, Chiapas, Mexico. Rev. Biol. Trop (2): 557-574
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
J. Villa (1982): Peces Nicaragüenses de Agua Dulce. Serie Geografía y Naturaleza (3): 125-136
B. Wiley & B. Collette (1970): Breeding tubercles and contact organs in fishes: their occurrence, structure, and significance. Bulletin American Museum of Natural History (143): 145-216
J.J. Zúñiga-Vega, C. Macías-Garcia & J.B. Johnson (2010): Hypotheses to explain the evolution of superfetation in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 241-254
J.J. Zúñiga-Vega, D.N. Reznick & J.B. Johnson (2007): Habitat predicts reproductive superfetation and body shape in the livebearing fish Poeciliopsis turubarensis. Oikos (116): 995-1005

Poeciliopsis viriosa Miller, 1960

- M. Mateos & R.C. Vrijenhoek (2002): Ancient versus reticulate origin of a hemiconal lineage. Evolution (2): 985-992
M. Mateos & R.C. Vrijenhoek (2005): Independent origins of allotriploidy in the fish genus Poeciliopsis. Journal of Heredity (1): 32-39
R.R. Miller (1960): Four new species of viviparous fishes, genus Poeciliopsis, from northwestern Mexico. Occasional papers of the museum of zoology University of Michigan (619): 1-11
C. Olivera-Tlahuel et al (2019): Placental structures and their association with matrotrophy and superfetation in poeciliid fishes. Acta Zool. (100): 167-181
A.C. Radda (1978): Ueber einige aquaristisch neue Poeciliiden aus Mittelamerika. Aquaria (25): 21-27
A.C. Radda (1982): Ueber einige aquaristisch neue Poeciliiden aus Mittelamerika. DGLZ-Rundschau (3): 42-48
A.C. Radda (1984): Studien an cyprinodonten Fischen in Mexiko. 2. Reisen 1982 und 1983. Aquaria (31): 24-32
A.J. Roth-Monzón et al (2020): Beyond pairwise interactions: multispecies character displacement in Mexican freshwater fish communities. The American Naturalist (6): 1-14
R.C. Vrijenhoek (1984): The evolution of clonal diversity in Poeciliopsis. in: Turner, Bruce J. Evolutionary Genetics of Fishes (): 399-430
R.C. Vrijenhoek & R.J. Schultz (1974): Evolution of a trihybrid unisexual fish (Poeciliopsis, Poeciliidae). Evolution (2): 306-319
C.N. White, L.E. Hightower & R.J. Schultz (1994): Variation in heat-shock proteins among species of desert fishes (Poeciliidae, Poeciliopsis). Mol. Biol. Evol (11): 106-119
B. Wiley & B. Collette (1970): Breeding tubercles and contact organs in fishes: their occurrence, structure, and significance. Bulletin American Museum of Natural History (143): 145-216

Priapella bonita (Meek, 1904)

- J. Alvarez (1948): Contribucion al conocimiento del genero Priapella y descripción de una nueva especie (Pisces, Poeciliidae). Rev. Soc. Mexicana Hist. Nat. (3-4): 331-340
D. Bork (1984): Die Gattung Priapella (Regan 1913). ZAG Lebendgebärende Zahnkarpfen (4): 2-4
S. Contreras-Baldaras et al (2003): Freshwater fish at risk or extinct in México. A checklist and review. Reviews in Fish Biology and Fisheries (12): 241-251
H. Hieronimus (1991): Priapella olmeca, ein neuer Lebendgebärender. DGLZ-Rundschau (1): 14-15
D. Hohl (1975): Ein Lebendgebärender mit Problemen? 1. Aquarien Terrarien (6): 188-189
P. Lambert (0): Aquarian endangered species expedition. Viviparous (21): 0-
D. Lambert (1995): The livebearer world Beautiful blue-eyes. Tropical Fish Hobbyist (4): 195-199
S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
M.K. Meyer & H.E. Pérez (1990): Priapella olmeca sp. n., a new species from Veracruz (Mexico). Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (12): 121-126
A. Rachow (1941): Priapella bonita (Meek). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 642-643
C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018
F.H. Stoye (1998): The fishes of the order Cyprinodontes Part 3. The livebearers. Livebearers (152): 23-31

Priapella chamulae Schartl, Meyer & Wilde, 2006

- H. Hieronimus (2006): Jenynsia tucumana und Priapella chamulae: Zwei neu beschriebene Lebendgebärende. DGLZ-Rundschau (3): 75-77
H. Hieronimus (2012): Interessantes über Priapella chamulae. DGLZ-Rundschau (2): 47-49
K. de Jong (2006): Priapella chamulae Schartl, Meyer & Wilde, 2006. Poecilia Nieuws (5): 14-15
R. Riesch et al (2012): Natural history, life history, and diet of Priapella chamulae Schartl, Meyer & De Wilde 2006 (Teleostei: Poeciliidae). Aqua (2): 95-102
F. Schäfer (2010): Priapella chamulae Schartl, Meyer & Wilde, 2006. Aquaristik Fachmagazin (4): 100-100
M. Schartl, M.K. Meyer & B. Wilde (2006): Description of Priapella chamulae sp.n. - a new poeciliid fish from upper río Grijalva system, Tabasco, Mexico. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (55): 59-67
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120

Priapella compressa Alvarez, 1948

- J. Alvarez (1948): Contribucion al conocimiento del genero Priapella y descripcion de una nueva especie (Pisces, Poeciliidae). Rev. Soc. Mexicana Hist. Nat. (3-4): 331-340
D. Bork (1984): Die Gattung Priapella (Regan 1913). ZAG Lebendgebärende Zahnkarpfen (4): 2-4
B. & R. Clarke (1985): Wild type of livebearers - community fish. Livebearers (80): 6-7
T. Contreras-MacBeath (2005): Analysis of the conservation of freshwater fish species in Mexico with Emphasis on viviparous species. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 401-414
U. Dost (1996): Blauaugenkärpfinge. DATZ (6): 356-359
U. Dost (2010): Livebearers unlimited Searching for Mexican blue eyes. Tropical Fish Hobbyist (November): 30-32
U. Dost (2011): Priapella compressa (Alvarez, 1948). Het Aquarium (11): 4-7
J. Graham (1985): Priapella compressa. Livebearers (81): 9-9
R.C. Griffiths (1992): Priapella compressa. Livebearers (122): 35-36
P. Hartman (1984): Priapella compressa. Livebearers (77): 10-11
D. Hohl (1975): Ein Lebendgebärender mit Problemen? 1. Aquarien Terrarien (6): 188-189
R.R. Hollander (1986): Microanalysis of scales in Poeciliid fishes. Copeia (1): 86-91
K. de Jong (2017): Priapella compressa Alvarez del Villar, 1948. Poecilia Nieuws Atlas (): -
B. Kabbes (1998): Vangreis naar Mexico 1997, conclusies en bevindingen. Poecilia Nieuws (5): 72-80
D. Lambert (0): Priapella compressa Alvarez, 1948. Viviparous (14): 0-
D. Lambert (0): The livebearer trail. Viviparous (15): 0-
D. Lambert (1995): The livebearer world Beautiful blue-eyes. Tropical Fish Hobbyist (4): 195-199
D. Lambert (1996): The beautiful blue-eyes. Poecilia Nieuws (5): 130-132
A. Meyer et al (1994): Recurrent origin of a sexually selected trait in Xiphophorus fishes inferred from a molecular phylogeny. Nature (368): 539-542
H. Mück (2011): Den Traum gelebt: Mexikorundreisde - Endziel Characodon-Habitate im zentralen Hochland von Durango. DGLZ-Rundschau (4): 91-108
T. Rehbeck & M.K. Meyer (1996): Die Gattung Priapella. DATZ (6): 360-361
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
L. Wischnath (1982): Op zoek naar Priapella compressa en Xiphophorus alvarezi. Het Aquarium (11): 313-315
L. Wischnath (1982): Naar Mexico, het land van de levendbarenen. TIH (29): 39-41
L. Wischnath (1983): Priapella, gadegeslagen in de vrije natuur. TIH (34): 9-11
L. Wischnath (1983): Trichocoronis rivularis, Gray. Een nieuwe aquariumplant. Het Aquarium (3): 76-78
L. Wischnath (1987): Het geslacht Priapella. Aquariumwereld (2): 40-42
L. Wischnath (2000): Levendbarende tandkarpers, een bont palet deel 2. Het Aquarium (9): 241-245

Priapella intermedia Alvarez, 1952

- J. Alvarez (1952): Cuatro especies nuevas de peces dulceacuicolas del sureste de Mexico. Ciencia (10-12): 281-289
C. Blistain (1994): Priapella intermedia. Aquarama (): 45-47
R. de Boer & T. Woeltjes (1986): Enkele levendbarende tandkarpers uit Mexico. Het Aquarium (9): 227-230
O. Böhm (1978): Erleben die Wildformen Lebendgebärender Zahnkarpfen einen neuen Frühling?. Aquarien Magazin (9): 432-436
D. Bork (1984): Die Gattung Priapella (Regan 1913). ZAG Lebendgebärende Zahnkarpfen (4): 2-4
U. Dost (1996): Blauaugenkärpfinge. DATZ (6): 356-359
U. Dost (2010): Livebearers unlimited Searching for Mexican blue eyes. Tropical Fish Hobbyist (November): 30-32
J. Ezeman (2007): Het vermeerderen van Priapella intermedia. Poecilia Nieuws (4): 9-11
F. Fröhlich (1974): Priapella intermedia - the "blue-eye". Livebearers (14): 3-3
R.C. Griffiths (1990): Priapella intermedia. Livebearers (109): 13-14
R.C. Griffiths (2000): Priapella intermedia. Livebearers (161): 7-8
R.C. Griffiths (2002): Priapella intermedia. Livebearer News (2): 38-39
K.-H. Hahnemann (1973): Priapella intermedia Erfahrungen bei der Zucht und Beobachtungen beim Paarungsverhalten. Aquarien Terrarien (6): 202-203
P. Hartman (1989): Additional notes on Priapella. Livebearers (104): 19-20
N. Hildén (1989): Gesucht-Gefunden Priapella intermedia. TI (96): 18-19
D. Hohl (1975): Ein Lebendgebärender mit Problemen? 1. Aquarien Terrarien (6): 188-189
D. Hohl (1975): Ein Lebendgebärender mit Problemen? 2. Aquarien Terrarien (7): 222-223
K. de Jong (1992): Priapella intermedia (Alvarez, 1952). Picasso onder water (): 0-

Livebearer Literature List 202201

- M. Kempkes (2010): Porträt *Priapella intermedia*. DATZ Aquarien-Praxis (6): 6-6
- J. Klungers (2006): Portretten van levendbarenden. *Priapella intermedia*. Het Aquarium (4): 111-111
- U. Krahnfeld (1979): *Priapella intermedia* - gut beobachtet. ZAG Lebendgebärende Zahnkarpfen (1): 29-30
- D. Kroll (1998): Tanzende Blauaugen. DGLZ-Rundschau (4): 75-80
- P. Lambert (0): Summary of breeding *Priapella intermedia*. Viviparous (3): 0-
- D. Lambert (1995): The livebearer world Beautiful blue-eyes. Tropical Fish Hobbyist (4): 195-199
- D. Lambert (1996): The beautiful blue-eyes. Poecilia Nieuws (5): 130-132
- H. Magnee (1988): *Priapella intermedia*, ervaringen bij de kweek. Poecilia Nieuws (2): 21-23
- P.J. Mellegers (1993): *Priapella intermedia*: de blauwoogjes. Poecilia Nieuws (4): 84-88
- P.J. Mellegers (1994): *Priapella*'s opnieuw bekeken. Poecilia Nieuws (6): 114-115
- A. Meyer et al (1994): Recurrent origin of a sexually selected trait in Xiphophorus fishes inferred from a molecular phylogeny. Nature (368): 539-542
- K. Neidert (1976): *Priapella intermedia*, het levendbarende lichtoogje. TTH (4): 23-23
- C. Olivera-Tlahuel et al (2019): Placental structures and their association with matrotrophy and superfetation in poeciliid fishes. Acta Zool. (100): 167-181
- H.-A. Pederzani (1966): *Priapella intermedia* alvarez. Aquarien Terrarien (6): 214-214
- T. Rehbeck & M.K. Meyer (1996): Die Gattung *Priapella*. DATZ (6): 360-361
- P. Scheffler (1979): Zeldzame ziekten bij *Priapella intermedia*. TTH (16): 43-43
- H. Schürer (1984): *Priapella intermedia* - Haltung und Zucht. ZAG Lebendgebärende Zahnkarpfen (4): 4-5
- H. Seliger (1985): Gleich dreimal *Priapella intermedia* im AM 4/84. ZAG Lebendgebärende Zahnkarpfen (3): 3-4
- G. Streibel (1993): *Priapella intermedia* ist empfindlich gegen höhere Temperaturen. DGLZ-Rundschau (2): 39-39
- G. Streibel (1994): *Priapella intermedia* gevoelig voor hogere temperaturen. Poecilia Nieuws (1): 19-20
- K. Tscherter (1975): *Priapella intermedia*. ZAG Lebendgebärende Zahnkarpfen (2): 5-5
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
- U. Vodel (1984): Zu Vermehrung von *Priapella intermedia*. ZAG Lebendgebärende Zahnkarpfen (4): 5-5
- H. Wendenburg (1980): Einige ergänzende Beobachtungen über *Priapella intermedia* (Alvarez 1952). ZAG Lebendgebärende Zahnkarpfen (1): 37-39
- H. Wilhelm (1969): Ein neuer lebendgebärender Zahnkarpfen: *Priapella intermedia*. Aquarien Terrarien (9): 292-294
- H. Wilhelm (1972): *Priapella intermedia* Een nieuwe levendbarende tandkarper. NGK mededelingen (dec): 5-8
- H. Wilhelm (1973): *Priapella intermedia* Een nieuwe levendbarende tandkarper (vervolg). NGK mededelingen (1): 16-18
- H. Wilhelm (1977): Een nieuwe levendbarende tandkarper *Priapella intermedia*. Het Aquarium (9): 234-236
- L. Wischnath (1981): Der Blauaugenkärpfing, *Priapella intermedia*, in der Natur beobachtet. Aquarien Terrarien (3): 95-97
- L. Wischnath (1982): Naar Mexico, het land van de levendbarenden. TTH (29): 39-41
- L. Wischnath (1983): *Priapella*, gadegeslagen in de vrije natuur. TTH (34): 9-11
- L. Wischnath (1987): Het geslacht *Priapella*. Aquariumwereld (2): 40-42
- L. Wischnath (1987): "Wilde Mexikaner". Aquarien Magazin (9): 347-350
- L. Wischnath (2000): Levendbarende tandkarpers, een bont palet deel 2. Het Aquarium (9): 241-245
- E. Zug (1978): Der *Priapella intermedia*. ZAG Lebendgebärende Zahnkarpfen (4): 28-29

Priapella lacandonae Meyer, Schories & Schartl, 2011

- M. Heußen (2011): Neue *Priapella*-Art beschrieben: *Priapella lacandonae* Meyer, Schories und Schartl 2011. Das Lebendgebärenden Magazin (2): 15-15
- H. Hieronimus (2011): Ein neuer Poeciliidae, *Priapella lacandonae*. DGLZ-Rundschau (3): 59-61
- K. de Jong (2012): Een nieuwe levendbarende tandkarper beschreven: *Priapella lacandonae* Meyer, Schories & Schartl, 2011. Poecilia Nieuws (2): 25-26
- M.K. Meyer, S. Schories & M. Schartl (2011): Description of *Priapella lacandonae* sp.n. - a new poeciliid fish from the río Tulijá basin, Grijalva system, Chiapas, Mexico (Teleostei: Cyprinodontiformes: Poeciliidae). Vertebrate Zoology (1): 91-97
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120

Priapella olmeca Meyer & Perez, 1990

- H. Auer (2004): Neues aus der Wissenschaft: Aspekte bei der Partnerwahl bei *Xiphophorus hellerii* und bei *Priapella olmecae*. DGLZ-Rundschau (4): 100-102
- A.L. Basolo (1995): Phylogenetic evidence for the role of a pre-existing bias in a sexual selection. Proc. R. Soc. Lond. (259): 307-311
- A.L. Basolo (1998): Evolutionary change in a receiver bias: a comparison of female preference functions. Proc. R. Soc. Lond. (265): 2223-2228
- A.L. Basolo (2002): Congruence between the sexes in preexisting receiver responses. Behavioral Ecology (6): 832-837
- A.L. Basolo & K.J. Delaney (2001): Male biases for male characteristics in females in *Priapella olmecae* and *Xiphophorus helleri*. Ethology (107): 431-438

- A. Bisazza, A. Grapputo & L. Nigro (1997): Evolution of reproductive strategies and male sexual ornaments in poeciliid fishes as inferred by mitochondrial 15 rRNA gene phylogeny. Ethology Ecology & Evolution (9): 55-67
- T. Contreras-MacBeath (2005): Analysis of the conservation of freshwater fish species in Mexico with Emphasis on viviparous species. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 401-414
- U. Dost (1996): Blauaugenkärpfinge. DATZ (6): 356-359
- U. Dost (2010): Livebearers unlimited Searching for Mexican blue eyes. Tropical Fish Hobbyist (November): 30-32
- H. Hieronimus (0): Ein neuer Lebendgebärender. DATZ (): 9-9
- H. Hieronimus (1991): Priapella olmecae, ein neuer Lebendgebärender. DGLZ-Rundschau (1): 14-15
- H. Hieronimus (1991): Priapella olmecae, a new livebearer. Livebearers (116): 12-14
- K. de Jong (1995): Nieuwe soorten in Nederland. Poecilia Nieuws (4): 80-80
- K. de Jong (1998): Una nova Priapella per l'acquario di comunità. Aquarium (I) (11): 34-39
- K. de Jong (1998): De fraaiste Priapella: Priapella olmecae Meyer & Perez, 1990. Poecilia Nieuws (3): 40-46
- K. de Jong (2001): De Olmeken-blauwoog Priapella olmecae. Het Aquarium (5): 146-149
- K. de Jong (2003): Der schönste Priapella: Priapella olmecae Meyer & Perez, 1990. Das Lebendgebärenden Magazin (2): 23-30
- K. de Jong (2006): Priapella olmecae Meyer & Pérez, 1990. Poecilia Nieuws (5): 9-13
- K. de Jong (2013): Levendbarende tandkarpers. Meer dan guppen, platy's en molly's. Houden van Vissen (4): 36-41
- K. de Jong (2017): Levendbarende tandkarpers. Meer dan guppen, platy's en molly's. Het Aquarium (2): 29-37
- H. van der Kooy (2009): De vrouwtjes zijn het mooist!. Poecilia Nieuws (1): 30-30
- D. Lambert (0): Look out there's a scientist about!! Viviparous (12): 0-0
- D. Lambert (1995): The livebearer world Beautiful blue-eyes. Tropical Fish Hobbyist (4): 195-199
- D. Lambert (1996): The beautiful blue-eyes. Poecilia Nieuws (5): 130-132
- D. Lambert (1997): The livebearer world. Tropical Fish Hobbyist (November): 128-132
- P.J. Mellegers (1994): Priapella's opnieuw bekeken. Poecilia Nieuws (6): 114-115
- M.K. Meyer & H.E. Pérez (1990): Priapella olmecae sp. n., a new species from Veracruz (Mexico). Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (12): 121-126
- A. Meyer et al (1994): Recurrent origin of a sexually selected trait in Xiphophorus fishes inferred from a molecular phylogeny. Nature (368): 539-542
- M.K. Meyer, S. Schories & M. Schartl (2011): Description of Priapella lacandonae sp.n. - a new poeciliid fish from the río Tulijá basin, Grijalva system, Chiapas, Mexico (Teleostei: Cyprinodontiformes: Poeciliidae). Vertebrate Zoology (1): 91-97
- T. Rehbeck & M.K. Meyer (1996): Die Gattung Priapella. DATZ (6): 360-361
- K. Urban (2011): Priapella olmecae, eine schöne Bescherung. Das Lebendgebärenden Magazin (1): 4-6
- K. Urban (2011): Zum verlieben - dei blauen Augen des Olmekenkärlings. DATZ (10): 64-69

Priapichthys annectens (Regan, 1907)

- E.P. Anderson et al (2006): Ecological consequences of hydropower development in central America: impacts of small dams and water diversion on neotropical stream fish assemblages. River Res. Appl. (22): 397-411
- A. Angulo et al (2017): Fishes from the Tirimbina biological reserve, La Virgen de Sarapiquí, Heredia, Costa Rica. Check List (5): 683-702
- E.H Behre (1928): A list of the fresh water fishes from western Panama between long. 81°45' and 83° 15' W. Annals of the Carnegie Museum (1): 305-328
- W.A. Bussing (1993): Fish communities and environmental characteristics of a tropical rain forest river in Costa Rica. Rev. Biol. Trop (3): 791-809
- W.A. Bussing & M.I. López S. (1977): Distribución y aspectos ecológicos de los peces de las cuencas hidrográficas de Arenal, Bebedero y Tempisque, Costa Rica. Rev. Biol. Trop (1): 13-37
- E. Derijst (1986): Herindeling Priapichthys, Pseudopoecilia, Heterandria en Pseudoxiphophorus. Poecilia Nieuws (4): 59-61
- U. Dost & Kathrin Seegers (1994): Lebengebärende aus Costa Rica. DATZ (8): 485-488
- U. Dost & Kathrin Seegers (1996): Priapichthys annectens Ein schönes Mitbringsel aus Costa Rica. Das Aquarium (Februar): 18-21
- R.A. Englund et al (1992): Asymmetric competition between distant taxa: poeciliid fishes and water striders. Oecologia (92): 498-502
- M. Espinoza Mendiola (2008): Sondeo ecológico rápido de las comunidades de peces tropicales
- V. Etzel (2011): Ergänzende Bemerkungen zur Verbreitung, zu Biotopen und zur Haltung von Priapichthys annectens (Regan, 1907) und Priapichthys puetzi Meyer & Etzel, 1996. DGLZ-Rundschau (2): 47-54
- D. Gentzsch (2010): Als Priapichthys puetzi bezeichnete Fische waren Priapichthys annectens. DGLZ-Rundschau (4): 110-112
- D. Gentzsch (2011): Waldschutzstreifen an Fließgewässern, eine effektive Möglichkeit zum Biotoperhalt. DGLZ-Rundschau (3): 63-69
- J. Golcher Benavides & M. Protti Quesada (2011): Fish species richness in lowland streams with a geothermal input phenomenon, Sarapiquí de Heredia, Costa Rica. ISRN Ecology (): 1-4
- J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop (1): 165-170
- S.F. Hildebrand (1930): Notes on a collection of fishes from Costa Rica. Copeia (1): 1-9
- C.L. Hubbs (1924): Studies of the fishes of the order Cyprinodontes. Miscellaneous Publications University of Michigan (13): 1-31
- C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
- C.L. Hubbs (1926): The structural consequences of modifications of the developmental rate in fishes, considered in reference to certain problems of evolution. The American Naturalist (666): 57-81
- K. de Jong (1994): Een minder bekende levendbarende tandkarper uit Costa Rica. Poecilia Nieuws (2): 27-35

- K. de Jong (2017): Priapichthys annectens (Regan, 1907). Poecilia Nieuws Atlas (): -
- K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 3. Het Aquarium (5): 129-132
- D. Lambert (0): Priapichthys annectens (Regan, 1907). Viviparous (6): 0-2
- P. Loiselle (1986): Results of the A.C.C.A. Costa Rica collecting trip: fishes from the Rio Sixaola. Livebearers (91): 9-15
- C.L. Lorion (2007): Effects of deforestation and riparian buffers on lotic communities in southeastern Costa Rica: implications for biodiversity conservation in tropical streams. PHD (): 1-128
- D. Macallister (2006): Priapichthys annectens. Livebearer News (13): 18-21
- S.E. Meek (1907): Notes on the fresh-water fishes from Mexico and central America. Field Columbian Museum - Zoology (5): 1-157
- E. Meinema (1993): Xenophallus umbratilis (Meek, 1912), goudklompjes van de Rijke Kust. Poecilia Nieuws (5): 115-120
- C.M. Pringle & A. Ramírez (1998): Use of both benthic and drift sampling techniques to assess tropical stream invertebrate communities along an altitudinal gradient, Costa Rica. Freshwater Biology (39): 359-373
- A.C. Radda (1985): Revision der Gattung Priapichthys Regan, 1913; sensu Rosen & Bailey (1963). Aquaria (32): 119-125
- A.C. Radda (1986): Revision der Gattung Priapichthys. DGLZ-Rundschau (1): 6-12
- A.C. Radda & H. Fritscher (1980): Poeciliiden-Studien im karibischen Raum. Aquaria (27): 77-88
- A.C. Radda & H. Fritscher (1985): Poeciliiden-Studien im karibischen Raum. DGLZ-Rundschau (4): 7-16
- C.T. Regan (1907): XXX. Descriptions of six new freshwater fishes from Mexico and Central America. Annals and Magazine of Natural History (XIX): 258-262
- C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018
- C.T. Regan (190608): Pisces. Biologia Centrali-Americana (): 1-203
- W. Schreitmüller (1934): Drei Neuimporte. Wochenschrift für Aquarien und Terrarienkunde (47): 737-739
- T. Schulz (1983): Priapichthys annectens. TI (64): 7-8
- G. Schütz (1984): Priapichthys annectens. TH (37): 7-8
- J.T. Wootton & M.P. Oemke (1992): Latitudinal differences in fish community trophic structure, and the role of fish herbivory in a Costa Rican stream. Environmental Biology of Fishes (35): 311-319

Priapichthys annectens hesperis Hubbs, 1924

- U. Dost & Kathrin Seegers (1996): Priapichthys annectens Ein schönes Mitbringsel aus Costa Rica. Das Aquarium (Februar): 18-21
- C.L. Hubbs (1924): Studies of the fishes of the order Cyprinodontes. Miscellaneous Publications University of Michigan (13): 1-31
- K. de Jong (1994): Een minder bekende levendbarende tandkarpers uit Costa Rica. Poecilia Nieuws (2): 27-35

Priapichthys puetzi Meyer & Etzel, 1996

- V. Etzel (2011): Ergänzende Bemerkungen zur Verbreitung, zu Biotopen und zur Haltung von Priapichthys annectens (Regan, 1907) und Priapichthys puetzi Meyer & Etzel, 1996. DGLZ-Rundschau (2): 47-54
- D. Gentzsch (2010): Als Priapichthys puetzi bezeichnete Fische waren Priapichthys annectens. DGLZ-Rundschau (4): 110-112
- H. Hieronimus (1997): Ein neuer Lebendgebärender Priapichthys puetzi. DGLZ-Rundschau (4): 81-81
- K. de Jong (1997): Ontwikkelingen in de genera Priapichthys Regan, 1913, Alloheterandria Hubbs, 1924, Diphyacantha Henn, 1916 en Pseudopoecilia Regan, 1913. Poecilia Nieuws (1): 7-9
- M.K. Meyer & V. Etzel (1996): Notes on the genus Priapichthys with description of P. puetzi spec. nov. from the Atlantic slope of northern Panama. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (49): 1-11

Pseudolimia heterandria (Regan, 1913)

- H. Breider (1935): Genetische Analyse von Artmerkmalen geographisch vikarierender Arten der Gattung Limia. Molecular and General Genetics MGG (1): 484-488
- W.J.E.M. Costa (1991): Description d'une nouvelle espèce du genre Pamphorichthys (Cyprinodontiformes: Poeciliidae) du bassin de l'Araguaia, Brésil. Revue française d'aquariologie herpetologie (18e année, no 2): 39-42
- D. Gentzsch & D. Bork (1994): Der Fünfpunktkärpfing Poecilia heterandria. DATZ (2): 82-84
- K. de Jong (1993): Het genus Pamphorichthys en de beschrijving van een nieuwe soort Pamphorichthys araguaiensis (Costa, 1991). Poecilia Nieuws (3): 63-70
- G.S. Myers (1935): An annotated list of the cyprinodont fishes of Hispaniola, with descriptions of two new species. Zoologica (3): 301-316
- F.N. Poeser (1996): Evolutie en classificatie van de levendbarende tandkarpers Deel 3. Poecilia Nieuws (2): 34-37
- F.N. Poeser (2000): Pamphorichthys heterandria (Regan, 1913), a Caribbean mystery Deel 3 Deel 3 "De kleinere Zuid Amerikaanse soorten van de Poeciliini: de (sub) genera Lebistes, Pamphorichthys, Micropoecilia en Allopoecilia". Poecilia Nieuws (1): 2-6
- F.N. Poeser (2001): De eerste indruk. Poecilia Nieuws (3): 47-51
- F.N. Poeser (2002): Pseudolimia n. gen., a new monotypic genus for Limia heterandria Regan, 1913. Beaufortia (6): 53-56
- F.N. Poeser (2004): De vissen van Venezuela, een veelzijdige fauna. Poecilia Nieuws (5): 19-21
- F.N. Poeser (2007): Ecologische scheiding van mannetjes en vrouwtjes in Pseudolimia heterandria. Poecilia Nieuws (2): 20-22
- A. Rachow (1925): Ueber Limia heterandria Regan und Fundulus chrysotus Holbrook. Wochenschrift für Aquarien und Terrarienkunde (37): 621-622
- A. Rachow (1940): Limia heterandria Regan. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 457-458
- C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018

Pseudopoecilia austrocolumbiana Radda, 1987

- C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. ZooKeys (708): 25-138
H. Hieronimus (1989): Neue Lebendgebärende. DATZ (1): 7-8
H. Hieronimus (2009): Zwei selten gepflegte Lebendgebärende: Pseudopoecilia austrocolumbia und Heterandria anzuetoi. DGLZ-Rundschau (2): 34-40
J.A. Maldonado-Ocampo, R.P. Vari & J.S. Usma (2008): Checklist of the freshwater fishes of Columbia. Biota Colombiana (2): 143-237
A.C. Radda (1987): Poeciliiden-Studien in Ecuador und Kolombien. Aquaria (34): 169-177
A.C. Radda (1988): Poeciliiden-Studien in Ecuador und Kolumbien. DGLZ-Rundschau (4): 4-12

Pseudopoecilia festae (Boulenger, 1898)

- O. Böhm (1985): Priapichthys festae - ein wenig bekannter Lebendgebärender Zahnkarpfen. DATZ (3): 100-101
G.A. Boulenger (1898): Viaggio del Dr. Enrico Festa nell'Ecuador e regioni vicine. Poissons de L'Equateur. Boll. Mus. Zool. Anat. Comp. Torino (319): 1-13
E. Derijst (1986): Herindeling Priapichthys, Pseudopoecilia, Heterandria en Pseudoxiphophorus. Poecilia Nieuws (4): 59-61
C. DoNascimento et al (2017): Checklist of the freshwater fishes of Colombia: a Darwin core alternative to the updating problem. ZooKeys (708): 25-138
C.H. Eigenmann (1921): The nature and origin of the fishes of the Pacific slope of Ecuador, Peru and Chili. Proceedings of the American Philosophical Society (4): 503-523
H. Flöthmann (2003): Erfahrungen mit Pseudopoecilia festae (Boulenger, 1898). DGLZ-Rundschau (3): 66-67
A.W. Henn (1916): On various south American poeciliid fishes. Annals of the Carnegie Museum (): 93-145
H. Hieronimus (2015): Arthur Wilbur Henn. DGLZ-Rundschau (2): 96-96
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
P. Jiménez-Prado, D. Rodriguez-Olarte & D. Taphorn (2020): Efectos de la especie invasora Poecilia gillii (Cyprinodontiformes: Poeciliidae) sobre Pseudopoecilia fria en ríos costeros de la región de Chocó, Ecuador. Rev. Biol. Trop (1): 122-138
K. de Jong (2014): Pseudopoecilia festae. Poecilia Nieuws (Special): 14-15
K. de Jong & H. van der Kooy (2017): Pseudopoecilia festae (Boulenger, 1898). Poecilia Nieuws Atlas (): -
H. van der Kooy (2014): Pseudopoecilia festae (Boulenger 1898). Das Lebendgebärenden Magazin (2): 5-6
H. van der Kooy (2014): Pseudopoecilia festae Boulenger (1898). Poecilia Nieuws (1): 27-30
C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 289-302
J.A. Maldonado-Ocampo, R.P. Vari & J.S. Usma (2008): Checklist of the freshwater fishes of Colombia. Biota Colombiana (2): 143-237
A.C. Radda (1977): Poeciliiden-Studien an der Costa von Peru und Ecuador. Aquaria (24): 175-183
A.C. Radda (1985): Revision der Gattung Priapichthys Regan, 1913; sensu Rosen & Bailey (1963). Aquaria (32): 119-125
A.C. Radda (1986): Revision der Gattung Priapichthys. DGLZ-Rundschau (1): 6-12
A.C. Radda (1987): Poeciliiden-Studien in Ecuador und Kolombien. Aquaria (34): 169-177
A.C. Radda (1988): Poeciliiden-Studien in Ecuador und Kolumbien. DGLZ-Rundschau (4): 4-12
C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. Proc. Zool. Soc. (): 977-1018
D. Reznick, H. Callahan & R. Llauredo (1996): Maternal effects on offspring quality in poeciliid fishes. American Zoologist (2): 147-156
E. Roloff (1973): Priapichthys fria. DATZ (9): 301-304

Pseudopoecilia panamensis (Meek & Hildebrand, 1916)

- D. Bork (1996): Costa Rica 1995 - Teil II. DGLZ-Rundschau (1): 4-8
D. Gentzsch (2015): Der Vierstreifenkärpfling Priapichthys panamensis - selten in Aquarien gehalten und problematisch bei der Bestanserhaltung. Das Lebendgebärenden Magazin (1): 16-19
J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop (1): 165-170
S.F. Hildebrand (1938): A new catalogue of the fresh-water fishes of Panama. Zoölogy, Field museum of natural history (4): 215-359
C.L. Hubbs (1926): Studies of the fishes of the order Cyprinodontes VI. Material for a revision of the American Genera and Species. Miscellaneous Publications University of Michigan (16): 1-86
S.E. Meek & S.F. Hildebrand (1916): The fishes of these fresh waters of Panama. Publ. Field Museum of Nat. Hist. Chicago (15): 217-374

Pseudoxiphophorus anzuetoi (Rosen, 1979)

- A. Agorreta et al (2013): Phylogenetic relationships and biogeography of Pseudoxiphophorus (Teleostei: Poeciliidae) based on mitochondrial and nuclear genes. Molecular Phylogenetics and Evolution (66): 80-90
F.S. Álvarez, H.M. Recinos & W.Y. Henriquez (2013): First record of Heterandria anzuetoi (Cyprinodontiformes: Poeciliidae) in El Salvador. Revista Mexicana de Biodiversidad (84): 1335-1337
F.S. Álvarez, S. González-Murcia, C.D. McMahan & W.A. Matamoros (2021): Cyprinodontiform fishes of El Salvador. UNED Research Journal (1): 1-24
M.D. Green, M.G.P. van Veller & D.R. Brooks (2002): Assessing modes of speciation: range asymmetry and biogeographical congruence. Cladistics (18): 112-124
H. Hieronimus (2009): Zwei selten gepflegte Lebendgebärende: Pseudopoecilia austrocolumbia und Heterandria anzuetoi. DGLZ-Rundschau (2): 34-40

- H. Hieronimus (2013): Rin in die Kartoffeln, raus aus die Kartoffeln - Nomenklatur bei Heterandria. DGLZ-Rundschau (2): 56-57
D. Hughes-Phillips (2008): Pseudoxiphophorus c.f. anzuetoi. Livebearer News (25): 38-42
W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. Zootaxa (2307): 1-38
D.E. Rosen (1979): Fishes from the uplands and intermontane basins of Guatemala: Revisionary Studies and Comparative Geography. Bulletin American Museum of Natural History (162): 268-375

***Pseudoxiphophorus attenuata* (Rosen, 1979)**

- A. Agorreta et al (2013): Phylogenetic relationships and biogeography of Pseudoxiphophorus (Teleostei: Poeciliidae) based on mitochondrial and nuclear genes. Molecular Phylogenetics and Evolution (66): 80-90
D.E. Rosen (1979): Fishes from the uplands and intermontane basins of Guatemala: Revisionary Studies and Comparative Geography. Bulletin American Museum of Natural History (162): 268-375
M.E. Valdez-Moreno, J. Pool-Canul & S. Contreras-Balderas (2005): A checklist of the freshwater ichthyofauna from El Petén and Alta Verapaz, Guatemala, with notes for its conservation and management. Zootaxa (1072): 43-60

***Pseudoxiphophorus bimaculatus* (Heckel, 1848)**

- A. Agorreta et al (2013): Phylogenetic relationships and biogeography of Pseudoxiphophorus (Teleostei: Poeciliidae) based on mitochondrial and nuclear genes. Molecular Phylogenetics and Evolution (66): 80-90
E. Bade (1918): Our American live-bearing tooth-carp. Aquatic Life (November): 29-30
A.L. Basolo (2002): Female discrimination against sworded males in a poeciliid fish. Anim. Behav. (63): 463-468
H. Belle (1910): Zur Ehrenrettung des Pseudoxiphophorus bimaculatus. Blätter für Aquarien- und Terrarienkunde (50): 818-819
O. Böhm (1980): Scolichthyni, eine neue Gruppe in der Familie Poeciliidae. DATZ (5): 151-153
M. Camacho-Cervantes et al (2019): Foraging behaviour of a native topminnow when shoaling with invaders. Aquatic Invasions (3): 490-501
T. Contreras-MacBeath, H. Mejía Mojica & R. Carillo Wilson (1998): Negative impact on the aquatic ecosystems of the state Morelos, Mexico from introduced aquarium and other commercial fish. Aquarium Sciences and Conservation (2): 67-78
F. Córdova-Tapia & L. Zambrano (2016): Fish functional groups in a tropical wetland of the Yucatan Peninsula, Mexico. Neotropical Ichthyology (2): 1-10
E. Derijst (1986): Herindeling Priapichthys, Pseudopoecilia, Heterandria en Pseudoxiphophorus. Poecilia Nieuws (4): 59-61
W. Ehnle (1910): Pseudoxiphophorus bimaculatus. Blätter für Aquarien- und Terrarienkunde (46): 787-788
P.C. Esselman & J.D. Allan (2010): Relative influences of catchment- and reach-scale abiotic factors on freshwater fish communities in rivers of northeastern Mesoamerica. Ecology of Freshwater Fish (19): 439-454
M.C. Finck (1910): Das Gesellschaftsleben der Zahnkarpfen. Blätter für Aquarien- und Terrarienkunde (49): 793-795
E. Funk (1910): Meine Pseudoxiphophorus bimaculata. Wochenschrift für Aquarien und Terrarienkunde (35): 485-486
A. García-Vásquez et al (2017): Triple trouble? Invasive poeciliid fishes carry the introduced tilapia pathogen Gyrodactylus cichlidarum in the Mexican highlands. Veterinary Parasitology (235): 37-40
D. Gentzsch (1985): Heterandria jonesi. Aquarien Terrarien (10): 346-348
G. Gerlach (1910): Pseudoxiphophorus bimaculatus. Blätter für Aquarien- und Terrarienkunde (3): 33-35
J.L. Gómez-Márquez et al (1999): Reproducción y crecimiento de Heterandria bimaculata (Cyprinodontiformes: Poeciliidae) en la Laguna "El Rodeo", Morelos, México. Rev. Biol. Trop. (3): 581-592
M.D. Green, M.G.P. van Veller & D.R. Brooks (2002): Assessing modes of speciation: range asymmetry and biogeographical congruence. Cladistics (18): 112-124
A. Groiche (2020): Neue Daten zu Pseudoxiphophorus. Das Lebendgebärenden Magazin (1): 22-24
P. Hartman (1984): Heterandria bimaculata. Livebearers (75): 3-3
P. Hartman (1984): Heterandria bimaculata. Livebearers (75): 3-3
J. Heckel (1848): Eine neue Gattung von Poecilien mit rochenartigem Anklammerungs-Organe. Sitzber. K. Akad. Wiss. Wien (1): 289-303
H. Hieronimus (1986): Mistaken beauty. Livebearers (89): 5-6
H. Hieronimus (1988): Elegante Räuber. TI (89): 10-12
H. Hieronimus (1995): Beobachtungen an Heterandria. DGLZ-Rundschau (2): 34-35
H. Hieronimus (2013): Rin in die Kartoffeln, raus aus die Kartoffeln - Nomenklatur bei Heterandria. DGLZ-Rundschau (2): 56-57
D. Hohl (2020): Zur aquaristischen Geschichte von Pseudoxiphophorus bimaculatus (Heckel, 1848). Das Lebendgebärenden Magazin (2): 32-36
C.L. Hubbs (1924): Studies of the fishes of the order Cyprinodontes. Miscellaneous Publications University of Michigan (13): 1-31
C.L. Hubbs (1935): Fresh-water fishes collected in British Honduras and Guatemala. University of Michigan Museum of Zoology Miscellaneous Publications (28): 1-22
C.L. Hubbs (1936): Fishes of the Yucatan peninsula. Carnegie Inst. Wash. Pub. (457): 157-287
K. de Jong (2017): Pseudoxiphophorus bimaculatus (Heckel, 1848). Poecilia Nieuws Atlas (): -
K. de Jong (2017): De wereldwijde opwarming en de gevolgen voor een goedeide. Poecilia Nieuws (2): 30-33
K. de Jong (2018): Klimatická změna a její dopad na gudeje. e-akvarium.cz (): 1-6
K. de Jong (2018): Die Erderwärmung und ihre Folgen für eine Goodeiden Art. Das Lebendgebärenden Magazin (1): 16-20
K. de Jong (2018): De wereldwijde opwarming en de gevolgen voor een goedeide. Het Aquarium (5): 28-35
K. de Jong (2019): De wereldwijde opwarming en de gevolgen voor een goedeide. Poecilia Nieuws (3): 18-24
S. Jordan & J.H. Preston (1984): Ein "wiederentdeckter" Mexikanischer Lebendgebärender. DGLZ-Rundschau (2): 24-27
D. Kaden (1988): Een vis voor specialisten. Het Aquarium (9): 222-223

- M. Kempkes (2016): Jalisco Eine Exkursion zu den Hochlandkäpflingen. DATZ (Oktober): 34-40
- J. Krake-Bein (1995): Zehn Jahre *Heterandria bimaculata*. DGLZ-Rundschau (2): 31-32
- D. Lambert (0): *Pseudoxiphophorus bimaculata*. Viviparous (8): 0-2
- W.F. Langer (1913): Beiträge zur Morphologie der viviparen Cyprinodonten. Gegenbaurs Morphologisches Jahrbuch. Zeitschrift für Anatomie und Entwicklungsgeschichte (1-2): 193-307
- J.K. Langhammer (1986): *Heterandria bimaculata taeniata* (Regan, 1905). Livebearers (85): 10-11
- K. Lazara (1979): Notes on livebearers. Livebearers (48): 22-23
- J.M. Lodewijks (1947): Een niet alledaags gezelschap. Het Aquarium (7): 97-99
- E. López-López et al. (2009): Spatial and seasonal distribution patterns of fish assemblages in the Río Champotón, southeastern Mexico. Reviews in Fish Biology and Fisheries (19): 127-142
- M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, México. The Southwestern Naturalist (2): 223-236
- J. Lyons (2017): Adventures among the wild livebearers of Mexico: part 4 the Yucatan Peninsula. Livebearers (236): 7-14
- J. Lyons (2019): Livebearers: good and bad. Livebearers (244/245): 13-16
- C.J. Marshall & J.K. Liebherr (2000): Cladistic biogeography of the Mexican transition zone. Journal of Biogeography (27): 203-216
- E. Martínez Ramírez et al (2010): Viviparous fishes from Oaxacan area of the biosphere reserver Tehuacán-Cuicatlán. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 437-441
- W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. Zootaxa (2307): 1-38
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- E. Meinema (1990): *Pseudoxiphophorus bimaculatus* (Heckel, 1848). Poecilia Nieuws (5): 74-78
- H.H. Mejía-Madrid et al. (2015): Relationship between environmental and geographic factors and the distribution of exotic fishes in tributaries of the Balsas river basin, Mexico. Environmental Biology of Fishes (98): 611-621
- M.K. Meyer (1981): *Heterandria* - een zeldzaam geslacht in het aquarium. TTH (27): 16-17
- N. Miller (1907): The fishes of the Motagua River, Guatemala. Bulletin American Museum of Natural History (23): 95-123
- R.R. Miller (1974): Mexican species of the genus *Heterandria*. Subgenus *Pseudoxiphophorus*. San Diego Soc. Nat. Hist. (17): 235-250
- R. Moncayo-Estrada et al. (2014): Status and trends in biotic integrity in a sub-tropical river drainage: analysis of the fish assemblage over a three decade period. River Res. Appl. (): -
- A. Morales-Cazan & J.S. Albert (2012): Monophyly of *Heterandriini* (Teleostei: Poeciliidae) revisited: a critical review of the data. Neotropical Ichthyology (1): 19-44
- H. Mück (2003): Kleine Mexikoreise nach Veracruz. DGLZ-Rundschau (4): 81-85
- H. Mück (2011): Den Traum gelebt: Mexikorundreisde - Endziel Characodon-Habitate im zentralen Hochland von Durango. DGLZ-Rundschau (4): 91-108
- K. Müller (1925): Etwas vom *Pseudoxiphophorus bimaculatus* Heckel (*Gambusia bimaculata*). Wochenschrift für Aquarien und Terrarienkunde (3): 34-35
- W. Noack (1980): Op zoek naar nieuwe vissoorten. TTH (23): 28-29
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- C.T. Olinger, B.K. Peoples & E.A. Frimpong (2016): Reproductive life history of *Heterandria bimaculata* (Heckel, 1848) (Poeciliinae: Poeciliidae) in the Honduran interior highlands: trait variation along an elevational gradient. Neotropical Ichthyology (1): 1-10
- C. Olivera-Tlahuel et al (2019): Placental structures and their association with matrotrophy and superfetation in poeciliid fishes. Acta Zool. (100): 167-181
- A. Rachow (1940): *Pseudoxiphophorus bimaculatus* (Heckel). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 538-541
- A.C. Radda (1978): Ueber einige aquaristisch neue Poeciliiden aus Mittelamerika. Aquaria (25): 21-27
- A.C. Radda (1982): Ueber einige aquaristisch neue Poeciliiden aus Mittelamerika. DGLZ-Rundschau (3): 42-48
- A.C. Radda (1985): Revalidisierung der Gattung *Pseudoxiphophorus* Bleeker 1860. Aquaria (32): 126-129
- A.C. Radda (1986): Revalidisierung der Gattung *Pseudoxiphophorus* Bleeker, 1860. DGLZ-Rundschau (1): 13-15
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
- E. Ramírez Carrillo & C. Macías-García (2015): Limited options for native goodeid fish simultaneously confronted to climate change and biological invasions. Biol Invasions (17): 245-256
- A. Ramírez-García et al (2017): Reproductive biology of the invasive species *Pseudoxiphophorus bimaculatus* and *Poecilia sphenops* in the Teuchitlán river, México. J. Appl. Ichthyol. (): 1-10
- C.T. Regan (1904): XXX. Descriptions of new or little known fishes from Mexico and British Honduras. Annals and Magazine of Natural History (13): 255-259
- T. Rehbeck (1995): Meine Erfahrungen mit *Heterandria bimaculata* und *H. jonesi*. DGLZ-Rundschau (2): 33-33
- E. Ringel (1911): Unsere Lebendgebärenden. (Forsetzung). Wochenschrift für Aquarien und Terrarienkunde (): 258-260
- R. Rodiles-Hernández, E. Diaz-Pardo & J. Lyons (1999): Patterns in the species diversity and composition of the fish community of the Lacanja River, Chiapas, Mexico. Journal of Freshwater Ecology (4): 455-468
- Z. Rodríguez Álvarez et al (2010): Current status of the viviparous fish species in the Cuitzeo basin of Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 472-475
- G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. Das Lebendgebärenden Magazin (2): 8-23
- D.E. Rosen (1979): Fishes from the uplands and intermontane basins of Guatemala: Revisionary Studies and Comparative Geography. Bulletin American Museum of Natural History (162): 268-375
- C. van de Sande (1987): Een verzamelreis naar Guatemala II. Poecilia Nieuws (3): 46-48
- J.J. Schmitter-Soto (1999): Distribution of continental fishes in northern Quintana Roo, Mexico. The Southwestern Naturalist (2): 166-172
- F. Steindachner (1863): Beiträge zur Kenntnis der Sciaenoiden Brasiliens und der Cyprinodonten Mejicos. Sitzber. Der math.-naturw. Classe der K. Akad. d. Wiss. (48): 17-23
- F.H. Stoye (1998): The fishes of the order Cyprinodontes Part 3. The livebearers. Livebearers (152): 23-31
- D.S. Taylor & W.P. Davis (0): Bonanza in Belize. DATZ (): 317-319

- P. Trujillo-Jiménez & H. Toledo Beto (2007): Alimentación de los peces dulceacuícolas tropicales *Heterandria bimaculata* y *Poecilia sphenops* (Cyprinodontiformes: Poeciliidae). Rev. Biol. Trop (2): 603-615
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
M. Vetter (1982): Bericht über meine Haltung von *Heterandria bimaculata*. DGLZ-Rundschau (4): 66-66
J. Villa (1982): Peces Nicaragüenses de Agua Dulce. Serie Geografía y Naturaleza (3): 125-136
L. Wischnath (0): Le Rio Atoyac au Mexique, le berceau de raretés aquariophiles. Aquarama (): 11-15
Dr. E.J. Zimmermann (1909): *Pseudoxiphophorus bimaculatus*. Wochenschrift für Aquarien und Terrarienkunde (35): 473-474

Pseudoxiphophorus cataractae (Rosen, 1979)

- A. Agorreta et al (2013): Phylogenetic relationships and biogeography of *Pseudoxiphophorus* (Teleostei: Poeciliidae) based on mitochondrial and nuclear genes. Molecular Phylogenetics and Evolution (66): 80-90
A. Groiche (2020): Neue Daten zu *Pseudoxiphophorus*. Das Lebendgebärenden Magazin (1): 22-24
D.E. Rosen (1979): Fishes from the uplands and intermontane basins of Guatemala: Revisionary Studies and Comparative Geography. Bulletin American Museum of Natural History (162): 268-375
M.E. Valdez-Moreno, J. Pool-Canul & S. Contreras-Balderas (2005): A checklist of the freshwater ichthyofauna from El Petén and Alta Verapaz, Guatemala, with notes for its conservation and management. Zootaxa (1072): 43-60

Pseudoxiphophorus diremptus (Rosen, 1979)

- A. Agorreta et al (2013): Phylogenetic relationships and biogeography of *Pseudoxiphophorus* (Teleostei: Poeciliidae) based on mitochondrial and nuclear genes. Molecular Phylogenetics and Evolution (66): 80-90
A. Groiche (2020): Neue Daten zu *Pseudoxiphophorus*. Das Lebendgebärenden Magazin (1): 22-24
D.E. Rosen (1979): Fishes from the uplands and intermontane basins of Guatemala: Revisionary Studies and Comparative Geography. Bulletin American Museum of Natural History (162): 268-375
M.E. Valdez-Moreno, J. Pool-Canul & S. Contreras-Balderas (2005): A checklist of the freshwater ichthyofauna from El Petén and Alta Verapaz, Guatemala, with notes for its conservation and management. Zootaxa (1072): 43-60

Pseudoxiphophorus jonesii (Günther, 1874)

- A. Agorreta et al (2013): Phylogenetic relationships and biogeography of *Pseudoxiphophorus* (Teleostei: Poeciliidae) based on mitochondrial and nuclear genes. Molecular Phylogenetics and Evolution (66): 80-90
K. Chen & R.L. Borowsky (2004): Comparative phylogeography of *Xiphophorus variatus* and *Heterandria jonesi* using RAPD data. Ichthyol. Explor. Freshwaters (1): 25-40
M. de L. García-López et al (2016): Endohelminths of some species of fishes from Lake Xochimilco, Mexico. Revista Mexicana de Biodiversidad (87): 1360-1364
D. Gentzsch (1985): *Heterandria jonesi*. Aquarien Terrarien (10): 346-348
D. Gentzsch (1987): Zum Wurfrhythmus bei Lebendgebärenden Zahnkarpfen. Aquarien Terrarien (11): 378-380
M.D. Green, M.G.P. van Veller & D.R. Brooks (2002): Assessing modes of speciation: range asymmetry and biogeographical congruence. Cladistics (18): 112-124
A. Groiche (2020): Neue Daten zu *Pseudoxiphophorus*. Das Lebendgebärenden Magazin (1): 22-24
A. Günther (1874): Descriptions of new species of fishes in the British Museum. Annals and Magazine of Natural History (14): 368-371
H. Hieronimus (1988): Elegante Räuber. TI (89): 10-12
K. de Jong (1988): *Xiphophorus andersi*, met uitsterven bedreigd; het Atoyac zwaardplaatje. Poecilia Nieuws (2): 25-26
B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. Poecilia Nieuws (4): 76-86
D. Lambert (0): *Pseudoxiphophorus jonesii*. Viviparous (38): 0-
C.J. Marshall & J.K. Liebherr (2000): Cladistic biogeography of the Mexican transition zone. Journal of Biogeography (27): 203-216
M.K. Meyer (1981): *Heterandria* - een zeldzaam geslacht in het aquarium. TTH (27): 16-17
M.K. Meyer (1986): Lebendgebärende Aquarienfische vom Rio Axtla in Mexiko. DATZ (2): 61-64
M.K. Meyer (1986): Levendbarende tandkarpers van de Rio Coy in Mexico. TTH (46): 6-9
R.R. Miller (1974): Mexican species of the genus *Heterandria*. Subgenus *Pseudoxiphophorus*. San Diego Soc. Nat. Hist. (17): 235-250
W. Noack (1982): Ein verkannter Beifang zum X. andersi von Rio Atoyac. *Heterandria bimaculata jonesii*. DGLZ-Rundschau (1): 4-7
A.C. Radda (1985): Studien an cyprinodonten Fischen in Mexiko 5. Die Tribus *Heterandriini*. Aquaria (32): 81-92
A.C. Radda (1985): Revalidierung der Gattung *Pseudoxiphophorus* Bleeker 1860. Aquaria (32): 126-129
A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
C.T. Regan (190608): Pisces. Biologia Centrali-Americanana (): 1-203
T. Rehbeck (1995): Meine Erfahrungen mit *Heterandria bimaculata* und *H. jonesii*. DGLZ-Rundschau (2): 33-33
D.E. Rosen (1979): Fishes from the uplands and intermontane basins of Guatemala: Revisionary Studies and Comparative Geography. Bulletin American Museum of Natural History (162): 268-375
L. Wischnath (0): Le Rio Atoyac au Mexique, le berceau de raretés aquariophiles. Aquarama (): 11-15
L. Wischnath (1987): "Wilde Mexikaner". Aquarien Magazin (9): 347-350

Pseudoxiphophorus litoperas (Rosen, 1979)

- A. Agorreta et al (2013): Phylogenetic relationships and biogeography of Pseudoxiphophorus (Teleostei: Poeciliidae) based on mitochondrial and nuclear genes. *Molecular Phylogenetics and Evolution* (66): 80-90
A. Groiche (2020): Neue Daten zu Pseudoxiphophorus. *Das Lebendgebärenden Magazin* (1): 22-24
D.E. Rosen (1979): Fishes from the uplands and intermontane basins of Guatemala: Revisionary Studies and Comparative Geography. *Bulletin American Museum of Natural History* (162): 268-375
M.E. Valdez-Moreno, J. Pool-Canul & S. Contreras-Balderas (2005): A checklist of the freshwater ichthyofauna from El Petén and Alta Verapaz, Guatemala, with notes for its conservation and management. *Zootaxa* (1072): 43-60

Pseudoxiphophorus obliquus (Rosen, 1979)

- A. Agorreta et al (2013): Phylogenetic relationships and biogeography of Pseudoxiphophorus (Teleostei: Poeciliidae) based on mitochondrial and nuclear genes. *Molecular Phylogenetics and Evolution* (66): 80-90
A. Groiche (2020): Neue Daten zu Pseudoxiphophorus. *Das Lebendgebärenden Magazin* (1): 22-24
D.E. Rosen (1979): Fishes from the uplands and intermontane basins of Guatemala: Revisionary Studies and Comparative Geography. *Bulletin American Museum of Natural History* (162): 268-375
M.E. Valdez-Moreno, J. Pool-Canul & S. Contreras-Balderas (2005): A checklist of the freshwater ichthyofauna from El Petén and Alta Verapaz, Guatemala, with notes for its conservation and management. *Zootaxa* (1072): 43-60

Pseudoxiphophorus tuxtlaensis (McEachran & DeWitt, 2008)

- A. Agorreta et al (2013): Phylogenetic relationships and biogeography of Pseudoxiphophorus (Teleostei: Poeciliidae) based on mitochondrial and nuclear genes. *Molecular Phylogenetics and Evolution* (66): 80-90
H. Hieronimus (2008): Neues vom Catemaco - Heterandria tuxtlaensis als neuer endemischer Poeciliide. *DGLZ-Rundschau* (3): 55-57
K. de Jong (2008): Heterandria tuxtlaensis. Levendbarende tandkarpfen uit het Catemaco meer, beschreven. *Poecilia Nieuws* (4): 17-18
J.D. McEachran & T.J. DeWitt (2008): A new livebearing fish, Heterandria tuxtlaensis, from Lake Catemaco, Veracruz, Mexico. *Zootaxa* (1824): 45-54
J.D. McEachran & T.J. DeWitt (2008): Heterandria tuxtlaensis. *Livebearer News* (23): 13-15
S. Riese (2009): Neu beschriebene Lebendgebärende im Jahr 2008. *Das Lebendgebärenden Magazin* (1): 14-14

Quintana atrizona Hubbs, 1934

- V. Baruš et al (1994): Checklist, taxonomical notes and biogeography on freshwater fishes from Isla de la Juventud (Cuba). *Folia Zoologica* (2): 177-187
V. Baruš, J. Libosvarsky & F. Guerra Padron (1981): Observations on Quintana atrizona from Cuba, reared in aquaria. *Folia Zoologica* (3): 203-214
D. Bork (1983): Der Glaskärpfeling, Quintana atrizona - ein langgesuchter lebendgebärender Zahnkarpfen. *Aquarien Terrarien* (10): 341-342
D. Bork (1990): Noch einige Bemerkungen zum Beitrag über Quintana atrizona Hubbs, 1934 im ZAG LZ AM 88/2. ZAG Lebendgebärende Zahnkarpfen (1): 11-12
U. Dost (1994): Sommerurlaub für die Fische. *Das Aquarium* (Juni): 4-6
U. Dost (1997): Vom Aussterben bedroht: Glaskärpfelinge. *DATZ* (6): 384-385
U. Dost (1997): Vom aussterben bedroht: Glaskärpfelinge. *DATZ* (6): 384-385
D. Gentzsch (1987): Zum Wurfrhythmus bei Lebendgebärenden Zahnkarpfen. *Aquarien Terrarien* (11): 378-380
P. Hartman (2018): Musings from an old fella. Here today - gone tomorrow. *Livebearers* (240): 23-24
J.C. Hopgood (0): The history and care of Quintana atrizona. *Viviparous* (45): 0
J.C. Hopgood (1988): The history and care of Quintana atrizona. *Livebearers* (101): 17-20
R. Hoving en C.M. de Jong (1996): Het glastandkarpetje Quintana atrizona Hubbs, 1924. *Poecilia Nieuws* (5): 125-129
R. Hoving en C.M. de Jong (1999): Der Glaskärpfeling. *DATZ* (6): 14-16
R. Hoving en C.M. de Jong (1999): Het glastandkarpetje Quintana atrizona Hubbs, 1934. *Het Aquarium* (5): 160-163
C.L. Hubbs (1934): Studies of the fishes of the order cyprinodontes. XIII Quintana atrizona a new Poeciliid. *Occasional papers of the museum of zoology University of Michigan* (301): 1-8
C.L. Hubbs (1984): Quintana atrizona The new Cuban livebearer. *Livebearers* (76): 12-13
K. de Jong (1990): Quintana atrizona. *Het Aquarium* (8): 198-198
K. de Jong (1995): Quintana atrizona bedreigd. *Poecilia Nieuws* (1): 20-20
K. de Jong (2005): Quintana atrizona Hubbs, 1934. *Poecilia Nieuws* (2): 5-7
K. de Jong (2014): Quintana atrizona. *Poecilia Nieuws* (Special): 15-15
K. de Jong (2020): Quintana atrizona Hubbs, 1934. *Poecilia Nieuws* (0): -
B. Kaubisch (2014): Wer lesen kann, ist eindeutig im Vorteil!. *Das Lebendgebärenden Magazin* (1): 21-21
M. Kempkes (2006): Die Lebendgebärenden Zahnkarpfen Kubas. *Aquaristik Fachmagazin* (2): 10-14
A. Lara et al. (2010): DNA barcoding of Cuban freshwater fishes: evidence for cryptic species and taxonomic conflicts. *Molecular and Ecology Resources* (10): 421-430
D.S. Lee, S.P. Platania & G.H. Burgess (1983): Atlas of North American freshwater fishes 1983 supplement. *North Carolina Biological Survey Contribution* (6): 1-67
J.L. Ponce de León & R. Rodríguez, (2010): Ecology of Cuban species of the family Poeciliidae (Teleostei: Cyprinodontiformes). In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 357-374
J.L. Ponce de León García & R.R. Silva (2010): Peces cubanos de la familia Poeciliidae. Editorial Academia La Habana (): 1-38
J.L. Ponce de León, R. Rodríguez, M. Acosta & M.C. Uribe (2011): Egg size and its relationship with fecundity, newborn length and female size in Cuban poeciliid fishes (Teleostei: Cyprinodontiformes). *Ecology of Freshwater Fish* (20): 243-250

- A. Rachow (1937): Quintana atrizona C.L. Hubbs. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Ca): 182-183
A.C. Radda & M.K. Meyer (1989): Studien an cyprinodonten Fischen in Kuba. DGLZ-Rundschau (2): 4-18
D.E. Rosen & R.M. Bailey (1959): Middle-American Poeciliid Fishes of the Genera Carlhubbsia and Phallichthys, with Descriptions of Two New Species. Zoologica (44): 1-50
S. Schröder (1988): Quintana atrizona - der Glaskärpfchen. ZAG Lebendgebärende Zahnkarpfen (2): 4-5
F.H. Stoye (1998): The fishes of the order Cyprinodontes Part 3. The livebearers. Livebearers (152): 23-31
C.L. Turner (1937): Reproductive cycles and superfetation in Poeciliid fishes. Biological Bulletin (2): 145-164
J. Vente (1956): De bandvinkarper (quintana atrizona). NGK mededelingen (Jubileumboek): 18-18

Scolichthys greenwayi Rosen, 1967

- O. Böhm (1980): Scolichthyini, eine neue Gruppe in der Familie Poecilidae. DATZ (5): 151-153
D. Hughes-Phillips (2010): Guatemala trip 2007. Livebearers (209): 28-41
D. Hughes-Phillips (2010): Guatemala trip 2007. Livebearer News (30): 11-32
K. Jacobs (1979): Klein, hübsch und selten: Scolichthys greenwayi und iota. Aquarien Magazin (7): 353-353
K. de Jong (1995): Bekend en onbekend, het genus Scolichthys. Poecilia Nieuws (5): 92-97
K. de Jong (2019): Scolichthys greenwayi Rosen, 1967. Poecilia Nieuws Atlas (): -
D. & D. King (1997): Keeping and breeding Scolichthys greenwayi. Livebearers (146): 10-10
D. Lambert (0): Scolichthys greenwayi. Viviparous (3): 0-
E. Meinema (1988): Een sierlijk tandkarpetje uit Guatemala. Het Aquarium (9): 231-232
M.K. Meyer (2011): Lebendgebärende aus Guatemala: Die Gattung Scolichthys. Das Lebendgebärenden Magazin (2): 16-20
A.C. Radda & E. Schlosser (1979): Poeciliiden-Studien in Guatemala. Aquaria (26): 21-30
D.E. Rosen (1967): New Poeciliid fishes from Guatemala, with comments on the origins of some South and Central American forms. American Museum Novitates (2303): 1-15
M.E. Valdez-Moreno, J. Pool-Canul & S. Contreras-Balderas (2005): A checklist of the freshwater ichthyofauna from El Petén and Alta Verapaz, Guatemala, with notes for its conservation and management. Zootaxa (1072): 43-60
W. Voigt (1994): Scolichthys greenwayi Rosen, 1967, ein kaum bekannter Lebendgebärender. DGLZ-Rundschau (2): 31-32

Scolichthys iota Rosen, 1967

- J.J. de Greef (1995): Xenodexia ctenolepis Hubbs, 1950, een enigma onder de Poeciliidae. Poecilia Nieuws (1): 11-18
K. Jacobs (1979): Klein, hübsch und selten: Scolichthys greenwayi und iota. Aquarien Magazin (7): 353-353
K. de Jong (1995): Bekend en onbekend, het genus Scolichthys. Poecilia Nieuws (5): 92-97
K. de Jong (2014): Scolichthys iota. Poecilia Nieuws (Special): 16-16
K. de Jong (2018): Een zeldzaam levendbarend tandkarpetje Scolichthys iota Rosen, 1967. Poecilia Nieuws (2): 9-13
K. de Jong (2019): Een zeldzaam levendbarend tandkarpetje, Scolichthys iota Rosen, 1967. Het Aquarium (1): 48-53
K. de Jong (2019): Scolichthys iota Rosen, 1967. e-akvarium.cz (43): 1-4
K. de Jong (2019): Ein selten gepflegter lebendgebärender Zahnkarpfen, Scolichthys iota Rosen, 1967. Das Lebendgebärenden Magazin (1): 34-37
D. Macallister (2004): Scolichthys iota. Livebearer News (7): 27-27
E. Meinema (1988): Een sierlijk tandkarpetje uit Guatemala. Het Aquarium (9): 231-232
M.K. Meyer (2011): Lebendgebärende aus Guatemala: Die Gattung Scolichthys. Das Lebendgebärenden Magazin (2): 16-20
D.E. Rosen (1967): New Poeciliid fishes from Guatemala, with comments on the origins of some South and Central American forms. American Museum Novitates (2303): 1-15
K. Schneider & K. de Jong (2006): Scolichthys iota Rosen, 1967. Poecilia Nieuws (4): 11-15
M.E. Valdez-Moreno, J. Pool-Canul & S. Contreras-Balderas (2005): A checklist of the freshwater ichthyofauna from El Petén and Alta Verapaz, Guatemala, with notes for its conservation and management. Zootaxa (1072): 43-60

Skiffia francesae Kingston, 1978

- B. & R. Clarke (1989): Skiffia francesae. Poecilia Nieuws (5): 76-76
B. & R. Clarke (1989): Skiffia francesae. Livebearers (104): 6-6
S. Contreras-Balderas et al (2003): Freshwater fish at risk or extinct in México. A checklist and review. Reviews in Fish Biology and Fisheries (12): 241-251
J. Dawes (1998): Goodeiden Teil 3 (Schluß): Kurzbeschreibungen zu einigen Arten (2). Das Aquarium (343): 8-11
I. Dibble (0): Goodeid conservation project Diary 25th May to 6th June 1998. Viviparous (44): 0-
I. Dibble (2010): Aquarists and scientists working together to save species from extinction. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 415-416
D. Dumas (2014): Skiffia francesae du mythe à la réalité. Le Vivipare (122): 11-17
R.C. Griffiths (1992): The golden sawfin goodeid. Livebearers (121): 10-11

Livebearer Literature List 202201

- C. Grist (2010): Viviparous fish programs at Chester Zoo. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 423-430
- M. Heußen (2013): Skiffia sp. "Sayula" gefleckt. Das Lebendgebärenden Magazin (2): 49-49
- H. Hieronimus (1992): Skiffia multipunctata, ein Anfängerfisch?. DGLZ-Rundschau (3): 52-54
- K. de Jong (2008): Skiffia cf francesae, opnieuw ontdekt. Poecilia Nieuws (4): 28-30
- K. de Jong (2012): Skiffia cf. francesae, opnieuw ontdekt! (slot). Poecilia Nieuws (1): 16-17
- M. Kempkes (2001): Schockverhalten bei Goodeiden. DGLZ-Rundschau (2): 31-32
- M. Kempkes (2001): Shock behavior in Goodeids. Livebearers (169): 20-21
- D.I. Kingston (1978): Skiffia francesae, a new species of goodeid fish from western Mexico. Copeia (3): 503-508
- M. Köck (2013): Die Gattung Skiffia. Das Lebendgebärenden Magazin (2): 42-49
- D. Lambert (0): Skiffia francesae. Viviparous (5): 0-
- D. Lambert (0): Black beauty. Viviparous (23): 0-
- D. Lambert (0): The sawfin Goodeids. Viviparous (11): 0-6
- D. Lambert (1991): Het geslacht Skiffia. Poecilia Nieuws (4): 65-70
- D. Lambert (1991): Mexico's threatened livebearers. Livebearers (116): 21-27
- D. Lambert (1994): Introducing goodeids. Livebearers (133): 13-21
- D. Lambert (1996): The search for Skiffia francesae The Aquarian Expedition 1996. Tropical Fish Hobbyist (november): 118-133
- D. Lambert (1996): The livebearer world: back to Mexico. Tropical Fish Hobbyist (September): 166-169
- J.K. Langhammer (0): The black beauty sawfin (a hybrid Skiffia). Viviparous (23): 0-
- J.K. Langhammer (1985): What are we doing? The black beauty sawfin (a hybrid Skiffia). Livebearers (82): 3-5
- J.K. Langhammer (1987): Was machen wir?. DGLZ-Rundschau (2): 4-6
- J.K. Langhammer (1987): Was machen wir?. DGLZ-Rundschau (2): 4-6
- J.K. Langhammer (1995): Skiffia francesae A fish on the edge of tomorrow! Can we save it?. Aquatic Survival (4): 15-19
- J.K. Langhammer (1996): Skiffia francesae A fish on the edge of tomorrow Can we save it". Livebearers (141): 21-26
- J.K. Langhammer (2002): Skiffia francesae A fish on the edge of tomorrow! Can we save it?. Livebearer News (2): 3-9
- J.K. Langhammer (2002): Skiffia francesae A fish on the edge of tomorrow! Can we save it?. Livebearers (172): 22-29
- J.K. Langhammer (2009): Skiffia francesae A fish on the edge of tomorrow! Can we save it?. Livebearers (204): 8-15
- P. Loiselle (1992): The Grim Reaper Desert Fishes Status Report. Livebearers (124): 7-10
- P. Loiselle (1995): Skiffia francesae - Extinct in the wild. Aquatic Survival (3): 12-12
- J. Lyons (209): The sad story of the Sayula Springs (and their goodeids). Livebearers (243): 9-11
- J. Lyons (2018): NAGWG Update. Livebearers (241): 12-15
- J. Lyons (2021): Het trieste verhaal van de Sayula bronnen (en hun goodeids). Poecilia Nieuws (1): 10-14
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- E. Meinema (1990): Kleine hooglandkarpers. Het Aquarium (9): 209-212
- A. Morales (2006): Die Herausforderungen des Artenschutz. DGLZ-Rundschau (1): 8-14
- J. de Moree (1999): De Skiffia's. Poecilia Nieuws (5): 102-105
- J. de Moree (2005): Skiffia francesae... exit?. Poecilia Nieuws (5): 18-20
- A.C. Radda (1986): Cyprinodonten vissen in Mexico (slot). Poecilia Nieuws (4): 54-57
- A. Ramírez-García & O. Domínguez-Domínguez (2021): Die Wiederansiedlung von Skiffia francesae. Amazonas (97): 34-37
- J. Ransier (2005): Tagging livebearing fish: potential role in enhancing and restoring livebearing fish populations. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 475-480
- J. Robinson (1993): Skiffia francesae. Livebearers (131): 10-11
- A. Routh (2013): Managing mycobacteriosis and associated biosecurity in the care and breeding of threatened freshwater fishes in public aquariums: an overview. Int. Zoo. Yb. (47): 102-111
- G. Schleussner (2012): Skiffia francesae - seit 30 Jahren am Rande des Abgrunds. Amazonas (41): 26-31
- G. Schleussner (2012): Skiffia francesae - seit 30 Jahren am Rande des Abgrunds. Amazonas (41): 26-31
- A. Schonewille (1996): Skiffia francesae Kingston, 1978 Uitgestorven in de natuur. Poecilia Nieuws (3): 60-67
- P. Schubert (1990): In der Natur bereits ausgestorben - Skiffia francesae, Kingston 1978. DGLZ-Rundschau (2): 9-11
- P. Schubert (1990): Gedanken zur Vergesellschaftung von Goodeiden. DGLZ-Rundschau (1): 18-22
- D.J. Sweet (1999): AZA Bean Award application long term proagation of the golden Skiffia. Livebearers (155): 3-11
- B.J. Turner, R.R. Miller & E.M. Rasch (1980): Significant differential gene duplication without ancestral tetraploidy in a genus of mexican fish. Experientia (8): 927-930

- A. Valdés (1995): Follow-up from Arcadio Valdés. *Aquatic Survival* (3): 12-14
M.Y. De La Vega-Salazar et al. (2003): Ecological evaluation of local extinction: the case of two genera of endemic Mexican fish, Zoogoneticus and Skiffia. *Biodiversity and Conservation* (12): 2043-2056
D. Walker (2014): Who C.A.R.E.S. about SMP fish in Derek's fishroom?. *Livebearers* (222): 6-12
U. Werner (2009): Skiffia "Black Beauty", ein seltsam anmutender Hochlandkärpfling (Skiffia multipunctata & Skiffia francesae). *DATZ* (2): 18-21
J. Wubbolt (2000): Skiffia francesae. *Livebearers* (160): 4-5

Skiffia lermae Meek, 1902

- J.G.A. Caballos Corona et al (1994): Análisis limnológico de la laguna de Cuitzeo, Michoacán, México. Universidad Michoacana de San Nicolás de Hidalgo Facultad de Biología (): 1-45
E. Díaz-Pardo (2005): The gonopodial suspension of the Girardinichthynae fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 133-143
D. Dumas (2014): Skiffia lermae, une rareté dans le hobby!. *Le Vivipare* (123): 4-12
H. Hieronimus (1992): Skiffia multipunctata, ein Anfängerfisch?. *DGLZ-Rundschau* (3): 52-54
C.L. Hubbs (1924): Studies of the fishes of the order Cyprinodontes V. Notes on species of Goodea and Skiffia. *Occasional papers of the museum of zoology University of Michigan* (148): 1-8
K. de Jong (2013): Mexico 2013 deel 2: rondom Morelia. *Poecilia Nieuws* (3): 8-13
K. de Jong (2014): Mexiko 2013 Teil 2 Rundum Morelia. *Das Lebendgebärenden Magazin* (1): 26-31
K. de Jong (2015): GWG bijeenkomst 2014 in Morelia. *Poecilia Nieuws* (1): 23-31
K. de Jong (2015): Das 4. Internationale Symposium über Lebendgebärende Fische und das GWG-Treffen in Morelia 2014. *Das Lebendgebärenden Magazin* (1): 34-38
B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. *Poecilia Nieuws* (2): 22-35
M. Köck (2013): Die Gattung Skiffia. *Das Lebendgebärenden Magazin* (2): 42-49
D. Lambert (0): Skiffia lermae Meek, 1902. *Viviparous* (45): 0-
D. Lambert (0): The livebearer trail part 2. *Viviparous* (17): 0-
D. Lambert (0): The sawfin Goodeids. *Viviparous* (11): 0-6
D. Lambert (1989): Mexico '87. *Livebearers* (104): 7-9
D. Lambert (1990): Mexico - the livebearer trail part 2. *Aquarist & Pondkeeper* (April): 34-
D. Lambert (1991): Het geslacht Skiffia. *Poecilia Nieuws* (4): 65-70
D. Lambert (1991): Mexico's threatened livebearers. *Livebearers* (116): 21-27
D. Lambert (2004): Mexico '87. *Livebearers* (183): 16-18
J.K. Langhammer (1982): The lost treasure of the Aztecs Part II - The elfin and sawfin Goodeids. *Livebearers* (65): 3-5
J. Lyons (2004): Goodeiden in de natuur, stand van zaken, januari 2004 (deel 2). *Poecilia Nieuws* (5): 25-27
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
M. Medina-Nava et al (2005): Conservation of two sites in central Mexico with a high diversity of livebearing fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 499-504
S.E. Meek (1902): A contribution to the ichthyology of Mexico. *Field Columbian Museum - Zoology* (6): 63-1128
S.E. Meek (1903): Distribution of the fresh-water fishes of Mexico. *The American Naturalist* (443): 771-784
G. Mendoza (1965): Sexual dimorphism in the dorsal fins of Ollentodon and Skiffia, Mexican Goodeid Teleosts. *Iowa Academy of Science* (72): 469-477
N. Mercado-Silva et al. (2006): Long-term changes in the fish assemblage of the Laja River, Guanajuato, central Mexico. *Aquatic Conservation: marine and freshwater ecosystems* (16): 533-546
R.R. Miller (1976): An evaluation of Seth E. Meek's contributions to Mexican Ichthyology. *Fieldiana Zoology* (1): 1-31
T. Mohsen (1961): Sur la présence d'un organe copulateur interne, très évolué chez Skiffia lermae (Cyprinodont; Goodeidae). *Compt. Rendus des séances de l'Academie des Sciences* (252): 3327-3329
T. Mohsen (1961): Sur le dimorphisme sexuel et la présence d'un organe copulateur très évolué chez le cyprinodonte Goodeidae Skiffia lermae Meek. *Annales de la Faculté des Sciences Dakar* (6): 163-171
J. de Moree (1999): De Skiffia's. *Poecilia Nieuws* (5): 102-105
A. Piorkowski (2019): For the love of Goodeids: Meek, Skiffia & the Chicago goodeid connection. *Livebearers* (242): 15-19
A.C. Radda (1986): Cyprinodont vissen in Mexico (slot). *Poecilia Nieuws* (4): 54-57
A. Ramírez-García & O. Domínguez-Domínguez (2019): Zácapa lake, a hot spot of native fishes. *American Currents* (Summer): 8-10
A. Ramírez-García et al (2021): Reproductive cycle of native viviparous fish species (Actinopterygii: Cyprinodontiformes: Goodeidae) in a subtropical Mexican lake. *Neotropical Ichthyology* (4): 1-20
A. Ramírez-García, R. Moncayo-Estrada, O. Domínguez-Domínguez (2020): Small lake, high biodiversity: Lake Zácapa, México. *Livebearers* (246): 12-15
J.P. Ramírez-Herrenjón et al (2010): Historical assessment of livebearing fishes in Zácapa Lake, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 476-479
Z. Rodríguez Álvarez et al (2010): Current status of the viviparous fish species in the Zácapa basin of Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 472-475
R.A. Rueda-Jasso, E.A. Molina-Domínguez & A. Campos Mendoza (2010): Effect of photoperiod and sex ratio on reproduction of Skiffia lermae (Goodeidae: Goodeinae). In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida ():
C.I. Salazar-Tinoco, M. Medina-Nava & J.P. Ramírez-Herrenjón (2010): Reproductive biology of the subfamily Goodeinae in La Mintzita Dam, Morelia, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida ():
S.S.S. Sarma et al (2004): Interactions between the anamopod cladocerans Ceriodaphnia dubia, C. cornuta, Simocephalus vetulus and S. serrulatus, the aphanoneurid worm Aeolosoma sp., and the fish Skiffia lermae: predation or competition, of both?. *Hydrobiologia* (526):

- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. Aquatic Ecosystem Health and Management (1): 267-276
E. Soto-Galera et al (1999): Change in fish fauna as indication of aquatic ecosystem condition in Río Grande de Morelia - Lago de Cuitzeo Basin, Mexico. Environmental Management (1): 133-140
B.J. Turner, R.R. Miller & E.M. Rasch (1980): Significant differential gene duplication without ancestral tetraploidy in a genus of mexican fish. Experientia (8): 927-930
A.T. Tveteras (0): Collecting goodeids in the area near Morelia, Mexico. Viviparous (23): 0-

Skiffia multipunctata (Pellegrin, 1901)

- O. Böhm (0): Quelques espèces intéressantes de la famille des Goodeidés. Aquarama (): 13-16
D. Bork (1993): Schocktoxi bei Goodeiden?. DGLZ-Rundschau (1): 10-10
T. Coletti (2010): Livebearers unlimited Six goodeids you should try this summer. Tropical Fish Hobbyist (May): 36-38
T. Coletti (2013): My summer with livebearers. Livebearer News (221): 16-19
T. Coletti (2015): 10 Livebearers for your wishlist. Tropical Fish Hobbyist (5): 60-64
E. Díaz-Pardo (2005): The gonopodial suspension of the Girardinichthynae fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 133-143
I. Dibble (2000): Fish Ark Project - Mexico. Viviparous (49): 0-
I. Dibble (2003): Mein Tagebuch der "Arche-Projekt"- Feldexkursion 2003. DGLZ-Rundschau (4): 86-97
M. Eikeboom (2014): Skiffia multipunctata, Pellegrin 1901. Het Aquarium (5): 35-38
L.H. Escalera-Vázquez (2004): Comportamiento alimentario de crías de pez Skiffia multipunctata (Pellegrin, 1901) (Goodeidae) utilizando zooplancton como presa. Universidad Michoacana de San Nicolás de Hidalgo Facultad de Biología (): 1-73
L.H. Escalera-Vázquez, O. Domínguez-Domínguez, S. Sarma et al (2004): Selective feeding on zooplankton by larval Skiffia multipunctata. Journal of Freshwater Ecology (3): 433-439
H. Hieronimus (1992): Skiffia multipunctata, ein Anfängerfisch?. DGLZ-Rundschau (3): 52-54
K. de Jong (1992): Zonnende Gambusia's (levendbarenden in de tuinvijver) deel II. Poecilia Nieuws (6): 7-8
K. de Jong (2003): Op zoek naar zwaarddragers Mexico 2002 (tweede deel). Poecilia Nieuws (5): 70-82
K. de Jong (2004): Auf der Suche nach den Schwerträgern Mexiko 2002 (Teil 2). Das Lebendgebärenden Magazin (1): 5-17
K. de Jong (2005): Skiffia multipunctata (Pellegrin, 1901). Poecilia Nieuws (1): 13-17
K. de Jong (2012): Skiffia multipunctata (Pellegrin, 1901) ein attraktiver Goodeid aus dem Río-Lerma-Becken. Das Lebendgebärenden Magazin (1): 5-7
K. de Jong (2013): Weibchen von Skiffia multipunctata treffen eine überraschende Wahl. Das Lebendgebärenden Magazin (1): 43-45
K. de Jong (2013): De vrouwtjes van Skiffia multipunctata maken een verrassende keuze. Poecilia Nieuws (1): 30-32
K. de Jong (2014): Von Morelia bis Barra de Navidad. Das Lebendgebärenden Magazin (2): 18-25
K. de Jong (2014): Mexico 2013, deel 3 Van Morelia naar Barra de Navidad en weer terug (1). Poecilia Nieuws (1): 11-17
K. de Jong (2016): Skiffia multipunctata (Pellegrin, 1901). Poecilia Nieuws Atlas (): -
B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. Poecilia Nieuws (2): 22-35
J.L. Kelley, A.E. Magurran & C. Macías-García (2005): The influence of rearing experience on the behaviour of an endangered Mexican fish, Skiffia multipunctata. Biological Conservation (122): 223-230
D.I. Kingston (1978): Skiffia francesae, a new species of goodeid fish from western Mexico. Copeia (3): 503-508
M. Köck (2013): Die Gattung Skiffia. Das Lebendgebärenden Magazin (2): 42-49
D. Lambert (0): Black beauty. Viviparous (23): 0-
D. Lambert (0): Skiffia multipunctata (Pellegrin, 1901). Viviparous (11): 0-2
D. Lambert (0): The sawfin Goodeids. Viviparous (11): 0-6
D. Lambert (1989): Mexico '87. Livebearers (104): 7-9
D. Lambert (1990): Skiffia multipunctata (Pellegrin, 1901). Poecilia Nieuws (5): 80-81
D. Lambert (1991): Het geslacht Skiffia. Poecilia Nieuws (4): 65-70
D. Lambert (1995): The livebearer world More Goodeids. Tropical Fish Hobbyist (5): 162-164
J.K. Langhammer (0): The black beauty sawfin (a hybrid Skiffia). Viviparous (23): 0-
J.K. Langhammer (1982): The lost treasure of the Aztecs Part II - The elfin and sawfin Goodeids. Livebearers (65): 3-5
J.K. Langhammer (1985): What are we doing? The black beauty sawfin (a hybrid Skiffia). Livebearers (82): 3-5
J.K. Langhammer (1987): Was machen wir?. DGLZ-Rundschau (2): 4-6
J.K. Langhammer (1987): Was machen wir?. DGLZ-Rundschau (2): 4-6
J. Lyons (1997): Tolerances of Mexican livebearers to extremes of temperature and dissolved oxygen in the wild. Livebearers (148): 16-19
J. Lyons (2005): Goodeiden in de natuur (slot). Poecilia Nieuws (1): 24-27
J. Lyons (2017): Adventures among the wild livebearers of Mexico: The state of Michoacán. Livebearers (235): 7-14
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158

Livebearer Literature List 202201

- C. Macías Garcia & A. Valero (2010): Sexual conflict and sexual selection in the Goodeinae, a clade of viviparous fish with effective female mate choice. In Regina Macedo, editor: Advances in the Study of Behavior, vol. 42, Burlington: Academic press (): 1-54
- E. Meinema (1990): Kleine hooglandkarpers. Het Aquarium (9): 209-212
- G. Mendoza (1965): Sexual dimorphism in the dorsal fins of Ollentodon and Skiffia, Mexican Goodeid Teleosts. Iowa Academy of Science (72): 469-477
- R. Moncayo-Estrada et al. (2014): Status and trends in biotic integrity in a sub-tropical river drainage: analysis of the fish assemblage over a three decade period. River Res. Applic. (): -
- J. de Moree (1999): De Skiffia's. Poecilia Nieuws (5): 102-105
- A. Moyaho, P. Guevara-Fiore, E. Beristain-Castillo & C. Macías (2009): Females of a viviparous fish (*Skiffia multipunctata*) reject males with black colouration. J Ethol (1): 165-170
- J. Pellegrin (1901): Poissons reguelliis par M.L. Diguet, dans l'État de Jalisco (Mexique). Bull. Mus. Nat. Hist. Paris (7): 204-207
- B. Pels (2013): Mijn ervaringen met..... Poecilia Nieuws (Special): 26-29
- A. Piorkowski (2018): For the love of goodeids. Of all things, why goodeids?. Livebearers (241): 19-21
- F.N. Poeser (2007): Goede Goodeidae. Poecilia Nieuws (1): 26-28
- A. Rachow (1955): Ollentodon multipunctatus (Pellegrin). Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Db): 975-976
- A.C. Radda (1986): Cyprinodonten vissen in Mexico (slot). Poecilia Nieuws (4): 54-57
- C.T. Regan (190608): Pisces. Biologia Centrali-Americana (): 1-203
- R.A. Rueda-Jasso et all (2017): Nitrite toxicity in juvenile Goodeinae fishes *Skiffia multipunctata* (Pellegrin, 1901) and *Goodea atripinnis* (Jordan, 1880). J. Appl. Ichthyol. (33): 300-305
- C. Sciarone (1992): *Skiffia multipunctata* (Pellegrin, 1901). Picasso onder water (): 0-
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. Aquatic Ecosystem Health and Management (1): 267-276
- W. Toven (2007): *Skiffia multipunctata*. Livebearers (196): 24-25
- B.J. Turner, R.R. Miller & E.M. Rasch (1980): Significant differential gene duplication without ancestral tetraploidy in a genus of mexican fish. Experientia (8): 927-930
- A.T. Tveteras (0): Collecting goodeids in the area near Morelia, Mexico. Viviparous (23): 0-
- A.T. Tveteras (0): Collecting goodeids in the area near Morelia part 2. Viviparous (24): 0-
- U. Werner (2009): *Skiffia "Black Beauty"*, ein seltsam anmutender Hochlandkäpfchen (*Skiffia multipunctata* & *Skiffia francesae*). DATZ (2): 18-21
- J. Wubbolt (2000): *Skiffia multipunctata*. Livebearers (161): 9-11

Tapatia occidentalis Alvarez & Arriola 1972

- A.F. Guzmán (2010): Microscopical analysis of the fossil goodeid *Tapatia occidentalis*. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 75-86
- A.T. Tveteras (1994): *Tapatia occidentalis*, ein fossiler Goodeide. DGLZ-Rundschau (4): 79-79

Tomeurus gracilis Eigenmann, 1909

- T. Benages (1981): Egglaying livebearers?. Livebearers (55): 8-10
- T. Benages (2020): Egglaying livebearers?. Livebearers (248): 12-13
- D. Bork (1984): *Tomeurus gracilis* - ein eierlegender Poeciliidae. ZAG Lebendgebärende Zahnkarpfen (2): 5-6
- D. Bork (1997): *Tomeurus gracilis*. Ein eierlegender Lebendgebärender. Das Aquarium (339): 27-28
- M. Gordon (0): Those puzzling "Little Toms". Viviparous (34): 0-
- M. Kempkes (2020): Auf der Suche nach Guppies und "Sumpfguppies" in Surinam. Aquaristik Fachmagazin (274): 44-47
- M. Kempkes (2021): Von Guppies und "Sumpfguppies" in Suriname. Das Lebendgebärenden Magazin (1): 40-50
- J.H. Mol, D. Resida, J.S. Ramlal & C.R. Becker (2000): Effects of El Niño-related drought on freshwater and brackish-water fishes in Suriname, South America. Environmental Biology of Fishes (59): 429-440
- A. van den Nieuwenhuizen (1987): Alfaro cultratus. Aquariumwereld (11): 232-235
- L.R. Parenti, F.L. LoNstro & H. Gear (2010): Reproductive histology of *Tomeurus gracilis* Eigenmann, 1909 (Teleostei: Atherinomorpha: Poeciliidae) with comments on evolution of viviparity in Atherinomorpha fishes. Journal of Morphology
- F.N. Poeser (1996): Evolutie en classificatie van de levendbarende tandkarpers deel 2 "de breuk". Poecilia Nieuws (1): 5-8
- F.N. Poeser (1996): Evolutie en classificatie van de levendbarende tandkarpers Deel 3. Poecilia Nieuws (2): 34-37
- A. Rachow (1911): *Tomeurus gracilis* Eigenmann. Blätter für Aquarien- und Terrarienkunde (19): 297-299
- A. Rachow (1913): Ueber die Zahnkarpfgattungen *Fitzroyia* (Guenther), *Tomeurus* (Eigenmann) und *Petalurichthys* (Regan). Blätter für Aquarien- und Terrarienkunde (48): 777-781
- A. Rachow (1914): Zur Nomenklatur unserer viviparen Zahnkarpfen (Poeciliinae), nebst Bemerkungen über einige neue Arten. Blätter für Aquarien- und Terrarienkunde (11): 185-200
- C.T. Regan (1911): A new Poeciliid Fish from the Amazon, with Notes on the Genera *Petalosoma* and *Tomeurus*. Annals and Magazine of Natural History (November): 659-660
- A. Stolk (1982): Alfaro cultratus, probleemvis onder de levendbarenden. Het Aquarium (11): 299-299
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (154): 10-20
- M. Tobler (2003): *Tomeurus gracilis* Doch ein Lebendgebärender!. DATZ (6): 20-21

Tondanichthys kottelati Collette, 1995

F.R. Batzer (1996): New species update: *Tondanichthys kottelati* Collette 1995. Livebearers (143): 16-17

Xenodexia ctenolepis Hubbs, 1950

- J.J. de Greef (1995): *Xenodexia ctenolepis* Hubbs, 1950, eine Besonderheit unter den Lebendgebärenden. DGLZ-Rundschau (1): 3-8
J.J. de Greef (1995): *Xenodexia ctenolepis* Hubbs, 1950, een enigma onder de Poeciliidae. Poecilia Nieuws (1): 11-18
H. Hieronimus (2019): Neues zur Matrotrophie einiger Lebendgebärender. DGLZ-Rundschau (2): 74-77
C.L. Hubbs (1950): Studies of cyprinodont fishes XX A new subfamily from Guatemala, with ctenoid scales and a unilateral pectoral clasper. University of Michigan Museum of Zoology Miscellaneous Publications (78): 1-28
J. Kämpfer (2009): *Xenodexia ctenolepis* - Bemerkungen über einen ungewöhnlichen Aquarienfisch. DGLZ-Rundschau (1): 3-4
J. Kämpfer (2010): *Xenodexia ctenolepis* comments on an unusual fish. Livebearer News (30): 9-9
J. Kämpfer (2011): *Xenodexia ctenolepis* Comments on an unusual fish. Livebearers (210): 14-15
J. Kämpfer (2013): Warten auf Godot - oder das Xenodexia-Problem. DGLZ-Rundschau (2): 53-56
D. Reznick, T. Hrbek, S. Caura, J. de Greef & D. Roff (2007): Life history of *Xenodexia ctenolepis*: implications for life history evolution in the family Poeciliidae. Biological Journal of the Linnean Society (92): 77-85
R.B. Soclof (1990): *Xenodexia ctenolepsis* A fish with a what?. FAMA (9): 56-59
M.E. Valdez-Moreno, J. Pool-Canul & S. Contreras-Balderas (2005): A checklist of the freshwater ichthyofauna from El Petén and Alta Verapaz, Guatemala, with notes for its conservation and management. Zootaxa (1072): 43-60
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
B. Wiley & B. Collette (1970): Breeding tubercles and contact organs in fishes: their occurrence, structure, and significance. Bulletin American Museum of Natural History (143): 145-216

Xenoophorus captivus (Hubbs, 1924)

- C. Aguilera (1995): Universidad atonoma de Nuevo Leon - Programs for the endangered fish species of Mexico. Aquatic Survival (3): 14-15
B. Allen (2003): The outdoor culture of *Xenoophorus captivus*. Livebearers (179): 31-33
J.M. Artigas Azas (1995): *Xenoophorus captivus* - Inevitable extinction. Aquatic Survival (3): 15-16
O. Böhm (1976): Xenotoca eiseni und *Xenoophorus captivus* werden nur selten gepflegt. DATZ (6): 182-184
O. Böhm (1978): Erleben die Wildformen Lebendgebärender Zahnkarpfen einen neuen Frühling?. Aquarien Magazin (9): 432-436
J.C. Clark (1996): The green Goodeid *Xenoophorus captivus*. Livebearers (142): 4-5
J. Clasen (1975): *Xenoophorus captivus*, ein Hochlandkäpfling aus Mexiko. Das Aquarium (5): 196-197
J. Dawes (1998): Goodeiden Teil 3 (Schluß): Kurzbeschreibungen zu einigen Arten (2). Das Aquarium (343): 8-11
I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de voortgang Deel 1. Poecilia Nieuws (5): 105-110
I. Dibble (2000): Fish Ark Project - Mexico. Viviparous (48): 5-10
G. Entlinger (1978): Erst vier Jahre bei uns: Hochlandkäpflinge. Aquarien Magazin (10): 480-483
G. Entlinger (1978): Erst vier Jahre bei uns - Hochlandkäpflinge. Aquarien Magazin (10): 480-483
J.M. Fitzsimons (1979): Status of the nominal species of the fish genus *Xenoophorus* from Mexico. Occasional Papers of the Museum of Zoology Louisiana State University (51): 1-18
J.M. Fitzsimons (1979): Status of the nominal species of the fish genus *Xenoophorus* (Goodeidae, Cyprinodontiformes) from Mexico. Occasional Papers of the Museum of Zoology Louisiana State University (51): 1-18
R.M. Hamill et al (2007): Comparison of genetic diversity at microsatellite loci in near-extinct and non-endangered species of Mexican goodeine fishes and prediction of cross-amplification within the family. Journal of Fish Biology (70): 16-32
M. Heußen (2013): *Xenoophorus captivus* in der Natur verschwunden?. Das Lebendgebärenden Magazin (1): 16-16
C.L. Hubbs (1924): Studies of the fishes of the order Cyprinodontes V. Notes on species of Goodea and Skiffia. Occasional papers of the museum of zoology University of Michigan (148): 1-8
C.L. Hubbs & C.L. Turner (1939): Studies of the fishes of the order Cyprinodontes. XVI. A revision of the Goodeidae. Miscellaneous Publications University of Michigan (42): 1-80
K. Jacobs (1975): Ritterkäpflinge leben etwa 2500 Meter über dem Meer. Aquarien Magazin (8): 350-350
K. de Jong (1994): *Xenoophorus captivus* (Hubbs, 1924). Poecilia Nieuws (3): 56-60
K. de Jong (2003): Op zoek naar zwaarddragers Mexico 2002 (tweede deel). Poecilia Nieuws (5): 70-82
K. de Jong (2004): Auf der Suche nach den Schwerträgern Mexiko 2002 (Teil 2). Das Lebendgebärenden Magazin (1): 5-17
M. Köck (2013): Die Gattungen Xenotaenia und *Xenoophorus*. Das Lebendgebärenden Magazin (1): 46-53
M. Köck (2015): Hin und zurück - die Geschichte zweier Österreicher in Mexiko. Das Lebendgebärenden Magazin (2): 37-43
P. Lambert (0): Aquarian endangered species expedition. Viviparous (21): 0-
P. Lambert (1992): Endangered species expedition 1992. Livebearers (123): 13-17
J.K. Langhammer (1976): The lost treasure of the Aztecs. Livebearers (28): 2-5
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158

- C. Macías Garcia & Y. Saldívar-Lemus (2012): Foraging costs drive female resistance to a sensory trap. Proc. R. Soc. Lond. Q): -
- H.J. Mayland (1979): "Denn die einen sind im Dunkeln und die andern sind im Licht..." - Zu Besuch bei Höhlensalmern und Hochlandkäpflingen. Aquarien Magazin (7): 358-364
- H. Pinter (1991): Der Ritterkäpfling, weder anspruchsvoll, noch unverträglich. TI (107): 17-18
- H. Pinter (1991): Der Ritterkäpfling - weder anspruchsvoll, noch unverträglich. TI (107): 17-18
- A.C. Radda (1986): De Goodeidae van Mexico; deel II. TIH (44): 11-14
- A.C. Radda (1986): Cyprinodonten vissen in Mexico 3. Poecilia Nieuws (2): 40-43
- J.F. Schindler & H. Greven (2010): Respiratory strategies in Goodeid and Jenynsiid embryos: Morphologic correlates of cutaneous gas exchange. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 13-30
- J.F. Schindler & U. de Vries (1988): Maternal-embryonic relationships in the goodeid teleost, *Xenoophorus captivus*. Cell Tissue Res (253): 115-128
- J.F. Schindler, R. Kujat & U. de Vries (1988): Maternal-embryonic relationships in the goodeid teleost, *Xenoophorus captivus*. The vacuolar apparatus in trophotaenial absorptive cells and its role in macromolecular transport. Cell Tissue Res (254): 177-182
- E. Schouten (2013): *Xenoophorus captivus*. Poecilia Nieuws (Special): 29-29
- S. Schröder (1990): Erfahrungen mit zwei Hochlandkäpflingen. ZAG Lebendgebärende Zahnkarpfen (4): 3-4
- P. Schubert (1990): Gedanken zur Vergesellschaftung von Goodeiden. DGLZ-Rundschau (1): 18-22
- P. Schubert (1991): Goodeiden im Pflanzenbecken - Helfen oder ...?. DGLZ-Rundschau (1): 16-16
- P. Schubert (1991): Hochlandkäpplinge Goodeiden: Ein Feuerwerk an Farbe bei grauer Fischen. Das Aquarium (2): 4-9
- E.C. Taylor (1984): Hooglandkarpers (vervolg). Poecilia Nieuws (3): 4-7
- K. Tscherthner (1977): *Xenoophorus captivus*. ZAG Lebendgebärende Zahnkarpfen (1): 20-20
- J. Vara (1986): The green Goodeid. Livebearers (88): 6-7
- D. Walker (2014): Who C.A.R.E.S. about SMP fish in Derek's fishroom?. Livebearers (222): 6-12
- P.G. Weiß (1978): *Xenoophorus captivus* - ein neuer Goodeide aus dem mexikanische Hochland Fortsetzung aus Heft 2/1978. ZAG Lebendgebärende Zahnkarpfen (3): 28-28
- P.G. Weiß (1978): Ein neuer Goodeidae aus dem mexikanischen Hochland *Xenoophorus captivus*. Aquarien Terrarien (6): 208-211
- P.G. Weiß (1978): *Xenoophorus captivus* - ein neuer Goodeide aus dem mexikanischen Hochland. ZAG Lebendgebärende Zahnkarpfen (2): 24-25
- J. Wubbolt (1999): *Xenoophorus captivus*: the green Goodeid. Livebearers (155): 25-26

Xenoophorus doadroi (Domínguez-Domínguez, Bernal-Zuñiga & Piller, 2016)

- J.P. N'Diaye (2014): Souche d'anthologie de l'AFV Xenotoca sp. "San Marcos Road". Le Vivipare (123): 13-16
- K. Piller, C.S. Kenway-Lych, D.Camak & O. Domínguez-Domínguez (2015): Phylogeography and population structure of the imperiled redtail splitfin (Goodeidae: *Xenotoca eiseni*): implications for conservation. Copeia (2): 440-454
- G. Schleussner (2011): *Xenotoca eiseni* "San Marcos". Amazonas (2): 77-77
- M. Tuccinardi (2013): Import report. Tropical Fish Hobbyist (5): 38-40
- P. Veenvliet (2015): Met zijn allen of liever alleen. Het Aquarium (4): 26-31
- P. Veenvliet (2016): Het 'San Marcos'-visje. Het Aquarium (3): 74-79

Xenoophorus melanosoma (Fitzsimons, 1972)

- H. Hieronimus (2019): Lebendgebärende Aquarienfische revidiert. DGLZ-Rundschau (3): 84-85

Xenophallus umbratilis (Meek, 1912)

- A. Angulo et al (2017): Fishes from the Tirimbina biological reserve, La Virgen de Sarapiquí, Heredia, Costa Rica. Check List (5): 683-702
- J.C. Bagley & J.B. Johnson (2014): Testing for shared biogeographic history in the lower Central American freshwater fish assemblage using comparative phylogeography: concerned, independent or multiple evolutionary responses. Ecology and Evolution (9): 1686-1705
- W.A. Bussing (1993): Fish communities and environmental characteristics of a tropical rain forest river in Costa Rica. Rev. Biol. Trop (3): 791-809
- W.A. Bussing & M.I. López S. (1977): Distribución y aspectos ecológicos de los peces de las cuencas hidrográficas de Arenal, Bebedero y Tempisque, Costa Rica. Rev. Biol. Trop (1): 13-37
- U. Dost (1994): Sommerurlaub für die Fische. Das Aquarium (Juni): 4-6
- U. Dost & Kathrin Seegers (1994): Lebendgebärende aus Costa Rica. DATZ (8): 485-488
- M. Espinoza Mendiola (2008): Sondeo ecológico rápido de las comunidades de peces tropicales
- R. Fischer (1992): *Xenophallus umbratilis*. Livebearers (124): 15-16
- D. Fromm (1974): 1973 Coas-Fin features Costa Rica expedition. Livebearers (17): 2-9
- D. Fromm (1977): Expedition nach Costa Rica II. DATZ (8): 262-265
- D. Fromm (1978): The 1976 C.O.A.S. - fin features expedition to Costa Rica. Livebearers (40): 2-15
- D. Gentzsch (1987): Zum Wurfrhythmus bei Lebendgebärenden Zahnkarpfen. Aquarien Terrarien (11): 378-380
- J. Herrera-Vásquez, W. Bussing & F. Villalobos (2008): Panbiogeographical analysis of Costa Rican freshwater fishes. Rev. Biol. Trop (1): 165-170
- C.P. Jones & J.B. Johnson (2009): Phylogeography of the livebearer *Xenophallus umbratilis* (Teleostei: Poeciliidae): glacial cycles and sea level change predict diversification of freshwater fish. Molecular Ecology (18): 1640-1653

- K. de Jong (1988): Xenophallus umbratilis (Meek, 1912). Poecilia Nieuws (5): 67-70
K. de Jong (2007): Xenophallus umbratilis (Meek, 1912). Poecilia Nieuws (5): 10-13
K. de Jong (2020): Xenophallus umbratilis (Meek, 1912). Poecilia Nieuws Atlas (): 1-2
K. de Jong & E. Meinema (1994): De levendbarende tandkarpers van Costa Rica 2 Xenophallus umbratilis (Meek 1912). Het Aquarium (4): 101-105
D. Lambert (0): Xenophallus umbratilis. Viviparous (21): 0-
P. Loiselle (1994): Two new livebearers from Costa Rica. Livebearers (138): 4-8
D. Macallister (0): Xenophallus umbratilis (Meek, 1912). Livebearer News (17): 18-19
S.E. Meek (1912): New species of fishes from Costa Rica. Publ. Field Museum of Nat. Hist. Chicago (7): 69-75
E. Meinema (1993): Xenophallus umbratilis (Meek, 1912), goudklompjes van de Rijke Kust. Poecilia Nieuws (5): 115-120
A.C. Radda & M.K. Meyer (1981): Revalidisierung der Gattung Xenophallus Hubbs. Aquaria (28): 115-118
A.C. Radda & M.K. Meyer (1986): Revalidisierung der Gattung Xenophallus Hubbs (Poeciliidae, Osteichthyes). DGLZ-Rundschau (2): 19-22
T. Schulz (1990): Phallichthys, Neoheterandria oder Xenophallus?. DATZ (3): 142-143
T. Schulz (2011): Ein seltener Gast aus Costa Rica. DATZ (11): 32-33
J. Villa (1982): Peces Nicargüenses de Agua Dulce. Serie Geografia y Naturaleza (3): 125-136
J.T. Wootton & M.P. Oemke (1992): Latitudinal differences in fish community trophic structure, and the role of fish herbivory in a Costa Rican stream. Environmental Biology of Fishes (35): 311-319
J. Wubbolt (1999): Raising Xenophallus umbratilis. Livebearers (156): 17-18

Xenotaenia resolanae Turner, 1946

- D. Biggs (2008): Fishing adventures in the Purificación river. Livebearer News (23): 24-47
O. Böhm (0): Quelques espèces intéressantes de la famille des Goodeidés. Aquarama (): 13-16
O. Böhm (1985): Het Mexicaanse hoogland; leefgebied van de Goodeidae. TIH (41): 9-11
D. Bork (1993): Schocktod bei Goodeiden?. DGLZ-Rundschau (1): 10-10
J. Dawes (1998): Goodeiden Teil 3 (Schluß): Kurzbeschreibungen zu einigen Arten (2). Das Aquarium (343): 8-11
I. Dibble (2003): Mein Tagebuch der "Arche-Projekt"- Feldexkursion 2003. DGLZ-Rundschau (4): 86-97
K. de Jong (1987): Xenotaenia resolanae, een mooie en eenvoudig te houden hooglandkarter. Poecilia Nieuws (1): 7-9
K. de Jong (2014): Mexico 2013, deel 4 en slot Van Morelia naar Barra de Navidad en terug (2). Poecilia Nieuws (2): 22-27
K. de Jong (2014): Von Morelia bis Barra de Navidad. Das Lebendgebärenden Magazin (2): 18-25
K. de Jong (2015): Mexiko 2013 Vierter und letzter Teil Von Barra de Navidad zurück nach Morelia. Das Lebendgebärenden Magazin (1): 20-27
K. de Jong (2015): Een andere gevlekte soort uit het genus Poeciliopsis: Poeciliopsis baenschii. Poecilia Nieuws (5): 19-23
B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. Poecilia Nieuws (2): 22-35
J. Klungers (2008): Xenotaenia resolanae Turner, 1946. Poecilia Nieuws (3): 52-53
M. Köck (2013): Die Gattungen Xenotaenia und Xenophorus. Das Lebendgebärenden Magazin (1): 46-53
D. Lambert (1994): Xenotaenia resolanae Turner, 1946. Viviparous (28): 0-
J. Lyons (1997): Fishes from the land of the trucha de tierra caliente. Freshwater & Marine Aquarium (7): 127-136
J. Lyons (1997): Morphological variation within Xenotaenia resolanae a little known species endemic to the Pacific slope of west-central México. Ichthyol. Explor. Freshwaters (3): 267-272
J. Lyons (1998): The natural habitat of the leopard Goodeid. Livebearers (151): 8-17
J. Lyons (2002): Het natuurlijk verspreidingsgebied van de luipaard Goodeide Xenotaenia resolanae. Poecilia Nieuws (4): 61-73
J. Lyons (2005): The natural habitat of the leopard Goodeid Xenotaenia resolanae. Livebearer News (10): 15-21
J. Lyons (2021): Determining optimal water temperatures for goodeids. Livebearer News (66): 22-27
J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. Anales del Instituto de Biología, Universidad Nacional (2): 169-190
J. Lyons & S. Navarro-Perez (1990): Fishes of the Sierra de Manantlan, West-Central Mexico. The Southwestern Naturalist (1): 32-46
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
J. de Moree (2000): Xenotaenia resolanae. Poecilia Nieuws (1): 10-11
J.F. Schindler & H. Greven (2010): Respiratory strategies in Goodeid and Jenynsiid embryos: Morphologic correlates of cutaneous gas exchange. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 13-30
P. Schubert (1990): Gedanken zur Vergesellschaftung von Goodeiden. DGLZ-Rundschau (1): 18-22
P. Schubert (1991): Wie schützt man Jungfische von Goodeiden vor dem Gefressenwerden?. DGLZ-Rundschau (2): 41-43
P. Schubert (1992): Xenotaenia resolanae, ein seltener, aber leicht zu haltender Goodeide. DGLZ-Rundschau (3): 55-56
E.C. Taylor (1984): Hooglandkarters (vervolg). Poecilia Nieuws (3): 4-7

C.L Turner (1946): A contribution to the taxonomy and zoogeography of the Goodeid fishes. Occasional papers of the museum of zoology University of Michigan (495): 1-13

L. Wischnath (1996): Hooglandkarpers uit Mexico. Het Aquarium (2): 32-36

Xenotoca doadroi Domínguez-Domínguez, Bernal-Zuñiga & Piller, 2016

- Anonym (2020): Xenotoca doadroi var. San Marcos. Poecilia Nieuws (5): 12-17
- I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de veldtrip 2. Poecilia Nieuws (6): 117-126
- O. Domínguez-Domínguez, D.M. Bernal-Zuñiga & K.Piller, 2016 (2016): Two new species of the genus *Xenotoca* Hubbs and Turner, 1939 (Teleostei, Goodeidae) from central-western Mexico. Zootaxa (4189(1)): 81-96
- H. Hieronimus (2016): Zwei neue Hochlandkärpfinge - mindestens alter Bekannter. DGLZ-Rundschau (3): 118-121
- H. Hieronimus (2019): Lebendgebärende Aquarienfische revidiert. DGLZ-Rundschau (3): 84-85
- H. Hieronimus (2019): Lebendgebärende Aquarienfische revidiert. DGLZ-Rundschau (2): 84-85
- J.H. Huber (2019): A nomenclatural and systematic analysis of livebearing Cyprinodontiformes (Cyprinodontiformes: Acanthopterygil: Anablepsinae, Goodeinae, Poeciliidae). Killi-Data Series (): 4-155
- K. de Jong (2017): Xenotoca eiseni Van één naar drie. Aquariumwereld (5): 170-174
- K. de Jong (2017): Xenotoca eiseni Van één naar drie. Poecilia Nieuws (1): 22-28
- K. de Jong (2020): Een revisie van onze levendbarende vissen. Poecilia Nieuws (2): 24-25
- F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 3. Teil. DGLZ-Rundschau (1): 1-29
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- K.R. Piller et al (2015): Phylogeography and population structure of the imperiled redtail splitfin (Goodeidae: *Xenotoca eiseni*): implications for conservation. Copeia (2): 440-454
- M. Winther (2017): Zwei neue Xenotoca-Arten wurden beschrieben. Das Lebendgebärenden Magazin (1): 33-35

Xenotoca eiseni (Rutter, 1896)

- (1990): Hooglandkarpers (vervolg). Poecilia Nieuws (5): 82-84
- A. Arnold (1989): Xenotoca eiseni (Goodeidae) - immer noch interessant. Aquarien Terrarien (4): 124-127
- T. Benages (1975): Calcium oxalate stones in fish heavily fed on spinach. Livebearers (19): 2-3
- A. Bijnens (1977): Xenotoca eiseni. Aquariumwereld (9): 178-182
- A. Bisazza (1997): Sexual selection constrained by internal fertilization in the livebearing fish *Xenotoca eiseni*. Anim. Behav. (54): 1347-1355
- A. Bisazza & A. de Santi (2003): Lateralization of aggression in fish. Behavioural Brain Research (141): 131-136
- O. Böhm (1976): Xenotoca eiseni und Xenoophorus captivus werden nur selten gepflegt. DATZ (6): 182-184
- O. Böhm (1978): Erleben die Wildformen Lebendgebärender Zahnkarpfen einen neuen Frühling?. Aquarien Magazin (9): 432-436
- H. Bollig (2010): Xenotoca eiseni - der "Rotschwanz-Goody". DGLZ-Rundschau (4): 113-114
- M. Camacho-Cervantes et al (2014): Exotic invaders gain foraging benefits by shoaling with native fish. R. Soc. Open sci (1): 1-9
- T. Coletti (2010): Livebearers unlimited Six goodeids you should try this summer. Tropical Fish Hobbyist (May): 36-38
- T. Coletti (2015): 10 Livebearers for your wishlist. Tropical Fish Hobbyist (5): 60-64
- G. Daul (1979): Xenotoca eiseni, een zeldzame levendbarende. T.I.H (19): 1-1
- G. Daul (1979): Xenotoca eiseni, ein seltener Lebendgebärender. T.I. Magazin (13): 8-8
- J. Dawes (1998): Goodeiden Teil 3 (Schluß): Kurzbeschreibungen zu einigen Arten (2). Das Aquarium (343): 8-11
- O. Domínguez-Domínguez, D.M. Bernal-Zuñiga & K.Piller, 2016 (2016): Two new species of the genus *Xenotoca* Hubbs and Turner, 1939 (Teleostei, Goodeidae) from central-western Mexico. Zootaxa (4189(1)): 81-96
- U. Dost (1997): Xenotoca eiseni - ein Hochlandkärpfinge. Aquaristik-Aktuell (8): 24-26
- G. Entlinger (1978): Erst vier Jahre bei uns: Hochlandkärpfinge. Aquarien Magazin (10): 480-483
- G. Entlinger (1978): Erst vier Jahre bei uns - Hochlandkärpfinge. Aquarien Magazin (10): 480-483
- R. Fischer (1993): Xenotoca eiseni. Livebearers (130): 27-28
- J.M. Fitzsimons (1972): A revision of two genera of goodeid fishes from the Mexican plateau. Copeia (4): 728-756
- J.M. Fitzsimons (1974): Morphological and behavioral intermediacy in hybrids of two species of Goodeid fishes from Mexico. Copeia (4): 848-855
- J.M. Fitzsimons (1976): Ethological isolating mechanisms in Goodeid fishes of the Genus *Xenotoca*. Bulletin Southern California Academy of Sciences (75): 84-99
- H. Flöthmann (1991): Beobachtungen bei der Haltung und Zucht von Goodeiden. DGLZ-Rundschau (4): 83-85
- D. Gentzsch (1985): Sommerhaltung von drei Wildformen in Gewächshaus. ZAG Lebendgebärende Zahnkarpfen (1): 6-7
- H. Greven & M. Brenner (2010): How to copulate without an intromittent organ: the external genital structures and mating behaviour of *Xenotoca eiseni* (Goodeidae). In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 446-
- H. Greven, D. Passia & E. Marani (1993): CD 15 in trophontaenia of viviparous Goodeid fish *Xenotoca eiseni* (Cyprinodontiformes, Teleostei). European Journal of Morphology (4): 267-273
- H. Grier, M.C. Uribe, L.R. Parenti & G. De la Rosa-Cruz (2005): Fecundity, the germinal epithelium, and folliculogenesis in viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 191-216

Livebearer Literature List 202201

- R.C. Griffiths (1976): Xenotoca eiseni -- they are not so tough. Livebearers (28): 9-10
- R.C. Griffiths (1986): Goodeids I have loved (or liked, anyway). Livebearers (85): 8-9
- R.C. Griffiths (2000): Livebearers in the hot tub. Livebearers (163): 5-8
- C. Grimes (1983): There is no such thing as a free lunch...the old standby - Xenotoca eiseni. Livebearers (69): 6-7
- H. Hieronimus (1993): Eihülle der Goodeiden II. DGLZ-Rundschau (3): 62-62
- H. Hieronimus (1993): Neues aus Wissenschaft un Forschung Eihülle der Goodeiden II. DGLZ-Rundschau (5): 3-3
- H. Hieronimus (2016): Zwei neue Hochlandkärpfinge - mindestens alter Bekannter. DGLZ-Rundschau (3): 118-121
- H. Hieronimus (2019): Lebendgebärende Aquarienfische revidiert. DGLZ-Rundschau (3): 84-85
- H. Hieronimus (2019): Lebendgebärende Aquarienfische revidiert. DGLZ-Rundschau (2): 84-85
- J.H. Huber (2019): A nomenclatural and systematic analysis of livebearing Cyprinodontiformes (Acanthopterygil: Anablepsinae, Goodeinae, Poeciliidae). Killi-Data Series (): 4-155
- A. Iida (2019): Mother-to-embryo vitellogenin transport in a viviparous teleost Xenotoca eiseni. PNAS (44): 22359-22365
- A. Iida (2019): Male-specific asymmetric curvature of anal fin in a viviparous teleost, Xenotoca eiseni. Zoology (134): 1-7
- G. Jähn (1984): Beobachtungen an Xenotoca eiseni, dem Mexikanischen Hochlandkärpfpling. Aquarien Terrarien (3): 84-85
- W. van der Jeught (2000): Xenotoca eiseni. Aquariumwereld (1): 13-15
- K. de Jong (2017): Xenotoca eiseni Van één naar drie. Poecilia Nieuws (1): 22-28
- K. de Jong (2017): Xenotoca eiseni Van één naar drie. Aquariumwereld (5): 170-174
- K. de Jong (2020): Een revisie van onze levendbarende vissen. Poecilia Nieuws (2): 24-25
- D.S. Jordan & B.W. Evermann (1898): The fishes of north and middle America: A descriptive catalogue. Smithsonian Institution (Part III): 2184-3136
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. Poecilia Nieuws (2): 22-35
- M. Kempkes (1999): Drei besonders empfehlenswerte Hochlandkärpfinge. DATZ (2): 28-33
- M. Kempkes (2007): Die aquaristisch bedeutsamen Goodeiden-Arten. Aquaristik Fachmagazin (197): 12-17
- C. Kenway-Lynch, c. McMahan, A. Geheber, M. Hayes & K. Piller (2010): Threatened fishes of the world: "Xenotoca" eiseni Rutter, 1986 (Goodeidae). Environmental Biology of Fishes (87): 219-220
- M. Köck (2012): Von hinten aufgerollt: Die Goodeiden von Z bis A Die Gattung Xenotoca. Das Lebendgebärenden Magazin (2): 38-49
- D. Kroll (1998): Das Frühjahr steht vor der Tür - Teichhaltung ist angesagt. DGLZ-Rundschau (1): 3-7
- W. Ladiges (1977): Ein sehr interessanter Lebendgebärender. T.I. Magazin (4): 20-20
- R. van Lakerveld (1989): Xenotoca eiseni Rutter, 1896. Poecilia Nieuws (6): 0-0
- D. Lambert (0): Xenotoca eiseni (Rutter, 1896). Viviparous (19): 0-
- D. Lambert (1994): Introducing goodeids. Livebearers (133): 13-21
- J.K. Langhammer (1976): The lost treasure of the Aztecs. Livebearers (28): 2-5
- S. Ledermann (1980): Was ich bei der Hälerung von Xenotoca eiseni beobachtete?. ZAG Lebendgebärende Zahnkarpfen (2-4): 33-34
- F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 3. Teil. DGLZ-Rundschau (1): 1-29
- A. Lida, T. Nishimaki & A. Sehara-Fujisawa (2015): Prenatal regression of the trophotaenial placenta in a viviparous fish, Xenotoca eiseni. Scientific Reports (5): 1-5
- Y. Liu, L. Torres & T.R. Tiersch (2018): Quality evaluation of sperm from livebearing fishes: Standardized assessment of sperm bundles (spermatozeugmata) from Xenotoca eiseni (Goodeidae). Theriogenology (107): 50-56
- J. Lombardi & J.P. Wourms (1985): The trophotaenial placenta of a viviparous Goodeid fish: II Ultrastructure of trophotaeniae, the embryonic component. Journal of Morphology (184): 293-309
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- C. Macías García & Y. Saldívar-Lemus (2012): Foraging costs drive female resistance to a sensory trap. Proc. R. Soc. Lond. (): -
- H.J. Mayland (1979): "Denn die einen sind im Dunkeln und die andern sind im Licht..." - Zu Besuch bei Höhlensalmern und Hochlandkärpflingen. Aquarien Magazin (7): 358-364
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- G. Mendoza (1965): The ovary and anal processes of "Characodon" eiseni, a viviparous cyprinodont Teleost from Mexico. Biological Bulletin (2): 303-315
- G. Mendoza (1972): The fine structure of an absorptive epithelium in a viviparous teleost. Journal of Morphology
- M.K. Meyer (1981): Die Gattung Xenotoca Hubbs & Turner, 1939. Das Aquarium (144): 282-284
- R.R. Miller (1972): The redtail goodeid. Livebearers (5): 6-7
- R.R. Miller (2003): The redtail Goodeid. Livebearers (178): 12-15
- W. Noack (1982): Rückführung von Xenotoca eiseni und andere Lebendgebärende in ihre Ursprungsgewässer. DGLZ-Rundschau (4): 56-58
- C. Opperman (1989): Die Embryonalentwicklung von Xenotoca eiseni Rutter 1896 unter besonderer Berücksichtigung der Trophotaenien. Institut für Zoologie II der Heinrich Heine Universität (Juli): 1-120
- K.R. Piller et al (2015): Phylogeography and population structure of the imperiled redtail splitfin (Goodeidae: Xenotoca eiseni): implications for conservation. Copeia (2): 440-454
- K. Piller, C.S. Kenway-Lych, D.Camak & O. Domínguez-Domínguez (2015): Phylogeography and population structure of the imperiled redtail splitfin (Goodeidae: Xenotoca eiseni): implications for conservation. Copeia (2): 440-454
- F.N. Poeser & H. Arkenbout (1996): Xenotoca eiseni, na een veelbelovende start nagenoeg verdwenen?. Poecilia Nieuws (6): 135-137

- A.C. Radda (1985): De Goodeidae van Mexico; een uiterst interessante, maar aquaristisch nogal onbekende familie. TTH (43): 5-8
- A.C. Radda (1986): Cyprinodonten vissen in Mexico 2. Poecilia Nieuws (2): 28-30
- J. Ransier (2005): Tagging livebearing fish: potential role in enhancing and restoring livebearing fish populations. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 475-480
- S. Riese (1995): Betr.: "Schocktot bei Goodeiden", DGLZ-Rundschau 1/94. DGLZ-Rundschau (2): 35-35
- C. Rutter (1896): Notes on fresh water fishes of the Pacific slope of North America. Proc. Calif. Acad. Sci (6): 245-267
- J.F. Schindler & H. Greven (2010): Respiratory strategies in Goodeid and Jenynsiid embryos: Morphologic correlates of cutaneous gas exchange. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 13-30
- F.F. Schmidt (1978): Mexico - een vissenparadijs. Het Aquarium (5): 121-125
- H. Schöpfel (1987): Ein Fischkind wird geboren. Aquarium Heute (3): 11-12
- E. Schraml (1978): Damals en vogue - heute tot? Lebendgebärende Zahnkarpfen aus dem Standardsortiment unserer Großväter. Aquarien Magazin (4): 186-190
- P. Schubert (1979): Eine bemerkenswerte Rarität - Xenotoca eiseni. ZAG Lebendgebärende Zahnkarpfen (4): 37-39
- P. Schubert (1980): Beobachtungen bei der Befruchtung von Xenotoca eiseni - Weibchen. ZAG Lebendgebärende Zahnkarpfen (2-4): 12-12
- P. Schubert (1987): Eine nicht gerechtfertigte Bezeichnung. ZAG Lebendgebärende Zahnkarpfen (4): 7-8
- P. Schubert (1987): Xenotoca goodei - ein Zwerggoodeide?. ZAG Lebendgebärende Zahnkarpfen (3): 7-8
- P. Schubert (1989): "Eins zu Null" - Goodeiden kontra Hydra. ZAG Lebendgebärende Zahnkarpfen (4): 6-7
- P. Schubert (1989): Goodeiden 2. Aquarien Terrarien (11): 377-379
- P. Schubert (1990): Gedanken zur Vergesellschaftung von Goodeiden. DGLZ-Rundschau (1): 18-22
- P. Schubert (1991): Beobachtungen zur Farbausbildung bei Chapalichthys pardalis, dem Pantherkärlpling. DGLZ-Rundschau (1): 4-5
- P. Schubert (1991): Auslese und gezielte Zucht von Wildformen Lebendgebärender - Ja oder Nein?. DGLZ-Rundschau (1): 21-22
- P. Schubert (1991): Ein Fisch für das Schaubecken - Ameca splendens. DGLZ-Rundschau (4): 86-89
- P. Schubert (1991): Hochlandkärlinge Goodeiden: Ein Feuerwerk an Farbe bei grauer Fischen. Das Aquarium (2): 4-9
- P. Schubert (1992): Kannibalismus unter Lebendgebärenden - das Beispiel Zoogoneticus quitzeoensis. DGLZ-Rundschau (2): 38-40
- B. Snook (1985): Goodeids. Livebearers (83): 6-8
- V.A. Sovrano, A. Bisazza & G. Vallortigara (2003): Modularity as a fish (Xenotoca eiseni) views it: conjoining geometric and nongeometric information for spatial reorientation. Journal of Experimental Psychology (3): 199-210
- V.A. Sovrano, A. Bisazza & G. Vallortigara (2007): How fish do geometry in large and small spaces. Anim Cogn (10): 47-54
- V.A. Sovrano, A. Bisazza & G. Vallortigara (2007): How fish do geometry in large and in small spaces. Anim Cogn (10): 47-54
- V.A. Sovrano, A. da Pos & L. Albertazzi (2016): The Müller-Lyer illusion in the teleost fish Xenotoca eiseni. Anim Cogn (19): 123-132
- V.A. Sovrano, C. Rainoldi, A. Bisazza & G. Vallortigara (1999): Roots of brain specializations: preferential left-eye use during mirror-image inspection in six species of teleost fish. Behavioural Brain Research (106): 175-180
- V.A. Sovrano, G. Baratti & S.A. Lee (2020): The role of learning and environmental geometry in landmark-based spatial reorientation of fish (Xenotoca eiseni). PlosOne (3): 1-26
- J. Sperl (1985): Beobachtungen zum Fortpflanzungsverhalten des Rotschwanz-Hochlandkärlplings, Xenotoca eiseni. Aquarien Terrarien (3): 94-95
- J. Sperl (1995): Das Fortpflanzungsverhalten des Rotschwanz-Hochlandkärlplings. DATZ (10): 636-638
- E.C. Taylor (1984): Hooglandkarpers. Poecilia Nieuws (2): 0-1
- E.C. Taylor (1984): Hooglandkarpers (vervolg). Poecilia Nieuws (2): 5-6
- S.M. Tinguely, A. Lange & C.T. Tyler (2019): Ontogeny and dynamics of the gonadal development, embryogenesis, and gestation in Xenotoca eiseni (Cyprinodontiformes, Goodeidae). Sex Dev (13): 297-310
- K. Trepping (1981): Beobachtungen an einem Vertreter der Hochlandkärlinge (Goodeidae). Aquarien Terrarien (4): 134-135
- V. Truppa et al (2010): Processing of visual hierarchical stimuli by fish (Xenotoca eiseni). Behavioural Brain Research (207): 51-60
- K. Tschartner (1979): Xenotoca eiseni. ZAG Lebendgebärende Zahnkarpfen (2/3): 29-30
- M.C. Uribe Aranzábal et al (2010): Ovarian structure and embryonic traits associated with viviparity in poeciliids and goodeids. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 211-230
- M.C. Uribe, H.J. Grier & S.A. Avila-Zúñiga (2018): Change of lecithotrophic to matrotrophic nutrition during gestation in the viviparous teleost Xenotoca eiseni (Goodeidae). Journal of Morphology
- J. Vente (1985): Hooglandkarpers, Goodeidae. Het Aquarium (3): 74-78
- S.A. Webb (1998): A phylogenetic analysis of the Goodeidae. (): 1-280
- U. Werner (1990): Der Banderolenkärlpling Xenotoca eiseni ist sicherlich kein "Beifisch". Das Aquarium (Juli): 12-15
- S. Winkler & M. Wilson (1983): The red-tailed Goodeid. Livebearers (68): 11-14
- M. Winther (2017): Zwei neue Xenotoca-Arten wurden beschrieben. Das Lebendgebärenden Magazin (1): 33-35
- L. Wischnath (0): Une magnifique population de Xenotoca eiseni (Rutter, 1896). Aquarama (141): 36-37
- L. Wischnath (1996): Hooglandkarpers uit Mexico. Het Aquarium (2): 32-36

Xenotoca lyonsi Domínguez-Domínguez, Bernal-Zuñiga & Piller, 2016

- O. Domínguez-Domínguez, D.M. Bernal-Zuñiga & K.Piller, 2016 (2016): Two new species of the genus *Xenotoca* Hubbs and Turner, 1939 (Teleostei, Goodeidae) from central-western Mexico. *Zootaxa* (4189(1)): 81-96
H. Hieronimus (2016): Zwei neue Hochlandkäpfinge - mindestens alter Bekannter. *DGLZ-Rundschau* (3): 118-121
H. Hieronimus (2019): Lebendgebärende Aquarienfische revidiert. *DGLZ-Rundschau* (3): 84-85
H. Hieronimus (2019): Lebendgebärende Aquarienfische revidiert. *DGLZ-Rundschau* (2): 84-85
J.H. Huber (2019): A nomenclatural and systematic analysis of livebearing Cyprinodontiformes (Acanthopterygil: Anablepsinae, Goodeinae, Poeciliidae). *Killi-Data Series* (): 4-155
K. de Jong (2017): *Xenotoca eiseni* Van één naar drie. *Poecilia Nieuws* (1): 22-28
K. de Jong (2017): *Xenotoca eiseni* Van één naar drie. *Aquariumwereld* (5): 170-174
K. de Jong (2020): Een revisie van onze levendbarende vissen. *Poecilia Nieuws* (2): 24-25
F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 4. Teil. *DGLZ-Rundschau* (3): 61-70
F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 4. Teil. *DGLZ-Rundschau* (2): 61-70
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
K.R. Piller et al (2015): Phylogeography and population structure of the imperiled redtail splitfin (Goodeidae: *Xenotoca eiseni*): implications for conservation. *Copeia* (2): 440-454
M. Winther (2017): Zwei neue Xenotoca-Arten wurden beschrieben. *Das Lebendgebärenden Magazin* (1): 33-35

Xenotoca melanosoma Fitzsimons, 1972

- D. Biggs (2008): Fishing adventures in the Purificación river. *Livebearer News* (23): 24-47
J.M. Fitzsimons (1972): A revision of two genera of goodeid fishes from the Mexican plateau. *Copeia* (4): 728-756
J.M. Fitzsimons (1974): Morphological and behavioral intermediacy in hybrids of two species of Goodeid fishes from Mexico. *Copeia* (4): 848-855
J.M. Fitzsimons (1976): Ethological isolating mechanisms in Goodeid fishes of the Genus *Xenotoca*. *Bulletin Southern California Academy of Sciences* (75): 84-99
P. Götting (1990): Erfahrungen mit dem Schwarzen Hochlandkäpfling *Xenotoca melanosoma* Fitzsimons, 1972. *ZAG Lebendgebärende Zahnkarpfen* (4): 9-10
R.M. Hamill et al (2007): Comparison of genetic diversity at microsatellite loci in near-extinct and non-endangered species of Mexican goodeine fishes and prediction of cross-amplification within the family. *Journal of Fish Biology* (70): 16-32
H. Hieronimus (2019): Lebendgebärende Aquarienfische revidiert. *DGLZ-Rundschau* (2): 84-85
J.H. Huber (2019): A nomenclatural and systematic analysis of livebearing Cyprinodontiformes (Acanthopterygil: Anablepsinae, Goodeinae, Poeciliidae). *Killi-Data Series* (): 4-155
K. de Jong & F. Poese (2005): *Xenotoca melanosoma* Fitzsimons, 1972. *Poecilia Nieuws* (4): 9-13
B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. *Poecilia Nieuws* (2): 22-35
M. Köck (2012): Von hinten aufgerollt: Die Goodeiden von Z bis A Die Gattung *Xenotoca*. *Das Lebendgebärenden Magazin* (2): 38-49
D. Lambert (1995): *Xenotoca melanosoma* Fitzsimons, 1972. *Viviparous* (31): 0-
F. Liberge (2018): Mexikanische Reise - auf der Suche nach Goodeiden - 2. Teil
F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 3. Teil. *DGLZ-Rundschau* (1): 1-29
F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 4. Teil. *DGLZ-Rundschau* (2): 61-70
J. Lyons (2021): The insidiousness of invasive species. *Livebearer News* (67): 7-13
J. Lyons & N. Mercado-Silva (1999): Patrones taxonómicos y ecológicos entre comunidades de peces en ríos y arroyos en el oeste de Jalisco, México. *Anales del Instituto de Biología, Universidad National* (2): 169-190
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
G. Randall (2008): Breeding *Xenotoca melanosoma*. *Livebearer News* (23): 20-22
G. Randall (2008): Breeding *Xenotoca melanosoma*. *Livebearers* (202): 15-20
M.G. Ritchie et al (2007): Sex and differentiation: population genetic divergence and sexual dimorphism in Mexican goodeid fish. *European Society for Evolutionary Biology* (20): 2048-2055
G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. *Das Lebendgebärenden Magazin* (2): 8-23
P. Schubert (1989): Interessant und nicht farblos: Goodeiden I. *Aquarien Terrarien* (10): 333-337
P. Schubert (1990): Gedanken zur Vergesellschaftung von Goodeiden. *DGLZ-Rundschau* (1): 18-22
S.A. Webb (1998): A phylogenetic analysis of the Goodeidae. (): 1-280
R. Winter (0): Further thoughts on *Xenotoca melanosoma*. *Viviparous* (34): 0-
J.L. Zavala-Aguirre et al. (2010): Induction of micronuclei and nuclear abnormalities by cyclophosphamide and colchicine in *Xenotoca melanosoma* (Pisces, Goodeidae) from Lake La Alberca in Mochoacán, México. *Journal of Environmental Science and Health* (1): 75-81

Xenotoca variata (Bean, 1888)

- T. H. Bean (1887): Description of five new species of fishes sent by prof A. Dugés from the province of Guanajuato, Mexico. Proceedings US Nat. Museum (10): 370-375
- T. H. Bean (1892): Notes on fishes collected in Mexico by prof Alfredo Dugés, with descriptions of new species. Proceedings US Nat. Museum (15): 283-287
- O. Böhm (0): Quelques espèces intéressantes de la famille des Goodeidés. Aquarama (): 13-16
- O. Böhm (1984): Das Hochland von Mexiko ist die Heimat der Goodeiden. TI (68): 9-11
- J.G.A. Caballos Corona et al (1994): Analisis limnologico de lage de Cuitzeo, Michoacan, Mexico. Universidad Michoacana de San Nicolás de Hidalgo Facultad de Biología (): 1-45
- J. Dawes (1998): Goodeiden Teil 3 (Schluß): Kurzbeschreibungen zu einigen Arten (2). Das Aquarium (343): 8-11
- I. Dibble (1999): Hobbyist Aqua Lab Conservation Group "Mexico" Dagboek over de voortgang Deel 1. Poecilia Nieuws (5): 105-110
- I. Dibble (2000): Fish Ark Project - Mexico. Viviparous (48): 5-10
- N. Dokoupil (1985): Hochlandkäpfplinge: Der Goldschuppenkäpfling, Xenotoca variata. Das Aquarium (191): 238-242
- G. Entlinger (1978): Erst vier Jahre bei uns: Hochlandkäpflinge. Aquarien Magazin (10): 480-483
- G. Entlinger (1978): Erst vier Jahre bei uns - Hochlandkäpflinge. Aquarien Magazin (10): 480-483
- J.M. Fitzsimons (1972): A revision of two genera of goodeid fishes from the Mexican plateau. Copeia (4): 728-756
- J.M. Fitzsimons (1976): Ethological isolating mechanisms in Goodeid fishes of the Genus Xenotoca. Bulletin Southern California Academy of Sciences (75): 84-99
- Kathrin Glaw (2019): Hochlandkäpflinge: Erhaltungszuchuprojekte in Wien. VDA-aktuell (2): 20-24
- H. Hieronimus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. DGLZ-Rundschau (3): 21-22
- K. de Jong (2013): Mexico 2013 deel 2: rondom Morelia. Poecilia Nieuws (3): 8-13
- K. de Jong (2014): Mexiko 2013 Teil 2 Rundum Morelia. Das Lebendgebärenden Magazin (1): 26-31
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. Poecilia Nieuws (2): 22-35
- M. Köck (2012): Von hinten aufgerollt: Die Goodeiden von Z bis A Die Gattung Xenotoca. Das Lebendgebärenden Magazin (2): 38-49
- M. Köck (2015): Hin und zurück - die Geschichte zweier Österreicher in Mexiko. Das Lebendgebärenden Magazin (2): 37-43
- P. Lambert (0): The lake of delights. Viviparous (4): 0-
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- C. Macías García & A. Valero (2010): Sexual conflict and sexual selection in the Goodeinae, a clade of viviparous fish with effective female mate choice. In Regina Macedo, editor: Advances in the Study of Behavior, vol. 42, Burlington: Academic press (): 1-54
- C. Macías García & Y. Saldívar-Lemus (2012): Foraging costs drive female resistance to a sensory trap. Proc. R. Soc. Lond. (): -
- M. Medina-Nava et al (2005): Conservation of two sites in central Mexico with a high diversity of livebearing fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 499-504
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- S.E. Meek (1907): Notes on the fresh-water fishes from Mexican and central America. Field Columbian Museum - Zoology (5): 1-157
- N. Mercado-Silva et al. (2006): Long-term changes in the fish assemblage of the Laja River, Guanajuato, central Mexico. Aquatic Conservation: marine and freshwater ecosystems (16): 533-546
- M.K. Meyer (1981): Die Gattung Xenotoca Hubbs & Turner, 1939. Das Aquarium (144): 282-284
- P. Miller (2014): Xenotoca variata: a record brood!. Livebearers (222): 18-20
- A. Moyaho, C. Macías García & E. Ávila-Luna (2004): Mate choice and visibility in the expression of a sexually dimorphic trait in a goodeid fish (Xenotoca variatus). Can. J. Zool. (82): 1917-1922
- A. Moyaho, C. Macías García & J. Manjarrez (2004): Predation risk is associated with the geographic variation of a sexually selected trait in a viviparous fish (Xenotoca variata). J. Zool. London (262): 265-270
- A. Ramírez-García & O. Domínguez-Domínguez (2019): Zacapu lake, a hot spot of native fishes. American Currents (Summer): 8-10
- A. Ramírez-García et al (2021): Reproductive cycle of native viviparous fish species (Actinopterygii: Cyprinodontiformes: Goodeidae) in a subtropical Mexican lake. Neotropical Ichthyology (4): 1-20
- A. Ramírez-García, R. Moncayo-Estrada, O. Domínguez-Domínguez (2020): Small lake, high biodiversity: Lake Zacapu, México. Livebearers (246): 12-15
- J.P. Ramírez-Herrejón et al (2010): Historical assessment of livebearing fishes in Zacapu Lake, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 476-479
- Z. Rodríguez Álvarez et al (2010): Current status of the viviparous fish species in the Cuitzeo basin of Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 472-475
- C.I. Salazar-Tinoco, M. Medina-Nava & J.P. Ramírez-Herrejón (2010): Reproductive biology of the subfamily Goodeinae in La Mintzita Dam, Morelia, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida ():
- P. Schubert (1989): Interessant und nicht farblos: Goodeiden 1. Aquarien Terrarien (10): 333-337
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. Aquatic Ecosystem Health and Management (1): 267-276
- E. Soto-Galera et al (1999): Change in fish fauna as indication of aquatic ecosystem condition in Río Grande de Morelia - Lago de Cuitzeo Basin, Mexico. Environmental Management (1): 133-140
- A.J. Woolman (1894): Report on a collection of fishes from the rivers of central and northern Mexico. Bull. U.S. Fish Comm. (XIV): 55-66

Xiphophorus alle

- (1994): Zwaarddragers negeren evolutietheorie. Poecilia Nieuws (5): 100-100
- B. Allen (2003): The Xiphophorus genetic stock center. Livebearers (176): 4-11
- J. Altschmied, L. Ditzel & M. Schartl (1997): Hypomethylation of the Xmrk oncogene promoter in melanoma cells of Xiphophorus. Biol. Chem. (378): 1457-1466
- Anonym (1980): Xiphо-Standarte. ZAG Lebendgebärende Zahnkarpfen (2-4): 14-19
- Anonym (1982): Kulturbund der DDR ZFA Aquaristik Xiphо-Standard. ZAG Lebendgebärende Zahnkarpfen (): 1-12
- J.W. Atz (1962): Effects on hybridization on pigmentation in fishes of the genus Xiphophorus. Zoologica (4): 153-181
- H. Auer (2003): Myron Gordon und die Geschichte der genetischen Erforschung der Schwerträger. DGLZ-Rundschau (2): 41-45
- H. Auer (2004): Von fastenden Kojoten und großen Ichtyologen - Kleine Namenskunde bei den Schwerträgern. DGLZ-Rundschau (1): 14-18
- A.L. Basolo (1996): The phylogenetic distribution of a female preference. Systematic biology (3): 290-307
- C. Cheswright (1994): Down Mexico way. Viviparous (26): 0-9
- C. Cheswright (2004): An A-Z of Xiphophorus. Livebearer News (7): 7-14
- R. Cui et al (2013): Phylogenomics reveals extensive reticulate evolution in Xiphophorus fishes. Evolution (8): 2166-2179
- Z.W. Culumber & M. Tobler (2016): Ecological divergence and conservatism: spatiotemporal patterns of niche evolution in a genus of livebearing fishes (Poeciliidae: Xiphophorus). BMC Evolutionary Biology () 1-16
- J. Delfgaauw et al. (2003): MITF-M plays an essential role in transcriptional activation and signal transduction in Xiphophorus melanoma. Gene (320): 117-126
- W.J.M. Deutz (1955): Zwaarddragers. Waterweelde (10): 173-175
- V. Diekmann (2007): Anmerkungen zur Artenvielfalt in der DGLZ. DGLZ-Rundschau (1): 15-19
- V. Diekmann (2007): Eine kurze Übersicht über die Gattung Xiphophorus. DGLZ-Rundschau (2): 52-56
- V. Diekmann (2008): Systematiek van en soortgroepen binnen het genus Xiphophorus. Poecilia Nieuws (2): 10-14
- D. Franck (1968): Weitere Untersuchungen zur vergleichenden Ethologie der Gattung Xiphophorus (Pisces). Behaviour (1): 76-95
- B. Friedman & M. Gordon (1934): Chromosome numbers in Xiphophorin fishes. The American Naturalist (718): 446-455
- D. Gentzsch (1980): Die Abgrenzung der Arten in der Gattung Xiphophorus Heckel, 1848. ZAG Lebendgebärende Zahnkarpfen (2-4): 4-11
- D. Gentzsch (2019): Die Geschichte der Xiphophorus-Zuchtformen und ihr Standard. Aquaristik Fachmagazin (5): 6-32
- A. Gómez et al (2004): Identification of a second egfr gene in Xiphophorus uncovers an expansion of the epidermal growth factor receptor family in fish. Mol. Biol. Evol (21): 266-275
- M. Gordon (1997): What does the "gravid spot" mean?. Livebearers (149): 24-26
- M. Gordon & P. Benzer (1945): Sexual dimorphism in the skeletal elements of the gonopodial suspensoria in Xiphophorin fishes. Zoologica (2): 57-72
- M.D. Green, M.G.P. van Veller & D.R. Brooks (2002): Assessing modes of speciation: range asymmetry and biogeographical congruence. Cladistics (18): 112-124
- S.S. Greenberg & M.J. Kopac (1965): Electrophoretic studies of Xiphophorin fishes and their melanoma-bearing hybrids. Physiological Zoology (2): 149-157
- R.C. Griffiths (1987): Those amazing swords Part I. Livebearers (93): 12-14
- T. Hayes (1974): Look (or perhaps we shoud say think) before crossing. Livebearers (16): 15-16
- W. Heinrich & J.H. Schröder (1986): Tentative findings on the phylogenetic relationship within the genus Xiphophorus with regard to the frequency distribution of sexual behavior patterns. Ber. nat. - med. Verein Innsbruck (73): 187-197
- H. Hieronimus (1994): Xiphophorus-Genetik, Teil II. DGLZ-Rundschau (4): 88-90
- H. Hieronimus (1994): Xiphophorus-Genetik, Teil I. DGLZ-Rundschau (3): 64-66
- H. Hieronimus (1996): De kleine zwaarddragers. Poecilia Nieuws (3): 48-51
- H. Hieronimus (2013): Neues bei Xiphophorus - Genetische Untersuchungen der Verwandschaftsbeziehungen. DGLZ-Rundschau (1): 5-7
- J. Hyoun Kang et al (2013): Comprehensive phylogenetic analysis of all species of swordtails and platies uncovers a hybrid origin of a swordtail fish, Xiphophorus monticolus, and demonstrates that the sexually selected sword originated in the ancestral lineage of the
- D. Isla (1991): Livebearer interview: Dr. Klaus Kallman. Livebearers (115): 7-10
- K. Jacobs (1976): Die Neuglidierung der Gattung Xiphophorus. Das Aquarium (5): 194-195
- J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
- J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
- K. de Jong (2005): Die Schwerträger-Wildformen für jeden Aquarianer interessant. Das Lebendgebärenden Magazin (1&2): 23-33
- K. de Jong (2005): De platy's. Poecilia Nieuws (3): 3-7
- S. de Jong (2020): Geslachtsverandering bij Xiphophorus soorten mythe of reeds de mythe voorbij?. Poecilia Nieuws (4): 5-10
- K. D. Kallman (1975): The Platylfish, Xiphophorus maculatus. handbook of genetics (4): 81-132
- K. D. Kallman (2001): How the Xiphophorus problem arrived in San Marcos, Texas. Mar. Biotechnol. (3): 6-16
- K.D. Kallman & S. Contreras-Balderas (2010): The intricate genetics of melanophore patterns in fish of the genus Xiphophorus. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 345-356
- K.D. Kallman & S. Kazianis (2006): The genus Xiphophorus in Mexico and Central America. Zebrafish (3): 271-285
- J.H. Kang et al (2013): Comprehensive phylogenetic analysis of all species of swordtails and platies uncovers a hybrid origin of a swordtail fish, Xiphophorus monticolus, and demonstrates that the sexually selected sword originated in the ancestral lineage of the genus, but
- S. Kazianis (2006): Historical, present, and future use of Xiphophorus fishes for research. Zebrafish (1): 9-10

- S. Kazianis et al (2005): Sex-determination in platyfishes and swordtails. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 381-400
- M. Köck (2012): Het geslacht Xiphophorus. Poecilia Nieuws (3): 11-27
- D. Lambert (0): The Panuco bassin swordtails. Viviparous (13): 0-
- D. Lambert (1990): The wild platies and swordtails. Livebearers (114): 3-7
- D. Lambert (2004): The wild platies and swordtails. Livebearers (183): 19-24
- J.K. Langhammer (1991): Changes in the names of swordtails. Livebearers (115): 11-12
- J.K. Langhammer (1997): Additional thought on gravid spots. Livebearers (149): 26-27
- F. Liberge (2013): S'initier au jugement des XMP. Le Vivipare (118): 22-30
- P.J. Lockhart, D. Penny & A. Meyer (1995): Testing the phylogeny of swordtail fishes using split decomposition and spectral analysis. *J. Mol. Evol.* (41): 666-674
- B. Malitschek, Wittbrodt, Fischer, Lammers, Ullrich & Schartl (1994): Autocrine stimulation of Xmrk receptor tyrosine kinase in Xiphophorus melanoma cells and identification of a source for the physiological ligand. *Journal of Biological Chemistry* (14): 10423-10430
- J. Mangan (1997): The truth about Hi-fin Xiphophorus genetics. Livebearers (145): 19-22
- J.M. Marcus & A.R. McCune (1999): Ontogeny and phylogeny in the Northern swordtail clade of Xiphophorus. *Systematic biology* (3): 491-522
- C.J. Marshall & J.K. Liebherr (2000): Cladistic biogeography of the Mexican transition zone. *Journal of Biogeography* (27): 203-216
- D.E. Mefford (1997): How does hi-fin and plumbetail work?. Livebearers (147): 19-19
- A. Meyer et al (1994): Recurrent origin of a sexually selected trait in Xiphophorus fishes inferred from a molecular phylogeny. *Nature* (368): 539-542
- A. Meyer, W. Salzburger & M Schartl (2006): Hybrid origin of a swordtail species (Teleostei: Xiphophorus clemenciae) driven by sexual selection. *Molecular Ecology* (j.1365-294X.2006.02810.x): 1-10
- D. Mitchell et al (2014): Interspecific variation in the repair of UV damaged DNA in the genus Xiphophorus as a factor in the decline of the Río Grande platyfish. *Photochemistry and Photobiology* (): -
- D.C. Morizot & M.J. Siciliano (198): Gene mapping in fishes and other vertebrates. in: Turner, Bruce J. *Evolutionary Genetics of Fishes* (): 173-235
- D.C. Morizot et al (1991): Genetic linkage map of fishes of the genus Xiphophorus. *Genetics* (127): 399-410
- N. Offen, N. Blum, A. Meyer & G. Begemann (2008): Fgf1 signalling in the development of a sexually selected trait in vertebrates, the sword of swordtail fish. *BMC Developmental Biology* (98): 1-18
- H.-A. Pederzani (1964): Punktbewertung für die Zuchtformen der Gattungen Xiphophorus und Mollienesia. *ZAG Lebendgebärende Zahnkarpfen* (2): 3-4
- H.-A. Pederzani (1965): Künstliche Befruchtung bei lebendgebärenden Zahnkarpfen. *ZAG Lebendgebärende Zahnkarpfen* (1): 4-6
- H.-A. Pederzani (1966): Zur Weiterentwicklung unserer Standards. *ZAG Lebendgebärende Zahnkarpfen* (1): 11-12
- K. Pfand (1977): V. DDR Xiphophorus-Schau in Sömmerna. *Aquarien Terrarien* (6): 194-194
- F.N. Poeser (1996): Erfelijkheid en geslachtsbepaling. *Poecilia Nieuws* (6): 147-151
- A. Pomiankowski (1994): Swordplay and sensory bias. *Nature* (368): 494-495
- B. Poßeckert (1994): Bewertungsrichtlinie Wildformen - Standard Zuchtformen (Xiphophorus). *DGLZ-Rundschau* (Sonderheft): 1-32
- A.C. Radda (1980): Synopsis der Gattung Xiphophorus Heckel. *Aquaria* (27): 39-44
- C.M. Rodriguez (1997): Phylogenetic analysis of the tribe poeciliini. *Copeia* (4): 663-679
- D.E. Rosen (1960): Middle-American Poeciliid Fishes of the genus Xiphophorus. *Bulletin of the Florida State Museum* (4): 58-243
- D.E. Rosen (1979): Fishes from the uplands and intermontane basins of Guatemala: Revisionary Studies and Comparative Geography. *Bulletin American Museum of Natural History* (162): 268-375
- D.E. Rosen & K.D. Kallman (1969): A new fish of the genus Xiphophorus from Guatemala, with remarks on the Taxonomy of Endemic Forms. *American Museum Novitates* (2379): 1-29
- G.G. Rosenthal (2010): Swordtails and platyfishes. in: Breed & More (eds) *Encyclopedia of Animal Behavior* (3): 363-367
- G.G. Rosenthal & F.J. García de León (2006): Sexual Behavior, Genes, and Evolution in Xiphophorus. *Zebrafish* (1): 85-90
- G. Salgado-Maldonado (2004): Helminth parasites of freshwater fishes of the Pánuco river basin. *Comp. Parasitol.* (2): 190-202
- A. Savastio (1988): Hybridization between swordtails and platies. *Livebearers* (102): 3-4
- M. Schartl et al (1998): Triplet repeat variability in the signal peptide sequence of the Xmrk receptor tyrosine kinase gene in Xiphophorus fish. *Gene* (224): 17-21
- A. Seidel & H. Seidel (1988): Die Geschichte der Schwerträger Teil II "Art oder Unterart, das ist hier die Frage". *Das Aquarium* (Mai): 280-283
- A. Seidel & H. Seidel (1988): Die Geschichte der Schwerträger Teil I: Xiphophorus oder Platypoecilus: das ist hier die Frage. *Das Aquarium* (März): 36-42
- R. Serva (2006): Identifying the wild swordtails. *Genus Xiphophorus. Tropical Fish Hobbyist* (april): 98-110
- I. Sinclair (2004): The parable of the six loafers and two small fishes. *Livebearer News* (7): 17-21
- D. Speirs (1991): Swordtail evolution. *Livebearers* (119): 14-15
- V. Tribius (1990): Schwerträger unterirdisch. *DGLZ-Rundschau* (3): 4-12
- K. Tschartner (1975): Zuchziel Guppy-, Xiphophorus- oder Molly Schau (Wege zur Verbesserung der Zucht "Lebendgebärende Zahnkarpfen"). *ZAG Lebendgebärende Zahnkarpfen* (2): 2-3
- K. Tschartner (1977): Xiphophorus im Kreiskulturhaus. *ZAG Lebendgebärende Zahnkarpfen* (4): 21-23
- J.R. Vielkind, K.D. Kallman & D.C. Morizot (1989): Genetics of Melanomas in Xiphophorus fishes. *Journal of Aquatic Animal Health* (1): 69-77
- W. Voigt (2002): "Spiegelkärlinge" Eine Monographie von Dr. Myron Gordon. *Das Aquarium* (11): 31-33
- J.-N. Wolff & M. Schartl (2004): Hautkrebs bei Fischen: ein Tumorgen und die Folgen. *DGLZ-Rundschau* (4): 97-99
- R.B. Walter & S. Kazianis (2001): Xiphophorus interspecies hybrids as genetic models of inducec neoplasia. *ILAR Journal* (4): 299-321

- R.B. Walter et al (2005): The Xiphophorus stockcenter. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 343-349
- S. Weis & M. Schartl (1998): The macromelanophore locus and the melanoma oncogene Xmrk are separate genetic entities in the genome of Xiphophorus. *Genetics* (149): 1909-1920
- J.J. Wiens & M.R. Morris (1996): Character definitions, sexual selection, and the evolution of swordtails. *American Naturalist* (5): 866-869
- C. Winkler, Wittbrodt, Lammers, Ullrich & Schartl (1994): Ligand-dependent tumor induction in medaka fish embryos by Xmrk receptor tyrosine kinase transgene. *oncogene* (9): 1517-1525
- L. Wischnath (1997): Xiphophorus Les formes sauvage. *Aquarama* (156): 12-19
- C.D. Zander (1967): Ökologische und morphologische Beiträge zur Systematik und geographischen Verbreitung der Gattung Xiphophorus. *Mitt. Hamburg. Zool. Mus. Inst.* (64): 37-125
- C.D. Zander (1975): Genetische Merkmalsanalyse als Hilfsmittel bei der Taxonomie der Zahnkarpfen-Gattung Xiphophorus. *Z. zool. Syst. Evolut.-forsch.* (13): 63-78
- H. Zauner, G. Begemann, M. Mari-Beffa & A. Meyer (2003): Differential regulation of msx genes in the development of the gonopodium, an intromittent organ, and of the "sword", a sexually selected trait of swordtail fishes (Xiphophorus). *Evolution & Development* (5): 466-

Xiphophorus alvarezi Rosen, 1960

- H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwertträgern. *Das Lebendgebärenden Magazin* (1): 22-25
- T. Coletti (2010): Livebearer unlimited The southern swordtails. *Tropical Fish Hobbyist* (Feb): 32-34
- G. Daul (1995): Der blaue Schwertträger. *DATZ* (3): 197-197
- D. Hughes-Phillips (2010): Guatemala trip 2007. *Livebearers* (209): 28-41
- J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. *Molecular Ecology* (22): 2986-3001
- K. D. Kallman (1989): Genetic Control of Size at Maturity in Xiphophorus. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 163-184
- K.D. Kallman & I.Y. Bao (1987): Female heterogamety in the swordtail, Xiphophorus alvarezi Rosen (Pisces, Poeciliidae), with comments on a natural polymorphism affecting sword coloration. *Journal of Experimental Zoology* (243): 93-102
- M. Köck (2012): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 1: Die SüdlichenSchwertträger. *Das Lebendgebärenden Magazin* (1): 12-21
- M. Köck (2012): Het geslacht Xiphophorus. *Poecilia Nieuws* (3): 11-27
- M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeografica y ecologica de la ictiofauna continental de Chiapas, Mexico. *The Southwestern Naturalist* (2): 223-236
- L. van der Meer (2007): Xiphophorus alvarezi Rosen, 1960. *Poecilia Nieuws* (1): 29-31
- M.K. Meyer (1996): Schwertträger Xiphophorus helleri- und X. nigrensis-Komplex. *Das Aquarium* (329): 14-17
- C.E. Oufiero, K. Jugo & T. Garland jr (2014): Swimming with a sword: tail beat kinematics in relation to sword length in Xiphophorus. *Functional Ecology* (): -
- A.C. Radda (1982): Synopsis der Gattung Xiphophorus Heckel. *DGLZ-Rundschau* (2): 25-30
- D.E. Rosen (1960): Middle-American Poeciliid Fishes of the genus Xiphophorus. *Bulletin of the Florida State Museum* (4): 58-243
- R. Serva (2005): The Genus Xiphophorus Part 1, the Swordtails. *Livebearers* (184): 4-25
- M. Trauzettel (1984): Schulung der Xipho- und Guppybewerter 1983 in Bretnig. *ZAG Lebendgebärende Zahnkarpfen* (3): 3-3
- L. Wischnath (1982): Nieuwe zwaarddragers uit Mexico. *TTH* (29): 41-42
- L. Wischnath (1982): Naar Mexico, het land van de levendbarenen. *TTH* (29): 39-41
- L. Wischnath (1982): Op zoek naar Priapella compressa en Xiphophorus alvarezi. *Het Aquarium* (11): 313-315
- L. Wischnath (1983): Trichocoronis rivularis, Gray. Een nieuwe aquariumplant. *Het Aquarium* (3): 76-78
- L. Wischnath (1995): Zwaarddrager wildvormen, deel 2. *Het Aquarium* (12): 290-293
- L. Wischnath & M. Meyer (1985): Xiphophorus-Natur-Hybriden. *DGLZ-Rundschau* (1): 15-17

Xiphophorus andersi Meyer & Schartl, 1980

- H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwertträgern. *Das Lebendgebärenden Magazin* (1): 22-25
- D. Gentzsch (1989): Ergänzende Hinweise zum Erstimport des Gelben Schwertschwanzplatys Xiphophorus andersi nach Europa. *ZAG Lebendgebärende Zahnkarpfen* (4): 12-12
- J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. *Molecular Ecology* (22): 2986-3001
- K. de Jong (1988): Xiphophorus andersi, met uitsterven bedreigd; het Atoyac zwaardplaatje. *Poecilia Nieuws* (2): 25-26
- K. de Jong (1989): Xiphophorus andersi, vom aussterben bedroht. *ZAG Lebendgebärende Zahnkarpfen* (4): 11-12
- K. de Jong (1992): Hoe lang nog?. Picasso onder water (): 0-
- K. de Jong (1996): Een nieuwe aanpak. *Poecilia Nieuws* (2): 26-29
- K. de Jong (1999): Het Atoyac zwaardplaty (Xiphophorus andersi, Meyer & Schartl 1979). *Poecilia Nieuws* (3): 55-61
- K. de Jong (2001): De Atoyac zwaardplaty Xiphophorus andersi. *Het Aquarium* (6): 214-216
- K. de Jong (2004): Der Atoyac Schwertplaty (Xiphophorus andersi, Meyer & Schartl 1979). *Das Lebendgebärenden Magazin* (2): 8-14
- K. de Jong (2005): Xiphophorus andersi Meyer & Schartl, 1980. *Poecilia Nieuws* (3): 13-16
- K. D. Kallman (1989): Genetic Control of Size at Maturity in Xiphophorus. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 163-184
- M. Köck (2006): Lebendgebärende in Zoologische Gärten VIII: Das Mexiko-Haus im Tiergarten Schönbrunn im Wien. *DGLZ-Rundschau* (3): 98-102
- M. Köck (2013): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 3: Die Platys. *Das Lebendgebärenden Magazin* (2): 9-20

- M. Köck (2014): Met en zonder zwaard: Het geslacht Xiphophorus deel 3 de platy's. Poecilia Nieuws (3): 21-41
J.K. Langhammer (1999): New Phylogenetic relationships proposed for Xiphophorine species. Livebearers (155): 27-28
E. Marcisz (1986): The goldburst platy - an F1 hybrid. Livebearers (91): 3-4
M.K. Meyer & M. Scharl (1980): Eine neue Xiphophorus-Art aus Vera Cruz, Mexiko. Senckenbergiana biol. (60): 147-151
M.K. Meyer & M. Scharl (1981): Eine neue Xiphophorus-Art aus Vera Cruz, Mexiko. DGLZ-Rundschau (3): 34-38
W. Noack (1980): Op zoek naar nieuwe vissoorten. TTH (23): 28-29
H. Obregón-Barboza, S. Contreras-Balderas & M. Lozano-Vilano (1994): The fishes of northern and central Veracruz, Mexico. Hydrobiologica (286): 79-95
A.C. Radda (1982): Synopsis der Gattung Xiphophorus Heckel. DGLZ-Rundschau (2): 25-30
A. Savastio (1985): A cross between a wild & domestic swordtail. Livebearers (82): 7-7
R. Serva & G. Tash (1997): In sort of the "wild" red swordtail (amongst other things). Viviparous (39): 0-
S. Teutloff (1989): Auch ein Schwertschwanzplaty.... ZAG Lebendgebärende Zahnkarpfen (2): 1-3
R.B. Walter et al (2004): A microsatellite genetic linkage map for Xiphophorus. Genetics (168): 363-372
A. Weissenbacher (2009): Erhaltungszucht von Fischen im Tiergarten Schönbrunn. Aquaristik Fachmagazin (6): 8-13
L. Wischnath (0): Le Rio Atoyac au Mexique, le berceau de raretés aquariophiles. Aquarama (): 11-15
L. Wischnath (1980): Een nieuwe zwaardplaty uit Mexico. TTH (23): 28-28
L. Wischnath (1981): Naar Mexico, het land van de levendbarende vissen. TTH (24): 35-37
L. Wischnath (1982): Naar Mexico, het land van de levendbarenden. TTH (29): 39-41
L. Wischnath (1996): Wildvormen van het geslacht Xiphophorus deel 3 - platy's. Het Aquarium (1): 7-9

Xiphophorus bastaard

- M. Hellweg (2014): Mike's fishroom The hybrid menace: stirring the pot. Livebearers (224): 16-17

Xiphophorus birchmanni Lechner & Radda, 1987

- M. Ah-King & P.A. Gowaty (2016): A conceptual review of mate choice: stochastic demography, within-sex phenotypic plasticity, and individual flexibility. Ecology and Evolution (14): 4607-4642
Anonym (2020): Natürliche Hybridisation von Xiphophorus malinche und Xiphophorus birchmanni in Mexiko mit Folgen. Aquaristik Fachmagazin (274): 33-33
H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. Das Lebendgebärenden Magazin (1): 22-25
C.E. Bautista-Hernández et al (2019): Helminth parasites of Xiphophorus birchmanni (Teleostei: Poeciliidae) from two localities of the Pánuco River drainage, Mexico. Revista Mexicana de Biodiversidad (90): 1-8
C.E. Bautista-Hernández et al (2019): Helminth parasites of Xiphophorus birchmanni (Teleostei: Poeciliidae) from two localities of the Pánuco River drainage, Mexico. Revista Mexicana de Biodiversidad (90): 1-8
K. Boulton et al (2015): How integrated are behavioral and endocrine stress response traits? A repeated measures approach to testing the stress-coping style model. Ecology and Evolution (3): 618-633
K. Boulton et al (2016): Sex-specific plasticity and genotype x sex interactions for age and size of maturity in the sheepshead swordtail, Xiphophorus birchmanni. J. Evol. Biol. (29): 645-656
C. Cheswright (0): A Christmas trip to Mexico. Viviparous (42): 0-
S.W. Coleman & G. G. Rosenthal (2006): Swordtail fry attend to chemical and visual cues in detecting predators and conspecifics. PlosOne (1): 1-4
S.W. Coleman et al (2009): A field-study of inducible molecular defenses, ultraviolet radiation, and melanogenesis in natural Xiphophorus hybrids. Environmental Biology of Fishes (86): 279-284
T. Coletti (2010): Livebearers unlimited The northern mountain swordtails. Tropical Fish Hobbyist (March): 32-35
Z. Culumber (2013): Aquarium science: Variation in wild swordtails. Tropical Fish Hobbyist (5): 64-68
Z. Culumber (2014): Pigmentation in Xiphophorus: an emerging system in ecological and evolutionary genetics. Zebrafish (1): 57-70
Z. Culumber (2018): Impact of environmental change on wild livebearer populations. Livebearers (237): 9-15
Z.W. Culumber & G.G. Rosenthal (2013): Population-level mating patterns and fluctuating asymmetry in swordtail hybrids. Naturwissenschaften (100): 801-804
Z.W. Culumber et al (2010): Replicated hybrid zones of Xiphophorus swordtails along an elevational gradient. Molecular Ecology (20): 342-356
Z.W. Culumber et al (2012): Physiological adaptation along environmental gradients and replicated hybrid zone structure in swordtails (Teleostei: Xiphophorus). Journal of Evolution Biology (25): 1800-1814
Z.W. Culumber, O.M. Ochoa & G.G. Rosenthal (2014): Assortative mating and the maintenance of population structure in a natural hybrid zone. American Naturalist (2): 225-232
N. Dokoupil (1997): Ein Schwerträger ohne Schwert. DATZ (1): 35-37
R.L. Earley (2006): Xiphophorus: carving a niche towards a broader understanding of aggression and dominance. Zebrafish (3): 287-298
H.S. Fisher & G.G. Rosenthal (2006): Female swordtail fish use chemical cues to select well-fed males. Anim. Behav. (72): 721-725
H.S. Fisher & G.G. Rosenthal (2006): Hungry females show stronger mating preferences. Behavioral Ecology (17): 979-981
H.S. Fisher & G.G. Rosenthal (2007): Male swordtails court with an audience in mind. Biol. Lett. (3): 5-7
H.S. Fisher & G.G. Rosenthal (2009): Relative abundance of Xiphophorus fishes and its effect on sexual communication. Ethology (116): 32-38
H.S. Fisher & G.G. Rosenthal (2010): Relative abundance of Xiphophorus fishes and its effect on sexual communication. Ethology (116): 32-38
H.S. Fisher, B.B.M. Wong & G.G. Rosenthal (2006): Alteration of the chemical environment disrupts communication in a freshwater fish. Proc. R. Soc. Lond. (273): 1187-1193

Livebearer Literature List 202201

- H.S. Fisher, S.J. Mascuch & G.G. Rosenthal (2009): Multivariate male traits misalign with multivariate female preferences in the swordtail fish, *Xiphophorus birchmanni*. *Animal Behaviour* (78): 265-269
- C. Gutiérrez-Rodríguez, A. Shearer, M. Morris & K. de Queiroz (2008): Phylogeography and monophyly of the swordtail fish species *Xiphophorus birchmanni*. *Zoologica Scripta* (37): 129-139
- D. Harper (2014): Swordtail discoveries. *Popular Fishkeeping* (Summer): 71-71
- H. Hieronimus (1989): Noch rar in Aquarien: *Xiphophorus birchmanni*. DATZ (9): 522-523
- H. Hieronimus (1992): Die kleinen Schwerträger. DGLZ-Rundschau (1): 8-10
- H. Hieronimus (2007): Neues zu *Xiphophorus cortezi*. DGLZ-Rundschau (4): 103-105
- J.B. Johnson, D.C. Macedo, C.N. Passow & G. Rosenthal (2014): Sexual ornaments, body morphology, and swimming performance in naturally hybridizing swordtails (Teleostei: *Xiphophorus*). *PlosOne* (10): 1-10
- J.C. Jones et al (2013): The evolutionary history of *Xiphophorus* fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. *Molecular Ecology* (22): 2986-3001
- K. de Jong (1988): Revisie van de *Xiphophorus montezumae/cortezi* groep en beschrijving van een nieuwe ondersoort. *Poecilia Nieuws* (6): 83-86
- K. de Jong (2003): Op zoek naar zwaarddragers in Mexico 2002. *Poecilia Nieuws* (4): 54-68
- K. de Jong (2003): Auf der Suche nach den Schwerträgern, Mexiko 2002 (Teil 1). *Das Lebendgebärenden Magazin* (3/4): 53-67
- K. de Jong (2008): De smaak van water. *Poecilia Nieuws* (2): 19-20
- K. de Jong (2018): *Xiphophorus birchmanni* Lechner & Radda, 1987. *Poecilia Nieuws Atlas* (): -
- K. de Jong (2018): De smaak van water. *Het Aquarium* (1): 49-49
- H.K. Kindsvater, G.G. Rosenthal & S.H. Alonso (2012): Maternal size and age shape offspring size in a live-bearing fish, *Xiphophorus birchmanni*. *PlosOne* (11): 1-8
- H.K. Kindsvater, S.E. Simpson, G.G. Rosenthal & S.H. Alonso (2013): Male diet, female experience, and female size influence maternal investment in swordtails. *Behavioral Ecology* (3): 691-697
- M. Köck (2012): Mit und ohne Schwert; Die Gattung *Xiphophorus* Teil 2: Die Nördlichen Schwerträger. *Das Lebendgebärenden Magazin* (2): 12-25
- M. Köck (2013): Het geslacht *Xiphophorus* Deel 2 De noordelijke zwaarddragers. *Poecilia Nieuws* (5): 8-26
- D. Lambert (0): *Xiphophorus birchmanni*. Viviparous (38): 0-
- D. Lambert (1996): The search for *Skiffia francesae* The Aquarian Expedition 1996. *Tropical Fish Hobbyist* (november): 118-133
- P. Lechner & A.C. Radda (1988): Revision des *Xiphophorus montezumae/cortezi*-Komplexes und Neubeschreibung einer Subspezies. *DGLZ-Rundschau* (2): 4-11
- L. van der Meer (2008): *Xiphophorus birchmanni*. *Poecilia Nieuws* (3): 20-21
- M.K. Meyer (1988): Mexiko 1987, (Teil 2). *DGLZ-Rundschau* (3): 4-11
- J. de Moree (2005): *Xiphophorus birchmanni* en malinche. *Poecilia Nieuws* (2): 8-10
- M.R. Morris & K. Casey (2001): Phylogenetic relationships among populations of northern swordtails (*Xiphophorus*) as inferred from allozyme data. *Copeia* (1): 65-81
- M.R. Morris, M. S. Tudor & N.S. Dubois (2007): Sexually selected signal attracted females before deterring aggression in rival males. *Anim. Behav.* (74): 1189-1197
- H. Obregón-Barboza, S. Contreras-Balderas & M. Lozano-Vilano (1994): The fishes of northern and central Veracruz, Mexico. *Hydrobiologia* (286): 79-95
- D.L. Powell et al (2020): Natural hybridization reveals incompatible alleles that cause melanoma in swordtail fish. *Science* (368): 731-736
- D.L. Powell et al (2020): Natural hybridization reveals incompatible alleles that cause melanoma in swordtail fish. *Science* (368): 731-736
- G.G. Rosenthal et al (2003): Dissolution of sexual signal complexes in a hybrid zone between the swordtails *Xiphophorus birchmanni* and *Xiphophorus malinche*. *Copeia* (2): 299-307
- G.G. Rosenthal et al (2011): Tactical release of a sexually-selected pheromone in a swordtail fish. *PlosOne* (2): 1-5
- M. Schartl & S. Schories (2019): Platys und Schwerträger in Wissenschaft und Forschung. *Das Lebendgebärenden Magazin* (1): 10-17
- R. Serva (2005): The Genus *Xiphophorus* Part 1, the Swordtails. *Livebearers* (184): 4-25
- R. Serva (2007): Back to Calnali or My trip to Centro de Investigación Científica de las Huastecas "Aguazarca" Calnali, Hidalgo, México (CICHAZ). *Livebearers* (196): 18-23
- R. Serva (2010): Back to Calnali or My trip to Centro de Investigación de las Huastecas "Aguazarca" Calnali, Hidalgo, México (CICHAZ). *Livebearer News* (30): 38-42
- R. Serva & G. Tash (1998): Collecting sheephead and highland swordtails (*Xiphophorus birchmanni* and *Xiphophorus malinche*) in the Rio Calnali. *Livebearers* (152): 14-18
- K.W. Trochu (2015): Going wild four times over. *Livebearers* (229): 8-11
- K.W. Trochu (2019): A "fancy" wild *Xiphophorus*: *Xiphophorus birchmanni*. *Livebearers* (242): 20-23
- E. Wiedermann (2015): Swimming in blue genes. *Visiting Gil Rosenthal*. *Livebearers* (228): 22-23
- P.M. Willis, G.G. Rosenthal & M.J. Ryan (2012): An indirect cue of predation risk counteracts female preference for conspecifics in a naturally hybridizing fish *Xiphophorus birchmanni*. *PlosOne* (4): 1-5
- P.M. Willis, M.J. Ryan & G.G. Rosenthal (2011): Encounter rates with conspecific males influence female mate choice in a naturally hybridizing fish. *Behavioral Ecology* (22): 1234-1240
- L. Wischnath (1995): Zwaarddrager wildvormen, deel 2. *Het Aquarium* (12): 290-293
- B.B.M. Wong & G.G. Rosenthal (2005): Shoal choice in swordtails when preferences conflict. *Ethology* (111): 179-186
- B.B.M. Wong & G.G. Rosenthal (2006): Female disdain for swords in a swordtail fish. *The American Naturalist* (1): 136-140
- B.M. Wong, H.S. Fisher & G.G. Rosenthal (2005): Species recognition by male swordtails via chemical cues. *Behavioral Ecology* (april): 818-822

Xiphophorus clemenciae Alvarez, 1959

- J. Alvarez (1959): Nuevas especies de Xiphophorus e Hyporamphus procedentes del Rio Coatzacoalcos. Ciencia (19): 69-73
H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. Das Lebendgebärenden Magazin (1): 22-25
R. Borowsky (1978): The tailspot polymorphism of Xiphophorus (Pisces: Poeciliidae). Evolution (4): 886-893
T. Coletti (2010): Livebearer unlimited The southern swordtails. Tropical Fish Hobbyist (Feb): 32-34
T. Contreras-MacBeath (2005): Analysis of the conservation of freshwater fish species in Mexico with Emphasis on viviparous species. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 401-414
A. Gómez-González et al (2014): Primer registro de Xiphophorus clemenciae (Cyprinodontiformes: Poeciliidae) en la cuenca del río Grijalva, México. Revista Mexicana de Biodiversidad (85): 975-978
K. Heller & T. Rehbeck (1996): Zuchtvorschuss mit Xiphophorus clemenciae "Rio Sarabia, Oaxaca, Mexiko". DGLZ-Rundschau (2): 35-36
H. Hieronimus (2013): Neues bei Xiphophorus - Genetische Untersuchungen der Verwandschaftsbeziehungen. DGLZ-Rundschau (1): 5-7
J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
K. de Jong (1997): Een fraaie kleine zwaarddrager, Xiphophorus clemenciae Alvarez, 1959. Poecilia Nieuws (5): 84-89
K. de Jong (1999): Een fraaie kleine zwaarddrager Xiphophorus clemenciae Alvarez, 1959. Het Aquarium (2): 33-37
K. de Jong (2004): De zwaarddrager wildvormen voor iedere aquariaan interessant. Poecilia Nieuws (4): 8-16
K. D. Kallman (1991): Xiphophorus clemenciae is not an endangered species. Livebearers (116): 5-8
K. D. Kallman (1992): Xiphophorus clemenciae ist keine gefährdete Art!. DGLZ-Rundschau (1): 4-7
K.D. Kallman et al (2004): Two new species of Xiphophorus from the Isthmus of Tehuantepec, Oaxaca, Mexico, with a discussion of the distribution of the X. clemenciae clade. American Museum Novitates (3441): 1-34
J.H. Kang et al (2013): Comprehensive phylogenetic analysis of all species of swordtails and platies uncovers a hybrid origin of a swordtail fish, Xiphophorus monticolus, and demonstrates that the sexually selected sword originated in the ancestral lineage of the genus, but
M. Köck (2012): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 1: Die SüdlichenSchwerträger. Das Lebendgebärenden Magazin (1): 12-21
M. Köck (2012): Het geslacht Xiphophorus. Poecilia Nieuws (3): 11-27
D. Lambert (0): Xiphophorus clemenciae Alvarez, 1959. Viviparous (25): 0-3
D. Lambert (1995): The livebearer world X. clemenciae. Tropical Fish Hobbyist (10): 147-150
J.K. Langhammer (1999): New Phylogenetic relationships proposed for Xiphophorine species. Livebearers (155): 27-28
J. Mallet (2007): Hybrid speciation. Nature (March): 279-283
M.K. Meyer (1996): Schwerträger Xiphophorus helleri- und X. nigrensis-Komplex. Das Aquarium (329): 14-17
A. Meyer, W. Salzburger & M Schartl (2006): Hybrid origin of a swordtail species (Teleostei: Xiphophorus clemenciae) driven by sexual selection. Molecular Ecology (j.1365-294X.2006.02810.x): 1-10
C.E. Oufiero, K. Jugo & T. Garland jr (2014): Swimming with a sword: tail beat kinematics in relation to sword length in Xiphophorus. Functional Ecology (): -
A.C. Radda (1982): Synopsis der Gattung Xiphophorus Heckel. DGLZ-Rundschau (2): 25-30
M. Schumer et al (2012): An evaluation of the hybrid speciation hypothesis for Xiphophorus clemenciae based on whole genome sequences. Evolution (4): 1155-1168
R. Serva (2005): The Genus Xiphophorus Part 1, the Swordtails. Livebearers (184): 4-25
E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
L. Wischnath (1982): Naar Mexico, het land van de levendbarenden. TTH (29): 39-41
L. Wischnath (1987): "Wilde Mexikaner". Aquarien Magazin (9): 347-350
L. Wischnath (1995): Zwaarddrager wildvormen, deel 2. Het Aquarium (12): 290-293

Xiphophorus continens Rauchenberger, Kallman & Morizot, 1990

- C. Cheswright (0): A Christmas trip to Mexico. Viviparous (42): 0-
T. Coletti (2010): Livebearers unlimited The northern mountain swordtails. Tropical Fish Hobbyist (March): 32-35
J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
M. Köck (2012): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 2: Die Nördlichen Schwerträger. Das Lebendgebärenden Magazin (2): 12-25
M. Köck (2013): Het geslacht Xiphophorus Deel 2 De noordelijke zwaarddragers. Poecilia Nieuws (5): 8-26
P. Lambert (0): Aquarian endangered species expedition. Viviparous (21): 0-
D.A. McLennan & M.J. Ryan (2008): Female swordtails, Xiphophorus continens, prefer the scent of heterospecific males. Anim. Behav. (75): 1731-1737
L. van der Meer (2012): Xiphophorus continens Rauchenberger, Kallman & Morizot 1990. Poecilia Nieuws (4): 30-32
L. van der Meer (2013): Xiphophorus continens Rauchenberger, Kallman and Morizot, 1990. Das Lebendgebärenden Magazin (2): 5-6
E. Meinema (1991): Vier nieuwe zwaarddragers van het Rio Panuco stroomgebied (Oost Mexico). Poecilia Nieuws (2): 28-30
M.R. Morris et al (2005): The role of sexual selection in the loss of sexually selected traits in the swordtail fish Xiphophorus continens. Anim. Behav. (69): 1415-1424
M. Rauchenberger, K. Kallmann & D.C. Morizot (1990): Monophyly and Geography of the Rio Panuco Basin Swordtails with description of four new species. American Museum Novitates (2975): 1-41
F. Schäfer (2020): Lebendgebärende. Information Xiphophorus continens über bekannte und neue Arten. Xiphophorus continens. Aquaristik Fachmagazin (274): 107-107

- R. Serva (2005): The Genus Xiphophorus Part 1, the Swordtails. Livebearers (184): 4-25
R. Serva & G. Tash (1998): Xiphophorus continens. Livebearers (154): 6-7
B. Slocum (2014): Xiphophorus continens The El Quince swordtail. Livebearers (224): 18-19
B. Slocum (2018): Walking on the wild side. Xiphophorus continens. Livebearers (238): 9-10
L. Wischnath (1992): Neue Namen bei großen und kleinen Schwerträgern. Das Aquarium (August): 10-12
L. Wischnath (1995): Zwaarddrager wildvormen, deel 2. Het Aquarium (12): 290-293

Xiphophorus cortezi Rosen, 1960

- M. Ah-King & P.A. Gowaty (2016): A conceptual review of mate choice: stochastic demography, within-sex phenotypic plasticity, and individual flexibility. Ecology and Evolution (14): 4607-4642
J.M. Artigas Azas (2014): Sie kamen aus Mexiko- die Schwerträger und ihr Lebensraum. Amazonas (März/April): 22-27
H. Auer (2005): Aus der Wissenschaft: Neues vom Aggressionsverhalten der Männchen und von der Partnerwahl der Weibchen bei Xiphophorus cortezi. DGLZ-Rundschau (2): 59-62
H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. Das Lebendgebärenden Magazin (1): 22-25
R. de Boer & T. Woeltjes (1986): Enkele levendbarende tandkarpers uit Mexico. Het Aquarium (9): 227-230
O. Böhm (1978): Erleben die Wildformen Lebendgebärender Zahnkarpfen einen neuen Frühling?. Aquarien Magazin (9): 432-436
R. Borowsky (1984): The evolutionary genetics of Xiphophorus. in: Turner, Bruce J. Evolutionary Genetics of Fishes (): 235-310
C. Cheswright (0): A Christmas trip to Mexico. Viviparous (42): 0-
C. Clapsaddle (2013): Life with livebearers the Cortes swordtail (Xiphophorus cortezi). Tropical Fish Hobbyist (Feb): 42-44
T. Coletti (2007): Montezuma's revenge Part 1: a history of many names. Livebearers (196): 7-13
T. Coletti (2010): Livebearers unlimited The northern mountain swordtails. Tropical Fish Hobbyist (March): 32-35
Z. Culumber (2018): Impact of environmental change on wild livebearer populations. Livebearers (237): 9-15
G. Daul (1981): Wieder einmal "Fischfangexcursion in Mexiko". DGLZ-Rundschau (4): 46-49
A.A. Fernandez (2010): A cancer-causing gene is positively correlated with male aggression in Xiphophorus cortezi. J. Evol. Biol. (23): 386-396
A.A. Fernandez & M.R. Morris (2008): Mate choice for more melanin as a mechanism to maintain a functional oncogene. Proc. Natl. Acad. Sci. (36): 13503-13507
A. Fernandez, L.R. Fernandez & L. Toth (2008): Head over heels: an examination of a possible mating signal in female swordtails, Xiphophorus cortezi. Anim. Behav. (76): 1073-1081
D. Franck (1970): Verhaltungsgenetische Untersuchungen an Artbastarden der Gattung Xiphophorus (Pisces). Z. Tierpsychol. (1): 1-34
M. Gordon (1942): The true Montezumae swordtail's tenth year in the aquarium. The Aquarium (April): 196-197
M. Gordon (1956): Swordtails. The care and breeding of swordtails. T.F.H. (): 1-24
M.S. Gordon & D.E. Rosen (1951): Genetics of species differences in the morphology of the male genitalia of Xiphophorin fishes. Bulletin American Museum of Natural History (95): 409-464
M. Gordon & P. Benzer (1945): Sexual dimorphism in the skeletal elements of the gonopodial suspensoria in Xiphophorin fishes. Zoologica (2): 57-72
C. Gutiérrez-Rodríguez, A. Shearer, M. Morris & K. de Queiroz (2008): Phylogeography and monophyly of the swordtail fish species Xiphophorus birchmanni. Zoologica Scripta (37): 129-139
C. Gutiérrez-Rodríguez, M. Morris, N. Dubois, K. de Queiroz (2007): Genetic variation and phylogeography of the swordtail fish Xiphophorus cortezi. Molecular Phylogenetics and Evolution (43): 111-123
H. Hieronimus (1992): Die kleinen Schwerträger. DGLZ-Rundschau (1): 8-10
H. Hieronimus (2007): Neues zu Xiphophorus cortezi. DGLZ-Rundschau (4): 103-105
C.D. Hoefler & M.R. Morris (1999): A technique for the temporary application and augmentation of pigment patterns in fish. Ethology (105): 431-438
K. Jacobs (1979): So begatten sich die Lebendgebärenden. Aquarien Magazin (2): 62-67
J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
K. de Jong (1986): Xiphophorus cortezi, de cortezi zwaarddrager (Rosen 1960). Poecilia Nieuws (5): 65-67
K. de Jong (1988): Revisie van de Xiphophorus montezumae/cortezi groep en beschrijving van een nieuwe ondersoort. Poecilia Nieuws (6): 83-86
K. de Jong (2004): De zwaarddrager wildvormen voor iedere aquariaan interessant. Poecilia Nieuws (4): 8-16
K. de Jong (2006): Voorkeur voor symmetrie bij Xiphophorus cortezi. Poecilia Nieuws (4): 27-28
K. de Jong (2009): Über die Vorliebe für Symmetrie bei Xiphophorus cortezi. Das Lebendgebärenden Magazin (2): 8-8
K. D. Kallman (1971): Inheritance of melanophore patterns and sex determination in the montezuma swordtail, Xiphophorus montezumae cortezi Rosen. Zoologica (3): 77-94
K. D. Kallman (1989): Genetic Control of Size at Maturity in Xiphophorus. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 163-184
M. Köck (2012): Mit und ohne Schwert; Die Gattung Xiphophorus Teil 2: Die Nördlichen Schwerträger. Das Lebendgebärenden Magazin (2): 12-25
M. Köck (2013): Het geslacht Xiphophorus Deel 2 De noordelijke zwaarddragers. Poecilia Nieuws (5): 8-26
U. Korte (2012): Lebendgebärende im Exotarium des Frankfurter Zoos. DGLZ-Rundschau (2): 68-76
D. Lambert (0): Xiphophorus cortezi. Viviparous (1): 0-
D. Lambert (1996): The search for Skiffia francesae The Aquarian Expedition 1996. Tropical Fish Hobbyist (november): 118-133
D. Lambert (1997): A report on Xiphophorus cortezi & X. pygmaeus. Tropical Fish Hobbyist (May): 158-162

Livebearer Literature List 202201

- D. Lambert (1997): The livebearer world: *Poecilia chica* ...etc.. Tropical Fish Hobbyist (January): 166-169
- P. Lechner & A.C. Radda (1988): Revision des *Xiphophorus montezumae/cortezi*-Komplexes und Neubeschreibung einer Subspezies. DGLZ-Rundschau (2): 4-11
- J. Lyons (2017): Adventures among the wild livebearers of Mexico: Northern Swordtails. Livebearers (234): 5-10
- D.A. McLennan & M.J. Ryan (1997): Responses to conspecific and heterospecific olfactory cues in the swordtail *Xiphophorus cortezi*. Anim. Behav. (54): 1077-1088
- D.A. McLennan & M.J. Ryan (1999): Interspecific recognition and discrimination bases upon olfactory cues in Northern swordtails. Evolution (3): 880-888
- L. van der Meer (2007): *Xiphophorus montezumae* Jordan & Snyder, 1900. *Poecilia Nieuws* (4): 24-26
- M.K. Meyer (1986): Lebendgebärende Aquarienfische vom Rio Axtla in Mexiko. DATZ (2): 61-64
- M.K. Meyer (1988): Mexiko 1987, (Teil 2). DGLZ-Rundschau (3): 4-11
- J. Moar (1990): *Xiphophorus cortezi*. Livebearers (111): 28-30
- Jason Moretz (2005): Aggression and fighting ability are correlated in the swordtail *Xiphophorus cortezi*: the advantage of being barless. Behav Ecol Sociobiol (59): 51-57
- M.R. Morris & K. Casey (1998): Female swordtail fish prefer symmetrical sexual signal. Anim. Behav. (55): 33-39
- M.R. Morris, J.A. Elias & J.A. Moretz (2001): Defining vertical bars in relation to female preference in the swordtail *Xiphophorus cortezi* (Cyprinodontiformes, Poeciliidae). Ethology (107): 827-837
- M.R. Morris, O. Rios-Cardenas & M.S. Tudor (2006): Larger swordtail females prefer asymmetrical males. Biol. Lett. (2): 8-11
- M.R. Morris, P.F. Nicoletto & E. Hesselman (2003): A polymorphism in female preference for a polymorphic male trait in the swordtail fish *Xiphophorus cortezi*. Animal Behaviour (65): 45-52
- N. Offen, A. Meyer & G. Begemann (2009): Identification of novel genes involved in the development of the sword and gonopodium in swordtail fish. Developmental Dynamics (238): 1674-1687
- M. Plath et al (2007): Sexual harassment in live-bearing fishes (Poeciliidae): comparing courting and noncourting species. Behavioral Ecology (March): 680-688
- F. Poeser & K. de Jong (2010): Vrouwen vallen voor foute mannen. Ook bij *Xiphophorus cortezi*. *Poecilia Nieuws* (5): 27-28
- A.C. Price, C.J. Weadick, J. Shim & F.H. Rodd (2008): Pigments, patterns, and fish behavior. Zebrafish (4): 297-307
- K. Qvist & R. Evjeberg (2012): Tamasopo. Das Lebendgebärenden Magazin (2): 26-32
- A.C. Radda (1982): Synopsis der Gattung *Xiphophorus* Heckel. DGLZ-Rundschau (2): 25-30
- T. Rehbeck (1999): Der Rio Axtla und seine Fische. DGLZ-Rundschau (1): 12-13
- S. Riese (2004): Der Cortez-schwertträger - *Xiphophorus cortezi*. Das Lebendgebärenden Magazin (1): 24-27
- O. Rios-Cardenas & M.R. Morris (2010): The implications of variation in female preferences for swordtail fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 321-330
- D.M. Robinson & M.R. Morris (2010): Unraveling the complexities of variation in female mate preferences for vertical bars in the swordtail, *Xiphophorus cortezi*. Behav Ecol Sociobiol (May): 0-
- D.E. Rosen (1960): Middle-American Poeciliid Fishes of the genus *Xiphophorus*. Bulletin of the Florida State Museum (4): 58-243
- G.G. Rosenthal & M.J. Ryan (2011): Conflicting preferences within females: sexual selection versus species recognition. Biol. Lett. (7): 525-527
- J. Sabatier (2018): *Xiphophorus cortezi* Rosen, 1960. Das Lebendgebärenden Magazin (1): 30-33
- J. Sabatier (2019): *Xiphophorus cortezi* Rosen, 1960. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (2): 28-33
- J. Sabisch (2002): Die Gattung *Xiphophorus* hat viel mehr zu bieten als den Schwerträger und den Platyp. Das Aquarium (3): 22-25
- G. Sage (2000): Beginning a selective breeding program, part 2. Livebearers (162): 5-10
- C. van de Sande (2002): Molly R. Morris. *Poecilia Nieuws* (1): 12-16
- A. Schartl et al (1995): Spontaneous melanoma formation in nonhybrid *Xiphophorus*. Cancer Research (55): 159-165
- A. Scholl (1974): Biochemical evolution in the genus *Xiphophorus* (Poeciliidae, Teleostei). Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag 1973 (): 277-299
- R. Serva (2005): The Genus *Xiphophorus* Part 1, the Swordtails. Livebearers (184): 4-25
- R. Serva & G. Tash (1999): The treasure of Cortez - *Xiphophorus cortezi*. Livebearers (155): 21-24
- H. Stallknecht (1981): Ein Xiphio-hybride. Aquarien Terrarien (6): 187-187
- H.-P. Weil (1982): Eine Reise voller Überraschungen (Folge 1). DGLZ-Rundschau (2): 20-22
- L. Wischnath (1978): Wildvormen van zwaarddragers. TH (14): 5-8
- L. Wischnath (1994): Wildformen Lebendgebärender Zahnkarpen Teil 2: Schwerträger. Das Aquarium (302): 16-18
- L. Wischnath (1995): Zwaarddrager wildvormen, deel 2. Het Aquarium (12): 290-293
- C.D. Zander (1965): Die Geschlechtsbestimmung bei *Xiphophorus montezumae cortezi* Rosen (Pisces). Z. Vererbungsl. (96): 128-141

Xiphophorus couchianus (Girard, 1859)

- (1987): Erhaltung der natürlichen Biotope. ZAG Lebendgebärende Zahnkarpen (1): 1-2
- C. Aguilera (1995): Universidad autónoma de Nuevo Leon - Programs for the endangered fish species of Mexico. Aquatic Survival (3): 14-15
- B. Allen (2009): An albino *Xiphophorus couchianus* platy. Livebearers (206): 13-14
- H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. Das Lebendgebärenden Magazin (1): 22-25
- A.S. Bias (0): *Xiphophorus couchianus* - on its way out?. Viviparous (7): 0-3
- R. Borowsky (1978): The tailspot polymorphism of *Xiphophorus* (Pisces: Poeciliidae). Evolution (4): 886-893

- T. Coletti (2010): Livebearers unlimited. The northern platies... and a new species?. Tropical Fish Hobbyist (1): 32-34
- R. Conant (1968): Zoological exploration in Mexico - the route of lieut. D.N. Couch in 1853. American Museum Novitates (2350): 1-14
- G. Daul (1981): Wieder einmal "Fischfangexcursion in Mexiko". DGLZ-Rundschau (4): 46-49
- I. Dibble (2008): Monterrey to Morelia, Mexico 2006. Livebearers (203): 12-25
- R. Fischer (1995): Three wild platys. Livebearers (139): 15-139
- D. Franck (1970): Verhaltensgenetische Untersuchungen an Artbastarden der Gattung Xiphophorus (Pisces). Z. Tierpsychol. (1): 1-34
- C. Girard (1859): Ichthyological notices. Proc. Acad. Nat. Sci. Phila. (April): 113-122
- M. Gordon (1932): Dr. Myron Gordon going on expedition. Aquatic Life (15): 287-288
- M. Gordon (1956): Platies. A guide to the selection, care and breeding of platies. T.F.H. (): -24
- M.S. Gordon & D.E. Rosen (1951): Genetics of species differences in the morphology of the male genitalia of Xiphophorin fishes. Bulletin American Museum of Natural History (95): 409-464
- M. Gordon & P. Benzer (1945): Sexual dimorphism in the skeletal elements of the gonopodial suspensoria in Xiphophorin fishes. Zoologica (2): 57-72
- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
- M. Hellweg (2007): Xiphophorus couchianus. Livebearers (198): 8-12
- M. Heyligens (1995): Xiphophorus couchianus. Aquariumwereld (11): 266-268
- H. Hieronimus (1985): Xiphophorus couchianus, der Monterrey-Platy. DGLZ-Rundschau (2): 4-11
- H. Hieronimus (1990): Door aquarianen gered. Het Aquarium (10): 272-273
- H. Hieronimus (1991): Lohnt es sich, Fundortstämme im Aquarium zu halten?. DGLZ-Rundschau (1): 12-13
- C. Huang, Q. Dong & T.R. Tiersch (2004): Sperm cryopreservation of a live-bearing fish, the platyfish Xiphophorus couchianus. Theriogenology (62): 971-989
- J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
- K. de Jong (1989): Xiphophorus couchianus (Girard, 1859). In de natuur uitgestorven. Poecilia Nieuws (6): 0-2
- K. de Jong (1992): Hoe lang nog?. Picasso onder water (): 0-
- K. de Jong (2005): Xiphophorus couchianus (Girard, 1859). Poecilia Nieuws (3): 31-33
- K. D. Kallman (1964): Genetics of tissue transplantation in isolated platyfish populations. Copeia (3): 513-522
- K.D. Kallman & M.P. Schreibman (1971): The origin and possible genetic control of new, stable pigment patterns in the Poeciliid fish Xiphophorus maculatus. Journal of Experimental Zoology (176): 147-168
- M. Köck (2013): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 3: Die Platys. Das Lebendgebärenden Magazin (2): 9-20
- M. Köck (2014): Met en zonder zwaard: Het geslacht Xiphophorus deel 3 de platy's. Poecilia Nieuws (3): 21-41
- R. Levine (1994): Xiphophorus to the rescue: model systems to study cancer. Livebearers (134): 6-8
- M.K. Meyer (1983): Xiphophorus-Hybriden aus Nord-Mexiko, mit einer Revision der Taxa X. kossaizanderi und X. roseni. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (18): 285-291
- M.K. Meyer (1984): Xiphophorus-Hybriden aus Nord_Mexiko, mit einer Revision der Taxa X. kossaizanderi und X. roseni. DGLZ-Rundschau (2): 31-37
- M.K. Meyer (1984): "Herontdekt" een tot nu toe onbekende vorm van Xiphophorus couchianus. TI (36): 21-21
- M.K. Meyer (1984): Natuurlijke hybriden bij Xiphophorus. TIH (38): 35-35
- R.R. Miller & W.L. Minckley (1963): Xiphophorus gordoni, a new species of platyfish from Coahuila, Mexico. Copeia (3): 538-546
- D. Mitchell et al (2014): Interspecific variation in the repair of UV damaged DNA in the genus Xiphophorus as a factor in the decline of the Río Grande platyfish. Photochemistry and Photobiology (): -
- J. Moar (1991): Xiphophorus couchianus. Livebearers (119): 4-7
- G.S. Myers (1925): Concerning melanodimorphism in killifishes. Copeia (137): 105-107
- T. Neal (1993): A plain jane, definitely not!. Livebearers (129): 7-8
- A.C. Radda (1982): Synopsis der Gattung Xiphophorus Heckel. DGLZ-Rundschau (2): 25-30
- E.M. Ralston (1933): The chromosomes of Xiphophorus, Platypoecilus and their hybrids during maturation stages. Science (2015): 124-125
- E.M. Ralston (1934): A study of the chromosomes of Xiphophorus, Platypoecilus and of Xiphophorus-Platypoecilus hybrids during spermatogenesis. Journal of Morphology
- C.T. Regan (190608): Pisces. Biologia Centrali-Americanana (): 1-203
- M. Rejlková (2018): De noordelijke platy's reddens van uitsterven. Poecilia Nieuws (4): 13-20
- M. Rejlková & L. Balnar (209): Saving the northern platyfish from extinction in your aquarium. Livebearers (243): 18-25
- Y. Shen et al (2016): X. couchianus and X. hellerii genome models provide genomic variation insight among Xiphophorus species. BMC Genomics (17:37): 1-13
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (153): 21-31
- W.N. Tavolga (1949): Embryonic development of the platyfish (Platypoecilus), the swordtail (Xiphophorus) and their hybrids. Bulletin American Museum of Natural History (94): 161-230
- A. Valdés Gonzalez (2008): The search for Xiphophorus couchianus and the discovery of a new species. Livebearer News (24): 4-11
- L. Wischnath (0): Le Platy Apodaca. Aquarama (142): 23-35
- L. Wischnath (1982): Wildvormen van platy's. TIH (30): 6-9
- L. Wischnath (1984): De Apodaca platy in het aquarium. TI (36): 21-21

- L. Wischnath (1987): Lebendgebärende Zahnkarpen aus Mexiko. Aquarien Magazin (8): 336-340
L. Wischnath (1996): Wildvormen van het geslacht Xiphophorus deel 3 - platy's. Het Aquarium (1): 7-9
J. Wubbolt (1997): Xiphophorus couchianus "Huasteca Canyon": the Monterrey platy. Livebearers (148): 14-15
H. Yang et al (2009): Sperm cryopreservation of a live-bearing fish, Xiphophorus couchianus: Male-to-male variation in post-thaw motility and production of F1 hybrid offspring. Comparative Biochemistry and Physiology (149): 233-239
H. Yang et al (2010): Current status of sperm cryopreservation in the genus Xiphophorus. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 403-414

Xiphophorus evelynae Rosen, 1960

- H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. Das Lebendgebärenden Magazin (1): 22-25
R. Borowsky (1997): Sangre De Cristo and Argent: new color varieties of platyfish. Tropical Fish Hobbyist (June): 123-134
T. Coletti (2010): Livebearers unlimited. The northern platies... and a new species?. Tropical Fish Hobbyist (1): 32-34
K. Eradus (2018): Xiphophorus evelynae Rosen, 1960. Poecilia Nieuws Atlas (): -
J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
K. de Jong (2005): Xiphophorus evelynae Rosen, 1960. Poecilia Nieuws (3): 17-19
B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. Poecilia Nieuws (4): 76-86
M. Köck (2013): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 3: Die Platys. Das Lebendgebärenden Magazin (2): 9-20
M. Köck (2014): Met en zonder zwaard: Het geslacht Xiphophorus deel 3 de platy's. Poecilia Nieuws (3): 21-41
D. Lambert (1997): The Livebearer World. Tropical Fish Hobbyist (december): 114-116
J. McKee (1985): Xiphophorus evelynae Rosen 1960. Livebearers (81): 5-6
J. Moar (1990): Xiphophorus evelynae. Livebearers (110): 11-12
A.C. Radda (1982): Synopsis der Gattung Xiphophorus Heckel. DGLZ-Rundschau (2): 25-30
D.E. Rosen (1960): Middle-American Poeciliid Fishes of the genus Xiphophorus. Bulletin of the Florida State Museum (4): 58-243
R. Serva & G. Tash (1998): Xiphophorus evelynae. Livebearers (151): 4-6
R. Serva & G. Tash (1999): Xiphophorus evelynae. Livebearers (156): 19-20
L. Wischnath (1982): Wildvormen van platy's. TIH (30): 6-9
L. Wischnath (1987): "Wilde Mexikaner". Aquarien Magazin (9): 347-350
L. Wischnath (1994): Wildformen Lebendgebärender Zahnkarpen Teil 1: Guppy, Platys und Gambusen. Das Aquarium (299): 16-19
L. Wischnath (1996): Wildvormen van het geslacht Xiphophorus deel 3 - platy's. Het Aquarium (1): 7-9

Xiphophorus gordoni Miller & Minckley, 1963

- (1995): Spotlight on endangered livebearers. Viviparous (32): 0-
C. Aguilera (1995): Universidad autónoma de Nuevo Leon - Programs for the endangered fish species of Mexico. Aquatic Survival (3): 14-15
H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. Das Lebendgebärenden Magazin (1): 22-25
T. Coletti (2010): Livebearers unlimited. The northern platies... and a new species?. Tropical Fish Hobbyist (1): 32-34
G. Daul (1981): Wieder einmal "Fischfangexcursion in Mexiko". DGLZ-Rundschau (4): 46-49
I. Dibble (2008): Monterrey to Morelia, Mexico 2006. Livebearers (203): 12-25
R. Fischer (1995): Three wild platys. Livebearers (139): 15-139
D. Isla (1995): Endangered livebearers at the Staten Island Zoo. Tropical Fish Hobbyist (6): 84-94
J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
K. de Jong (2005): Xiphophorus gordoni Miller & Minckley, 1963. Poecilia Nieuws (3): 34-35
M. Köck (2013): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 3: Die Platys. Das Lebendgebärenden Magazin (2): 9-20
M. Köck (2014): Met en zonder zwaard: Het geslacht Xiphophorus deel 3 de platy's. Poecilia Nieuws (3): 21-41
D. Lambert (0): Xiphophorus gordoni Miller & Minckley, 1963. Viviparous (44): 0-
L. van der Meer (2013): Xiphophorus gordoni Miller & Minckley, 1963. Poecilia Nieuws (1): 23-25
M.K. Meyer (1989): Mexiko 1987 Teil 4. DGLZ-Rundschau (4): 4-11
M.K. Meyer (1989): Mexiko Teil 3. DGLZ-Rundschau (1): 4-13
R.R. Miller & W.L. Minckley (1963): Xiphophorus gordoni, a new species of platyfish from Coahuila, Mexico. Copeia (3): 538-546
D. Mitchell et al (2014): Interspecific variation in the repair of UV damaged DNA in the genus Xiphophorus as a factor in the decline of the Río Grande platyfish. Photochemistry and Photobiology (): -
A.C. Radda (1982): Synopsis der Gattung Xiphophorus Heckel. DGLZ-Rundschau (2): 25-30
M. Rejliková (2018): De noordelijke platy's redden van uitsterven. Poecilia Nieuws (4): 13-20

- M. Rejlková & L. Balnar (209): Saving the northern platyfish from extinction in your aquarium. Livebearers (243): 18-25
F.F. Schmidt (1978): Mexico - een vissenparadijs. Het Aquarium (5): 121-125
H.-P. Weil (1982): Eine Reise voller Überraschungen (Folge 2). DGLZ-Rundschau (3): 38-41
L. Wischnath (1982): Wildvormen van platy's. TIH (30): 6-9
L. Wischnath (1987): Lebendgebärende Zahnkarpfen aus Mexiko. Aquarien Magazin (8): 336-340
L. Wischnath (1994): Wildformen Lebendgebärender Zahnkarpfen Teil 1: Guppy, Platys und Gambusen. Das Aquarium (299): 16-19
L. Wischnath (1996): Wildvormen van het geslacht Xiphophorus deel 3 - platy's. Het Aquarium (1): 7-9

Xiphophorus hellerii Heckel, 1848

- (1991): Euro-Standard 1989 für Xiphophorus-Zuchtformen. DGLZ-Rundschau (3): 52-59
(1994): Designer genes. Viviparous (27): 3-11
(1994): Zwaarddragers negeren evolutietheorie. Intermediair (16): 31-31
M. Ah-King & P.A. Gowaty (2016): A conceptual review of mate choice: stochastic demography, within-sex phenotypic plasticity, and individual flexibility. Ecology and Evolution (14): 4607-4642
B. Allen (2001): The "Wagtail" effect in domestic swordtails (*Xiphophorus helleri*) and platies (*Xiphophorus maculatus*). Livebearers (171): 12-16
B. Allen (2003): Is it a he or a she? A case of apparent sex change in a swordtail. Livebearers (175): 14-17
B. Allen (2007): A hybrid of *Xiphophorus helleri* x *X. nezahualcoyotl*. Livebearers (197): 22-25
B. Allen (2008): Observations on albino and red-eyed swordtails. Livebearers (202): 5-7
F. Anders (1967): Ein Modellbeispiel für Krebsentstehung. Umschau in Wissenschaft und Technik (6): 194-196
A. Anders, F. Anders & K. Klinke (52): Regulation of gene expression in the Gordon-Kosswig melanoma system I. (33): 33-52
A. Anders, F. Anders & K. Klinke (1973): Regulation of gene expression in the Gordon-Kosswig melanoma system II. Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag 1973 (): 55-63
G. Andersen (2014): Lessons from a Lyretail. Livebearers (225): 11-11
G. Anderson (2005): Green hi-fin swords. Livebearers (184): 29-31
U. Andrich (1970): Zur Geschlechtsumwandlung. Aquarien Terrarien (7): 240-240
R.A. Angus (1989): A Genetic Overview of Poeciliid Fishes. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 51-68
R. Anken & Thomas Kappel (1992): Die Fortpflanzungsbiologie des Schwerträgers - *Xiphophorus helleri*. DATZ (5): 294-
R. Arijon (2009): History of my albino swordtails. Livebearers (205): 18-22
P. Arnold (1909): *Xiphophorus helleri* var. Guentheri. Wochenschrift für Aquarien und Terrarienkunde (32): 433-435
P. Arnold (1909): *Xiphophorus helleri* var. guentheri. Wochenschrift für Aquarien und Terrarienkunde (32): 433-435
L.R. Aronson & E. Clark (1952): Evidences of ambidexterity and laterality in the sexual behavior of certain poeciliid fishes. The American Naturalist (828): 161-171
J.M. Artigas Azas (2014): Sie kamen aus Mexiko- die Schwerträger und ihr Lebensraum. Amazonas (März/April): 22-27
J.W. Atz (1962): Effects on hybridization on pigmentation in fishes of the genus *Xiphophorus*. Zoologica (4): 153-181
J.W. Atz (2020): Cancer quest with tropicals Part 1: how it began. Livebearers (249): 16-18
H. Auer (2004): Heller - Helleri - Hellerii Erhellendes (?) zu *Xiphophorus helleri*(i). DGLZ-Rundschau (3): 55-56
H. Auer (2004): Neues aus der Wissenschaft: Aspekte bei der Partnerwahl bei *Xiphophorus hellerii* und bei *Priapella olmeca*. DGLZ-Rundschau (4): 100-102
H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. Das Lebendgebärenden Magazin (1): 22-25
M. Bachmann (1977): Lebendgebärenden im Gartenteich. ZAG Lebendgebärende Zahnkarpfen (2): 14-14
M. Bachmann (1979): Zwittrigkeit (?) bei *X. helleri* und *X. maculatus*. ZAG Lebendgebärende Zahnkarpfen (2+3): 16-16
E. Bade (1918): Our American live-bearing tooth-carp. Aquatic Life (November): 29-30
R.J. Bailey (1933): The ovarian cycle in the viviparous Teleost *Xiphophorus helleri*. Biological Bulletin (2): 206-225
A.L. Basolo (1990): Female preference for male sword length in the green swordtail: *Xiphophorus helleri*. Anim. Behav. (40): 332-338
A.L. Basolo (1990): Female preference predates the evolution of the sword in swordtail fish. Science (250): 808-810
A.L. Basolo (1991): Technical comments Male swords and female preferences. Science (253): 1426-1427
A.L. Basolo (1996): The phylogenetic distribution of a female preference. Systematic biology (3): 290-307
A.L. Basolo (1998): Evolutionary change in a receiver bias: a comparison of female preference functions. Proc. R. Soc. Lond. (265): 2223-2228
A.L. Basolo (1998): Shift in investment between sexually selected traits: tarnishing of the silver spoon. Anim. Behav. (55): 665-671
A.L. Basolo (2002): Congruence between the sexes in preexisting receiver responses. Behavioral Ecology (6): 832-837
A.L. Basolo & B.C. Trainor (2002): The conformation of a female preference for a composite male trait in green swordtails. Anim. Behav. (63): 469-474
A.L. Basolo & G. Alcaraz (2003): The turn of the sword: length increases male swimming costs in swordtails. Proc. R. Soc. Lond. (270): 1631-1636
A.L. Basolo & K.J. Delaney (2001): Male biases for male characteristics in females in *Priapella olmeca* and *Xiphophorus helleri*. Ethology (107): 431-438

- A. L. Basolo & W.E. Wagner (2004): Covariation between predation risk, body size and fin elaboration in the green swordtail, *Xiphophorus helleri*. Biological Journal of the Linnean Society (83): 87-100
- G. Baum (1966): --- und die "Xiphos"? ZAG Lebendgebärende Zahnkarpfen (1): 7-10
- G. Baum (1967): Pflegen Sie Schwerträger?. DATZ (11): 323-327
- R. Baumgärtel (1920): Xiphophorus Helleri, seine Zucht und Pflege. Blätter für Aquarien- und Terrarienkunde (20): 308-309
- A. Baumgarter, S. Coleman & B. Swanson (2011): The cost of the sword: escape performance in male swordtails. PlosOne (1): 1-8
- J.P. Beaugrand (1997): Resolution of agonistic conflicts in dyads of acquainted green swordtails (*Xiphophorus helleri*): a game with perfect information. Behavioural Processes (41): 79-96
- J. Beaugrand & C. Goulet (2000): Distinguishing kinds of prior dominance and subordination experiences in males of green swordtail fish (*Xiphophorus helleri*). Behavioural Processes (50): 131-142
- J. Beaugrand & M. Beaugrand (1991): Prior residency and the stability of dominance relationships in pairs of green swordtail fish *Xiphophorus helleri*. Behavioural Processes (24): 169-175
- J.P. Beaugrand & P.-A. Cotnoir (1996): The role of individual differences in the formation of triadic dominance orders of male green swordtail fish (*Xiphophorus helleri*). Behavioural Processes (38): 287-296
- J. Beaugrand, C. Goulet & D. Payette (1991): Outcome of dyadic conflict in male green swordtail fish, *Xiphophorus helleri*: effects of body size and prior dominance. Anim. Behav. (41): 417-424
- J.P. Beaugrand, D. Payette & C. Goulet (1996): Conflict outcome in male green swordtail fish dyads (*Xiphophorus helleri*): interaction of body size, prior dominance/subordination experience and prior residency. Behaviour (3/4): 303-319
- J. P. Beaugrand, J. Caron & L. Comeau (1984): Social organization of small heterosexual groups of green swordtails (*Xiphophorus helleri*, Pisces, Poeciliidae) under conditions of captivity. Behaviour (1/3): 24-60
- A. Beder (1918): Xiphophorus Bastarde. Blätter für Aquarien- und Terrarienkunde (16): 190-190
- A.W. Bellamy (1924): Bionomic studies on certain Teleosts I. Statement of problems, description of material, and general notes on life histories and breeding behaviour under laboratory conditions. Genetics (6): 513-529
- A.W. Bellamy (1934): Life span of platypoecilus, *Xiphophorus* and their hybrids in the laboratory. Science (2069): 191-191
- T. Benages (1974): Functional sex reversal of the Poeciliids. Livebearers (13): 2-5
- K.E. Benson (2007): Enhanced female brood patch size stimulates male courtship in *Xiphophorus helleri*. Copeia (1): 212-217
- K.E. Benson (2007): Enhanced female brood patch size stimulates male courtship in *Xiphophorus helleri*. Copeia (1): 212-217
- K.E. Benson & A. L. Basolo (2006): Male-male competition and the sword in male swordtails, *Xiphophorus helleri*. Anim. Behav. (71): 129-134
- M. Bernhardt (1926): Sind Platypoecilus und *Xiphophorus* zwei verschiedene "Arten"? Wochenschrift für Aquarien und Terrarienkunde (6): 79-80
- T. Bernsee (2014): Nichts für Anfänger - Zuchtformen vom Schwerträger. Amazonas (März/April): 30-32
- P. St. Bic (1968): CSSR: Schwerträger und Guppies in Thermalgewässern. Aquarien Terrarien (4): 137-137
- A. Bisazza, A. Grapputo & L. Nigro (1997): Evolution of reproductive strategies and male sexual ornaments in poeciliid fishes as inferred by mitochondrial 15 rRNA gene phylogeny. Ethology Ecology & Evolution (9): 55-67
- R. de Boer & T. Woeltjes (1986): Enkele lewendbarende tandkarpers uit Mexico. Het Aquarium (9): 227-230
- O. Böhm (1989): Fische aus dem Hochland Mexikos. TI (93): 19-20
- D. Bork (1988): Lebendgebärende Fische in Budapester Thermalwässern. ZAG Lebendgebärende Zahnkarpfen (2): 6-7
- D. Bork (1991): Aquarienfische und Planzen in Budapester Thermalwässern. DGLZ-Rundschau (2): 28-30
- R. Borowsky (1978): The tailspot polymorphism of *Xiphophorus* (Pisces: Poeciliidae). Evolution (4): 886-893
- R. Borowsky (1984): The evolutionary genetics of *Xiphophorus*. in: Turner, Bruce J. Evolutionary Genetics of Fishes (1): 235-310
- G. Brecht (1983): Lebendgebärende von Jamaika. DGLZ-Rundschau (1): 4-11
- G. Brecht (1986): Mauritius. DGLZ-Rundschau (1): 17-18
- F. Breden (2000): Livebearer Genome Project: searching for cancer genes in platyfish (and perhaps mollies and guppies?). Livebearers (161): 31-32
- H. Breider (1937): Juveniles und adultes Geschlechtsverhältnis bei *Xiphophorus Helleri* Heckel. Molecular and General Genetics MGG (1): 471-476
- M.P. Brewer (1980): My love for fancy black swords. Livebearers (54): 15-16
- W.L. Brind (1917): The Mexican swordtails. Aquatic Life (April): 97-99
- G.E. Brown & J.-G. Godin (1999): Who dares, learns: chemical inspection behaviour and acquired predator recognition in a characin fish. Animal Behaviour (57): 475-481
- M. Brummel et al (2006): Conservation of synteny between guppy and *Xiphophorus* genomes. Zebrafish (3): 347-347
- J.N. Buckingham, B.M. Wong & G.G. Rosenthal (2007): Shoaling decisions in female swordtails: how do fish gauge group size?. Behaviour (144): 1333-1346
- C. Cheswright (1994): Down Mexico way. Viviparous (26): 0-9
- A.S.C. Chong, S.D. Ishak, Z. Osman & R. Hashim (2004): Effect of dietary protein level on the reproductive performance of female *Xiphophorus helleri* (Poeciliidae). Aquaculture (234): 381-392
- C. Clapsaddle (1979): Solid black plumbetail swordtails. Livebearers (47): 2-3
- C. Clapsaddle (2012): Life with livebearers The Río Otapa swordtail. Tropical Fish Hobbyist (2): 36-38
- C. Clapsaddle (2015): Life with livebearers Swordtail/Variatus hybrids. Tropical Fish Hobbyist (3): 26-28
- E. Clark (0): Platypfish and swordtails. Viviparous (37): 0-
- E. Clark (1982): Platypfish and swordtails. Livebearers (65): 9-12
- E. Clark & R.P. Kamrin (1951): The role of the pelvic fins in the copulatory act of certain Poeciliid fishes. American Museum Novitates (1509): 1-14
- E. Clark, L.R. Aronson & M. Gordon (1954): Mating behavior patterns in two sympatric species of Xiphophorin fishes: their inheritance in sexual isolation. Bulletin American Museum of Natural History (103): 135-226
- A. Claro-García, F.M. Assega & O.A. Shibatta (2018): Diversity and distribution of ichthyofauna in streams of the middle and lower Tibagi river basin, Paraná, Brazil. Check List (1): 43-53
- S.W. Coleman & A.G. Jones (2013): Patterns of multiple paternity and maternity in fishes. Biological Journal of the Linnean Society (103): 735-760

- T. Coletti (2010): Livebearer unlimited The southern swordtails. Tropical Fish Hobbyist (Feb): 32-34
- T. Contreras-MacBeath, H. Mejia Mojica & R. Carillo Wilson (1998): Negative impact on the aquatic ecosystems of the state Morelos, Mexico from introduced aquarium and other commercial fish. Aquarium Sciences and Conservation (2): 67-78
- D. Cramm (1969): Lyratail-Xiphos erfordern Ausdauer!. Aquarien Terrarien (10): 355-355
- Z. Culumber (2014): Pigmentation in Xiphophorus: an emerging system in ecological and evolutionary genetics. Zebrafish (1): 57-70
- Z.W. Culumber, S. Monks & R. Miranda (2014): Report of Xiphophorus hellerii in the arid Metzitzán Canyon biosphere reserve in Mexico. Environmental Biology of Fishes (97): 157-161
- F.S. Curtis (1920): Notes on the hybrid Xiphophorus helleri x Platypoecilus maculatus. Aquatic Life (October): 113-117
- M. Dadda (2015): Female social response to male sexual harassment in poeciliid fish: a comparison of six species. Frontiers in Psychology (September): 1-9
- D.M. D'Amore, V.D. Popescu & M.R. Morris (2019): The influence of the invasive process on behaviours in an intentionally introduced hybrid, Xiphophorus helleri-maculatus. Animal Behaviour (156): 79-85
- D.M. D'Amore, V.D. Popescu & M.R. Morris (2020): The influence of the invasive process on behaviours in an intentionally introduced hybrid, Xiphophorus helleri-maculatus. Animal Behaviour (156): 79-85
- G. Daul (1994): Schwerträger aus dem Rio Atoyac. DATZ (10): 674-674
- J. Dawes (1980): Overlewing. Het Aquarium (16): 502-504
- I. Dibble (1999): Artgerechte Ernährung unserer Aquarienfische. DGLZ-Rundschau (2): 63-65
- H.R. Diller (1996): Male Lyre tailed swords can be lovers. Livebearers (141): 9-10
- H.R. Diller (2009): Pseudo-lyratail swords. Livebearers (206): 4-5
- R.A. DiSciullo & A.L. Basolo (2019): Body size, but not age-at-maturation or context, affects the expression of predator-induced behavioural plasticity in female green swordtails (*Xiphophorus hellerii*). Ethology (00): 1-13
- R.A. DiSciullo & A.L. Basolo (2020): Body size, but not age-at-maturation or context, affects the expression of predator-induced behavioural plasticity in female green swordtails (*Xiphophorus hellerii*). Ethology (126): 320-332
- U. Dost (2000): In der Heimat des Flitterkäpfings Ameca splendens. Aquaristik-Aktuell (11-12): 56-59
- D. Douglass (2013): The livebearers of Idaho. Livebearer News (221): 5-7
- A.D.M. Dove (2000): Richness patterns in the parasite communities of exotic poeciliid fishes. Parasitology (120): 609-623
- R. Droglia (1968): Ein Schwerträgermännchen versuchte Blaude Fadenfische zu begatten. Aquarien Terrarien (4): 137-137
- P. Duyff (1953): Iets over het geslacht Xiphophorus. Het Aquarium (4): 80-83
- R.L. Earley (2006): Xiphophorus: carving a niche towards a broader understanding of aggression and dominance. Zebrafish (3): 287-298
- R.L. Earley, M. Tinsley & L.A. Dugatkin (2003): To see or not to see: does previewing a future opponent affect the contest behavior of green swordtail males (*Xiphophorus hellerii*)?. Naturwissenschaften (90): 226-230
- R.L. Early & L.A. Dugatkin (2002): Eavesdropping on visual cues in green swordtail (*Xiphophorus helleri*) fights: a case for networking. Proceedings: Biological Sciences (1494): 943-952
- R.L. Early & L.A. Dugatkin (2006): Merging social hierarchies: Effects on dominance rank in male green swordtail fish (*Xiphophorus hellerii*). Behavioural Processes (73): 290-298
- W. Ehnle (1910): Neuere Beobachtungen von *Xiphophorus helleri* var. Guentheri. Blätter für Aquarien- und Terrarienkunde (15): 230-232
- C. Eibner, s. Pittlik, A. Meyer & G. Begemann (2008): An organizer controls the development of the "sword", a sexually selected trait in swordtail fish. Evolution & Development (4): 403-412
- D.J. Eliás et al (2020): Scale(s) matter: deconstructing an area of endemism for Middle American freshwater fishes. Journal of Biogeography (47): 2483-2501
- F. Endemann, H. Kaiser & T. Hecht (1997): Size-sorted juvenile swordtails, *Xiphophorus helleri* Heckel 1848 (Family Poeciliidae), do not show improved growth. Aquaculture Research (28): 645-647
- E. Eonn (1915): Totgeburt bei *Xiphophorus helleri*. Blätter für Aquarien- und Terrarienkunde (23): 356-356
- P.C. Esselman & J.D. Allan (2010): Relative influences of catchment- and reach-scale abiotic factors on freshwater fish communities in rivers of northeastern Mesoamerica. Ecology of Freshwater Fish (19): 439-454
- P.C. Esselman, M.C. Freeman & C.M. Pringle (2006): Fish-assemblage variation between geologically defined regions and across a longitudinal gradient in the Monkey River Basin, Belize. J.N.Am. Benthol. Soc. (1): 142-156
- J.M. Essenberg (1923): Sex-differentiation in the viviparous Teleost *Xiphophorus helleri* Heckel. Biological Bulletin (45): 46-97
- J.M. Essenberg (1926): Complete sex-reversal in the viviparous Teleost *Xiphophorus helleri*. Biological Bulletin (2): 98-111
- V. Etzel (1993): Xiphophorus helleri in Panama - endemisch oder ausgesetzt?. DGLZ-Rundschau (1): 11-12
- A.A. Fernando (1991): Diets and feeding regimes of Poeciliid fishes in Singapore. Asian Fisheries Science (4): 99-107
- M.C. Finck (1910): Das Gesellschaftsleben der Zahnkarpfen. Blätter für Aquarien- und Terrarienkunde (49): 793-795
- D. Franck (1970): Verhaltensgenetische Untersuchungen an Artbastarden der Gattung *Xiphophorus* (Pisces). Z. Tierpsychol. (1): 1-34
- D. Franck & A. Ribowski (1987): Influences of prior agonistic experiences on aggression measures in the male swordtail (*Xiphophorus helleri*). Behaviour (1/3): 217-240
- D. Franck & A. Ribowski (1989): Escalating fights for rank-order position between male swordtails (*Xiphophorus helleri*): Effects of prior rank-order experience and information transfer. Behav Ecol Sociobiol (24): 133-143
- D. Franck & A. Ribowski (1993): Dominance hierarchies of male green swordtails (*Xiphophorus helleri*) in nature. Journal of Fish Biology (43): 497-499
- D. Franck & U. Wilhelm (1973): Veränderungen der aggressiven Handlungsbereitschaft männlicher Schwerträger *Xiphophorus helleri*, nach sozialer Isolation (Fische, Poeciliidae). Cellular and Molecular Life Sciences (7): 896-897
- D. Franck et al. (1998): Home ranges and satellite tactics of male green swordtails (*Xiphophorus helleri*) in nature. Behavioural Processes (43): 115-123
- D. Franck, A. Müller, N. Rogmann (2003): A colour and size dimorphism in the green swordtail (population Jalapa): female mate choice, male-male competition and male mating strategies. Acta Ethol (5): 75-79
- D. Franck, M. Dikomey & M. Schartl (2001): Selection and the maintenance of a colour pattern polymorphism in the green swordtail. Behaviour (138): 467-486
- D. Franck, R.-P. Hannes, H. Lanfermann & A. Ribowski (1985): Effects of social isolation on aggressiveness in fish with special reference to the swordtail (*Xiphophorus helleri*). Behavioural Processes (10): 415-427
- E. Friess (1932): Untersuchungen über die Geschlechtsumkehr bei *Xiphophorus Helleri* Heckel. Development Genes and Evolution (2): 255-355
- F. Garcia, R.Y. Fujimoto, M.L. Martins & F.R. Moraes (2009): Protozoan parasites of *Xiphophorus* spp. (Poeciliidae) and their relation with water characteristics. Arq. Bras. Med. Vet. Zootec. (1): 156-162
- C. Gasparini, L.W. Simmons, M. Beveridge & J.P. Evans (2010): Sperm swimming velocity predicts competitive fertilization success in the green swordtail *Xiphophorus helleri*. Plos One (8): 1-5

- D. Gentzsch (1979): Beobachtungen bei einem Stamm Hamburger Schwerträger. ZAG Lebendgebärende Zahnkarpfen (2+3): 5-8
- D. Gentzsch (1982): Die Zucht des Lyratailplaty. Aquarien Terrarien (8): 269-271
- D. Gentzsch (1985): Zucht von Schwerträgern durch Paarung von schwarzen Eltern. Aquarien Terrarien (8): 272-273
- D. Gentzsch (1987): Zum Wurfrhythmus bei Lebendgebärenden Zahnkarpfen. Aquarien Terrarien (11): 378-380
- D. Gentzsch (1995): Hamburger Schwerträger. Das Aquarium (309): 13-16
- D. Gentzsch (2006): De lyravin-platy reeds in 1981 in Saksen. Poecilia Nieuws (3): 23-28
- D. Gentzsch (2016): Wurden der Hamburger Schwerträger in Berlin und der Berliner Schwerträger in Hamburg gezüchtet?. DGLZ-Rundschau (3): 93-107
- D. Gentzsch (2017): Lebendgebärenden Zahnkarpfen: Taxonomie von Zuchtförmern. VDA-aktuell (4): 34-36
- D. Gentzsch (2021): Schon immer selten: die Geschichte von über 100 Jahren Berliner Schwerträger. DGLZ-Rundschau (1): 5-14
- G. Gerlach (1912): Zur Pflege und Aufzucht des Xiphophorus strigatus Regan (=Xiphophorus Helleri var. Güntheri). Blätter für Aquarien- und Terrarienkunde (49): 787-789
- G. Gerlach (1912): Nochmals Xiphophorus Rachovii Regan. Blätter für Aquarien- und Terrarienkunde (47): 756-757
- G. Gerlach (1913): Nochmals "Xiphophorus Rachovi". Blätter für Aquarien- und Terrarienkunde (20): 322-325
- S. Ghosh, A. Sinha & C. Sahu (2008): Dietary probiotic supplementation in growth and health of live-bearing ornamental fishes. Aquaculture Nutrition (14): 289-299
- S. Ghost, A. Sinha & C. Sahu (2007): Effect of probiotic on reproductive performance in female livebearing ornamental fish. Aquaculture Research (38): 518-526
- A. Gibb et al (2008): Functional significance of intramandibular bending in Poeciliid fishes. Environmental Biology of Fishes (83): 473-485
- R. Godschalk (1994): Levendbarende tandkarpers. Het Aquarium (4): 112-113
- I. Goldenbogen (1977): Über den Einfluß sozialer Isolation auf die aggressive Handlungsbereitschaft von Xiphophorus hellerii und Haplochromis burtoni. Z. Tierpsychol. (44): 25-44
- H. Goldstein (2010): Kelly Warm Springs: the tropics of Wyoming's Grand Teton. Tropical Fish Hobbyist (October): 80-84
- H.B. Goodrich, G.A. Hill & M.S. Arrick (1941): The chemical identification of gene-controlled pigments in Platypoecilus and Xiphophorus and comparisons with other tropical fish. Genetics (26): 573-586
- M. Gordon (1931): The hereditary basis for melanosis in hybrids of Mexican killifishes. Proc. Natl. Acad. Sci. (17): 276-280
- M. Gordon (1938): The genetics of Xiphophorus hellerii: Heredity in Montezuma, a Mexican swordtail fish. Copeia (1): 19-29
- M. Gordon (1942): Mortality of albino embryos and aberrant Mendelian ratios in certain broodss of Xiphophorus hellerii. Zoologica (13): 73-74
- M. Gordon (1946): Introgressive hybridization in domestic fishes. I. The behavior of comet a Platypoecilus maculatus gene in Xiphophorus hellerii. Zoologica (6): 77-88
- M. Gordon (1956): Swordtails. The care and breeding of swordtails. T.F.H. (): 1-24
- M. Gordon (1996): Red wagtail swordtails. Livebearers (141): 18-20
- M.S. Gordon & D.E. Rosen (1951): Genetics of species differences in the morphology of the male genitalia of Xiphophorin fishes. Bulletin American Museum of Natural History (95): 409-464
- M. Gordon & P. Benzer (1945): Sexual dimorphism in the skeletal elements of the gonopodial suspensoria in Xiphophorin fishes. Zoologica (2): 57-72
- H. Greven (1999): My home is not my castle. Das Aquarium (356): 24-24
- R.C. Griffiths (1992): Australian livebearers. Livebearers (126): 4-5
- J.T.W. Griffiths (2013): Pretty swords I liked. A fish wife's tail. Livebearer News (221): 20-22
- S. Guerrero-Estévez & Moreno-Mendoza (2010): Sexual determination and differentiation in teleost fish. Reviews in Fish Biology and Fisheries (20): 101-121
- K. Haffner (1912): Eine Kreuzung zwischen Xiphophorus Helleri var. Güntheri und Platypoecilus maculatus var. pulchra. Blätter für Aquarien- und Terrarienkunde (37): 595-596
- K. Haffner (1913): Nochmals die Kreuzung zwischen Xiphophorus strigatus Regan (=Xiph. Helleri var. Güntheri) x Platypoecilus maculatus var. Pulchra. Blätter für Aquarien- und Terrarienkunde (33): 533-535
- J. Hansen (1972): Zwölf Flossentypen im Wurf eines Lyratail-Xipho-Weibchens. Aquarien Terrarien (10): 348-348
- R. Hanson (1994): Red albino hifin swordtails. Livebearers (133): 7-8
- R. Hanson (1996): Red coral albino swordtail. Livebearers (144): 4-5
- E. Hardy, L.A. Bumm & I. Schlupp (2017): Social function of a variable lateral stripe in Xiphophorus hellerii?. Ethology (september): 1-10
- P.D. Harris (1986): Species of Gyroductylus von Nordmann, 1832 from poeciliid fishes, with a description of G. turnbulli sp. nov. from the guppy, Poecilia reticulata Peters. Journal of Natural History (20): 183-191
- G. Häussler (1928): Über Melanombildungen bei Bastarden von Xiphophorus hellerii und Platypoecilus maculatus var. rubra. Klinische Wochenschrift (33): 1561-1562
- J.-E. Hay (): Heureux comme un Xipho dans l'eau. Aquarama (): 19-
- F. Hay (1997): Die Schwertträger Varianten. Aquarium Live (2): 34-40
- T. Hayes (1973): Problems in breeding black lyretail swordtails. Livebearers (12): 2-3
- T. Hayes (1991): Problems in breeding black lyratail swordtails. Livebearers (116): 15-16
- J. Heckel (1848): Eine neue Gattung von Poecilien mit rochenartigem Anklammerungs-Organe. Sitzber. K. Akad. Wiss. Wien (1): 289-303
- J. Hemens (1966): The ethological significance of the sword-tail in Xiphophorus hellerii (Haeckel). Behaviour (3/4): 290-315
- L.P. Hernandez, A.C. Gibb & L. Ferry-Graham (2009): Trophic apparatus in Cyprinodontiform fishes: functional specializations for picking and scraping behaviors. Journal of Morphology
- M. Heußen (2014): Aufgelesen.....in aquaristischen Zeitschriften. Das Lebendgebärenden Magazin (2): 26-27
- B.A. Heuts & V. Nijman (1998): Aggressive behaviour of two swordtail colour breeds in a prior residence situation. Behavioural Processes (43): 251-255
- H. Hieronimus (1985): Geschichte der Lebendgebärenden - Teil 1. DGLZ-Rundschau (1): 11-12

- H. Hieronimus (1985): De geschiedenis van de levendbarende tandkarpers. Poecilia Nieuws (4): 40-42
- H. Hieronimus (1990): Bevorzugen Schwerträger - Männchen eigentlich Weibchen der eigenen Farbe?. DGLZ-Rundschau (3): 13-13
- H. Hieronimus (1992): De geschiedenis van de levendbarende tandkarpers. Poecilia Nieuws (6): 12-18
- H. Hieronimus (1992): The history of the swordtail. Livebearers (126): 6-7
- H. Hieronimus (1996): Lebendgebärende Briefmarken Teil II: Schwerträger und Platys. DGLZ-Rundschau (3): 58-64
- H. Hieronimus (2002): Der Koi-Schwertträger, ein neue Farbkombination. DGLZ-Rundschau (3): 73-73
- H. Hieronimus (2004): Von hellerii zu hellerii - ein nomenklatorischer Spaziergang. DGLZ-Rundschau (3): 57-58
- H. Hieronimus (2005): Darwin und die Schwerträger. DGLZ-Rundschau (2): 67-68
- H. Hieronimus (2015): Wie das Rot in Platys und Schwerträger kam. DGLZ-Rundschau (1): 23-26
- H. Hieronimus (2016): Mehr Rot in die Schwerträger - durch Tagetes!. DGLZ-Rundschau (1): 4-4
- A. Hiskes (1972): De kweek van levendbarende tandkarpers. Het Aquarium (4): 94-94
- T. Hobson Simpson (2014): How I developed the Simpson swordtail. Livebearers (223): 24-27
- M.H. Hofmann (2020): Sex differences in the swordtail *Xiphophorus hellerii* revealed by a new method to investigate volumetric data. Brain Behav Evol (95): 127-138
- P.J. Hogarth (1972): Immune relations between mother and foetus in the viviparous poeciliid fish *Xiphophorus hellerii* Haeckel II Lack of status of the ovary as a favourable site for allograft survival. J. Fish Biology (4): 271-275
- P.J. Hogarth (1972): Immune relations between mother and foetus in the viviparous poeciliid fish *Xiphophorus hellerii* Haeckel I. Antigenicity of the foetus. J. Fish Biology (4): 265-269
- P.J. Hogarth (1973): Immune relations between mother and foetus in the viviparous poeciliid fish *Xiphophorus hellerii* Haeckel III. Survival of embryos after ectopic transplantation. J. Fish Biology (5): 109-113
- R.B. Hole (1995): Keeping and breeding domestic swordtails. Livebearers (139): 4-9
- B. Hole Jr. (1985): Possible observations on cancer in black wag swordtails. Livebearers (82): 10-10
- T.M. Holitzki et al (2013): Differences in ecological structure, function, and native species abundance between native and invaded Hawaiian streams. Ecological Applications (6): 1367-1383
- R.R. Hollander (1986): Microanalysis of scales in Poeciliid fishes. Copeia (1): 86-91
- M. Holly (1961): *Xiphophorus hellerii* Heckel. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 1178-1183
- P. Horn (1968): Der Simpson-Schwertträger und seine Züchtungstechnik. Aquarien Terrarien (12): 409-411
- C. Huang, Q. Dong, R.B. Walter & T.R. Tiersch (2004): Sperm cryopreservation of green swordtail *Xiphophorus helleri*, a fish with internal fertilization. Cryobiology (48): 295-308
- C.L. Hubbs (1935): Fresh-water fishes collected in British Honduras and Guatemala. University of Michigan Museum of Zoology Miscellaneous Publications (28): 1-22
- H. Hulsman et al (2008): Effect of introduced species and habitat alteration on the occurrence and distribution of euryhaline fishes in fresh- and brackish-water habitats on Aruba, Bonaire and Curaçao (South Caribbean). Contributions to Zoology (1): 45-52
- W.T. Innes (2013): From the archives. Red swordtail, up-to-date. Livebearers (220): 26-27
- K. Jacobs (1968): Kreuzungen des *Xiphophorus hellerii* Heckel. Das Aquarium (7/8): 2-3
- K. Jacobs (1977): Die "Bayreuther Kreuzung" Eine Form des Simpson-Schwertträgers. Aquarien Magazin (4): 162-162
- K. Jacobs (1979): So begatten sich die Lebendgebärenden. Aquarien Magazin (2): 62-67
- B.G.M. Jamieson & H.J. Grier (1993): Influences of phylogenetic position and fertilization biology on spermatozoal ultrastructure exemplified by exocoetoid and poeciliid fish. Hydrobiologia (271): 11-25
- A.O. Janze (1974): Geslachtsbepaling bij *Xiphophorus* en *Poecilia*. Het Aquarium (10): 261-264
- W. van der Jeught (2004): *Xiphophorus hellerii* (Heckel, 1848). Aquariumwereld (12): 354-357
- J.B. Johnson & A.L. Basolo (2003): Predator exposure alters female mate choice in the green swordtail. Behavioral Ecology (5): 619-625
- C.L.W. Jones & H. Kaiser (2005): Movement of juvenile swordtail (*Xiphophorus hellerii* Heckel) through a tank bottom grid depends on combinations of grid and tank colour. Aquaculture Research (36): 513-515
- J.C. Jones et al (2013): The evolutionary history of *Xiphophorus* fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
- J.C. Jones et al (2013): The evolutionary history of *Xiphophorus* fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
- C.L.W. Jones, H. Kaiser & T. Hecht (1998): Effect of shelter, broodstock number, and sex-ratio on juvenile production in the swordtail *Xiphophorus helleri* under intensive culture conditions. Journal of the world aquaculture society (1): 92-96
- C.L.W. Jones, H. Kaiser & T. Hecht (2007): Intercohort cannibalism and parturition-associated behaviour of adult swordtail, *Xiphophorus helleri* Heckel (Pisces: Poeciliidae). Aquaculture Research (38): 718-727
- C.L.W. Jones, H. Kaiser & T. Hecht (2008): Intercohort cannibalism and post-partum behaviour of juvenile swordtail *Xiphophorus helleri* Heckel (Pisces: Poeciliidae). Aquaculture Research (39): 111-117
- C.L.W. Jones, H. Kaiser, G.A. Webb & T. Hecht (1998): Filial cannibalism in the swordtail *Xiphophorus helleri* (Poeciliidae). Aquarium Sciences and Conservation (2): 79-88
- J.C. Jones, J.-A. Perez-Sato & A. Meyer (2012): A phylogeographic investigation of the hybrid origin of a species of swordtail fish from Mexico. Molecular Ecology (21): 2692-2712
- Dr J.C.M. de Jong (1938): Kruisingsproeven met vissen II. Aqua Terra (6): 109-111
- Dr J.C.M. de Jong (1956): Geslachtsomkeer. Waterweelde (februari): 221-222
- K. de Jong (1988): *Xiphophorus andersi*, met uitsterven bedreigd; het Atoyac zwaardplaatje. Poecilia Nieuws (2): 25-26
- K. de Jong (1989): Het kruisen van levendbarenden anno 1934. Poecilia Nieuws (4): 65-67
- K. de Jong (1993): Kunstmatische inseminatie. Poecilia Nieuws (6): 159-160
- K. de Jong (1994): Nieuwe soorten in Nederland. Poecilia Nieuws (4): 75-78
- K. de Jong (1998): De zwaarddrager. Poecilia Nieuws (6): 97-101
- K. de Jong (2004): De zwaarddrager wildvormen voor iedere aquariaan interessant. Poecilia Nieuws (4): 8-16

Livebearer Literature List 202201

- K. de Jong (2005): Prikkende filmpjes voor zwaarddrager vrouwtjes. Poecilia Nieuws (5): 26-28
- K. de Jong (2007): De invloed van een predator op de voorkeur van een zwaarddragervrouw. Poecilia Nieuws (4): 22-23
- K. de Jong (2012): Prickelnde Filmchen für Schwerträgerweibchen. Das Lebendgebärenden Magazin (2): 35-35
- K. de Jong (2014): Mexiko 2013 Teil 2 Rundum Morelia. Das Lebendgebärenden Magazin (1): 26-31
- S. de Jong (2019): Hybriden en hybridiseren bij levendbarenden. Poecilia Nieuws (1): 24-28
- K. de Jong (2020): Zieke vissen in de aquariumhandel. Poecilia Nieuws (5): 18-19
- K. de Jong (2021): Niet alle mannen zijn gelijk. Poecilia Nieuws (2): 27-32
- D. Jordan (0): The history of the swordtail. Livebearer News (11): 12-14
- W. Junghans (1922): Zwei selten große Würfe eines Schwerträger Weibchens (*Xiphophorus Helleri* Gthr.). Blätter für Aquarien- und Terrarienkunde (14): 225-227
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. Poecilia Nieuws (4): 76-86
- B. Kabbes (2000): San Juan de los Arcos. Poecilia Nieuws (2): 20-26
- B. Kabbes (2000): De zwaarddrager is de perfecte platy. Poecilia Nieuws (4): 60-63
- D. Kaden (1968): Mein Weg zu hochflossigen Platies. Aquarien Terrarien (7): 224-225
- D. Kaden (1969): Erfahrungen mit Lyratail-Xiphos. Aquarien Terrarien (10): 354-354
- D. Kaden (1976): Halbschwarze Schwerträger. Aquarien Terrarien (12): 408-411
- D. Kaden (1988): Halfzwarte zwaarddraggers. Poecilia Nieuws (6): 90-92
- D. Kaden (1996): Halbschwarze Schwerträger. DGLZ-Rundschau (1): 15-18
- K. D. Kallman (1989): Genetic Control of Size at Maturity in *Xiphophorus*. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 163-184
- K.D. Kallman et al (1984): A new look at sex determination in Poeciliid fishes. In: Turner, Bruce J. Evolutionary Genetics of Fishes (): 95-172
- J.H. Kang et al (2015): Transcriptomics of two evolutionary novelties: how to make a sperm-transfer organ out of an anal fin and a sexual selected "sword" out of a caudal fin. Ecology and Evolution (5): 848-864
- K. Kantwert (1986): Aquarischische und terraristische Beobachtungen in Kuba. Aquarien Terrarien (3): 86-87
- S. Kazianis et al (1996): Genetic mapping in *Xiphophorus* hybrid fish: assignment of 43 AP-PCR/RAPD and isozyme markers to multipoint linkage groups. Genome Research (6): 280-289
- S. Kazianis et al (2005): Sex-determination in platyfishes and swordtails. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 381-400
- F.J. Kerr (1984): Swordtails en garde!. Livebearers (75): 12-13
- F.J. Kerr (1984): Swordtails en garde!. Livebearers (75): 12-13
- A.M. Kerrigan (1934): The inheritance of the crescent and twin spot marking in *Xiphophorus helleri*. Genetics (19): 581-599
- M. Kirkpatrick & M.J. Ryan (1991): The evolution of mating preferences and the paradox of the lek. Nature (350): 33-385
- A.M. van Klei (1973): *Xiphophorus helleri* Simpson. NGK mededelingen (1): 22-23
- J. Klungers (2005): Portretten van levendbarenden Zwaarddraggers deel 2. Het Aquarium (3): 79-80
- M. Köck (2012): Mit und ohne Schwert: Die Gattung *Xiphophorus* Teil 1: Die SüdlichenSchwerträger. Das Lebendgebärenden Magazin (1): 12-21
- M. Köck (2012): Het geslacht *Xiphophorus*. Poecilia Nieuws (3): 11-27
- C. Koßwig (1927): Über bastarde der teleostier Platypoecilus und *Xiphophorus*. Z. Indukt. Abstammungs- Vererbungsl. (44): 253-257
- C. Koßwig (1928): Über Kreuzungen zwischen den Teleostien *Xiphophorus helleri* und Platypoecilus maculatus. Z. Indukt. Abstammungs- Vererbungsl. (47): 150-158
- C. Koßwig (1929): Zur Frage der Geschwultusbildung bei Gattungsbastarden der Zahnkarpfen *Xiphophorus* und Platypoecilus. Z. Indukt. Abstammungs- Vererbungsl. (52): 114-120
- C. Koßwig (1930): Die Geschlechtsbestimmung bei den Bastarden von *Xiphophorus helleri* un Platypoecilus und deren Nachkommen. Z. Indukt. Abstammungs- Vererbungsl. (54): 263-267
- C. Koßwig (1931): Die geschlechtliche Differenzierung bei den Bastarden von *Xiphophorus helleri* und Platypoecilus maculatus und deren Nachkommen. Z. Indukt. Abstammungs- Vererbungsl. (59): 146-150
- C. Kosswig (1964): Problems of polymorphism in fishes. Copeia (1): 65-75
- J. de Kraay (1967): Levendbarende tandkarpers. Het Aquarium (10): 218-223
- D.L. Kramer & M. McClure (1982): Aquatic surface respiration, a widespread adaptation to hypoxia in tropical freshwater fishes. Environmental Biology of Fishes (1): 47-55
- G. Krasper (1921): Ein neuer *Xiphophorus* (der gelbe Schwerträger). Blätter für Aquarien- und Terrarienkunde (2): 18-19
- I. Kristensen (1955): Platy's en zwaarddraggers kruisen niet in de vrije natuur. Het Aquarium (11): 255-258
- I. Kristensen (2000): Links en rechts benaderende levendbarenden. Poecilia Nieuws (2): 18-19
- D. Kroll (2002): Der Mini-Guppy - Hungerformen und andere Abweicher. DGLZ-Rundschau (3): 60-65
- D.P. Kruger, P.J. Britz & J. Sales (2001): The influence of livefeed supplementation on growth and reproductive performance of swordtail (*Xiphophorus helleri* Heckel 1848) broodstock. Aquarium Sciences and Conservation (3): 265-273
- A. Kühne (1997): Der Albinismus bei Zuchtformen und Guppys. DGLZ-Rundschau (3): 53-55
- A. Kühne (1997): Melanismus beim Albino-Helleri. DGLZ-Rundschau (2): 41-41
- A. Kühne (1998): Grundfarben bei Zuchtformen 1. Grundfarben beim Schwerträger. DGLZ-Rundschau (1): 15-16
- D. Lambert (1995): The livebearer world: The wild swordtails. Tropical Fish Hobbyist (9): 234-236
- E. Lange (1921): Röntgen-Aufnahmen von Aquarienfischen. Blätter für Aquarien- und Terrarienkunde (19): 289-292

Livebearer Literature List 202201

- W.F. Langer (1913): Beiträge zur Morphologie der viviparen Cyprinodonten. Gegenbaurs Morphologisches Jahrbuch. Zeitschrift für Anatomie und Entwicklungsgeschichte (1-2): 193-307
- J.K. Langhammer (1986): Forty years of swordtails. Livebearers (90): 4-6
- J.K. Langhammer (1996): Pseudo-lyretail swords. Livebearers (141): 11-11
- J.K. Langhammer (2009): Comments on pseudo-lyratail swords. Livebearers (206): 5-6
- A.C. van Leeuwen (1937): Enige interessante kruisingen. Aqua Terra (4): 71-72
- G.J. Lenksink (1955): Veranderende geslachtskenmerken bij vissen. Waterweerde (10): 175-177
- R. Levine (2007): Why it's so difficult to obtain great hi-fins. Livebearers (194): 8-16
- R. Levine (2014): Melanosoma in platies and swordtails. Livebearers (224): 5-9
- H. Lindner (1985): Erstzüchtung und Erfolge des Xiph. Helleri Zuchtfarbe "Bayreuther Kreuzung". DGLZ-Rundschau (3): 4-5
- S. Ling, R. Hashim, S. Kolkovski & A. C. Shu-Chien (2006): Effect of varying dietary lipid and protein levels on growth and reproductive performance of female swordtails *Xiphophorus helleri* (Poeciliidae). Aquaculture Research (37): 1267-1275
- H. Lobregt (1989): Levenbarenden in de natuur. Een vindplaats in Hongarije bij min 0°C. Poecilia Nieuws (2): 29-30
- M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, Mexico. The Southwestern Naturalist (2): 223-236
- G. Lübon & Harro Hieronimus (1991): Schwarze Zeichnungsmuster bei Xiphophorus Zuchtfarbenen. DGLZ-Rundschau (2): 37-38
- W. Lueken, E.R. Schmidt & K. Lepper (1974): Regulation of the pigment cell arrangements in species and interspecies hybrids of *Xiphophorus* (Pisces, Poeciliidae) by cellular interactions on the fish body. Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag
- J. Lyons (2019): Livebearers: good and bad. Livebearers (244/245): 13-16
- A. Maceda-Veiga & J. Cable (2001): Diseased fish in the freshwater trade: from retailers to private aquarists. Diseases of Aquatic Organisms (132): 157-162
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 289-302
- R. Maciaszek, D. Marcinek, M. Eberhardt & S. Wilk (2019): Alien freshwater fish, *Xiphophorus* interspecies hybrid (Poeciliidae) found in artificial lake in Warsaw, Central Poland. WSN (132): 291-299
- R.D. MacLaren & D. Daniska (2008): Female preferences for dorsal fin and body size in *Xiphophorus helleri*: further investigation of the LPA bias in Poeciliid fishes. Behaviour (145): 897-913
- K. Magellan & H. Kaiser (2009): The function of aggression in the swordtail, *Xiphophorus helleri*: resource defence. J Ethol (): 0-
- K. Magellan & H. Kaiser (2010): Male Aggression and mating opportunity in a poeciliid fish. African Zoology (1): 8-23
- K. Magellan & H. Kaiser (2010): The function of aggression in the swordtail, *Xiphophorus helleri*: resource defence. J Ethol (28): 239-244
- B. Malitschek, D. Förnzier & M. Schartl (1995): Melanoma formation in *Xiphophorus*: a model system for the role of receptor tyrosine kinases in tumorigenesis. BioEssays (12): 1017-1023
- E. Marré (1910): Wie der *Xiphophorus helleri* aussieht. Blätter für Aquarien- und Terrarienkunde (10): 147-148
- W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. Zootaxa (2307): 1-38
- W. Matthies (1920): Beobachtung an *Xiphophorus Helleri*. Blätter für Aquarien- und Terrarienkunde (23/24): 361-362
- F. Maulhardt (1982): *Xiphophorus helleri* guentheri. ZAG Lebendgebärende Zahnkarpfen (4): 3-3
- T.J. McConnell et al (1998): Identification and mapping of two divergent, unlinked major histocompatibility complex class II B genes in *Xiphophorus* fishes. Genetics (149): 1921-1934
- M.G. McRae (2001): Microhabitat use in an assemblage of native and introduced stream fishes in Waipaoa stream, Island of Hawaii. Thesis (): 1-47
- S.E. Meek (1902): A contribution to the ichthyology of Mexico. Field Columbian Museum - Zoology (6): 63-1128
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- D.E. Mefford (1997): Fancy platies.. hybrids?. Livebearers (149): 4-5
- D.E. Mefford (2001): Why fancy strains of livebearers diminish. Livebearers (166): 18-19
- D.E. Mefford (2003): Female *Xiphophorus* with gonopodium. Livebearers (177): 39-40
- D.E. Mefford (2005): The misuse of common names & other concerns. Livebearers (186): 8-11
- D.E. Mefford (2005): Fancy swordtails. Livebearers (184): 26-28
- D.E. Mefford (2007): My thoughts on koi swordtails. Livebearers (197): 5-7
- S. Meierjohann & M. Schartl (2006): From Mendelian to molecular genetics: the *Xiphophorus* melanoma model. Trends in Genetics (12): 654-661
- T. Meinelt et al (2004): Humic substances affect physiological condition and sex ratio of swordtail (*Xiphophorus helleri* Heckel). Aquat. Sci. (66): 239-245
- K.-E. Meise (1967): Beobachtungen an Simpson-Schwertträgern. Aquarien Terrarien (4): 134-134
- H.H. Mejía-Madrid et al. (2015): Relationship between environmental and geographic factors and the distribution of exotic fishes in tributaries of the Balsas river basin, Mexico. Environmental Biology of Fishes (98): 611-621
- P.J. Mellegers (1995): De algebra van de voortplanting. Poecilia Nieuws (6): 110-113
- P.J. Mellegers & F. Poeser (2004): Die Mathematik der Fortpflanzung. Das Lebendgebärenden Magazin (1): 3-5
- N. Messerle (1947): Een zeldzame misvorming bij de rode zwaarddrager. Het Aquarium (7): 101-103
- M.K. Meyer (1996): Schwertträger *Xiphophorus helleri*- und *X. nigrensis*-Komplex. Das Aquarium (329): 14-17
- N. Miller (1907): The fishes of the Motagua River, Guatemala. Bulletin American Museum of Natural History (23): 95-123
- D.A. Milton & A.H. Arthington (1983): Reproductive biology of *Gambusia affinis* holbrookii Baird and Girard, *Xiphophorus helleri* (Günther) and *X. maculatus* (Heckel) (Pisces; Poeciliidae) in Queensland, Australia. J. Fish Biology (23): 23-41
- R.S. Mirza, J.J. Scott & D.P. Chivers (2001): Differential responses of male and female red swordtails to chemical alarm cues. Journal of Fish Biology (59): 716-728
- J. Moar (1997): *Xiphophorus helleri*. Livebearers (145): 11-14

- R. Moncayo-Estrada et al. (2014): Status and trends in biotic integrity in a sub-tropical river drainage: analysis of the fish assemblage over a three decade period. *River Res. Applic.* () : -
- D.L. Morgan, H.S. Gill, M.G. Maddern & S.J. Beatty (2004): Distribution and impacts of introduced freshwater fishes in Western Australia. *New Zealand Journal of Marine and Freshwater Research* (3): 511-523
- D.C. Morizot & M.J. Siciliano (1979): Polymorphisms, linkage and mapping of four enzyme loci in the fish genus *Xiphophorus* (Poeciliidae). *Genetics* (93): 947-960
- D.C. Morizot, R. B. Walter (2003): Das *Xiphophorus* Genetic Stock Center. *DGLZ-Rundschau* (2): 31-35
- H. Mück (2003): Kleine Mexikoreise nach Veracruz. *DGLZ-Rundschau* (4): 81-85
- H. Mück (2011): Den Traum gelebt: Mexikorundreisde - Endziel Characodon-Habitate im zentralen Hochland von Durango. *DGLZ-Rundschau* (4): 91-108
- H. Mühlberg (2013): Nochmals zum Yucatan-Schwertträger. *Das Lebendgebärenden Magazin* (2): 22-23
- J. Mull (1982): Wie ich zu meinen "Merigold-Schwertträgern" gekommen bin?. *ZAG Lebendgebärende Zahnkarpfen* (1): 6-6
- P. Müller (1967): Interessante Neuzugänge aus Kuba. *Aquarien Terrarien* (10): 336-339
- G.S. Myers (1920): The Mexican swordtail. *Aquatic Life* (November): 122-123
- T. Nakagawa (1973): How I raise champion swordtails. *Livebearers* (7): 2-4
- T. Nakagawa (1991): How I raise champion swordtails. *Livebearers* (115): 15-18
- H. Nehring (2000): Abweichende Färbung bei Nachzuchten des Catemaco-Schwertträgers!. *DGLZ-Rundschau* (4): 89-89
- R. Nguyen (2018): King lyretail swords!. *Livebearers* (237): 5-8
- J. Norton (1972): Imperial swordtails - some comments. *Livebearers* (5): 5-5
- J. Norton (1972): Imported livebearers. *Livebearers* (4): 6-8
- J. Norton (1972): Comments on Kunimoto's veiltail *Xiphophorus*. *Livebearers* (6): 7-11
- J. Norton (1974): Hi-fin swordtail stock available. *Livebearers* (15): 9-9
- J. Norton (1987): Questions and answers. *Livebearers* (93): 10-11
- J. Norton (2006): Domestic livebearers (summary of 1991 ALA convention program). *Livebearers* (187): 26-30
- J. Norton (2015): From the archive Red jet hi-fin swordtails. *Livebearers* (229): 16-18
- J. Norton (2016): Fancy black swordtails. *Livebearers* (231): 18-21
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- N. Offen, A. Meyer & G. Begemann (2009): Identification of novel genes involved in the development of the sword and gonopodium in swordtail fish. *Developmental Dynamics* (238): 1674-1687
- N. Offen, N. Blum, A. Meyer & G. Begemann (2008): Fgf1 signalling in the development of a sexually selected trait in vertebrates, the sword of swordtail fish. *BMC Developmental Biology* (98): 1-18
- C. Olivera-Tlahuel et al (2019): Placental structures and their association with matrotrophy and superfetation in poeciliid fishes. *Acta Zool.* (100): 167-181
- A. Olivier & H. Kaiser (1997): A comparison of growth, survival rate, and number of marketable fish produced of swordtails, *Xiphophorus helleri* Heckel (Family Poeciliidae), between two types of culture systems. *Aquaculture Research* (28): 215-221
- J.H. Olshan (1913): *Xiphophorus helleri*. *The Aquarium* (2): 11-12
- G.J. van Oordt (1925): The relation between the development of the secondary sex characters and the structure of the testis in the Teleost *X. helleri* Heckel. *The British Journal of Experimental Biology* (III): 43-59
- G.J. van Oordt (1928): The duration of life of the spermatozoa in the fertilized female of *Xiphophorus helleri* Regan. *Tijdschrift der Ned. Dierkundige Vereen.* (april): 1-4
- G.J. van Oordt en C.J. van der Maas (1926): Castratie en implantatie van geslachtsorganen bij *Xiphophorus Helleri* Heckel. (september): 935-938
- H.-J. Paepke (1989): Zum Status von *Xiphophorus pseudomontezumae* Ahl, 1938 und zur Entstehung des Zeignungsmunster "liniert" bei Schwertträgern. *Aquarien Terrarien* (8): 271-273
- J. Parzefall (1974): Attraction and sexual cycle of Poeciliids. *Genetics and mutagenesis of fish* (ed. J.H. Schröder) Springer Verlag 1973 (): 177-183
- E.E. Patton, D.L. Mitchell & R.S. Nairn (2010): Genetic and environmental melanoma models in fish. *Pigment Cell Melanoma Res.* (23): 314-337
- H.-A. Pederzani (1965): Gab es 1924 schon Wagtail-Schwertträger?. *ZAG Lebendgebärende Zahnkarpfen* (2): 16-16
- H.-A. Pederzani (1966): Wiesbadener oder Tuxedo - Schwertträger. *Aquarien Terrarien* (12): 0-0
- H.-A. Pederzani (1968): Zur Beurteilung der Rückenflossenform bei hochflossigen Xiphophorinen. *Aquarien Terrarien* (2): 46-47
- H.-A. Pederzani (1968): Die Beurteilung des Schwertes bei *Xiphophorus helleri*. *Aquarien Terrarien* (1): 2-3
- H.-A. Pederzani (1969): Schwarze Bänderung vererbt sich nicht. *Aquarien Terrarien* (1): 31-31
- H.-A. Pederzani (1969): Wie und warum kreuzt man Platies mit Schwertträgern?. *Aquarien Terrarien* (7): 240-240
- B. Pels (2011): Gedachten over de groei van zwaarddragermannen. *Poecilia Nieuws* (2): 22-24
- H.-W. Pelz (1968): Echte Kopula bei *Xiphophorus helleri*. *Aquarien Terrarien* (4): 136-136
- H.-W. Pelz (1972): III. Internationale Xiphoschau in Nordhausen. *Aquarien Terrarien* (4): 136-138
- A. Perlmutter & H. Potter (1988): Hypertermic suppression of a genetically programmed melanoma in hybrids of fishes: genus *Xiphophorus*. *J Cancer Res Clin Oncol* (114): 359-362
- N.D. Pertami et al (2020): The ratio of native and alien fish species in Buyan and Tambligan lakes, Bali. *IOP Conf. Ser.: Earth Environ. Sci.* (): 1-10
- N.D. Pertami et al (2020): The ratio of native and alien fish species in Buyan and Tambligan lakes, Bali. *IOP Conf. Ser.: Earth Environ. Sci.* (404): 1-10
- J. Peter (1905): Lebendig gebärende Kärpfinge. *Blätter für Aquarien- und Terrarienkunde* (5): 62-66
- R. Peter, M. Scartl, F. Anders & H.-R. Duncker (1985): Pigment pattern formation during embryogenesis in *Xiphophorus*. *Pigment Cell* (7): 291-302
- G. Peters (1964): Vergleichende Untersuchungen an drei Subspecies von *Xiphophorus helleri* Heckel (Pisces). *Zeitschrift für zoologische Systematik und Evolutionsforschung* (2): 185-271

- G. Peters (1969): Zur "Geschlechtsumwandlung" der Schwerträger *Xiphophorus helleri*. Aquarien Terrarien (11): 364-367
- G. Petzold (1966): Zuchterfahrungen mit dem Hamburger Schwerträger. Aquarien Terrarien (10): 350-351
- G. Petzold (1975): *Xiphophorus helleri* in Südafrika eingebürgert. Aquarien Terrarien (4): 136-136
- K. Pfand (1972): Einheitliche Bewertungsrichtlinien für Xiphos. Aquarien Terrarien (1): 28-28
- N. Pilakouta, M.A. Correa & S.H. Alonso (2017): Predation risk reduces a female preference for heterospecific males in the green swordtail. Ethology (123): 95-104
- H. Pinter (1989): Berliner Schwerträger oder Berliner Kreuzung. TI (91): 20-20
- H. Pinter (1997): De zwarte zwaarddrager en zijn vermeerdering. Aquariumwereld (1): 8-9
- H. Pinter (2003): Nachzucht bei Schwerträgern - eine einfach Sache, oder?. Aquaristik Fachmagazin (173): 38-39
- F.N. Poeser (1993): Blup, zei de gup. Poecilia Nieuws (5): 103-106
- F.N. Poeser (2021): Temperatuur. Poecilia Nieuws (1): 18-20
- J. Prenter, P. W. Taylor & R.W. Elwood (2008): Large body size for winning and large swords for winning quickly in swordtail males, *Xiphophorus helleri*. Anim. Behav. (75): 1981-1987
- A. Rachow (1910): *Xiphophorus brevis* Regan. Wochenschrift für Aquarien und Terrarienkunde (40): 553-554
- A. Rachow (1911): Nachtrag zu Rachow "ein neuer Xiphophorus" usw. Blätter für Aquarien- und Terrarienkunde (42): 681-681
- A. Rachow (1911): Ein neuer Xiphophorus (*Xiphophorus Rachovii* Regan) nebst Bemerkungen über *Xiphophorus strigatus* Regan. Blätter für Aquarien- und Terrarienkunde (41): 653-655
- A. Rachow (1913): Ueber die Zahnkarpfengattung *Xiphophorus* (Heckel). Blätter für Aquarien- und Terrarienkunde (17): 257-262
- A. Rachow (1914): Zur Nomenklatur unserer viviparen Zahnkarpfen (Poeciliinae), nebst Bemerkungen über einige neue Arten. Blätter für Aquarien- und Terrarienkunde (11): 185-200
- A.C. Radda (1982): Synopsis der Gattung *Xiphophorus* Heckel. DGLZ-Rundschau (2): 25-30
- J.J. Rahn et al (2009): Etiology of MNU-induced melanomas in *Xiphophorus* hybrids. Comparative Biochemistry and Physiology (149): 129-133
- E.M. Ralston (1934): A study of the chromosomes of *Xiphophorus*, *Platypoecilus* and of *Xiphophorus-Platypoecilus* hybrids during spermatogenesis. Journal of Morphology
- C.T. Regan (1907): Diagnoses of new Central-American freshwater fishes of the families Cyprinodontidae and Mugilidae. Annals and Magazine of Natural History (19): 64-66
- C.T. Regan (1911): *Xiphophorus brevis* Regan und *Xiphophorus Rachovii* Regan. Blätter für Aquarien- und Terrarienkunde (50): 806-807
- C.T. Regan (1911): On some fishes of the family Poeciliidae. Annals and Magazine of Natural History (45): 373-374
- C.T. Regan (1911): A new *Xiphophorus* from Guatemala. Annals and Magazine of Natural History (september): 373-374
- C.T. Regan (1913): Ueber *Xiphophorus Rachovi*. Blätter für Aquarien- und Terrarienkunde (33): 532-533
- C.T. Regan (190608): Pisces. Biologia Centrali-Americana (): 1-203
- J. Regneri et al (2019): Analysis of the putative tumor suppressor gene *cdkn2ab* in pigment cells and melanoma of *Xiphophorus* and medaka. Pigment Cell Melanoma Res. (2): 248-258
- C.A. Reitmayer (1915): *Xiphophorus helleri* Heckel. Blätter für Aquarien- und Terrarienkunde (10): 147-149
- E. Ringel (1911): Unsere Lebendgebärenden. (Schluß). Wochenschrift für Aquarien und Terrarienkunde (): 290-292
- R. Rodríguez-Hernández, E. Diaz-Pardo & J. Lyons (1999): Patterns in the species diversity and composition of the fish community of the Lacanja River, Chiapas, Mexico. Journal of Freshwater Ecology (4): 455-468
- Z. Rodríguez Álvarez et al (2010): Current status of the viviparous fish species in the Cuitzeo basin of Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 472-475
- W.-H. Röhrs (1977): Veränderungen der sexuellen und aggressiven Handlungsbereitschaft des Schwerträgers *Xiphophorus helleri* (Pisces, Poeciliidae) unter dem Einfluß sozialer Isolation. Z. Tierpsychol. (44): 402-422
- E. Rosbroj (1968): Wagtail-Schwerträger bereits 1924?. Aquarien Terrarien (7): 245-245
- D.E. Rosen & K.D. Kallman (1969): A new fish of the genus *Xiphophorus* from Guatemala, with remarks on the Taxonomy of Endemic Forms. American Museum Novitates (2379): 1-29
- H.L. Rosenthal (1955): Abnormal birth of broods in the viviparous Poeciliids *Lebiasina reticulatus* and *Xiphophorus helleri*. Copeia (1): 52-53
- G. G. Rosenthal & C.S. Evans (1998): Female preference for swords in *Xiphophorus helleri* reflects a bias for large apparent size. Proc. Natl. Acad. Sci. (95): 4431-4436
- G.G. Rosenthal, C.S. Evans & W.L. Miller (1996): Female preference for dynamic traits in the green swordtail, *Xiphophorus helleri*. Anim. Behav. (51): 811-820
- P.W. Roth (1997): An interesting fish hybrid. Livebearers (145): 26-27
- A.J. Rothwell (2000): *Xiphophorus helleri* Heckel, 1848. Viviparous (48): 33-35
- N.J. Royle, J. Lindström & N.B. Metcalfe (2005): A poor start in life negatively affects dominance status in adulthood independent of body size in green swordtails *Xiphophorus helleri*. Proc. R. Soc. Lond. (272): 1917-1922
- N.J. Royle, J. Lindström & N.B. Metcalfe (2006): Effect of growth compensation on subsequent physical fitness in green swordtails *Xiphophorus helleri*. Biol. Lett. (2): 39-42
- N.J. Royle, J. Lindström & N.B. Metcalfe (2008): Context-dependent mate choice in relation to social composition in green swordtails *Xiphophorus helleri*. Behavioral Ecology (19): 998-1005
- N.J. Royle, N.B. Metcalfe & J. Lindström (2006): Sexual selection, growth compensation and fast-start swimming performance in green swordtails, *Xiphophorus helleri*. Functional Ecology (20): 662-669
- D.A. Rubin (1985): Effect of pH on sex ratio in cichlids and a Poeciliid (Teleostei). Copeia (1): 233-235
- G. Ruiz-Campos et al. (2002): An annotated distributional checklist of the freshwater fish from Baja California Sur, México. Reviews in Fish Biology and Fisheries (12): 143-155
- L.E. Ruiz-Cauich et al (2016): Stability vs organization: Potential of a trophic model for the management of shallow tropical streams. Food Webs (6): 38-47
- R. Russo, E.W. Curtis & R.P.E. Yanong (2007): Preliminary investigations of hydrogen peroxide treatment of selected ornamental fishes and efficacy against external bacteria and parasites in green swordtails. Journal of Aquatic Animal Health (19): 121-127
- M.J. Ryan (1998): Sexual selection, receiver biases, and the evolution of differences. Science (september): 1999-2003
- E. Saathoff (1940): Over *Xiphophorus helleri* Heckel, zijn kruisingsmogelijkheden en andere bijzonderheden. Aqua Terra (oktober): 91-94
- E. Saathoff (1940): Over *Xiphophorus helleri* Heckel, zijn kruisingsmogelijkheden en andere bijzonderheden II. Aqua Terra (november): 112-113

Livebearer Literature List 202201

- C. van de Sande (1987): Een verzamelreis naar Guatemala II. Poecilia Nieuws (3): 46-48
- W. Sangster (1948): A study of the quantitative effects of ethynodiol diacetate upon the sword and gonopodium of *Xiphophorus helleri*. Physiological Zoology (2): 134-147
- S. Saunders (1972): The imperial veil swordtail. Livebearers (5): 3-5
- A. Savastio (1985): Space requirements for swordtails and platies. Livebearers (83): 9-10
- A. Savastio (1986): Minimizing aggression between male swordtails. Livebearers (85): 6-7
- A. Savastio (1987): *Xiphophorus helleri*. Livebearers (96): 13-14
- A. Savastio (1987): Suggestions for breeding albino swordtails. Livebearers (93): 7-9
- A. Savastio (1988): Is it genetics or environment. Livebearers (98): 20-21
- A. Savastio (1988): The importance of culling swordtails. Livebearers (97): 13-14
- A. Savastio (1989): Disease resistance in the genus *Xiphophorus*. Livebearers (106): 13-14
- A. Savastio (1991): Fish that don't need heaters. Livebearers (117): 17-18
- M. Schart et al (1993): Melanoma loss-of-function mutants in *Xiphophorus* caused by Xmrk-oncogene deletion and gene disruption by a transposable element. Genetics (1999): 1385-1394
- M. Schart et al (1999): Melanoma loss-of-function mutants in *Xiphophorus* caused by Xmrk-oncogene deletion and gene disruption by a transposable element. Genetics (153): 1385-1394
- M. Schartl (2012): *Xiphophorus*. Encyclopedia of Cancer (): 1-4
- M. Schartl & S. Schories (2019): Platys und Schwerträger in Wissenschaft und Forschung. Das Lebendgebärenden Magazin (1): 10-17
- G. Schauenburg (1920): Beobachtungen an *Xiphophorus helleri* (hahnenförmige Weibchen). Aus der Heimat des Schwerträgers. Blätter für Aquarien- und Terrarienkunde (17): 260-261
- R. Scheffler (1976): Op zoek naar levendbarenen in Mexico. TIH (7): 24-27
- G. Schiche (1915): Geburt und Aufzucht der Jungfische bei *Xiphophorus helleri*. Blätter für Aquarien- und Terrarienkunde (17): 258-260
- V. Schlömp (1913): Fischzucht im Zimmer. Blätter für Aquarien- und Terrarienkunde (37): 394-602
- H. Schlosberg, M.C. Duncan & B.H. Daitch (1949): Mating behavior of two live-bearing fish, *Xiphophorus hellerii* and *Platypoecilus maculatus*. Physiological Zoology (2): 148-161
- F.F. Schmidt (1978): Mexico - een vissenparadijs. Het Aquarium (5): 121-125
- H. Schmidt (1998): "Hallesche Quergöbbe" Beginn und angestrebte Ziele einer Versuchszucht. DGLZ-Rundschau (4): 83-86
- H. Schmidt (2001): Hallesche Quergöbbe II Weiterführung und erreichte Ziele einer Versuchszucht. DGLZ-Rundschau (1): 14-16
- A. Scholl (1974): Biochemical evolution in the genus *Xiphophorus* (Poeciliidae, Teleostei). Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag 1973 (): 277-299
- K. Schönberg (1968): Paarungsschwierigkeiten bei lebendgebärenden Zahnkarpfen. Aquarien Terrarien (10): 350-350
- H. Schöpfel (1997): Der Yukatan-Schwertträger. TI (133): 29-31
- G. Schramm (1978): Wie ich zu den "Halbschwarze Schwerträgern" kam?. ZAG Lebendgebärende Zahnkarpfen (1): 22-23
- G. Schramm (1979): Die Stiefkinder eines Paares *Pelmatochromis eurocephalus*. ZAG Lebendgebärende Zahnkarpfen (1): 10-11
- G. Schramm (1984): Blaue *Xiphophorus helleri*. ZAG Lebendgebärende Zahnkarpfen (3): 5-5
- G. Schramm (1988): *Xiphophorus helleri*: halbschwarz quer. ZAG Lebendgebärende Zahnkarpfen (2): 1-3
- G. Schramm (1990): Meine Erfahrungen mit Albino-Schwertträgern. ZAG Lebendgebärende Zahnkarpfen (2): 10-11
- G. Schramm (1994): Mein Erfahrungen mit Albino-Schwertträgern. DGLZ-Rundschau (1): 11-12
- G. Schramm (1994): Tuxedo-Schwertträger. DGLZ-Rundschau (1): 14-14
- G. Schramm (1995): Zeichnungsmuster "halbschwarz-quer" bei *Xiphophorus helleri*. DGLZ-Rundschau (1): 15-18
- G. Schramm (1997): *Xiphophorus* Zuchtformen aus der Sicht des Züchters. DGLZ-Rundschau (4): 83-86
- G. Schramm (1999): Neue Zuchtformen bei den *Xiphophorus*-Arten. DGLZ-Rundschau (4): 75-77
- W. Schreitmüller (1925): Verschiedene interessante Bastarde. Wochenschrift für Aquarien und Terrarienkunde (36): 609-610
- F. Schröder (1974): Rätsel des Geschlechtwechsels. Aquarien Terrarien (9): 304-305
- R. Schultz (2014): Der Königslyra und der Weg dorthin - Hochzucht bei Schwerträgern. Amazonas (März/April): 24-29
- R. Schultz (2014): King Larytail and the Way there - breeding high-end swordtails. Amazonas (sep/oct): 32-36
- R. Schultz (2015): Histoire du Xiph Lyre Royal. Le Vivipare (125): 22-31
- M. Schumer et al (2012): An evaluation of the hybrid speciation hypothesis for *Xiphophorus clemenciae* based on whole genome sequences. Evolution (4): 1155-1168
- M. Schwab (1982): Genome organization in *Xiphophorus* (Poeciliidae; Teleostei). Molec. Gen. Genetics (188): 410-417
- N.S. Scrimshaw (1945): Development in Poeciliid fishes. Biological Bulletin (3): 233-246
- O. Seehausen (1988): Levendbarenen als poëtische. Poecilia Nieuws (1): 14-15
- I. Seidel (2010): Weltmarktführer in Sachen Zierfischzucht: Südostasien. Aquaristik Fachmagazin (211): 4-10
- R. Serva (2005): The Genus *Xiphophorus* Part 1, the Swordtails. Livebearers (184): 4-25
- R.B. Setlow & A.D. Woodhead (2001): Three unique experimental fish stories: Poecilia (the past), *Xiphophorus* (the present), and Medaka (the future). Mar. Biotechnol. (3): 17-23
- Y. Shen et al (2016): *X. couchianus* and *X. hellerii* genome models provide genomic variation insight among *Xiphophorus* species. BMC Genomics (17:37): 1-13

Livebearer Literature List 202201

- X. Shen, G. Yang & M. Liao (2007): Development of 51 genomic microsatellite DNA markers of guppy (*Poecilia reticulata*) and their application in closely related species. *Molecular Ecology Notes* (7): 302-306
- B. Sicuro et al (2020): Prevalence and antibiotic sensitivity of bacteria isolated from imported ornamental fish in Italy: a translocation of resistant strains?. *Preventive Veterinary Medicine* (175): 1-10
- J. da Silva et al (1991): Male sword and female preferences. *Science* (5026): 1426-1427
- L.W. Simmons, M. Beveridge & J.P. Evans (2008): Molecular evidence for multiple paternity in a feral population of green swordtails. *Journal of Heredity* (6): 610-615
- K. Slenzka & B. Proßeckert (1997): Aquaristik auf allerhöchster Ebene. *DGLZ-Rundschau* (4): 76-77
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. *Aquatic Ecosystem Health and Management* (1): 267-276
- D. Speirs (1988): Recent studies on swordtail genetics. *Livebearers* (101): 5-7
- D. Speirs (1989): Over voortplanting bij levendbarenden. *Poecilia Nieuws* (5): 73-74
- D. Speirs (1989): And baby makes 398. *Livebearers* (104): 3-5
- H. Stallknecht (1966): Ist die Rückenflosse bei Fahnenschwertträgern geschlechtstypisch?. *Aquarien Terrarien* (7): 240-240
- H. Stallknecht (1968): Wagtail-Schwertträger vor 1948?. *Aquarien Terrarien* (7): 245-245
- H. Stallknecht (1968): Ethologie hilft richten. *Aquarien Terrarien* (6): 204-205
- H. Stallknecht (1968): Zur Beurteilung der Rückenflossen bei hochflossigen Xiphophoriden II. *Aquarien Terrarien* (3): 80-81
- H. Stallknecht (1972): Wo liegt das Problem beim Berliner Schwertträger?. *Aquarien Terrarien* (3): 78-80
- H. Stallknecht (1972): Albinos sind oft heikel. *Aquarien Terrarien* (9): 284-295
- H. Stallknecht (1972): Wo liegt das Problem beim Berliner Schwertträger?. *Aquarien Terrarien* (3): 78-80
- H. Stallknecht (1972): Albinos sind oft heikel. *Aquarien Terrarien* (9): 294-295
- F. Steindachner (1863): Beiträge zur Kenntniß der Sciaenoiden Brasiliens und der Cyprinodonten Mejicos. *Sitzber. Der math.-naturw. Classe der K. Akad. d. Wiss.* (48): 17-23
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. *Livebearers* (153): 21-31
- R. Strauss (1990): Heterochronic variation in the developmental timing of cranial ossifications in Poeciliid fishes (Cyprinodontiformes). *Evolution* (6): 1558-1567
- R. Strauss (1994): Heterochronic variation in the developmental timing of cranial ossifications in Poeciliid fishes. *Livebearers* (137): 19-39
- G. Takeshita (0): The "escaped" livebearers in Hawaii. *Viviparous* (33): 0
- G. Takeshita (1972): The "escaped" livebearers in Hawaii. *Livebearers* (2): 5-9
- G. Takeshita (1972): Kunimoto's hi-fin veiltail sword x variatus hybrids. *Livebearers* (6): 3-6
- G. Takeshita (1974): Artificial insemination of fancy swords, variatus and moons. *Livebearers* (15): 4-7
- G. Takeshita (1993): The "escaped" livebearers in Hawaii. *Livebearers* (132): 20-21
- G. Takeshita (2000): Artificial insemination of fancy swords, variatus and moons. *Livebearers* (161): 17-20
- G. Takeshita (2003): Swordtail x guppy hybrid-??. *Livebearers* (179): 10-17
- G. Takeshita (2003): Xiphophorus nezahuaocoyotl x X. helleri hybrid. *Livebearers* (179): 28-30
- G. Takeshita (2005): The present status of fancy livebearers in Hawaii. *Livebearers* (184): 32-35
- G. Takeshita (2006): Remarks by Glenn Takeshita. *Livebearers* (185): 5-6
- C.S. Tamaru et.al. (2003): Creating the homozygous genotype for Lyretail swordtails. *Tropical Fish Hobbyist* (May): 66-70
- A. Tatarenkov, C.I.M. Healey & J.C. Avise (2010): Microgeographic population structure of green swordtail fish: differentiation despite abundant migration. *Molecular Ecology* (19): 257-268
- A. Tatarenkov, C.I.M. Healey, G.F. Grether & J.C. Avise (2008): Pronounced reproductive skew in a natural population of green swordtails, *Xiphophorus helleri*. *Molecular Ecology* (17): 4522-4534
- W.N. Tavolga (1949): Embryonic development of the platyfish (*Platypoecilus*), the swordtail (*Xiphophorus*) and their hybrids. *Bulletin American Museum of Natural History* (94): 161-230
- A.B. Taylor (1948): Experimental sex reversal in the red swordtail hybrid *Xiphophorus-platypoecilus*. *Transactions of the American Microscopical Society* (2): 155-164
- U. Teich (1970): Hinweise zur Zucht von Drachenschwertträgern. *Aquarien Terrarien* (7): 240-240
- B.C. Teixeira Pinto & F. Gerson Araújo (2007): Assessing of biotic integrity of the fish community in a heavily impacted segment of a tropical river in Brazil. *Brazilian Archives of Biology and Technology* (3): 489-502
- K.W. Thompson (1995): Functional sex reversal in swordtails. *Viviparous* (31): 0
- M. Tobler (2019): Just ask a scientist!. *Livebearers* (244/245): 17-21
- M. Tobler (2021): Why are sekts ratios off in some of my livebearers? Do temperature of pH skew sex ratios in livebearers like in some other fishes. *Livebearers* (250): 10-13
- C. Tolmeijer (1937): Een interessante nieuwe varieteit. *Aqua Terra* (3): 48-50
- W.A. Tomey (2014): Vergeten wildvormen van het geslacht *Xiphophorus helleri* en meer. *Het Aquarium* (7/8): 28-36
- B.C. Trainor & A.L. Basolo (2000): An evaluation of video playback using *Xiphophorus helleri*. *Anim. Behav.* (59): 83-89
- B.C. Trainor & A.L. Basolo (2006): Location, location, location: stripe position effects on female sword preference. *Anim. Behav.* (71): 135-140
- M. Trauzettel (1984): Standardergänzung - Zeichnungsmuster "α", blue shadow. *ZAG Lebendgebärende Zahnkarpfen* (3): 3-3
- M. Trauzettel (1988): Gefleckte Zeichnungsmuster(s). *ZAG Lebendgebärende Zahnkarpfen* (3): 7-8
- M. Trauzettel (1991): Geschlechtsgebundene Vererbung bei *Xiphophorus*-Zuchtfomren. *DGLZ-Rundschau* (2): 35-36
- K.W. Trochu (209): hybrids. *Livebearers* (243): 12-17

Livebearer Literature List 202201

- K.W. Trochu (1999): Hifin swordtails. Livebearers (155): 33-33
- K.W. Trochu (2016): Fancy swords: what is new. Livebearers (230): 5-7
- K.W. Trochu (2018): "Cauliflower" aka "Broccoli"swordtails: what is it all about?. Livebearers (239): 24-27
- K.W. Trochu (2020): What is a ruby red swordtail?. Livebearers (246): 16-21
- K.W. Trochu (2021): A man and his passion for breeding "fancies". Livebearers (250): 5-9
- K.W. Trochu (2021): Petu Ivanov - Ein Mann und seine Leidenschaft für die Zuchtformen. DGLZ-Rundschau (2): 65-75
- K. Tschartner (1977): Halbschwarze Schwerträger. ZAG Lebendgebärende Zahnkarpfen (3): 31-31
- K. Tschartner (1977): Zu unseren Titelbild: Halbschwarze Schwerträger. ZAG Lebendgebärende Zahnkarpfen (4): 7-9
- K. Tschartner (1978): Anmerkungen der Redaktion an dem Beitrag "Totgeburten...." s.12/15. ZAG Lebendgebärende Zahnkarpfen (1): 14-14
- K. Tschartner (1982): Verhaltenforschung: Kampfverhalten der Lebendgebärenden. ZAG Lebendgebärende Zahnkarpfen (4): 5-5
- Q.M. Tucket et al (2016): Variation in cold tolerance in escaped and farmed non-native green swordtails revealed by laboratory trials and field introductions. Biol Invasions (18): 45-56
- H.H. Vallowe (1957): Sexual differentiation in the Teleost fish *Xiphophorus hellerii*, as modified by experimental treatment. Biological Bulletin (112): 422-429
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
- J.R. Vielkind (1992): Progression from pigment cell patterns to melanomas in platyfish-swordtail hybrids - multiple genetic changes and a them for tumorigenesis. Transformation of Human Epithelial Cells (): 285-301
- J.R. Vielkind et al. (1974): Incorporation of H3-thymidine into the DNA of melanotic and amelanotic melanoma explants after whole body X-irradiation of melanoma-bearing platyfish-swordtail hybrids. Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag 1973
- J.R. Vielkind et al. (1993): A Monoclonal Antibody Derived from the Melanoma Gene in the *Xiphophorus* Melanoma Model. American Journal of Pathology (3): 656-662
- J. Vielkind, M. Schwab & F. Anders (1974): Fate of bacterial DNA injected into embryos of Poeciliid fish. Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag 1973 (): 123-137
- D. Voeste et al (1998): Die Schwerträgerzucht am Kennedy Space Center. DATZ (5): 295-298
- G. Vogel (1994): Nur ein gefleckter Schwerträger. DGLZ-Rundschau (4): 83-84
- D. Vogt (1979): Sulawesi - eine Insel jenseits der Wallace-Linie II. DATZ (11): 366-370
- U. Wagenknecht (2012): Der Yacatan-Schwerträger. Das Lebendgebärenden Magazin (1): 26-29
- U. Wagenknecht (2021): De zwaarddragers van Yucatan. Poecilia Nieuws (4): 22-28
- C. Walling, N. Royle, J. Lindström & N. Metcalfe (2008): Experience-induced preference for short-sworded males in the green swordtail, *Xiphophorus helleri*. Anim. Behav. (76): 271-279
- C. Walling, N. Royle, J. Lindström & N. Metcalfe (2010): Do female association preferences predict the likelihood of reproduction?. Behav Ecol Sociobiol (64): 541-548
- C.A. Walling, N.J. Royle, N.B. Metcalfe & J. Lindström (2007): Green swordtails alter their age at maturation in response to the population level of male ornamentation. Biol. Lett. (3): 144-146
- C.T. Watson et al (2010): Genomic organization of duplicated short wave-sensitive and long wave-sensitive opsin genes in the green swordtail, *Xiphophorus helleri*. BMC Evolutionary Biology (10): 1-17
- R. Weber & M. Meyer (1993): Hochflosser und andere Formen bei *Xiphophorus variatus*. Das Aquarium (februar): 21-
- H. Weinhouse (1911): Eine Varität von *Xiphophorus rachovii* Regan.. Wochenschrift für Aquarien und Terrarienkunde (): 775-776
- C. Wellbrock, A. Gómez & M. Scharl (2002): Melanoma development and pigment cell transformation in *Xiphophorus*. Microscopy Research and Technique (58): 456-463
- U. Werner (1991): Was sind schon Schwerträger...?!. TI (107): 11-15
- J.J. Wiens & M.R. Morris (1996): Character definitions, sexual selection, and the evolution of swordtails. American Naturalist (5): 866-869
- U. Wilhelm (1975): Über die Einfluß sozialer Isolation auf die Rangordnungskämpfe männlicher Schwerträger (*Xiphophorus helleri*). Z. Tierpsychol. (38): 482-504
- A.S. Wilkins (2004): Deciphering the swordtail's tale: a molecular and evolutionary quest. BioEssays (26): 116-119
- L. Wischnath (0): Le Rio Atoyac au Mexique, le berceau de raretés aquariophiles. Aquarama (): 11-15
- L. Wischnath (1978): Wildvormen van zwaarddragers. TIH (14): 5-8
- L. Wischnath (1981): Naar Mexico, het land van de levensbare vissen. TIH (24): 35-37
- L. Wischnath (1981): Drie zeldzame zwaarddragers: wildvormen uit Mexico. TIH (24): 38-39
- L. Wischnath (1983): Gele en rode wildvormen van het geslacht *Xiphophorus*. Het Aquarium (9): 220-223
- L. Wischnath (1983): *Xiphophorus helleri* - de Belize populatie. TIH (33): 10-11
- L. Wischnath (1983): Rode wildvormen van *Xiphophorus helleri*. TIH (33): 11-11
- L. Wischnath (1995): Zwaarddrager-wildvormen, 1. Het Aquarium (11): 256-259
- L. Wischnath (1996): De kweekvormen van het geslacht *Xiphophorus* Deel 3. Het Aquarium (7): 180-182
- L. Wischnath (1996): De kweekvormen van het geslacht *Xiphoporus* Deel 1. Het Aquarium (5): 126-130
- L. Wischnath & M. Meyer (1985): Rote Varietäten von *Xiphophorus helleri*. DGLZ-Rundschau (1): 18-21
- L. Wischnath & M. Meyer (1985): *Xiphophorus*-Natur-Hybriden. DGLZ-Rundschau (1): 15-17
- O. Wojtkowiak (1986): Swordtails: my favorite livebearer. Livebearers (86): 3-4
- Dr. W. Wolterstorff (1914): Die Gattung *Xiphophorus* Heckel. Blätter für Aquarien- und Terrarienkunde (6): 94-96
- W. Wurst (1975): Erfahrungen in der Formenzucht von Schwerträgern einiger Standards. ZAG Lebendgebärende Zahnkarpfen (3): 2-13
- W. Wurst (1976): Tuxedo, Simpson und andere Xipho's. Erfahrungen in der Formenzucht von Schwerträgern einiger Standards 2. ZAG Lebendgebärende Zahnkarpfen (2): 7-11

Livebearer Literature List 202201

- W. Wurst (1976): Tuxedo, Simpson und andere Xiphos. Erfahrungen in der Formenzucht von Schwerträgern einiger Standards. ZAG Lebendgebärende Zahnkarpfen (1): 11-13
- M. Yanar, A. Özdeş, E. Erdogan & E. Evliyaoglu (2021): Determination of thermal tolerance parameters of swordtail (*Xiphophorus helleri*) and platy fish (*Xiphophorus maculatus*) acclimated to different temperature levels. Ege Journal of Fisheries and Aquatic Sciences (2):
- H. Yang et al (2010): Current status of sperm cryopreservation in the genus *Xiphophorus*. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 403-414
- R.P.E. Yanong, J.E. Hill, C.J. Daniels & C.A. Watson (2006): Efficacy of 17- α -Methyltestosterone for expression of male secondary sexual characteristics in the green swordtail. North American Journal of Aquaculture (68): 224-229
- G.H. Yue & L. Orban (2004): Novel microsatellites from the green swordtail (*Xiphophorus hellerii*) also display polymorphism in guppy (*Poecilia reticulata*). Molecular Ecology Notes (4): 474-476
- H. Zauner, G. Begemann, M. Mari-Beffa & A. Meyer (2003): Differential regulation of msx genes in the development of the gonopodium, an intromittent organ, and of the "sword", a sexually selected trait of swordtail fishes (*Xiphophorus*). Evolution & Development (5): 466-
- R. Zayan (1976): Modification des effets liés à priorité de résidence chez *Xiphophorus* (Pisces: Poeciliidae): le rôle de l'isolement et des différences de taille. Z. Tierpsychol. (41): 142-190
- Dr. E.J. Zimmermann (1909): *Xiphophorus helleri*. Blätter für Aquarien- und Terrarienkunde (45): 715-717
- E. Zug (1978): Totgeburten beim *Xiphophorus helleri* tuxedo (Tuxedo-Schwertträger). ZAG Lebendgebärende Zahnkarpfen (1): 12-13
- K. Zunker, J.T. Epplen & M. Schartl (2006): Genomic stability in malignant melanoma of *Xiphophorus*. Melanoma Research (2): 105-113
- B. Zutshi & R. Madiyappa (2020): Impact of Lantana camara, a caretenoid source, on growth and pigmentation in Koi swordtail (*Xiphophorus helleri*). AACL Bioflux (1): 286-295

Xiphophorus kallmani Meyer & Schartl, 2003

- H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. Das Lebendgebärenden Magazin (1): 22-25
- J. Blanc (2021): *Xiphophorus kallmani*. DGLZ-Rundschau (2): 53-64
- T. Coletti (2010): Livebearers unlimited The southern swordtails. Tropical Fish Hobbyist (Feb): 32-34
- H. Hieronimus (2004): Ein neuer, alter bekannter: *Xiphophorus kallmani* Meyer & Schartl, 2003. DGLZ-Rundschau (1): 13-13
- H. Hieronimus (2008): Neues vom Catemacosee - Heterandria tuxtlensis als neuer endemischer Poeciliide. DGLZ-Rundschau (3): 55-57
- D. Hughes-Phillips (2009): Mexico - March 2006. Livebearer News (26): 19-32
- J.C. Jones et al (2013): The evolutionary history of *Xiphophorus* fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
- K. de Jong (2005): Drie nieuwe zwaarddragers beschreven. Poecilia Nieuws (1): 18-19
- M. Köck (2012): Mit und ohne Schwert: Die Gattung *Xiphophorus* Teil 1: Die SüdlichenSchwertträger. Das Lebendgebärenden Magazin (1): 12-21
- M. Köck (2012): Het geslacht *Xiphophorus*. Poecilia Nieuws (3): 11-27
- M.K. Meyer & M. Schartl (2003): *Xiphophorus kallmani* sp.n. - a new species of swordtail from Mexico. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (53): 57-64

Xiphophorus 'kosszanderi'

- G. Daul (1982): Zu: "Zwei neue *Xiphophorus*arten aus Nuevo Leon, Mexico". DGLZ-Rundschau (3): 36-37
- H. Hieronimus (1990): Zum Thema Kreuzungen bei Lebendgebärenden. DGLZ-Rundschau (4): 6-7
- W. Ladiges (1982): *Xiphophorus kosszanderi*, de gevlekte platy Meyer & Wischnath 1981. TTH (29): 37-37
- L.Z. de Liefde (1996): *Xiphophorus 'kosszanderi'* of toch X. xiphidium. Poecilia Nieuws (1): 16-22
- M.K. Meyer (1983): *Xiphophorus*-Hybriden aus Nord-Mexiko, mit einer Revision der Taxa X. kosszanderi und X. roseni. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (18): 285-291
- M.K. Meyer (1984): *Xiphophorus*-Hybriden aus Nord_Mexiko, mit einer Revision der Taxa X. kosszanderi und X. roseni. DGLZ-Rundschau (2): 31-37
- M.K. Meyer (1984): Natuurlijke hybriden bij *Xiphophorus*. TTH (38): 35-35
- M.K. Meyer & L. Wischnath (1982): Zwei neue *Xiphophorus*-Arten aus Nuevo Leon, Mexico. DGLZ-Rundschau (1): 9-14
- H. Stallknecht (1984): *Xiphophorus* xiphidium - fundort vorläufig fraglich. Aquarien Terrarien (9): 315-315
- L. Wischnath & M. Meyer (1985): *Xiphophorus*-Natur-Hybriden. DGLZ-Rundschau (1): 15-17

Xiphophorus maculatus (Günther, 1866)

- (1991): Euro-Standard 1989 für *Xiphophorus*-Zuchtformen. DGLZ-Rundschau (3): 52-59
- (1991): Plumetail problems. Livebearers (115): 3-6
- (1994): Zwaarddragers negeren evolutietheorie. Intermediair (16): 31-31
- (1994): Designer genes. Viviparous (27): 3-11
- B. Allen (2001): The "Wagtail" effect in domestic swordtails (*Xiphophorus helleri*) and platies (*Xiphophorus maculatus*). Livebearers (171): 12-16
- F. Anders (1967): Ein Modellbeispiel für Krebsentstehung. Umschau in Wissenschaft und Technik (6): 194-196
- A. Anders, F. Anders & K. Klinke (52): Regulation of gene expression in the Gordon-Kosswig melanoma system I. (33): 33-52
- A. Anders, F. Anders & K. Klinke (1973): Regulation of gene expression in the Gordon-Kosswig melanoma system II. Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag 1973 (): 55-63
- R.A. Angus (1989): A Genetic Overview of Poeciliid Fishes. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 51-68
- L.R. Aronson & E. Clark (1952): Evidences of ambidexterity and laterality in the sexual behavior of certain poeciliid fishes. The American Naturalist (828): 161-171
- J.W. Atz (1962): Effects on hybridization on pigmentation in fishes of the genus *Xiphophorus*. Zoologica (4): 153-181

Livebearer Literature List 202201

- J.W. Atz (1999): Cancer quest with tropicals (part 1) How it began. Livebearers (158/159): 28-32
- J.W. Atz (2000): Cancer quest with tropicals part 2. Fishing trip to Mexico. Livebearers (160): 17-21
- J.W. Atz (2020): Cancer quest with tropicals Part 1: how it began. Livebearers (249): 16-18
- J.W. Atz (2021): Cancer quest with tropicals Part 2: fishing trip to Mexico. Livebearers (250): 15-17
- M. Bachmann (1966): Eine neue und vielbeachtete Platy-Zuchtf orm. Aquarien Terrarien (10): 350-350
- M. Bachmann (1979): Zwittrigkeit (?) bei X. helleri und X. maculatus. ZAG Lebendgebärende Zahnkarpfen (2+3): 16-16
- E. Bade (1918): Our American live-bearing tooth-carp. Aquatic Life (November): 29-30
- A. Bartsch (1963): Plaatjes. Het Aquarium (6): 138-141
- A.L. Basolo (1990): Female preference predates the evolution of the sword in swordtail fish. Science (250): 808-810
- A.L. Basolo (1991): Technical comments Male swords and female preferences. Science (253): 1426-1427
- A.L. Basolo (1994): The dynamics of fisherian sex-ratio evolution: theoretical and experimental investigations. American Naturalist (September): 473-490
- A.L. Basolo (1995): A further examination of a pre-existing bias favouring a sword in the genus *Xiphophorus*. Anim. Behav. (50): 365-375
- A.L. Basolo (1996): The phylogenetic distribution of a female preference. Systematic biology (3): 290-307
- A.L. Basolo (2002): Congruence between the sexes in preexisting receiver responses. Behavioral Ecology (6): 832-837
- A.L. Basolo (2006): Genetic linkage and color polymorphism in the southern platyfish (*Xiphophorus maculatus*): a model system for studies of color pattern evolution. Zebrafish (1): 65-83
- A.L. Basolo (2008): Evolution of pleiotropic alleles for maturation and size as a consequence of predation. Biol. Lett. (4): 200-203
- A. L. Basolo & W.E. Wagner (2006): Genetic variation in maternal investment patterns in platyfish *Xiphophorus maculatus*. Zebrafish (3): 339-345
- A.W. Bellamy (1924): Bionomic studies on certain Teleosts I. Statement of problems, description of material, and general notes on life histories and breeding behaviour under laboratory conditions. Genetics (6): 513-529
- A.W. Bellamy (1928): Bionomic studies on certain Teleosts II. Color patterns in inheritance and sex in *Platypoecilus maculatus* (Günth). Genetics (3): 226-232
- A.W. Bellamy (1933): Bionomic studies on certain Teleosts. IV. Crossing over and non-disjunction in *Platypoecilus maculatus* Günth. Genetics (6): 531-534
- A.W. Bellamy (1933): Bionomic studies on certain Teleosts III. Hereditary behavior of the color character, gold. Genetics (6): 522-530
- A.W. Bellamy (1934): Life span of *platypoecilus*, *Xiphophorus* and their hybrids in the laboratory. Science (2069): 191-191
- A.W. Bellamy & M.L. Queal (1951): Heterosomal inheritance and sex determination in *Platypoecilus maculatus*. Genetics (93): 94-107
- M. Bernhardt (1926): Sind *Platypoecilus* und *Xiphophorus* zwei verschiedene "Arten"? Wochenschrift für Aquarien und Terrarienkunde (6): 79-80
- A. Böhne et al (2009): Molecular analysis of the sex chromosomes of the platyfish *Xiphophorus maculatus*: Towards the identification of a new type of master sexual regulator in vertebrates. Integrative Zoology (4): 277-284
- R. Borowsky (1978): The tailspot polymorphism of *Xiphophorus* (Pisces: Poeciliidae). Evolution (4): 886-893
- R. Borowsky (1981): Tailspots of *Xiphophorus* and the evolution of conspicuous polymorphism. Evolution (2): 345-358
- R. Borowsky (1984): The evolutionary genetics of *Xiphophorus*. in: Turner, Bruce J. Evolutionary Genetics of Fishes (1): 235-310
- R. Borowsky (1987): Agonistic behavior and social inhibition of maturation in fishes of the genus *Xiphophorus* (Poeciliidae). Copeia (3): 792-796
- R. Borowsky & K.D. Kallman (1976): Patterns of mating in natural populations of *Xiphophorus* (Pisces: Poeciliidae). I: X. maculatus from Belize and Mexico. Evolution (4): 693-706
- J.C. Braddock (1945): Some aspects of the dominance-subordination relationship in the fish *Platypoecilus maculatus*. Physiological Zoology (2): 176-195
- F. Breden (2000): Livebearer Genome Project: searching for cancer genes in platyfish (and perhaps mollies and guppies?). Livebearers (161): 31-32
- M.P. Brewer (2012): The red wag hi-fin lyratail swordtail. Livebearers (215): 10-11
- W.L. Brind (1919): *Platypoecilus maculatus*. Aquatic Life (September): 167-168
- M. Brown (1979): A successful failure. Livebearers (44): 4-5
- M. Brummel et al (2006): Conservation of synteny between guppy and *Xiphophorus* genomes. Zebrafish (3): 347-347
- W. Chavin & M. Gordon (1951): Sex determination in *Platypoecilus maculatus*. I. Differentiation of the gonads in members of all-male broods. Zoologica (8): 135-145
- W. Chizinsky (1968): Effect of castration upon sexual behavior in male platyfish, *Xiphophorus maculatus*. Physiological Zoology (4): 466-475
- W. Chizinsky (1968): Effects of castration upon sexual behavior in male platyfish, *Xiphophorus maculatus*. Physiological Zoology (4): 466-475
- G.A. Christie (1967): Comparative histochemical distribution of glycogen and alkaline phosphatases in the placenta. Histochemie (9): 93-116
- C. Clapsaddle (1978): Hi-Fin plumbetail swordtails. Livebearers (42): 13-14
- C. Clapsaddle (2012): Creating new plumbetail platies. Livebearers (215): 12-16
- C. Clapsaddle (2013): Life with livebearers. A true-breeding hifin platy. Tropical Fish Hobbyist (11): 26-28
- C. Clapsaddle (2014): Life with livebearers Blue platies. Tropical Fish Hobbyist (April): 28-30
- E. Clark (0): Platypfish and swordtails. Viviparous (37): 0-
- E. Clark & R.P. Kamrin (1951): The role of the pelvic fins in the copulatory act of certain Poeciliid fishes. American Museum Novitates (1509): 1-14
- E. Clark, L.R. Aronson & M. Gordon (1954): Mating behavior patterns in two sympatric species of *Xiphophorid* fishes: their inheritance in sexual isolation. Bulletin American Museum of Natural History (103): 135-226
- G.M. Clayton & D.J. Price (1992): Interspecific and intraspecific variation in resistance to ichthyophthiriasis among poeciliid and goodeid fishes. Journal of Fish Biology (40): 445-453
- G.M. Clayton & D.J. Price (1994): Heterosis in resistance to Ichthyophthirius multifiliis infections in poeciliid fish. Journal of Fish Biology (44): 59-66

- H. Cohen (1946): Effects of sex hormones on the development of the platyfish, *Platypoecilius maculatus*. *Zoologica* (2): 121-128
- F. Córdova-Tapia & L. Zambrano (2016): Fish functional groups in a tropical wetland of the Yucatan Peninsula, Mexico. *Neotropical Ichthyology* (2): 1-10
- W.R. Courtenay Jr. & J.E. Deacon (1982): Status of introduced fishes in certain spring systems in southern Nevada. *Great Basin Naturalist* (3): 361-366
- Z. Culumber (2014): Pigmentation in Xiphophorus: an emerging system in ecological and evolutionary genetics. *Zebrafish* (1): 57-70
- F.S. Curtis (1920): Notes on the hybrid Xiphophorus helleri x Platypoecilius maculatus. *Aquatic Life* (October): 113-117
- D.M. D'Amore, V.D. Popescu & M.R. Morris (2019): The influence of the invasive process on behaviours in an intentionally introduced hybrid, Xiphophorus helleri-maculatus. *Animal Behaviour* (156): 79-85
- D.M. D'Amore, V.D. Popescu & M.R. Morris (2020): The influence of the invasive process on behaviours in an intentionally introduced hybrid, Xiphophorus helleri-maculatus. *Animal Behaviour* (156): 79-85
- G.S. Doorn & M. Kirkpatrick (2010): Transitions between male and female heterogamety caused by sex-antagonistic selection. *Genetics* (186): 629-645
- A.D.M. Dove (2000): Richness patterns in the parasite communities of exotic poeciliid fishes. *Parasitology* (120): 609-623
- P. Duyff (1953): Iets over het geslacht Xiphophorus. *Het Aquarium* (4): 80-83
- J. Eliás & P. Dvorák (2000): Der Spiegelplaty Formen, Pflege und Zucht sowie Ursachen und Bekämpfung von Krankheiten von Xiphophorus maculatus. *Das Aquarium* (1): 12-18
- G. Entlinger (1974): The plumbetail platy. *Livebearers* (13): 6-7
- P.C. Esselman & J.D. Allan (2010): Relative influences of catchment- and reach-scale abiotic factors on freshwater fish communities in rivers of northeastern Mesoamerica. *Ecology of Freshwater Fish* (19): 439-454
- A. Everding (1981): Xiphophorus maculatus "Rio Magdalena. *DGLZ-Rundschau* (2): 18-19
- L. Favilli, S. Piazzini, D. Barbato & G. Manganelli (2018): Acclimation of *Poecilia reticulata* (Peters, 1859) and *Xiphophorus maculatus* (Günther, 1866) (Cyprinodontiformes: Poeciliidae) in central Italy. *J. Appl. Ichthyol.* (34): 672-675
- F.E. Felin (1951): Growth characteristics of the Poeciliid fish *Platypoecilus maculatus*. *Copeia* (1): 15-28
- A.A. Fernando (1991): Diets and feeding regimes of Poeciliid fishes in Singapore. *Asian Fisheries Science* (4): 99-107
- M.C. Finck (1910): Das Gesellschaftsleben der Zahnkarpfen. *Blätter für Aquarien- und Terrarienkunde* (49): 793-795
- M.C. Finck (1911): Seltene Farbenabänderungen von *Platypoecilus maculatus* var. *pulchra* (Boul. In litt.). *Blätter für Aquarien- und Terrarienkunde* (6): 85-87
- R. Fischer (1996): A quest for the "bleeding heart" platy. *Livebearers* (143): 4-5
- G.A. Francissen (1937): Over een kruising witte platy's. *Aqua Terra* (6): 106-107
- D. Franck (1970): Verhaltensgenetische Untersuchungen an Artbastarden der Gattung Xiphophorus (Pisces). *Z. Tierpsychol.* (1): 1-34
- A. Froschauer et al. (2002): Construction and initial analysis of bacterial artificial chromosome (BAC) contigs from the sex-determining region of the platyfish *Xiphophorus maculatus*. *Gene* (295): 247-254
- F. Garcia, R.Y. Fujimoto, M.L. Martins & F.R. Moraes (2009): Protozoan parasites of *Xiphophorus* spp. (Poeciliidae) and their relation with water characteristics. *Arq. Bras. Med. Vet. Zootec.* (1): 156-162
- G. Gärtner & M. Schartl (2012): Beobachtungen und Versuche zur Erlangung der Schwimmfähigkeit bei neugeborenen Guppies und Platy's (DGLZ-Rundschau 1977). *DGLZ-Rundschau* (1): 16-18
- D. Gentzsch (1982): Die Zucht des Lyratailplaty. *Aquarien Terrarien* (8): 269-271
- D. Gentzsch (1987): Zum Wurfrhythmus bei Lebendgebärenden Zahnkarpfen. *Aquarien Terrarien* (11): 378-380
- D. Gentzsch (1996): Einige Bemerkungen zum Lyra-Platy und Lyra-Variatus. *DGLZ-Rundschau* (4): 82-84
- D. Gentzsch (2006): De lyravin-platy reeds in 1981 in Saksen. *Poecilia Nieuws* (3): 23-28
- D. Gentzsch (2012): Der Rotaugen-platy - eine Seltenheit. *DGLZ-Rundschau* (1): 10-16
- D. Gentzsch (2016): Wurden der Hamburger Schwerträger in Berlin und der Berliner Schwerträger in Hamburg gezüchtet?. *DGLZ-Rundschau* (3): 93-107
- D. Gentzsch (2017): Lebendgebärenden Zahnkarpfen: Taxonomie von Zuchtförmern. *VDA-aktuell* (4): 34-36
- D. Gentzsch (2019): Die Geschichte der Xiphophorus-Zuchtförmern und ihr Standard. *Aquaristik Fachmagazin* (5): 6-32
- D. Gentzsch, U. Roßdeutscher & P. Uhlig (2007): Der Rotaugen-platy (*Xiphophorus maculatus*) aus Belize. *DGLZ-Rundschau* (2): 47-51
- G. Gerlach (1909): Neuere lebendgebärende Zahnkarpfen VIII. *Platypoecilus maculatus* Günther. *Wochenschrift für Aquarien und Terrarienkunde* (3): 25-27
- G. Gerlach (1909): Neuere lebendgebärende Zahnkarpfen. VIII *Platypoecilus maculatus* Günther. *Wochenschrift für Aquarien und Terrarienkunde* (3): 25-27
- G. Gerlach (1912): Zwei weitere Varietäten von *Platypoecilus maculatus*. *Blätter für Aquarien- und Terrarienkunde* (42): 677-678
- G. Gerlach (1913): Nochmals "Xiphophorus Rachovi". *Blätter für Aquarien- und Terrarienkunde* (20): 322-325
- S. Ghosh, A. Sinha & C. Sahu (2008): Dietary probiotic supplementation in growth and health of live-bearing ornamental fishes. *Aquaculture Nutrition* (14): 289-299
- S. Ghost, A. Sinha & C. Sahu (2007): Effect of probiotic on reproductive performance in female livebearing ornamental fish. *Aquaculture Research* (38): 518-526
- H.B. Goodrich (1939): Chromatophores in relation to genetic and specific distinctions. *The American Naturalist* (746): 198-207
- H.B. Goodrich, G.A. Hill & M.S. Arrick (1941): The chemical identification of gene-controlled pigments in *Platypoecilus* and *Xiphophorus* and comparisons with other tropical fish. *Genetics* (26): 573-586
- M. Gordon (1927): The genetics of a viviparous top-minnow *Platypoecilus*; the inheritance of two kinds of melanophores. *Genetics* (12): 253-283
- M. Gordon (1931): The hereditary basis for melanosis in hybrids of Mexican killifishes. *Proc. Natl. Acad. Sci.* (17): 276-280
- M. Gordon (1937): Genetics of *platypoecilus* III. Inheritance of sex and crossing over of the sex chromosomes in the platyfish. *Genetics* (22): 376-392
- M. Gordon (1941): Terug naar de natuurlijke plaatjes.. *Aqua Terra* (juli): 19-19
- M. Gordon (1951): Genetics of *Platypoecilus maculatus*. V. Heterogametic seks-determining mechanism in females of a domesticated stock originally from British Honduras. *Zoologica* (7): 127-134
- M. Gordon (1952): Sex determination in *Xiphophorus* (*Platypoecilus*) *maculatus*. III. Differentiation of gonads in platyfish from broods having a sex ratio of three females to one male. *Zoologica* (9): 91-100
- M. Gordon (1954): Selective matings and development of melanomas. *Proceedings of the second national cancer conference* (): 1068-1073

- M. Gordon (1956): Platies. A guide to the selection, care and breeding of platies. T.F.H. (): -24
- M. Gordon (1956): An intricate genetic system that controls nine pigment cell patterns in the platyfish. *Zoologica* (1): 153-162
- M. Gordon (1987): How the bleeding heart platy was "invented". *Livebearers* (96): 18-23
- M. Gordon (1990): Terug naar de natuurlijke plaatjes. *Poecilia Nieuws* (1): 8-10
- M. Gordon (1992): Wie der Blutendes Herz-Platy "erfunden" wurde. *DGLZ-Rundschau* (1): 13-16
- M. Gordon (1993): Search for the pygmy swordtail. *Livebearers* (127): 4-10
- M. Gordon (1996): Black wagtail platy. *Livebearers* (144): 23-26
- M. Gordon (1997): Black topper platy. *Livebearers* (148): 25-27
- M. Gordon (1999): Back to nature platyfish. *Livebearers* (157): 13-16
- M. Gordon (2001): How the bleeding heart platy was invented. *Livebearers* (169): 9-13
- M. Gordon (2001): How the bleeding heart platy was "invented". *Livebearers* (169): 9-13
- M. Gordon (2003): How the bleeding Heart Platys was invented. *Livebearer News* (3/4): 24-28
- M. Gordon (2014): From the archives: 1956 Platies as pets. *Livebearers* (222): 26-27
- M. Gordon (2014): Discovery of the gold platyfish. *Livebearers* (224): 20-26
- M.S. Gordon & D.E. Rosen (1951): Genetics of species differences in the morphology of the male genitalia of Xiphophorin fishes. *Bulletin American Museum of Natural History* (95): 409-464
- H. Gordon & M. Gordon (1954): Biometry of seven natural populations of the platyfish, *Xiphophorus maculatus*, from central America. *Zoologica* (5): 37-59
- H. Gordon & M. Gordon (1957): Maintenance of polymorphism by potentially injurious genes in eight natural populations of the platyfish, *Xiphophorus maculatus*. *Journal of genetics* (1): 1-44
- M. Gordon & O. Aronowitz (1951): Sex determination in *Platypoecilus maculatus*. I. Differentiation of the gonads in members of all-male broods. *Zoologica* (9): 147-153
- M. Gordon & P. Benzer (1945): Sexual dimorphism in the skeletal elements of the gonopodial suspensoria in Xiphophorin fishes. *Zoologica* (2): 57-72
- M. Gordon, H. Cohen & R.F. Nigrelli (1943): A hormone-produced taxonomic character in *Platypoecilus maculatus* Diagnostic of wild *P. xiphidium*. *The American Naturalist* (773): 569-572
- R.C. Griffiths (1992): Australian livebearers. *Livebearers* (126): 4-5
- C. Grimes (1986): And then there were some The Rio Jamapa platy. *Livebearers* (89): 9-11
- B.D. Grove & J.P. Wourms (1994): Follicular placenta of the viviparous fish, *Heterandria formosa* II. Ultrastructure and development of the follicular epithelium. *Journal of Morphology* (220): 167-184
- S. Guerrero-Estévez & Moreno-Mendoza (2010): Sexual determination and differentiation in teleost fish. *Reviews in Fish Biology and Fisheries* (20): 101-121
- A. Günther (1866): Catalogue of the fishes in the British museum. London (vol. 6): 1-386
- H. Gutbrod & M. Schartl (1999): Intragenic sex-chromosomal crossover of Xmrk oncogene alleles affect pigment pattern formation and the severity of melanoma in *Xiphophorus*. *Genetics* (151): 773-783
- K. Haffner (1912): Eine Kreuzung zwischen *Xiphophorus Helleri* var. *Güntheri* und *Platypoecilus maculatus* var. *pulchra*. *Blätter für Aquarien- und Terrarienkunde* (37): 595-596
- K. Haffner (1913): Nochmals die Kreuzung zwischen *Xiphophorus strigatus* Regan (=Xiph. Helleri var. *Güntheri*) x *Platypoecilus maculatus* var. *Pulchra*. *Blätter für Aquarien- und Terrarienkunde* (33): 533-535
- S.E. Halnes & J.L. Gould (1994): Female platys prefer long tails. *Nature* (370): 512-512
- R. Hanson (1990): Gold, Red-finned plumetail platies. *Livebearers* (110): 16-17
- R. Hanson (1996): Black wag plumetail platy. *Livebearers* (143): 18-18
- R. Hanson (2000): Pinto platies. *Livebearers* (163): 28-28
- D. Harper (2014): Pretty platies. *Popular Fishkeeping* (Summer): 8-13
- G. Haussler (1933): Über die Melanome der *Xiphophorus-Platypoecilus-Bastarde*. *Journal of Cancer Research and Clinical Oncology* (1): 280-292
- G. Häussler (1928): Über Melanombildungen bei Bastarden von *Xiphophorus hellerii* und *Platypoecilus maculatus* var. *rubra*. *Klinische Wochenschrift* (33): 1561-1562
- R.J. Herrera (1979): Preferential gene expression of an amylase allele in interspecific hybrids in *Xiphophorus* (Pisces: Poeciliidae). *Biochemical Genetics* (3/4): 223-227
- H. Hieronimus (1990): Geschichte der Lebendgebärenden im Aquarium. *DGLZ-Rundschau* (4): 14-18
- H. Hieronimus (1996): Lebendgebärende Briefmarken Teil II: Schwertträger und Platys. *DGLZ-Rundschau* (3): 58-64
- H. Hieronimus (1998): Xiphogenetik Teil III. *DGLZ-Rundschau* (3): 61-61
- H. Hieronimus (2003): Ein neuer Standard für Zuchtformen: Zebra. *DGLZ-Rundschau* (1): 15-17
- H. Hieronimus (2015): Wie das Rot in Platys und Schwertträger kam. *DGLZ-Rundschau* (1): 23-26
- H. Hieronimus (2018): Platys (*Xiphophorus maculatus*) in Kolumbien. *DGLZ-Rundschau* (2+3): 94-95
- N. Hill (2014): Fish of the month Platys. *Practical Fishkeeping* (9): 6-13
- N. Hill (2014): Fish of the month: Platys. *Practical Fishkeeping* (9): 6-10
- K. Hohmann (1912): *Platypoecilus maculatus*, schwarzgescheckte Varietät (var. *pulchra*). *Blätter für Aquarien- und Terrarienkunde* (17): 272-273
- T.M. Holitzki et al (2013): Differences in ecological structure, function, and native species abundance between native and invaded Hawaiian streams. *Ecological Applications* (6): 1367-1383
- M. Holly (1964): *Platypoecilus maculatus* (Günther). *Die Aquarienfische in Wort und Bild* (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 1209-1216
- J.J. v.d. Horst (1939): Een Bredase kruising. *Aqua Terra* (8): 148-148
- C.L. Hubbs (1935): Fresh-water fishes collected in British Honduras and Guatemala. *University of Michigan Museum of Zoology Miscellaneous Publications* (28): 1-22

Livebearer Literature List 202201

- D. Hughes-Phillips (2009): Mexico - March 2006. Livebearer News (26): 19-32
- T.H. Hui (2019): Fishes observed at Windsor Nature Park. Singapore Biodiversity Records (February): 20-21
- K. Jacobs (1968): Kreuzungen des Xiphophorus helleri Heckel. Das Aquarium (7/8): 2-3
- A.O. Janze (1974): Geslachtsbepaling bij Xiphophorus en Poecilia. Het Aquarium (10): 261-264
- J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
- J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
- J.C. Jones, J.-A. Perez-Sato & A. Meyer (2012): A phylogeographic investigation of the hybrid origin of a species of swordtail fish from Mexico. Molecular Ecology (21): 2692-2712
- K. de Jong (1989): Het kruisen van levendbarenden anno 1934. Poecilia Nieuws (4): 65-67
- K. de Jong (1992): Xiphophorus maculatus (Günther, 1866). Picasso onder water (): 0-
- K. de Jong (2019): Guppen en platy's in Italië. Poecilia Nieuws (4): 12-13
- K. de Jong (2020): Invloed van licht op de groei bij het platy. Poecilia Nieuws (5): 20-21
- K. de Jong (2020): Zieke vissen in de aquariumhandel. Poecilia Nieuws (5): 18-19
- K. de Jong (2020): Guppy und Platys in Italien. Das Lebendgebärenden Magazin (1): 36-37
- K. de Jong (2020): Tabasco 2019 Op zoek naar Carlhubbsia en Heterophallus Deel 2. Poecilia Nieuws (2): 13-18
- K. de Jong (2020): Tabasco 2019 - auf der Suche nach Carlhubbsia und Heterophallus. Das Lebendgebärenden Magazin (2): 23-31
- K. de Jong (2020): Tabasco 2019. Op zoek naar Carlhubbsia en Heterophallus. Poecilia Nieuws (1): 17-22
- K. de Jong (2021): Kranke Fische in der Aquaristik. Das Lebendgebärenden Magazin (2): 19-21
- K. de Jong (2021): Xiphophorus maculatus. Poecilia Nieuws Atlas (): -
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998. Conclusies en bevindingen - Familie Poeciliidae. Poecilia Nieuws (4): 76-86
- B. Kabbes (2000): De zwaarddrager is de perfecte platy. Poecilia Nieuws (4): 60-63
- D. Kaden (1968): Mein Weg zu hochflossigen Platiess. Aquarien Terrarien (7): 224-225
- K. D. Kallman (1964): An estimate of the number of histocompatibility loci in the teleost Xiphophorus maculatus. Genetics (50): 583-595
- K. D. Kallman (1965): Genetics and geography of sex determination in the Poeciliid fish, Xiphophorus maculatus. Zoologica (151): 151-190
- K. D. Kallman (1968): Evidence for the existence of transformer genes for sex in the teleost Xiphophorus maculatus. Genetics (60): 811-828
- K. D. Kallman (1970): Different genetic basis of identical pigment patterns in two populations of platyfish, Xiphophorus maculatus. Copeia (3): 472-487
- K. D. Kallman (1970): Sex determination and the restriction of sex-linked pigment patterns to the X and Y chromosomes in populations of a Poeciliid fish, Xiphophorus maculatus, from the Belize and Sibun rivers of Honduras. Zoologica (1): 1-16
- K. D. Kallman (1974): The sex-determining mechanism of the platyfish, Xiphophorus maculatus. Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag 1973 (): 19-28
- K. D. Kallman (1975): The Platypfish, Xiphophorus maculatus. handbook of genetics (4): 81-132
- K. D. Kallman (1989): Genetic Control of Size at Maturity in Xiphophorus. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 163-184
- K. Kallman & M. Gordon (1957): phorin fishes. Annals New York Academy of Sciences (3): 307-318
- K. Kallman & M. Gordon (1959): Genetics of fin transplantation in Xiphophorin fishes. Annals New York Academy of Sciences (3): 599-610
- K.D. Kallman & M.P. Schreibman (1971): The origin and possible genetic control of new, stable pigment patterns in the Poeciliid fish Xiphophorus maculatus. Journal of Experimental Zoology (176): 147-168
- K.D. Kallman & M.P. Schreibman (1973): A sex-linked gene controlling gonadotrop differentiation and its significance in determining the age of sexual maturation and size of the platyfish, Xiphophorus maculatus. General and comparative Endocrinology (21): 287-304
- K.D. Kallman & V. Borkoski (1978): A sex-linked gene controlling the onset of sexual maturity in female and male platyfish (Xiphophorus maculatus), fecundity in females and adult size in males. Genetics (89): 79-119
- K.D. Kallman & V. Brunetti (1983): Genetic basis of three mutant color varieties of Xiphophorus maculatus: the gray, gold and ghost platyfish. Copeia (1): 170-181
- K.D. Kallman et al (1973): Genetic control of gonadotrop differentiation in the platyfish, Xiphophorus maculatus (Poeciliidae). Science (4100): 678-680
- K.D. Kallman et al (1984): A new look at sex determination in Poeciliid fishes. in: Turner, Bruce J. Evolutionary Genetics of Fishes (): 95-172
- K.D. Kallman, M.P. Schreibman & V. Borkoski (1973): Genetic control of gonadotrop differentiation in the platyfish, Xiphophorus maculatus (Poeciliidae). Science (181): 678-680
- I. Kantrowitz (1973): The gold bleeding heart platy. Livebearers (11): 4-5
- M. Kawaguchi, K. Tomita, K. Sano & T. Kaneko (2015): Molecular events in adaptive evolution of the hatching strategy of ovoviparous fishes. Journal of Experimental Zoology (324B): 41-50
- S. Kazianis et al (1996): Genetic mapping in Xiphophorus hybrid fish: assignment of 43 AP-PCR/RAPD and isozyme markers to multipoint linkage groups. Genome Research (6): 280-289
- S. Kazianis et al (2005): Sex-determination in platyfishes and swordtails. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 381-400
- H.-J. Kemmling (2013): Schwerträger und Platys auf Yucatan. Das Lebendgebärenden Magazin (2): 21-21
- W. Kempe (1970): Kreuzungen mit Zuchtformen von Xiphophorus maculatus. Aquarien Terrarien (4): 132-132
- H. Koch (1964): Einiges zur Vererbung an Hand meiner Platyzucht. ZAG Lebendgebärende Zahnkarpfen (4): 6-10
- M. Köck (2013): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 3: Die Platys. Das Lebendgebärenden Magazin (2): 9-20
- M. Köck (2014): Met en zonder zwaard: Het geslacht Xiphophorus deel 3 de platy's. Poecilia Nieuws (3): 21-41
- C. Koßwig (1927): Über bastarde der teleostier Platypoecilus und Xiphophorus. Z. Indukt. Abstammungs- Vererbungsl. (44): 253-257
- C. Koßwig (1928): Über Kreuzungen zwischen den Teleostiern Xiphophorus helleri und Platypoecilus maculatus. Z. Indukt. Abstammungs- Vererbungsl. (47): 150-158

- C. Koßwig (1929): Zur Frage der Geschwultulstbildung bei Gattungsbastarden der Zahnkarpfen Xiphophorus und Platypoecilus. *Z. Indukt. Abstammungs- Vererbungsl.* (52): 114-120
- C. Koßwig (1930): Die Geschlechtsbestimmung bei den Bastarden von Xiphophorus helleri un Platypoecilus und deren Nachkommen. *Z. Indukt. Abstammungs- Vererbungsl.* (54): 263-267
- C. Koßwig (1931): Die geschlechtliche Differenzierung bei den Bastarden von Xiphophorus heuert und Platypoecilus maculatus und deren Nachkommen. *Z. Indukt. Abstammungs- Vererbungsl.* (59): 146-150
- C. Koßwig (1964): Problems of polymorphism in fishes. *Copeia* (1): 65-75
- C. Kosswig (1964): Problems of polymorphism in fishes. *Copeia* (1): 65-75
- J. de Kraay (1967): Levendbarende tandkarpers. *Het Aquarium* (10): 218-223
- C.R. Kramer & H. Potter (2003): Rodlet cells in the posterior intestine of embryos and neonates of two poeciliid species. *Journal of Fish Biology* (62): 1211-1216
- I. Kristensen (1955): Levendbarend of eilevendbarend?. *Het Aquarium* (12): 278-279
- I. Kristensen (1955): Platy's en zwaarddragers kruisen niet in de vrije natuur. *Het Aquarium* (11): 255-258
- A. Kühne (1998): Grundfarben beim Maculatus-platy. *DGLZ-Rundschau* (3): 58-60
- A. Kühne (1999): Die Xiphos und das Extensor-Gen. *DGLZ-Rundschau* (4): 78-79
- A. Kühne (1999): Die Xiphos und das Extensor-Gen. *DGLZ-Rundschau* (1): 15-16
- A. Kühne (2000): Spitzschwanz- oder Pinselschwanz-Platys - wie heißen sie denn nun?. *DGLZ-Rundschau* (3): 68-69
- S. Kunath (1982): Marygold-platy - eine alte Zuchtform. *DGLZ-Rundschau* (1): 8-8
- M. Lachmann (1981): Wo sind sie geblieben?. *DGLZ-Rundschau* (4): 50-50
- W. Ladiges (1979): Uit het platy-palet. *TIH* (19): 12-13
- D. Lambert (0): Xiphophorus maculatus (Günther, 1866). Viviparous (18): 0-
- D. Lambert (1994): Xiphophorus maculatus (Günther, 1866). Viviparous (28): 0-
- D. Lambert (1995): Perfect platies. Viviparous (31): 0-
- A.C. van Leeuwen (1937): Enige interessante kruisingen. *Aqua Terra* (4): 71-72
- M.P. Leibowitz et al (2019): Severe outbreak of *Centrocestus formosanus* (Trematoda: Heterophyidae) in farm-raised ornamental platies *Xiphophorus maculatus*. *Diseases of Aquatic Organisms* (134): 107-111
- E.E. Leonhardt (1909): Platypoecilus maculatus Günther. *Wochenschrift für Aquarien und Terrarienkunde* (3): 27-27
- E.E. Leonhardt (1909): Platypoecilus maculatus Günther.. *Wochenschrift für Aquarien und Terrarienkunde* (3): 27-27
- R. Levine (2007): Why it's so difficult to obtain great hi-fins. *Livebearers* (194): 8-16
- R. Levine (2014): Melanosoma in platies and swordtails. *Livebearers* (224): 5-9
- L.Z. de Liefde (1997): Hybriden van Xiphophorus xiphidium en Xiphophorus maculatus. *Poecilia Nieuws* (1): 10-15
- L.Z. de Liefde (1999): Het Sunset-plaatje: Xiphophorus var. "Sunset. *Poecilia Nieuws* (6): 113-114
- L.Z. de Liefde (2005): Xiphophorus maculatus "peper en zout". *Poecilia Nieuws* (3): 8-9
- L.Z. de Liefde (2007): Superfoetatie bij Xiphophorus maculatus of niet...?. *Poecilia Nieuws* (2): 8-9
- L.Z. de Liefde (2007): Poetsgedrag tussen guppy en platy. *Poecilia Nieuws* (2): 9-10
- L.Z. de Liefde (2013): How I developed my wagtail bleeding heart platies. *Livebearer News* (221): 10-11
- L.Z. de Liefde (2013): Het ontstaan van mijn Wagtail Bloedend Hart platy's. *Poecilia Nieuws* (3): 14-15
- H. Lindner (1985): Eigenartige Vererbung. *DGLZ-Rundschau* (1): 10-10
- J.M. Lodewijks (1952): De wagtail Een menselijke schepping. *Het Aquarium* (8): 170-172
- E. López-López et al. (2009): Spatial and seasonal distribution patterns of fish assemblages in the Río Champotón, southeastern Mexico. *Reviews in Fish Biology and Fisheries* (19): 127-142
- M. de Lourdes Lozano Vilano & S. Contreras Balderas (1987): Lista zoogeográfica y ecológica de la ictiofauna continental de Chiapas, Mexico. *The Southwestern Naturalist* (2): 223-236
- Y. Lu et al (2020): Intra-strain genetic variation of platyfish (*Xiphophorus maculatus*) strains determines tumorigenic trajectory. *Frontiers in Genetics* (October): 1-9
- G. Lübon & Harro Hieronimus (1991): Schwarze Zeichnungsmuster bei Xiphophorus Zuchtfarbenen. *DGLZ-Rundschau* (2): 37-38
- W. Lueken, E.R. Schmidt & K. Lepper (1974): Regulation of the pigment cell arrangements in species and interspecies hybrids of *Xiphophorus* (Pisces, Poeciliidae) by cellular interactions on the fish body. *Genetics and mutagenesis of fish* (ed. J.H. Schröder) Springer Verlag
- B. Lutz (1983): Raising commercial stock fish. *Livebearers* (71): 14-16
- P.A. Mac Intyre (1961): Crossing over within the macromelanophore gene in the platyfish, *Xiphophorus maculatus*. *The American Naturalist* (884): 323-324
- P.A. Mac Intyre (1961): Spontaneous sex reversals of genotypic males in the platyfish (*Xiphophorus maculatus*). *Genetics* (46): 575-580
- A. Maceda-Veiga & J. Cable (2001): Diseased fish in the freshwater trade: from retailers to private aquarists. *Diseases of Aquatic Organisms* (132): 157-162
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 289-302
- R. Maciaszek, D. Marcinek, M. Eberhardt & S. Wilk (2019): Alien freshwater fish, *Xiphophorus* interspecies hybrid (Poeciliidae) found in artificial lake in Warsaw, Central Poland. *WSN* (132): 291-299
- B. Malitschek, D. Förnzier & M. Schartl (1995): Melanoma formation in *Xiphophorus*: a model system for the role of receptor tyrosine kinases in tumorigenesis. *BioEssays* (12): 1017-1023
- E. Marcisz (1986): The goldburst platy - an F1 hybrid. *Livebearers* (91): 3-4
- E.W.C. McAllister (1973): Avoidance conditioning in two species of platy (*Xiphophorus maculatus* and *Xiphophorus variatus*). *Bull. Psychon. Soc.* (6A): 389-390
- T.J. McConnell et all (1998): Identification and mapping of two divergent, unlinked major histocompatibility complex class II B genes in *Xiphophorus* fishes. *Genetics* (149): 1921-1934

Livebearer Literature List 202201

- S.E. Meek (1907): Notes on the fresh-water fishes from Mexico and central America. Field Columbian Museum - Zoology (5): 1-157
- L. van der Meer & K. de Jong (2005): *Xiphophorus maculatus* (Günther, 1866). Poecilia Nieuws (3): 20-23
- D.E. Mefford (1988): The platy and me. Livebearers (97): 15-16
- D.E. Mefford (1990): Albino platies?. Livebearers (110): 15-16
- D.E. Mefford (1990): Wide plumbtails?. Livebearers (111): 26-27
- D.E. Mefford (1991): Plumetail problems. Livebearers (117): 7-7
- D.E. Mefford (1992): The bleeding heart platy still very much alive. Livebearers (121): 8-9
- D.E. Mefford (1993): Endangered fancy platies. Livebearers (130): 12-12
- D.E. Mefford (1993): Red belly platy. Livebearers (127): 11-11
- D.E. Mefford (1997): Fancy platies: differentiation between maculatus and variatus. Livebearers (146): 22-23
- D.E. Mefford (1998): Problems Crossing Strains. Livebearers (151): 18-18
- D.E. Mefford (1999): "Flag" and "Pintail" Platies. Livebearers (158/159): 13-13
- D.E. Mefford (2001): Yes, someone IS keeping the bleeding heart platy. Livebearers (169): 8-8
- D.E. Mefford (2001): Yes, someone is keeping the bleeding heart platy. Livebearers (169): 8-8
- D.E. Mefford (2006): Lyretail platies. Livebearers (188): 4-6
- D.E. Mefford (2006): Memoirs of a fancy *Xiphophorus* specialist. Tropical Fish Hobbyist (april): 9-10
- D.E. Mefford (2009): Fancy *Xiphophorus* Facts and fiction. Livebearers (204): 34-37
- D.E. Mefford (2013): Building a lyretail platy. Livebearers (218): 12-13
- M.K. Meyer (1987): *Xiphophorus maculatus*. DGLZ-Rundschau (1): 8-13
- A. Meyer, W. Salzburger & M Schartl (2006): Hybrid origin of a swordtail species (Teleostei: *Xiphophorus clemenciae*) driven by sexual selection. Molecular Ecology (j.1365-294X.2006.02810.x): 1-10
- D.A. Milton & A.H. Arthington (1983): Reproductive biology of *Gambusia affinis holbrookii* Baird and Girard, *Xiphophorus helleri* (Günther) and *X. maculatus* (Heckel) (Pisces; Poeciliidae) in Queensland, Australia. J. Fish Biology (23): 23-41
- J. Moar (1997): *Xiphophorus maculatus* and *Xiphophorus variatus*. Livebearers (147): 20-23
- D.C. Morizot & M.J. Siciliano (1979): Polymorphisms, linkage and mapping of four enzyme loci in the fish genus *Xiphophorus* (Poeciliidae). Genetics (93): 947-960
- D.C. Morizot, R. B. Walter (2003): Das *Xiphophorus* Genetic Stock Center. DGLZ-Rundschau (2): 31-35
- H. Mühlberg (1970): Über die Rotfärbung beim Platy, *Xiphophorus maculatus*. Aquarien Terrarien (5): 165-165
- G.S. Myers (1925): Concerning melanodimorphism in killifishes. Copeia (137): 105-107
- M. Nagai, N. Oshima & R. Fujii (1986): A comparative study of melanin-concentrating hormone (mch) action on Teleost melanophores. Biological Bulletin (171): 360-370
- I. Nanda et al (2000): Amplification of a long terminal repeat-like element on the Y chromosome of the platyfish, *Xiphophorus maculatus*. Chromosoma (109): 173-180
- J. Norton (1973): Red-eyed and black-eyed platies. Livebearers (9): 6-7
- J. Norton (1975): Livebearers in the pet shop. Livebearers (19): 3-6
- J. Norton (1987): Questions and answers. Livebearers (93): 10-11
- J. Norton (1992): Red-eyed and black-eyed platies. Livebearers (121): 14-16
- J. Norton (2001): Bleeding heart platy questions and answers. Livebearers (169): 14-15
- J. Norton (2001): Bleeding heart platy questions and answers. Livebearers (169): 14-15
- J. Norton (2003): Bleeding heart platy questions and answers. Livebearer News (3/4): 29-29
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. Reviews in Aquaculture (Jan): 1-19
- H. Obregón-Barboza, S. Contreras-Balderas & M. Lozano-Vilano (1994): The fishes of northern and central Veracruz, Mexico. Hydrobiologica (286): 79-95
- K. Ocalewicz (2004): Cytogenetic analysis of platyfish (*Xiphophorus maculatus*) shows location of major and minor rDNA on chromosomes. Hereditas (141): 333-337
- N. Offen, N. Blum, A. Meyer & G. Begemann (2008): Fgf I signalling in the development of a sexually selected trait in vertebrates, the sword of swordtail fish. BMC Developmental Biology (98): 1-18
- E. Olegário de Campos Júnior et al (2018): Validation of the species *Xiphophorus maculatus* for biological control of *Aedes aegypti* by comparing its larvae-eating potential with *Poecilia reticulata*. Biological control (117): 30-34
- S.H. Orzack et al (1980): Maintenance of the three sex chromosome polymorphism in the platyfish, *Xiphophorus maculatus*. Evolution (4): 663-672
- H.-J. Paepke (1989): Zum Status von *Xiphophorus pseudomontezumae* Ahl, 1938 und zur Entstehung des Zeignungsmuster "liniert" bei Schwerträgern. Aquarien Terrarien (8): 271-273
- E.E. Patton, D.L. Mitchell & R.S. Nairn (2010): Genetic and environmental melanoma models in fish. Pigment Cell Melanoma Res. (23): 314-337
- H.-A. Pederzani (1967): Wie erzielle ich neue Platy-Zuchtformen?. Aquarien Terrarien (3): 76-81
- H.-A. Pederzani (1969): Schwarze Bänderung vererbte sich nicht. Aquarien Terrarien (1): 31-31
- H.-A. Pederzani (1969): Wie und warum kreuzt man Platies mit Schwerträgern?. Aquarien Terrarien (7): 240-240
- H.-A. Pederzani (1981): Wo der Goldplaty entstand. Aquarien Terrarien (11): 368-369
- H.-A. Pederzani (1982): Wo steht unsere Xiphor-zucht?. Aquarien Terrarien (5): 152-155
- A. Perlmutter & H. Potter (1988): Hypertermic suppression of a genetically programmed melanoma in hybrids of fishes: genus *Xiphophorus*. J Cancer Res Clin Oncol (114): 359-362

Livebearer Literature List 202201

- R. Peter, M. Scartl, F. Anders & H.-R. Duncker (1985): Pigment pattern formation during embryogenesis in *Xiphophorus*. *Pigment Cell* (7): 291-302
- K. Pfand (1972): Der Pinselschwanzplaty-eine neue Zuchtform. *Aquarien Terrarien* (10): 348-349
- H. Pinter (1989): Berliner Schwerträger oder Berliner Kreuzung. *TI* (91): 20-20
- F.N. Poeser (1997): Sexuele selectie deel 2. *Poecilia Nieuws* (3): 53-54
- F.N. Poeser (2005): Aquariumvissen uit Amerika II. *Poecilia Nieuws* (5): 21-26
- H. Potter & C.R. Kramer (2000): Ultrastructural observations on sperm storage in the ovary of the platyfish, *Xiphophorus maculatus*: the role of the duct epithelium. *Journal of Morphology* (245): 110-129
- V. Prodocimo & C.A. Freire (2001): Critical thermal maxima and minima of the platyfish *Xiphophorus maculatus* Günther (Poeciliidae, Cyprinodontiformes) - a tropical species of ornamental freshwater fish. *Revta bras. Zool.* (18): 97-106
- A.C. Radda (1982): Synopsis der Gattung *Xiphophorus* Heckel. *DGLZ-Rundschau* (2): 25-30
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. *DGLZ-Rundschau* (2): 12-21
- J.J. Rahn et al (2009): Etiology of MNU-induced melanomas in *Xiphophorus* hybrids. *Comparative Biochemistry and Physiology* (149): 129-133
- E.M. Ralston (1933): The chromosomes of *Xiphophorus*, *Platypoecilus* and their hybrids during maturation stages. *Science* (2015): 124-125
- E.M. Ralston (1934): A study of the chromosomes of *Xiphophorus*, *Platypoecilus* and of *Xiphophorus-Platypoecilus* hybrids during spermatogenesis. *Journal of Morphology*
- C.T. Regan (1913): Ueber *Xiphophorus Rachovi*. *Blätter für Aquarien- und Terrarienkunde* (33): 532-533
- C.T. Regan (1913): A revision of the Cyprinodont fishes of the subfamily Poeciliinae. *Proc. Zool. Soc.* (): 977-1018
- J. Regneri et al (2019): Analysis of the putative tumor suppressor gene *cdkn2ab* in pigment cells and melanoma of *Xiphophorus* and medaka. *Pigment Cell Melanoma Res.* (2): 248-258
- W. Riese (1924): Der Dreifarben-Platy (Schwarz-rot-gold). *Wochenschrift für Aquarien und Terrarienkunde* (37): 776-776
- E. Ringel (1911): Unsere Lebendgebärenden. (Forsetzung). *Wochenschrift für Aquarien und Terrarienkunde* (): 275-277
- D. Rössel (1996): Lebendgebärende für Anfänger (Schluss). *DATZ* (2): 84-87
- P.W. Roth (1997): An interesting fish hybrid. *Livebearers* (145): 26-27
- G. Ruiz-Campos et al. (2002): An annotated distributional checklist of the freshwater fish from Baja California Sur, México. *Reviews in Fish Biology and Fisheries* (12): 143-155
- M.J. Ryan (1998): Sexual selection, receiver biases, and the evolution of differences. *Science* (september): 1999-2003
- W.B. Sachs (1922): *Platypoecilus maculatus* (Gthr.) gold. *Blätter für Aquarien- und Terrarienkunde* (4): 52-53
- C. van de Sande (1987): *Xiphophorus maculatus* (Günther, 1866). *Poecilia Nieuws* (5): 74-75
- C. van de Sande (1987): Een verzamelreis naar Guatemala II. *Poecilia Nieuws* (3): 46-48
- C. van de Sande (1988): Guatemala, land van levendbarende tandkarpers. *Het Aquarium* (9): 210-215
- A. Savastio (1985): Space requirements for swordtails and platies. *Livebearers* (83): 9-10
- M. Schartl et al (1993): Melanoma loss-of-function mutants in *Xiphophorus* caused by *Xmrk*-oncogene deletion and gene disruption by a transposable element. *Genetics* (1999): 1385-1394
- M. Schartl et al (1999): Melanoma loss-of-function mutants in *Xiphophorus* caused by *Xmrk*-oncogene deletion and gene disruption by a transposable element. *Genetics* (153): 1385-1394
- M. Schartl (2008): Evolution of *Xmrk*: an oncogene, but also a speciation gene?. *BioEssays* (30): 822-832
- M. Schartl (2012): *Xiphophorus*. *Encyclopedia of Cancer* (): 1-4
- M. Schartl & S. Schories (2019): Platys und Schwerträger in Wissenschaft und Forschung. *Das Lebendgebärenden Magazin* (1): 10-17
- A. Schartl et al (1995): Spontaneous melanoma formation in nonhybrid *Xiphophorus*. *Cancer Research* (55): 159-165
- H. Schlosberg, M.C. Duncan & B.H. Daitch (1949): Mating behavior of two live-bearing fish, *Xiphophorus hellerii* and *Platypoecilus maculatus*. *Physiological Zoology* (2): 148-161
- F.F. Schmidt (1978): Mexico - een wissenparadijs. *Het Aquarium* (5): 121-125
- W. Schmitz (2003): Welchen Weg ging der Pinselschwanzplaty?. *DGLZ-Rundschau* (1): 14-15
- A. Scholl (1974): Biochemical evolution in the genus *Xiphophorus* (Poeciliidae, Teleostei). *Genetics and mutagenesis of fish* (ed. J.H. Schröder) Springer Verlag 1973 (): 277-299
- A. Scholl & F. Anders (1974): Tissue-specific preferential expression of the *Xiphophorus* xiphidium allele for 6-phosphogluconate dehydrogenase in interspecific hybrids of platyfish (Poeciliidae, Teleostei). *Genetics and mutagenesis of fish* (ed. J.H. Schröder) Springer
- A. Scholl & J.H. Schröder (1974): Biochemische Untersuchungen über die genetische Differenzierung mittelamerikanischer Zahnkarpfenarten (Cyprinodontiformes, Poeciliidae). *Revue Suisse de Zoologie* (Décembre): 690-696
- G. Schramm (1997): *Xiphophorus* Zuchtformen aus der Sicht des Züchters. *DGLZ-Rundschau* (4): 83-86
- M.P. Schreibman (1964): Studies on the pituitary gland of *Xiphophorus maculatus* (the platyfish). *Zoologica* (4): 217-243
- W. Schreitmüller (1910): Ueber *Platypoecilus maculatus* Günther und *Platypoecilus* spec. (?). *Blätter für Aquarien- und Terrarienkunde* (36): 573-576
- W. Schreitmüller (1910): *Platypoecilus maculatus* var. *Pulchra* (Boul. In litt.). *Blätter für Aquarien- und Terrarienkunde* (47): 758-760
- W. Schreitmüller (1910): *Platypoecilus* spec. (?). *Wochenschrift für Aquarien und Terrarienkunde* (13): 177-178
- W. Schreitmüller (1911): Nochmals *Platypoecilus maculatus* var. *pulchra* Boul.. *Wochenschrift für Aquarien und Terrarienkunde* (37): 529-531
- P. Schubert (1987): *Xiphophorus maculatus* - eine schwarze Wildform?. *ZAG Lebendgebärende Zahnkarpfen* (2): 7-8
- M. Schumer et al (2012): An evaluation of the hybrid speciation hybrid hypothesis for *Xiphophorus clemenciae* based on whole genome sequences. *Evolution* (4): 1155-1168
- M. Schwab (1982): Genome organization in *Xiphophorus* (Poeciliidae; Teleostei). *Molec. Gen. Genetics* (188): 410-417
- M.F. Scott, M.M. Osmond & S.P. Otto (2018): Haplod selection, sex ratio bias, and transitions between seks-determining systems. *bioRxiv* (): -
- X. Shen, G. Yang & M. Liao (2007): Development of 51 genomic microsatellite DNA markers of guppy (*Poecilia reticulata*) and their application in closely related species. *Molecular Ecology Notes* (7): 302-306

Livebearer Literature List 202201

- M.J. Siciliano (1972): Evidence for a spontaneous ovarian cycle in fish of the genus *Xiphophorus*. *Biological Bulletin* (142): 480-488
- B. Sicuro et al (2020): Prevalence and antibiotic sensitivity of bacteria isolated from imported ornamental fish in Italy: a translocation of resistant strains?. *Preventive Veterinary Medicine* (175): 1-10
- J. da Silva et al (1991): Male sword and female preferences. *Science* (5026): 1426-1427
- A. Singh & B. Zutshi (2020): Photoperiodic effects on somatic growth and gonadal maturation in Mickey Mouse platy, *Xiphophorus maculatus* (Gunther, 1866). *Fish Physiol Biochem* (46): 1483-1495
- R. Slinger (2005): De wagtail platy. *Poecilia Nieuws* (3): 10-12
- J.J. Sohn & D. Crews (1977): Size-mediated onset of genetically determined maturation in the platyfish, *Xiphophorus maculatus*. *Proc. Natl. Acad. Sci.* (10): 4547-4548
- H. Stallknecht (1967): Ein rätselhafter Fall. *Aquarien Terrarien* (4): 134-135
- H. Stallknecht (1968): Ethologie hilft richten. *Aquarien Terrarien* (6): 204-205
- H. Stallknecht (1968): Zur Beurteilung der Rückenflossen bei hochflossigen Xiphophoriden II. *Aquarien Terrarien* (3): 80-81
- H. Stallknecht (1970): Anmerkung. *Aquarien Terrarien* (4): 132-132
- Stallknecht (1970): *Xiphophorus maculatus* (Günther, 1866), der Spiegelkäpfling. *Aquarien Terrarien* (2): 0-0
- H. Stallknecht (1977): Die "Goldbank" Ein Tip für den Xipho-Züchter. *Aquarien Terrarien* (12): 412-413
- H. Stallknecht (1986): Eine "kennfarbige" Platy-Wildform - *Xiphophorus maculatus* vom Rio Papaloapan (?). *Aquarien Terrarien* (2): 53-54
- H. Stallknecht (1989): Papageienkäpfling Ein rückblick nach 40 Jahren. *Aquarien Terrarien* (5): 154-156
- E.L. Stanley, R.L. Kendal, J.R. Kendal, S. Grounds & K.N. Laland (2008): The effects of group size, rate of turnover and disruption to demonstration on the stability of foraging traditions in fish. *Anim. Behav.* (75): 565-572
- K. Stansch (1911): Platypoecilus maculatus Gthr. und seine Varietäten. *Wochenschrift für Aquarien und Terrarienkunde* (): 402-403
- C. Stern (1936): Interspecific sterility. *The American Naturalist* (72): 123-142
- A. Stolk (1955): Abnormale embryonen bij levendbarende tandkopers. *Het Aquarium* (7): 161-163
- A. Stolk (1962): Visceral and vascular transposition in the viviparous toothcarp *Xiphophorus maculatus* (wagtail strain). *Cellular and Molecular Life Sciences* (6): 284-284
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. *Livebearers* (153): 21-31
- R. Strauss (1990): Heterochronic variation in the developmental timing of cranial ossifications in Poeciliid fishes (Cyprinodontiformes). *Evolution* (6): 1558-1567
- R. Strauss (1994): Heterochronic variation in the developmental timing of cranial ossifications in Poeciliid fishes. *Livebearers* (137): 19-39
- G. Streibel (1987): Bemerkungen zu *Xiphophorus maculatus*, Population Catazaja, Chiapas, Mexiko. *DGLZ-Rundschau* (2): 7-8
- G. Streibel (1999): *Xiphophorus maculatus* Juan Rodriguez Clara 1996. *DGLZ-Rundschau* (1): 3-3
- A.-T. Suttner (2002): Erfahrungen mit Platys. *Das Aquarium* (2): 5-8
- R. Swanson (1991): Plumetail problems. *Livebearers* (116): 9-11
- G. Takeshita (0): The "escaped" livebearers in Hawaii. *Viviparous* (33): 0-
- G. Takeshita (1972): The toyooka hi-fin red wag veiltail swordtail. *Livebearers* (3): 2-4
- G. Takeshita (1972): The "escaped" livebearers in Hawaii. *Livebearers* (2): 5-9
- G. Takeshita (1974): Artificial insemination of fancy swords, variatus and moons. *Livebearers* (15): 4-7
- G. Takeshita (2000): Artificial insemination of fancy swords, variatus and moons. *Livebearers* (161): 17-20
- G. Takeshita (2003): Creation of the hifin Lyratail/veiltail bleeding heart platy. *Tropical Fish Hobbyist* (May): 100-106
- G. Takeshita (2005): The present status of fancy livebearers in Hawaii. *Livebearers* (184): 32-35
- W.N. Tavolga (1949): Embryonic development of the platyfish (Platypoecilus), the swordtail (*Xiphophorus*) and their hybrids. *Bulletin American Museum of Natural History* (94): 161-230
- A.B. Taylor (1948): Experimental sex reversal in the red swordtail hybrid *Xiphophorus-platypoecilus*. *Transactions of the American Microscopical Society* (2): 155-164
- M. Tobler (2021): Why are sekts ratios off in some of my livebearers? Do temperature of pH skew sex ratios in livebearers like in some other fishes. *Livebearers* (250): 10-13
- M. Trauzettel (1984): Standardergänzung - Zeichnungsmuster "a", blue shadow. *ZAG Lebendgebärende Zahnkarpfen* (3): 3-3
- M. Trauzettel (1984): Schulung der Xipho- und Guppybewerter 1983 in Bretzig. *ZAG Lebendgebärende Zahnkarpfen* (3): 3-3
- M. Trauzettel (1987): Genetische Grundlagen der Xiphozucht. *ZAG Lebendgebärende Zahnkarpfen* (4): 1-3
- M. Trauzettel (1991): Geschlechtsgebundene Vererbung bei *Xiphophorus*-Zuchtfomren. *DGLZ-Rundschau* (2): 35-36
- J. Travis (1989): Ecological Genetics of Life History Traits in Poeciliid Fishes. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 185-200
- J.C. Trexler (1989): Phenotypic Plasticity in Poeciliid Life Histories. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 201-214
- K.W. Trochu (209): hybrids. *Livebearers* (243): 12-17
- K.W. Trochu (2013): Insaiissable platy albinos!. *Le Vivipare* (119): 8-12
- K.W. Trochu (2013): The elusive albino platy. *Livebearers* (220): 14-15
- K.W. Trochu (2016): Fancy swords: what is new. *Livebearers* (230): 5-7
- K.W. Trochu (2018): Fancier's corner. *Livebearers* (240): 25-28
- K.W. Trochu (2021): Petu Ivanov - Ein Mann und seine Leidenschaft für die Zuchtfomren. *DGLZ-Rundschau* (2): 65-75
- K.W. Trochu (2021): A man and his passion for breeding "fancies". *Livebearers* (250): 5-9

Livebearer Literature List 202201

- W. Valente et al (2021): Acute salinity tolerance of juvenile platy, *Xiphophorus maculatus*. Aquaculture Research (00): 1-7
- H.H. Vallowe (1953): Some physiological aspects of reproduction in *Xiphophorus maculatus*. Biological Bulletin (104): 240-249
- A. Vanheuverswijn (1977): *Xiphophorus maculatus*. Aquariumwereld (12): 273-275
- P. Veenvliet (2008): Een aquariumbeek in de Alpen. Het Aquarium (1): 4-7
- A.-M. Veith et al (2003): Cloning of the dmrt1 gene of *Xiphophorus maculatus*: dmY/dmrt1Y is not the master sex-determining gene in the platyfish. Gene (317): 59-66
- E. Velázquez-Velázquez et al (2016): Checklist of the continental fishes of the state of Chiapas, Mexico and their distribution. ZooKeys (632): 99-120
- J. Vente (1983): *Xiphophorus maculatus*, een vis als een plaatje. Het Aquarium (12): 300-303
- J.R. Vielkind (1992): Progression from pigment cell patterns to melanomas in platyfish-swordtail hybrids - multiple genetic changes and a them for tumorigenesis. Transformation of Human Epithelial Cells (): 285-301
- J.R. Vielkind et al. (1974): Incorporation of H3-thymidine into the DNA of melanotic and amelanotic melanoma explants after whole body X-irradiation of melanoma-bearing platyfish-swordtail hybrids. Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag 1973
- J.R. Vielkind et al. (1993): A Monoclonal Antibody Derived from the Melanoma Gene in the *Xiphophorus* Melanoma Model. American Journal of Pathology (3): 656-662
- J. Vielkind, M. Schwab & F. Anders (1974): Fate of bacterial DNA injected into embryos of Poeciliid fish. Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag 1973 (): 123-137
- J.-N. Volff & M. Schartl (2001): Variability of genetic sex determination in poeciliid fishes. Genetica (111): 101-110
- J.-N. Volff et al (2001): Jule from the Fish *Xiphophorus* is the first complete vertebrate ty3/Gypsy retrotransposon from the Mag family. Mol. Biol. Evol (2): 101-111
- J.-N. Volff et al (2003): The Xmrk oncogene can escape nonfunctionalization in a highly unstable subtelomeric region of the genome of the fish *Xiphophorus*. Genomics (82): 470-479
- R.B. Walter et al (2004): A microsatellite genetic linkage map for *Xiphophorus*. Genetics (168): 363-372
- H.L. Weaver (1982): In retrospect. Livebearers (61): 19-20
- R. Weber & M. Meyer (1993): Hochflosser und andere Formen bei *Xiphophorus variatus*. Das Aquarium (februar): 21-
- C. Wellbrock, A. Gómez & M. Schartl (2002): Melanoma development and pigment cell transformation in *Xiphophorus*. Microscopy Research and Technique (58): 456-463
- W. Wickler (1957): Das Verhalten von *Xiphophorus maculatus* var. Wagtail und verwandten Arten. Zeitschrift für Tierpsychologie (Marz): 324-346
- E. Wiedermann (2015): Swimming in blue genes The mystery behind the Río Grijalva platys. Livebearers (229): 24-26
- F. Winter (2020): Levendbarende vissen in het aquarium - een ondergewaardeerde groep-. Het Aquarium (8): 48-55
- L. Wischnath (1982): Wildvormen van platy's. TIH (30): 6-9
- L. Wischnath (1983): Gele en rode wildvormen van het geslacht *Xiphophorus*. Het Aquarium (9): 220-223
- L. Wischnath (1994): Wildformen Lebendgebärender Zahnkarpen Teil 1: Guppy, Platys und Gambusen. Das Aquarium (299): 16-19
- L. Wischnath (1996): Wildvormen van het geslacht *Xiphophorus* deel 3 - platy's. Het Aquarium (1): 7-9
- L. Wischnath (1996): De kweekvormen van het geslacht *Xiphophorus* Deel 2. Het Aquarium (6): 155-158
- L. Wischnath (1996): De kweekvormen van het geslacht *Xiphophorus* Deel 3. Het Aquarium (7): 180-182
- B.W. Woolcock, B.M. Schmidt, K.D. Kallman & J.R. Vielkind (1994): Differences in Transcription and Promoters of Xmrk-1 and Xmrk-2 Genes Suggest a Role for Xmrk-2 in Pigment Pattern Development in the Platyfish, *X. maculatus*. Cell Growth & Differentiation (5): 575-
- M. Yanar, A. Özdeş, E. Erdoğan & E. Eryiyoğlu (2021): Determination of thermal tolerance parameters of swordtail (*Xiphophorus helleri*) and platy fish (*Xiphophorus maculatus*) acclimated to different temperature levels. Ege Journal of Fisheries and Aquatic Sciences (2):
- H. Yang et al (2009): Sperm cryopreservation of a live-bearing fish, *Xiphophorus couchianus*: Male-to-male variation in post-thaw motility and production of F1 hybrid offspring. Comparative Biochemistry and Physiology (149): 233-239
- H. Yang et al (2010): Current status of sperm cryopreservation in the genus *Xiphophorus*. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 403-414
- R. Zayan (1976): Modification des effets liés à priorité de résidence chez *Xiphophorus* (Pisces: Poeciliidae): le rôle de l'isolement et des différences de taille. Z. Tierpsychol. (41): 142-190
- Z. Zhang et al (2011): Transcriptome analysis of female and male *Xiphophorus maculatus* Jp 163 A. PlosOne (4): 1-6
- E. Zug (1980): Wie ich zu meinen Dalmatinern kam? Etwas über Pfeffer/Salz Platys mit Form- und Farbveränderungen. ZAG Lebendgebärende Zahnkarpen (2-4): 39-40
- K. Zunker, J.T. Epplen & M. Schartl (2006): Genomic stability in malignant melanoma of *Xiphophorus*. Melanoma Research (2): 105-113

Xiphophorus malinche Rauchenberger, Kallman & Morizot, 1990

- M. Ah-King & P.A. Gowaty (2016): A conceptual review of mate choice: stochastic demography, within-sex phenotypic plasticity, and individual flexibility. Ecology and Evolution (14): 4607-4642
- Anonym (2020): Natürliche Hybridisation von *Xiphophorus malinche* und *Xiphophorus birchmanni* in Mexiko mit Folgen. Aquaristik Fachmagazin (274): 33-33
- H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwertträgern. Das Lebendgebärenden Magazin (1): 22-25
- S.W. Coleman et al (2009): A field-study of inducible molecular defenses, ultraviolet radiation, and melanogenesis in natural *Xiphophorus* hybrids. Environmental Biology of Fishes (86): 279-284
- T. Coletti (2010): Livebearers unlimited The northern mountain swordtails. Tropical Fish Hobbyist (March): 32-35
- Z. Culumber (2013): Aquarium science: Variation in wild swordtails. Tropical Fish Hobbyist (5): 64-68
- Z. Culumber (2014): Pigmentation in *Xiphophorus*: an emerging system in ecological and evolutionary genetics. Zebrafish (1): 57-70
- Z. Culumber (2018): Impact of environmental change on wild livebearer populations. Livebearers (237): 9-15
- Z.W. Culumber & G.G. Rosenthal (2013): Population-level mating patterns and fluctuating asymmetry in swordtail hybrids. Naturwissenschaften (100): 801-804
- Z.W. Culumber et al (2010): Replicated hybrid zones of *Xiphophorus* swordtails along an elevational gradient. Molecular Ecology (20): 342-356
- Z.W. Culumber et al (2012): Physiological adaptation along environmental gradients and replicated hybrid zone structure in swordtails (Teleostei: *Xiphophorus*). Journal of Evolution Biology (25): 1800-1814

Livebearer Literature List 202201

- Z.W. Culumber, O.M. Ochoa & G.G. Rosenthal (2014): Assortative mating and the maintenance of population structure in a natural hybrid zone. *American Naturalist* (2): 225-232
- M. Cummings et al (2003): A private ultraviolet channel in visual communication. *Proc. R. Soc. Lond.* (270): 897-904
- V. Diekmann (2006): *Xiphophorus malinche - der vergessene Schwerträger*. DGLZ-Rundschau (4): 111-115
- R.L. Earley (2006): Xiphophorus: carving a niche towards a broader understanding of aggression and dominance. *Zebrafish* (3): 287-298
- H.S. Fisher, B.B.M. Wong & G.G. Rosenthal (2006): Alteration of the chemical environment disrupts communication in a freshwater fish. *Proc. R. Soc. Lond.* (273): 1187-1193
- C. Gutiérrez-Rodríguez, A. Shearer, M. Morris & K. de Queiroz (2008): Phylogeography and monophyly of the swordtail fish species *Xiphophorus birchmanni*. *Zoologica Scripta* (37): 129-139
- C. Gutiérrez-Rodríguez, M. Morris, N. Dubois, K. de Queiroz (2007): Genetic variation and phylogeography of the swordtail fish *Xiphophorus cortezi*. *Molecular Phylogenetics and Evolution* (43): 111-123
- H. Hieronimus (2007): Neues zu *Xiphophorus cortezi*. DGLZ-Rundschau (4): 103-105
- J.C. Jones et al (2013): The evolutionary history of Xiphoporus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. *Molecular Ecology* (22): 2986-3001
- K. de Jong (2003): Auf der Suche nach den Schwerträgern, Mexiko 2002 (Teil 1). *Das Lebendgebärenden Magazin* (3/4): 53-67
- K. de Jong (2003): Op zoek naar zwaarddragers in Mexico 2002. *Poecilia Nieuws* (4): 54-68
- K. de Jong (2008): *Xiphophorus malinche* Rauchenberger, Kallman & Morizot. 1990. *Poecilia Nieuws* (1): 13-17
- K. de Jong (2020): *Xiphophorus malinche* Rauchenberger, Kallman & Morizot, 1990. *Poecilia Nieuws Atlas* (): 1-2
- M. Köck (2012): Mit und ohne Schwert; Die Gattung *Xiphophorus* Teil 2: Die Nördlichen Schwerträger. *Das Lebendgebärenden Magazin* (2): 12-25
- M. Köck (2013): Het geslacht *Xiphophorus* Deel 2 De noordelijke zwaarddragers. *Poecilia Nieuws* (5): 8-26
- D. Lambert (0): *Xiphophorus malinche* Ruachenberger, Kallman & Morizot, 1990. Viviparous (15): 0-
- D. Lambert (0): *Xiphophorus malinche* Rauchenberger, Kallman & Morizot 1990. Viviparous (15): 0-
- D. Lambert (1996): The search for Skiffia francesae The Aquarian Expedition 1996. *Tropical Fish Hobbyist* (november): 118-133
- R. Levine (1994): Xiphophorus to the rescue: model systems to study cancer. *Livebearers* (134): 6-8
- D. Macallister (0): *Xiphophorus malinche*. *Livebearer News* (11): 26-27
- E. Meinema (1991): Vier nieuwe zwaarddragers van het Rio Panuco stroomgebied (Oost Mexico). *Poecilia Nieuws* (2): 28-30
- J. de Moree (2005): *Xiphophorus birchmanni* en malinche. *Poecilia Nieuws* (2): 8-10
- M.R. Morris, M. S. Tudor & N.S. Dubois (2007): Sexually selected signal attracted females before deterring aggression in rival males. *Anim. Behav.* (74): 1189-1197
- M.R. Morris, O. Rios-Cardenas & M.S. Tudor (2006): Larger swordtail females prefer asymmetrical males. *Biol. Lett.* (2): 8-11
- D.L. Powell et al (2020): Natural hybridization reveals incompatible alleles that cause melanoma in swordtail fish. *Science* (368): 731-736
- D.L. Powell et al (2020): Natural hybridization reveals incompatible alleles that cause melanoma in swordtail fish. *Science* (368): 731-736
- M. Rauchenberger, K. Kallmann & D.C. Morizot (1990): Monophyly and Geography of the Rio Panuco Basin Swordtails with description of four new species. *American Museum Novitates* (2975): 1-41
- O. Rios-Cardenas & M.R. Morris (2010): The implications of variation in female preferences for swordtail fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 321-330
- G.G. Rosenthal et al (2003): Dissolution of sexual signal complexes in a hybrid zone between the swordtails *Xiphophorus birchmanni* and *Xiphophorus malinche*. *Copeia* (2): 299-307
- R. Serva (2005): The Genus *Xiphophorus* Part 1, the Swordtails. *Livebearers* (184): 4-25
- R. Serva (2007): Back to Calnali or My trip to Centro de Investigación Científica de las Huastecas "Aguazarcá" Calnali, Hidalgo, México (CICHAZ). *Livebearers* (196): 18-23
- R. Serva (2010): Back to Calnali or My trip to Centro de Investigación de las Huastecas "Aguazarcá" Calnali, Hidalgo, México (CICHAZ). *Livebearer News* (30): 38-42
- R. Serva & G. Tash (1998): Collecting sheepshead and highland swordtails (*Xiphophorus birchmanni* and *Xiphophorus malinche*) in the Rio Calnali. *Livebearers* (152): 14-18
- M.S. Tudor & M.R. Morris (2009): Variation in male preference for female size in the swordtail *Xiphophorus malinche*. *Behaviour* (146): 727-740
- M.S. Tudor & M.R. Morris (2009): Experience plays a role in female preference for symmetry in the swordtail fish *Xiphophorus malinche*. *Ethology* (115): 812-822
- E. Wiedermann (2015): Swimming in blue genes. Visiting Gil Rosenthal. *Livebearers* (228): 22-23
- P.M. Willis, M.J. Ryan & G.G. Rosenthal (2011): Encounter rates with conspecific males influence female mate choice in a naturally hybridizing fish. *Behavioral Ecology* (22): 1234-1240
- L. Wischnath (1992): Neue Namen bei großen und kleinen Schwerträgern. *Das Aquarium* (August): 10-12
- L. Wischnath (1995): Zwaarddrager wildvormen, deel 2. *Het Aquarium* (12): 290-293
- B.B.M. Wong & G.G. Rosenthal (2005): Shoal choice in swordtails when preferences conflict. *Ethology* (111): 179-186

Xiphophorus mayae Meyer & Schartl, 2002

- H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. *Das Lebendgebärenden Magazin* (1): 22-25
- C. Clapsaddle (2014): Life with livebearers *Xiphophorus mayae*. *Tropical Fish Hobbyist* (1): 26-28
- T. Coletti (2010): Livebearer unlimited The southern swordtails. *Tropical Fish Hobbyist* (Feb): 32-34
- M. Dadda (2015): Female social response to male sexual harassment in poeciliid fish: a comparison of six species. *Frontiers in Psychology* (September): 1-9
- H. Hieronimus (2002): Zwei neue Lebendgebärende beschrieben. DGLZ-Rundschau (3): 58-59
- H. Hieronimus (2003): Two new livebearers described. *Livebearers* (176): 16-17
- J.C. Jones et al (2013): The evolutionary history of Xiphoporus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. *Molecular Ecology* (22): 2986-3001

- K. de Jong (2003): Een oude bekende van een naam voorzien. *Xiphophorus mayae* Meyer & Schartl, 2002. *Poecilia Nieuws* (2): 33-34
- K. de Jong (2004): De zwaarddrager wildvormen voor iedere aquariaan interessant. *Poecilia Nieuws* (4): 8-16
- M. Köck (2012): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 1: Die SüdlichenSchwertträger. *Das Lebendgebärenden Magazin* (1): 12-21
- M. Köck (2012): Het geslacht Xiphophorus. *Poecilia Nieuws* (3): 11-27
- D. Macallister (2003): *Xiphophorus mayae*. *Livebearer News* (5): 8-9
- W.A. Matamoros, J.F. Schaeffer & B.R. Kreiser (2009): Annotated checklist of the freshwater fishes of continental and insular Honduras. *Zootaxa* (2307): 1-38
- L. van der Meer (2006): De mayazwaarddrager (*Xiphophorus mayae* Meyer & Schartl, 2002). *Poecilia Nieuws* (4): 16-19
- M.K. Meyer & M. Schartl (2002): *Xiphophorus mayae*, a new species of swordtail from Guatemala. *Ichthyol. Explor. Freshwaters* (1): 59-66
- D.E. Rosen (1979): Fishes from the uplands and intermontane basins of Guatemala: Revisionary Studies and Comparative Geography. *Bulletin American Museum of Natural History* (162): 268-375
- G. Sage (2011): Developing the high fin Mayae. *Livebearers* (210): 6-13
- R. Serva (2005): The Genus *Xiphophorus* Part 1, the Swordtails. *Livebearers* (184): 4-25

Xiphophorus meyeri Schartl & Schröder, 1988

- C. Aguilera (1995): Universidad atonoma de Nuevo Leon - Programs for the endangered fish species of Mexico. *Aquatic Survival* (3): 14-15
- B. Allen (2003): *Xiphophorus meyeri*: A 'little gray ditch fish' which deserves to be protected. *Livebearers* (176): 18-19
- B. Allen (2011): An update in the status of *Xiphophorus meyeri*, the Muzquiz platy. *Livebearers* (210): 35-39
- H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwertträgern. *Das Lebendgebärenden Magazin* (1): 22-25
- C. Cheswright (2002): Mexico Christmas 1997. *Livebearer News* (2): 32-33
- T. Coletti (2010): Livebearers unlimited. The northern platies... and a new species?. *Tropical Fish Hobbyist* (1): 32-34
- R. Fischer (1996): The "Muzquiz platy": *Xiphophorus meyeri*. *Livebearers* (141): 7-8
- H. Hieronimus (1989): Neue Lebendgebärende. *DATZ* (1): 7-8
- H. Hieronimus (1990): Ein neuer Platy, *Xiphophorus meyeri*. *DGLZ-Rundschau* (2): 22-22
- J.C. Jones et al (2013): The evolutionary history of *Xiphophorus* fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. *Molecular Ecology* (22): 2986-3001
- K. de Jong (1989): Enkele nieuwe levendbarende tandkarpers. *Poecilia Nieuws* (3): 43-45
- K. de Jong (1995): Nieuwe soorten in Nederland. *Poecilia Nieuws* (5): 98-100
- K. de Jong (2003): Helaas weinig gehouden, *Xiphophorus meyeri*. *Poecilia Nieuws* (1): 5-7
- K. de Jong (2003): Helaas weinig gehouden, *Xiphophorus meyeri*. *Poecilia Nieuws* (2): 22-23
- K. de Jong (2005): Leider nur wenig gehalten, *Xiphophorus meyeri* Schartl und Schröder 1988. *Das Lebendgebärenden Magazin* (3&4): 4-6
- K. de Jong (2005): *Xiphophorus meyeri* Schartl & Schröder, 1988. *Poecilia Nieuws* (3): 36-38
- K. de Jong (2011): Slecht nieuws over *Xiphophorus meyeri*. *Poecilia Nieuws* (2): 8-10
- M. Köck (2013): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 3: Die Platys. *Das Lebendgebärenden Magazin* (2): 9-20
- M. Köck (2014): Met en zonder zwaard: Het geslacht Xiphophorus deel 3 de platy's. *Poecilia Nieuws* (3): 21-41
- M.K. Meyer (1984): Een nieuwe *Xiphophorus* van Noord Mexico?. *TIH* (36): 24-24
- M.K. Meyer & L. Wischnath (1986): Een nieuwe *Xiphophorus* uit Noord-Mexico: De Muzquiz-platy. *Aquariumwereld* (12): 264-265
- M.K. Meyer & L. Wischnath (1987): De Muzquiz-platy, een nieuwe *Xiphophorus* uit Noord Mexico. *Poecilia Nieuws* (1): 14-16
- D. Mitchell et al (2014): Interspecific variation in the repair of UV damaged DNA in the genus *Xiphophorus* as a factor in the decline of the Río Grande platyfish. *Photochemistry and Photobiology* (): -
- C.E. Oufiero, K. Jugo & T. Garland jr (2014): Swimming with a sword: tail beat kinematics in relation to sword length in *Xiphophorus*. *Functional Ecology* (): -
- M. Rejliková (2018): De noordelijke platy's redden van uitsterven. *Poecilia Nieuws* (4): 13-20
- M. Rejliková & L. Balnář (2009): Saving the northern platyfish from extinction in your aquarium. *Livebearers* (243): 18-25
- M. Schartl & J.H. Schröder (1988): A new species of the genus *Xiphophorus* Heckel 1848, endemic to northern Coahuila, Mexico. *Senckenbergiana biol.* (68): 311-321
- A.T. Tveteraas (0): Look out! Look out! There's a scientist about. *Viviparous* (7): 0-2
- A. Valdés (1995): Follow-up from Arcadio Valdés. *Aquatic Survival* (3): 12-14
- L. Wischnath (1983): De Muzquiz platy in het aquarium. *TIH* (36): 25-25
- L. Wischnath (1996): Wildvormen van het geslacht *Xiphophorus* deel 3 - platy's. *Het Aquarium* (1): 7-9

Xiphophorus milleri Rosen, 1960

- H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. Das Lebendgebärenden Magazin (1): 22-25
R. Borowsky (1984): The evolutionary genetics of Xiphophorus. In: Turner, Bruce J. Evolutionary Genetics of Fishes (): 235-310
T. Contreras-MacBeath (2005): Analysis of the conservation of freshwater fish species in Mexico with Emphasis on viviparous species. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 401-414
R. Fischer (1995): Three wild platys. Livebearers (139): 15-139
D. Franck (1970): Verhaltensgenetische Untersuchungen an Artbastarden der Gattung Xiphophorus (Pisces). Z. Tierpsychol. (1): 1-34
H. Hieronimus (2008): Neues vom Catemaco - Heterandria tuxtlensis als neuer endemischer Poeciliide. DGLZ-Rundschau (3): 55-57
J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
K. de Jong (1997): Een eenvoudig visje: het Catemaco platy, Xiphophorus milleri Rosen, 1960. Poecilia Nieuws (6): 107-114
K. de Jong (1998): Xiphophorus milleri Rosen, 1960 de Catemaco platy. Aquariumwereld (10): 236-240
K. de Jong (2005): Xiphophorus milleri Rosen, 1960. Poecilia Nieuws (3): 24-26
K. de Jong (2018): Xiphophorus milleri. Poecilia Nieuws Atlas (): -
K. D. Kallman (1989): Genetic Control of Size at Maturity in Xiphophorus. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 163-184
K.D. Kallman & R. Borowsky (1972): The genetics of gonopodial polymorphism in two species of poeciliid fish. Heredity (28): 297-310
M. Köck (2013): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 3: Die Platys. Das Lebendgebärenden Magazin (2): 9-20
M. Köck (2014): Met en zonder zwaard: Het geslacht Xiphophorus deel 3 de platy's. Poecilia Nieuws (3): 21-41
D. Lambert (0): Xiphophorus milleri Rosen, 1960. Viviparous (34): 0-
D. Lambert (1990): Mexico - the livebearer trail part 1. Aquarist & Pondkeeper (March): 62-
A.C. Radda (1982): Synopsis der Gattung Xiphophorus Heckel. DGLZ-Rundschau (2): 25-30
C. Raulier (2014): Xiphophorus milleri, un platy <sauvage> très intéressant peu connu. Le Vivipare (120): 4-10
D.E. Rosen (1960): Middle-American Poeciliid Fishes of the genus Xiphophorus. Bulletin of the Florida State Museum (4): 58-243
R. Serva & G. Tash (1998): Lake Catemaco swordtail - Xiphophorus milleri. Livebearers (153): 9-11
H. Stallknecht (1970): Xiphophorus milleri Rosen 1960, Millers Schwertträger. Aquarien Terrarien (10): 0-0
S. Thamm (1991): Eine interessante "Graue Maus" oder die Pflege und Zucht des Catemaco-Platy. TI (106): 18-19
L. Wischnath (1982): Wildvormen van platy's. TIH (30): 6-9
L. Wischnath (1982): Naar Mexico, het land van de levendbarenden. TIH (29): 39-41
L. Wischnath (1983): Gele en rode wildvormen van het geslacht Xiphophorus. Het Aquarium (9): 220-223
L. Wischnath (1996): Wildvormen van het geslacht Xiphophorus deel 3 - platy's. Het Aquarium (1): 7-9

Xiphophorus mixei Kallman, Walter, Morizot & Kazianis 2004

- H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. Das Lebendgebärenden Magazin (1): 22-25
T. Coletti (2010): Livebearer unlimited The southern swordtails. Tropical Fish Hobbyist (Feb): 32-34
H. Hieronimus (2004): Zwei neue Schwerträger aus dem oberen Coatzacoalcos-Gebiet. DGLZ-Rundschau (4): 87-89
J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
K.D. Kallman et al (2004): Two new species of Xiphophorus from the Isthmus of Tehuantepec, Oaxaca, Mexico, with a discussion of the distribution of the X. clemenciae clade. American Museum Novitates (3441): 1-34
J.H. Kang et al (2013): Comprehensive phylogenetic analysis of all species of swordtails and platies uncovers a hybrid origin of a swordtail fish, Xiphophorus monticolus, and demonstrates that the sexually selected sword originated in the ancestral lineage of the genus, but
M. Köck (2012): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 1: Die SüdlichenSchwertträger. Das Lebendgebärenden Magazin (1): 12-21
M. Köck (2012): Het geslacht Xiphophorus. Poecilia Nieuws (3): 11-27
J. de Moree (2005): Drie nieuwe zwaarddragers beschreven. Poecilia Nieuws (1): 19-20

Xiphophorus montezumae Jordan & Snyder, 1900

- G. Alcaraz & V. Urrutia (2008): Growth in response to sustained swimming in young montezumae swordtails, Xiphophorus montezumae. Marine and Freshwater Behaviour and Physiology (1): 65-72
H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. Das Lebendgebärenden Magazin (1): 22-25
A.L. Basolo & G. Alcaraz (2003): The turn of the sword: length increases male swimming costs in swordtails. Proc. R. Soc. Lond. (270): 1631-1636
R. de Boer & T. Woeltjes (1986): Enkele levendbarende tandkarpers uit Mexico. Het Aquarium (9): 227-230
R. Borowsky (1978): The tailspot polymorphism of Xiphophorus (Pisces: Poeciliidae). Evolution (4): 886-893
R. Borowsky (1984): The evolutionary genetics of Xiphophorus. In: Turner, Bruce J. Evolutionary Genetics of Fishes (): 235-310
T. Coletti (2007): Montezuma's revenge Part II: strains of the day. Livebearers (197): 14-21

Livebearer Literature List 202201

- T. Coletti (2007): Montezuma's revenge Part 1: a history of many names. Livebearers (196): 7-13
- T. Coletti (2010): Livebearers unlimited The northern mountain swordtails. Tropical Fish Hobbyist (March): 32-35
- T. Coletti (2015): 10 Livebearers for your wishlist. Tropical Fish Hobbyist (5): 60-64
- I. Dibble (2008): Monterrey to Morelia, Mexico 2006. Livebearers (203): 12-25
- C. Eibner, s. Pittlik, A. Meyer & G. Begemann (2008): An organizer controls the development of the "sword", a sexually selected trait in swordtail fish. *Evolution & Development* (4): 403-412
- D. Franck (1970): Verhaltensgenetische Untersuchungen an Artbastarden der Gattung *Xiphophorus* (Pisces). *Z. Tierpsychol.* (1): 1-34
- M. Gordon (1938): The genetics of *Xiphophorus hellerii*: Heredity in Montezuma, a Mexican swordtail fish. *Copeia* (1): 19-29
- M. Gordon (1993): Search for the pygmy swordtail. *Livebearers* (127): 4-10
- R.J. Herrera (1979): Preferential gene expression of an amylase allele in interspecific hybrids in *Xiphophorus* (Pisces: Poeciliidae). *Biochemical Genetics* (3/4): 223-227
- H. Hieronimus (1992): Die kleinen Schwerträger. *DGLZ-Rundschau* (1): 8-10
- H. Hieronimus (2013): Schwert- und Längenentwicklung bei *Xiphophorus montezumae*. *DGLZ-Rundschau* (1): 20-23
- M. Holly (1961): *Xiphophorus montezumae* Jordan und Snyder. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc): 1181-1182
- J.C. Jones et al (2013): The evolutionary history of *Xiphophorus* fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. *Molecular Ecology* (22): 2986-3001
- K. de Jong (1988): Revisie van de *Xiphophorus montezumae/cortezi* groep en beschrijving van een nieuwe ondersoort. *Poecilia Nieuws* (6): 83-86
- K. de Jong (1995): De Montezuma-zwaarddrager. *Poecilia Nieuws* (3): 49-54
- K. de Jong (1997): De montezuma-zwaarddrager. *Aquariumwereld* (3): 69-72
- K. de Jong (2003): Auf der Suche nach den Schwerträgern, Mexiko 2002 (Teil 1). *Das Lebendgebärenden Magazin* (3/4): 53-67
- K. de Jong (2003): Op zoek naar zwaarddragers Mexico 2002 (tweede deel). *Poecilia Nieuws* (5): 70-82
- K. de Jong (2004): Auf der Suche nach den Schwerträgern Mexiko 2002 (Teil 2). *Das Lebendgebärenden Magazin* (1): 5-17
- K. de Jong (2004): De zwaarddrager wildvormen voor iedere aquariaan interessant. *Poecilia Nieuws* (4): 8-16
- K. de Jong (2013): Levendbarende tandkarpers. Meer dan guppen, platy's en molly's. *Houdt van Vissen* (4): 36-41
- K. de Jong (2017): Levendbarende tandkarpers. Meer dan guppen, platy's en molly's. *Het Aquarium* (2): 29-37
- S. de Jong (2019): Hybriden en hybridiseren bij levendbarenden. *Poecilia Nieuws* (1): 24-28
- D.S. Jordan & J.O. Snyder (1900): Notes on a collection of fishes from the rivers of Mexico with description of twenty new species. *Bulletin of the United States Fish Commission* (): 115-147
- K. D. Kallman (1983): The sex determining mechanism of the poeciliid fish, *Xiphophorus montezumae*, and the genetic control of the sexual maturation process and adult size. *Copeia* (3): 755-769
- K. D. Kallman (1989): Genetic Control of Size at Maturity in *Xiphophorus*. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 163-184
- S. Kazianis et al (2005): Sex-determination in platyfishes and swordtails. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 381-400
- J. Klungers (2005): Portretten van levendbarenden Zwaarddragers deel 2. *Het Aquarium* (3): 79-80
- M. Köck (2013): Het geslacht *Xiphophorus* Deel 2 De noordelijke zwaarddragers. *Poecilia Nieuws* (5): 8-26
- K. Kruesi & G. Alcaraz (2007): Does a sexually selected trait represent a burden in locomotion?. *Journal of Fish Biology* (70): 1161-1170
- K. Kruesi, G.G. Rosenthal & G. Alcaraz (2011): amentation in *Xiphophorus montezumae*. *Marine and Freshwater Behaviour and Physiology* (first): 1-11
- D. Lambert (0): *Xiphophorus montezumae* Jordan & Snyder 1900. *Viviparous* (13): 0-
- P. Lambert (0): Aquarian endangered species expedition. *Viviparous* (21): 0-
- D. Lambert (1998): The livebearer world. *Tropical Fish Hobbyist* (April): 128-131
- P. Lechner & A.C. Radda (1988): Revision des *Xiphophorus montezumae/cortezi*-Komplexes und Neubeschreibung einer Subspezies. *DGLZ-Rundschau* (2): 4-11
- J. Lyons (2017): Adventures among the wild livebearers of Mexico: Northern Swordtails. *Livebearers* (234): 5-10
- D.A. McLennan & M.J. Ryan (1999): Interspecific recognition and discrimination bases upon olfactory cues in Northern swordtails. *Evolution* (3): 880-888
- M.K. Meyer (1989): Mexiko Teil 3. *DGLZ-Rundschau* (1): 4-13
- D.C. Morizot, R. B. Walter (2003): Das *Xiphophorus* Genetic Stock Center. *DGLZ-Rundschau* (2): 31-35
- M.R. Morris & K. Casey (2001): Phylogenetic relationships among populations of norther swordtails (*Xiphophorus*) as inferred from allozyme data. *Copeia* (1): 65-81
- M.R. Morris, M. S. Tudor & N.S. Dubois (2007): Sexually selected signal attracted females before deterring aggression in rival males. *Anim. Behav.* (74): 1189-1197
- J. Novák, L. Kalous & J. Patoka (2020): Modern ornamental aquaculture in Europe: early history of freshwater fish imports. *Reviews in Aquaculture* (Jan): 1-19
- A. Rachow (1913): Ueber die Zahnkarpfengattung *Xiphophorus* (Heckel). *Blätter für Aquarien- und Terrarienkunde* (17): 257-262
- A.C. Radda (1982): Synopsis der Gattung *Xiphophorus* Heckel. *DGLZ-Rundschau* (2): 25-30
- G. Sage (1999): Beginning a selective breeding program. *Livebearers* (157): 8-12
- A. Savastio (1989): Disease resistance in the genus *Xiphophorus*. *Livebearers* (106): 13-14
- F.F. Schmidt (1978): Mexico - een vissenparadijs. *Het Aquarium* (5): 121-125
- T. Schulz (1983): Ein neuer Schwerträger aus Mexiko?. *DATZ* (augustus): 287-288
- J. Seckinger, H. Brinkmann & A. Meyer (2002): Microsatellites in the genus *Xiphophorus*, developed in *Xiphophorus montezumae*. *Molecular Ecology Notes* (2): 4-6

Livebearer Literature List 202201

- L. Seegers (1985): De watervallen van Tamasopo. TIH (41): 12-15
R. Serva (2005): The Genus Xiphophorus Part 1, the Swordtails. Livebearers (184): 4-25
Stallknecht (1970): Xiphophorus montezumae Jordan und Snyder 1900, der Montezuma-Schwertträger. Aquarien Terrarien (2): 0-0
G. Streibel (1982): Freilandhälerung einiger lebendgebärender Zahnkarpfen. DGLZ-Rundschau (4): 64-65
G. Takeshita (2006): Remarks by Glenn Takeshita. Livebearers (185): 5-6
M. Tuccinardi (2013): Import report. Tropical Fish Hobbyist (5): 38-40
P.J. van de Vlugt (1966): Een nieuwe platy. Het Aquarium (6): 111-111
U. Werner (1991): Was sind schon Schwertträger...?!. TI (107): 11-15
A.S. Wilkins (2004): Deciphering the swordtail's tale: a molecular and evolutionary quest. BioEssays (26): 116-119
L. Wischnath (1978): Wildvormen van zwaarddragers. TIH (14): 5-8
L. Wischnath (1981): Aquaristische noviteiten uit Mexico. TIH (24): 38-38
L. Wischnath (1987): Lebendgebärende Zahnkarpfen aus Mexiko. Aquarien Magazin (8): 336-340
L. Wischnath (1992): Neue Namen bei großen und kleinen Schwerträgern. Das Aquarium (August): 10-12
L. Wischnath (1995): Zwaarddrager wildvormen, deel 2. Het Aquarium (12): 290-293
O. Wojtkowiak (1986): Swordtails: my favorite livebearer. Livebearers (86): 3-4
Dr. W. Wolterstorff (1914): Die Gattung Xiphophorus Heckel. Blätter für Aquarien- und Terrarienkunde (6): 94-96

Xiphophorus monticolus Kallman, Walter, Morizot & Kazianis 2004

- T. Coletti (2010): Livebearer unlimited The southern swordtails. Tropical Fish Hobbyist (Feb): 32-34
H. Hieronimus (2004): Zwei neue Schwertträger aus dem oberen Coatzacoalcos-Gebiet. DGLZ-Rundschau (4): 87-89
H. Hieronimus (2013): Neues bei Xiphophorus - Genetische Untersuchungen der Verwandschaftsbeziehungen. DGLZ-Rundschau (1): 5-7
J. Hyoun Kang et al (2013): Comprehensive phylogenetic analysis of all species of swordtails and platies uncovers a hybrid origin of a swordtail fish, *Xiphophorus monticolus*, and demonstrates that the sexually selected sword originated in the ancestral lineage of the genus. Molecular Ecology (22): 2986-3001
J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
K.D. Kallman et al (2004): Two new species of Xiphophorus from the Isthmus of Tehuantepec, Oaxaca, Mexico, with a discussion of the distribution of the *X. clemenciae* clade. American Museum Novitates (3441): 1-34
J.H. Kang et al (2013): Comprehensive phylogenetic analysis of all species of swordtails and platies uncovers a hybrid origin of a swordtail fish, *Xiphophorus monticolus*, and demonstrates that the sexually selected sword originated in the ancestral lineage of the genus, but M. Köck (2012): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 1: Die SüdlichenSchwertträger. Das Lebendgebärenden Magazin (1): 12-21
M. Köck (2012): Het geslacht Xiphophorus. Poecilia Nieuws (3): 11-27
J. de Moree (2005): Drie nieuwe zwaarddragers beschreven. Poecilia Nieuws (1): 19-20

Xiphophorus multilineatus Rauchenberger, Kallman & Morizot, 1990

- M. Ah-King & P.A. Gowaty (2016): A conceptual review of mate choice: stochastic demography, within-sex phenotypic plasticity, and individual flexibility. Ecology and Evolution (14): 4607-4642
A.L. Basolo & G. Alcaraz (2003): The turn of the sword: length increases male swimming costs in swordtails. Proc. R. Soc. Lond. (270): 1631-1636
A.J. Beard (0): *Xiphophorus multilineatus*. Viviparous (15): 0-
L.M. Bono, O. Rios-Cardenas & M.R. Morris (2011): Alternative life histories in *Xiphophorus multilineatus*: evidence for different ages at sexual maturity and growth responses in the wild. Journal of Fish Biology (78): 1311-1322
S.W. Coleman & A.G. Jones (2013): Patterns of multiple paternity and maternity in fishes. Biological Journal of the Linnean Society (103): 735-760
T. Coletti (2010): Livebearers unlimited The northern mountain swordtails. Tropical Fish Hobbyist (March): 32-35
I. Dibble (2008): Monterrey to Morelia, Mexico 2006. Livebearers (203): 12-25
H. Hieronimus (1993): Brutzyklus kleiner Schwertträger. DGLZ-Rundschau (3): 63-64
K. Jacobs (1976): Schwertträger *Xiphophorus pygmaeus nigrensis*. Das Aquarium (12): 536-536
J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
K. de Jong (2003): Auf der Suche nach den Schwertträgern, Mexiko 2002 (Teil 1). Das Lebendgebärenden Magazin (3/4): 53-67
K. de Jong (2003): Op zoek naar zwaarddragers in Mexico 2002. Poecilia Nieuws (4): 54-68
K. de Jong (2004): De zwaarddrager wildvormen voor iedere aquariaan interessant. Poecilia Nieuws (4): 8-16
K. de Jong (2020): Vorm en paargedrag bij *Xiphophorus multilineatus*. Poecilia Nieuws (5): 31-34
K. de Jong (2021): Körperform und Paarungsverhalten bei *Xiphophorus multilineatus*. Das Lebendgebärenden Magazin (1): 51-53
K. D. Kallman (2005): Genetic control of adult size in swordtails, *Xiphophorus*. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 365-379
M. Köck (2012): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 2: Die Nördlichen Schwertträger. Das Lebendgebärenden Magazin (2): 12-25
M. Köck (2013): Het geslacht Xiphophorus Deel 2 De noordelijke zwaarddragers. Poecilia Nieuws (5): 8-26
M. Köck (2015): Hin und zurück - die Geschichte zweier Österreicher in Mexiko. Das Lebendgebärenden Magazin (2): 37-43

- D. Lambert (0): Xiphophorus nigrensis Rosen, 1960. Viviparous (11): 0-2
- M. Liotta, J. Abbot, O. Rios-Cardenas & M.R. Morris (2019): Tactical dimorphism: the interplay between body shape and mating behaviour in the swordtail Xiphophorus multilineatus (Cyprinodontiformes: Poeciliidae). Biological Journal of the Linnean Society (127): 337-347
- M.N. Liotta, J.K. Abbott, M.R. Morris & O. Rios-Cardenas (2021): Antagonistic selection on body size and sword length in a wild population of the swordtail fish, Xiphophorus multilineatus: Potential for intralocus tactical conflict. Ecology and Evolution (11): 3941-3951
- J. Luo, M. Schartl & A. Meyer (2005): Strong reproductive skew among males in the multiply mated swordtail Xiphophorus multilineatus (Teleostei). Journal of Heredity (4): 346-355
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 289-302
- E. Meinema (1991): Vier nieuwe zwaarddragers van het Rio Panuco stroomgebied (Oost Mexico). Poecilia Nieuws (2): 28-30
- M.K. Meyer (1996): Schwerträger Xiphophorus helleri- und X. nigrensis-Komplex. Das Aquarium (329): 14-17
- D.C. Morizot, R. B. Walter (2003): Das Xiphophorus Genetic Stock Center. DGLZ-Rundschau (2): 31-35
- M.R. Morris & K. Casey (2001): Phylogenetic relationships among populations of northern swordtails (Xiphophorus) as inferred from allozyme data. Copeia (1): 65-81
- M.R. Morris & M.J. Ryan (1992): Breeding cycles of natural populations of X. nigrensis, X. multilineatus and X. pygmaeus. Copeia (4): 1074-1077
- M.R. Morris & M.J. Ryan (1995): Large body size in the pygmy swordtail Xiphophorus pygmaeus. Biological Journal of the Linnean Society (54): 383-395
- M.R. Morris & M.J. Ryan (1996): Sexual difference in signal-receiver coevolution. Anim. Behav. (52): 1017-1024
- M.R. Morris et al (2018): Feeding rates in the swordtail fish Xiphophorus multilineatus: a model system for genetic variation in nutritional programming. Zebrafish (5): 484-491
- M.R. Morris, L. Gass & M.J. Ryan (1995): Assessment and individual recognition of opponents in the pygmy swordtails Xiphophorus nigrensis and X. multilineatus. Behav Ecol Sociobiol (37): 303-310
- M.R. Morris, M. Mussel & M.J. Ryan (1995): Vertical bars on male Xiphophorus multilineatus: a signal that deters rival males and attracts females. Behavioral Ecology (3): 274-279
- M.R. Morris, O. Rios-Cardenas & J. Brewer (2010): Variation in mating preference within wild population influences the mating success of alternative mating strategies. Anim. Behav. (79): 673-678
- M. Rauchenberger, K. Kallmann & D.C. Morizot (1990): Monophyly and Geography of the Rio Panuco Basin Swordtails with description of four new species. American Museum Novitates (2975): 1-41
- O. Rios-Cardenas & M.R. Morris (2010): The implications of variation in female preferences for swordtail fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 321-330
- O. Rios-Cardenas & M.R. Morris (2011): Precopulatory sexual selection, in: Ecology and Evolution of Poeciliid Fishes (ed. Evans, Pilastro & Schlupp) (Chapter 17): 187-196
- O. Rios-Cardenas, J. Brewer & M.R. Morris (2013): Maternal investment in the swordtail fish Xiphophorus multilineatus: support for the differential allocation hypothesis. PlosOne (12): 1-9
- O. Rios-Cardenas, M. Scarlett Tudor & M. Morris (2007): Female preference variation has implications for the maintenance of an alternative mating strategy in a swordtail fish. Anim. Behav. (74): 633-649
- G.G. Rosenthal et al (2001): Shared preferences by predators and females for male ornaments in swordtails. The American Naturalist (2): 146-154
- C. van de Sande (1996): Xiphophorus multilineatus Rauchenberger, Kallman & Morizot, 1990. Poecilia Nieuws (2): 38-41
- C. van de Sande (2002): Hoe houd ik mijn vissen?. Poecilia Nieuws (1): 10-12
- C. van de Sande (2003): Xiphophorus multilineatus Rauchenberger, Kallmann & Morizot, 1990. Das Lebendgebärenden Magazin (2): 31-34
- R. Serva (2005): The Genus Xiphophorus Part 1, the Swordtails. Livebearers (184): 4-25
- R. Serva & G. Rosenthal (2011): The high-backed pygmy swordtail (Xiphophorus multilineatus) from the Río Coy. Livebearers (213): 30-36
- R. Serva & G. Tash (1997): Xiphophorus multilineatus. Livebearers (150): 11-13
- M. Weinstein et al. (2019): Selection on growth rates via a trade-off between survival to sexual maturity and longevity in the swordtail fish Xiphophorus multilineatus. Evolutionary Ecology (33): 549-566
- L. Wischnath (0): Noms nouveaux pour les petites et grandes espèces du genre Xiphophorus Heckel, 1848. Aquarama (): 12-14
- L. Wischnath (1992): Neue Namen bei großen und kleinen Schwerträgern. Das Aquarium (August): 10-12
- L. Wischnath (1995): Zwaarddrager wildvormen, deel 2. Het Aquarium (12): 290-293

Xiphophorus nezahualcoyotl Rauchenberger, Kallman & Morizot, 1990

- B. Allen (2007): A hybrid of Xiphophorus helleri x X. nezahualcoyotl. Livebearers (197): 22-25
- H. Auer (2012): Von fastende Koyoten und großen Ichthyologen - Keine Namenskunde von den Schwerträgern. Das Lebendgebärenden Magazin (1): 22-25
- C. Cheswright (0): A Christmas trip to Mexico. Viviparous (42): 0-
- C. Cheswright (2002): Mexico Christmas 1997. Livebearer News (2): 32-33
- T. Coletti (2007): Montezuma's revenge Part 1: a history of many names. Livebearers (196): 7-13
- T. Coletti (2010): Livebearers unlimited The northern mountain swordtails. Tropical Fish Hobbyist (March): 32-35
- A.A. Fernandez & P.R. Bowser (2008): Two cases of non-hybrid melanoma formation in Xiphophorus nezahualcoyotl Rauchenberger, Kallman & Morizot. Journal of Fish Biology (72): 292-300
- M. Gordon (1953): The ecological niche of the Pygmy swordtail, Xiphophorus Pygmaeus, in the Rio Axtla, Mexico. Copeia (3): 148-150
- H. Hieronimus (1992): Die kleinen Schwerträger. DGLZ-Rundschau (1): 8-10
- K. Jacobs (1976): Der Montezuma-Schwerträger. Das Aquarium (9): 6-7
- J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
- K. de Jong (1995): De Montezuma-zwaarddrager. Poecilia Nieuws (3): 49-54
- K. de Jong (2003): Op zoek naar zwaarddragers in Mexico 2002. Poecilia Nieuws (4): 54-68
- K. de Jong (2003): Auf der Suche nach den Schwerträgern, Mexiko 2002 (Teil 1). Das Lebendgebärenden Magazin (3/4): 53-67
- K. de Jong (2004): De zwaarddrager wildvormen voor iedere aquariaan interessant. Poecilia Nieuws (4): 8-16

Livebearer Literature List 202201

- M. Köck (2012): Mit und ohne Schwert; Die Gattung Xiphophorus Teil 2: Die Nördlichen Schwerträger. Das Lebendgebärenden Magazin (2): 12-25
- M. Köck (2013): Het geslacht Xiphophorus Deel 2 De noordelijke zwaarddragers. Poecilia Nieuws (5): 8-26
- D. Lambert (1995): Xiphophorus nezahualcoyotl. Viviparous (29): 0-
- D. Lambert (1998): The livebearer world. Tropical Fish Hobbyist (April): 128-131
- J. Lyons (2017): Adventures among the wild livebearers of Mexico: Northern Swordtails. Livebearers (234): 5-10
- S.M. Lyons & M.R. Morris (2008): Headstands: a sexually selected signal in the swordtail fish Xiphophorus nezahualcoyotl. Behaviour (145): 1247-1262
- D. Macallister (2010): Xiphophorus nezahualcoyotl. Livebearer News (30): 35-37
- L. van der Meer (2006): Xiphophorus nezahualcoyotl. Poecilia Nieuws (1): 12-13
- E. Meinema (1991): Vier nieuwe zwaarddragers van het Rio Panuco stroomgebied (Oost Mexico). Poecilia Nieuws (2): 28-30
- M.R. Morris (2004): Xiphophorus fishes: a model system for evolutionary studies. Livebearers (182): 12-17
- M.R. Morris & K. Casey (2001): Phylogenetic relationships among populations of northern swordtails (Xiphophorus) as inferred from allozyme data. Copeia (1): 65-81
- M.R. Morris, M. S. Tudor & N.S. Dubois (2007): Sexually selected signal attracted females before deterring aggression in rival males. Anim. Behav. (74): 1189-1197
- M.R. Morris, O. Rios-Cardenas & A. Darrah (2008): Male mating tactics in the northern mountain swordtail fish (Xiphophorus nezahualcoyotl): coaxing and coercing females to mate. Ethology (114): 977-988
- T. Neal (1997): The northern mountain swordtail A beautiful wild type swordtail. Livebearers (149): 6-8
- F. Padmos (2012): Werkgroep Xiphophorus nezahualcoyotl. Poecilia Nieuws (4): 20-23
- M. Rauchenberger, K. Kallmann & D.C. Moritz (1990): Monophly and Geography of the Rio Panuco Basin Swordtails with description of four new species. American Museum Novitates (2975): 1-41
- M. Rejliková (2020): Lebendgebärende von Tamaulipas. Das Lebendgebärenden Magazin (1): 30-35
- G. Sage (2000): Gold or white or what?. Livebearers (160): 15-16
- G. Sage (2000): Beginning a selective breeding program, part 2. Livebearers (162): 5-10
- M. Schartl & S. Schories (2019): Platys und Schwerträger in Wissenschaft und Foschung. Das Lebendgebärenden Magazin (1): 10-17
- R. Serva (2005): The Genus Xiphophorus Part 1, the Swordtails. Livebearers (184): 4-25
- R. Serva (2009): Xiphophorus nezahualcoyotl - the northern swordtail. Livebearers (204): 30-32
- R. Serva (2010): Xiphophorus nezahualcoyotl - the Northern swordtail. Livebearers (208): 19-21
- G. Takeshita (2003): Xiphophorus nezahualcoyotl x X. helleri hybrid. Livebearers (179): 28-30
- G. Takeshita (2003): The white Nezzie (X. nezahualcoyotl). Livebearers (175): 4-7
- J.J. Wiens (2001): Widespread loss of sexually selected traits: how the peacock lost its spots. Trends in Ecology & Evolution (9): 517-523
- L. Wischnath (0): Noms nouveaux pour les petites et grandes espèces du genre Xiphophorus Heckel, 1848. Aquarama (): 12-14
- L. Wischnath (1992): Neue Namen bei großen und kleinen Schwerträgern. Das Aquarium (August): 10-12
- L. Wischnath (1994): Wildformen Lebendgebärender Zahnkarpfen Teil 2: Schwerträger. Das Aquarium (302): 16-18
- L. Wischnath (1995): Zwaarddrager wildvormen, deel 2. Het Aquarium (12): 290-293

Xiphophorus nigrensis Rosen, 1960

- (1987): Zwaarddragers paren liever niet met eigen soort. Het Aquarium (12): 312-312
- J.M. Artigas Azas (2014): Sie kamen aus Mexiko- die Schwerträger und ihr Lebensraum. Amazonas (März/April): 22-27
- R. Borowsky (1984): The evolutionary genetics of Xiphophorus. in: Turner, Bruce J. Evolutionary Genetics of Fishes (): 235-310
- C. Cheswright (0): A Christmas trip to Mexico. Viviparous (42): 0-
- T. Coletti (2010): Livebearers unlimited The northern mountain swordtails. Tropical Fish Hobbyist (March): 32-35
- D. Crapon de Caprona & M. J. Ryan (1990): Conspecific mate recognition in swordtails, Xiphophorus nigrensis and X. pygmaeus (Poeciliidae): olfactory and visual cues. Anim. Behav. (39): 290-296
- M.E. Cummings (2018): Sexual conflict and sexually dimorphic cognition - reviewing their relationship in poeciliid fishes. Behavioral Ecology and Sociobiology (972:73): 1-12
- M. Cummings & D. Mollaghan (2006): Repeatability and consistency of female preference behaviours in a northern swordtail, Xiphophorus nigrensis. Anim. Behav. (72): 217-224
- M.E. Cummings & R. Gelineau-Kattner (2009): The energetic costs of alternative male reproductive strategies in Xiphophorus nigrensis. J Comp Physiol (195): 935-946
- M. Cummings et al (2003): A private ultraviolet channel in visual communication. Proc. R. Soc. Lond. (270): 897-904
- M. Cummings et al (2006): Is UV ornamentation an amplifier in swordtails?. Zebrafish (1): 91-100
- M. Cummings et al (2008): Sexual and social stimuli elicit rapid and contrasting genomic responses. Proc. R. Soc. Lond. (275): 393-402
- I. Dibble (2003): Tagebuch einer Früjahrsreise nach Mexico im März 2002. DGLZ-Rundschau (2): 36-40
- R.L. Earley (2006): Xiphophorus: carving a niche towards a broader understanding of aggression and dominance. Zebrafish (3): 287-298
- C. Grimes (1984): Xiphophorus nigrensis. Livebearers (77): 4-5
- H. Hieronimus (1992): Die kleinen Schwerträger. DGLZ-Rundschau (1): 8-10
- H. Hieronimus (1993): Brutzyklus kleiner Schwerträger. DGLZ-Rundschau (3): 63-64

Livebearer Literature List 202201

- J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. *Molecular Ecology* (22): 2986-3001
- K. de Jong (2003): Op zoek naar zwaarddragers in Mexico 2002. *Poecilia Nieuws* (4): 54-68
- K. D. Kallman (1989): Genetic Control of Size at Maturity in Xiphophorus. *Ecology & Evolution of Livebearing Fishes (Poeciliidae)* (): 163-184
- K. D. Kallman (2005): Genetic control of adult size in swordtails, *Xiphophorus*. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 365-379
- M. Köck (2012): Mit und ohne Schwert; Die Gattung *Xiphophorus* Teil 2: Die Nördlichen Schwerträger. *Das Lebendgebärenden Magazin* (2): 12-25
- M. Köck (2013): Het geslacht *Xiphophorus* Deel 2 De noordelijke zwaarddragers. *Poecilia Nieuws* (5): 8-26
- D. Lambert (0): *Xiphophorus nigrensis*. *Viviparous* (45): 0-
- P. Lambert (0): Aquarian endangered species expedition. *Viviparous* (21): 0-
- P. Lambert (1992): Endangered species expedition 1992. *Livebearers* (123): 13-17
- C. Macías-Garcia & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes*. New Life Publications. Homestead Florida (): 289-302
- K. Magellan & H. Kaiser (2010): Male Aggression and mating opportunity in a poeciliid fish. *African Zoology* (1): 8-23
- D.A. McLennan & M.J. Ryan (1999): Interspecific recognition and discrimination bases upon olfactory cues in Northern swordtails. *Evolution* (3): 880-888
- M.K. Meyer (1986): Levendbarende tandkarpers van de Rio Coy in Mexico. *TIH* (46): 6-9
- M.K. Meyer (1988): Mexiko 1987, (Teil 2). *DGLZ-Rundschau* (3): 4-11
- M.K. Meyer (1996): Schwerträger *Xiphophorus helleri*- und *X. nigrensis*-Komplex. *Das Aquarium* (329): 14-17
- J. de Moree (2004): *Xiphophorus nigrensis* (grote type). *Poecilia Nieuws* (1): 18-18
- J. de Moree (2004): *Xiphophorus nigrensis*. *Poecilia Nieuws* (1): 22-23
- M.R. Morris (2004): Xiphophorus fishes: a model system for evolutionary studies. *Livebearers* (182): 12-17
- M.R. Morris & K. Casey (2001): Phylogenetic relationships among populations of norther swordtails (*Xiphophorus*) as inferred from allozyme data. *Copeia* (1): 65-81
- M.R. Morris & M.J. Ryan (1990): Age at sexual maturity of male *Xiphophorus nigrensis* in nature. *Copeia* (3): 747-751
- M.R. Morris & M.J. Ryan (1992): Breeding cycles of natural populations of *X. nigrensis*, *X. multilineatus* and *X. pygmaeus*. *Copeia* (4): 1074-1077
- M.R. Morris & M.J. Ryan (1995): Large body size in the pygmy swordtail *Xiphophorus pygmaeus*. *Biological Journal of the Linnean Society* (54): 383-395
- M.R. Morris & M.J. Ryan (1996): Sexual difference in signal-receiver coevolution. *Anim. Behav.* (52): 1017-1024
- M. Morris & Puja Batra & Michael Ryan (1992): Male - male competition and access to females in the swordtail *Xiphophorus nigrensis*. *Copeia* (4): 980-986
- M.R. Morris et al (1996): A negative correlation between trait and mate preference in *Xiphophorus pygmaeus*. *Anim. Behav.* (52): 1193-1203
- M.R. Morris, L. Gass & M.J. Ryan (1995): Assessment and individual recognition of opponents in the pygmy swordtails *Xiphophorus nigrensis* and *X. multilineatus*. *Behav Ecol Sociobiol* (37): 303-310
- C.E. Oufiero, K. Jugo & T. Garland jr (2014): Swimming with a sword: tail beat kinematics in relation to sword length in *Xiphophorus*. *Functional Ecology* (): -
- P.H. Partridge & P.H. Harvey (1987): A case of mistaken identity in swordtail fish. *Nature* (328): 377-377
- A.C. Radda (1982): Synopsis der Gattung *Xiphophorus* Heckel. *DGLZ-Rundschau* (2): 25-30
- O. Rios-Cardenas, M. Scarlett Tudor & M. Morris (2007): Female preference variation has implications for the maintenance of an alternative mating strategy in a swordtail fish. *Anim. Behav.* (74): 633-649
- D.E. Rosen (1960): Middle-American Poeciliid Fishes of the genus *Xiphophorus*. *Bulletin of the Florida State Museum* (4): 58-243
- G.G. Rosenthal et al (2001): Shared preferences by predators and females for male ornaments in swordtails. *The American Naturalist* (2): 146-154
- G. Rosenthal, W. Wagner & M. Ryan (2002): Secondary reduction of preference for the sword ornament in the pygmy swordtail *Xiphophorus nigrensis*. *Anim. Behav.* (63): 37-45
- M.J. Ryan (1993): Sexual selection on P-alleles and the evolution of mating asymmetries in swordtails (*Xiphophorus nigrensis* and *X. pygmaeus*). In: J.H. Schrader, J. Bauer, M. Schartl, editors, *Trends in Ichthyology, An International Perspective*. Blackwell Scientific
- M.J. Ryan (1998): Phenotype, genotype, swimming endurance and sexual selection in a swordtail (*Xiphophorus nigrensis*). *Copeia* (2): 484-487
- M.J. Ryan & B.A. Causey (1989): "Alternative" mating behavior in the swordtails *Xiphophorus nigrensis* and *Xiphophorus pygmaeus*. *Behav Ecol Sociobiol* (24): 341-348
- M.J. Ryan & G.G. Rosenthal (2001): Variation and selection in swordtails. In: Dugatkin, L.A. editor, *Model Systems in Behavioral Ecology*. Princeton University Press, Princeton - New Jersey (): 133-148
- M.J. Ryan & W.E. Wagner (1987): Asymmetries in mating preferences between species: female swordtails prefer heterospecific males. *Science* (236): 595-597
- M.J. Ryan, C.M. Pease, M.R. Morris (1992): A genetic polymorphism in the swordtail *Xiphophorus nigrensis*: testing the prediction of equal fitness. *American Naturalist* (1): 21-31
- M.J. Ryan, D.K. Hews, W.E. Wagner jr. (1990): Sexual selection on alleles that determine body size in the swordtail *X. nigrensis*. *Behav Ecol Sociobiol* (26): 231-237
- C. van de Sande (1993): *Xiphophorus nigrensis* (Rosen, 1960). *Poecilia Nieuws* (1): 19-20
- M. Schartl & S. Schories (2019): Platy und Schwerträger in Wissenschaft und Forschung. *Das Lebendgebärenden Magazin* (1): 10-17
- R. Serva (2005): The Genus *Xiphophorus* Part 1, the Swordtails. *Livebearers* (184): 4-25
- C.C. Smith (2014): Polyandry and paternity in a wild population of the swordtail *Xiphophorus nigrensis*. *Behav Ecol Sociobiol* (68): 415-424
- C.C. Smith & M.J. Ryan (2010): Evolution of sperm quality but not quantity in the internally fertilized fish *Xiphophorus nigrensis*. *J. Evol. Biol.* (23): 1759-1771
- C.C. Smith & M.J. Ryan (2011): Tactic-dependent plasticity in ejaculate traits in the swordtail *Xiphophorus nigrensis*. *Biol. Lett.* (7): 733-735
- D. Speirs (1988): Recent studies on swordtail genetics. *Livebearers* (101): 5-7
- D. Speirs (1989): The swordtail scene. *Livebearers* (107): 5-6
- D. Speirs (1990): Cruising and choosing. *Livebearers* (113): 28-29

- H.-P. Weil (1982): Eine Reise voller Überraschungen (Folge 2). DGLZ-Rundschau (3): 38-41
H.-P. Weil (1982): Eine Reise voller Überraschungen (Folge 1). DGLZ-Rundschau (2): 20-22
L. Wischnath (1983): Gele en rode wildvormen van het geslacht Xiphophorus. Het Aquarium (9): 220-223
L. Wischnath (1987): Lebendgebärende Zahnkarpfen aus Mexiko. Aquarien Magazin (8): 336-340
L. Wischnath (1992): Neue Namen bei großen und kleinen Schwerträgern. Das Aquarium (August): 10-12
L. Wischnath (1994): Wildformen Lebendgebärender Zahnkarpfen Teil 2: Schwerträger. Das Aquarium (302): 16-18
L. Wischnath (1995): Zwaarddrager wildvormen, deel 2. Het Aquarium (12): 290-293
C.D. Zander (1968): Über die Vererbung von Y-gebundenen Farbgenen des *Xiphophorus pygmaeus nigrensis* Rosen (Pisces). Molec. Gen. Genetics (101): 29-42
E.J. Zimmerer & K.D. Kallman (1988): The inheritance of vertical barring (aggression and appeasement signals) in the pygmy swordtail, *Xiphophorus nigrensis* (Poeciliidae, Teleostei). Copeia (2): 299-307
E.J. Zimmerer & K.D. Kallman (1989): Genetic basis for alternative reproductive tactics in the pygmy swordtail, *Xiphophorus nigrensis*. Evolution (6): 1298-1307

Xiphophorus pseudomontezumae Ahl, 1938

- E. Ahl (1938): Beschreibung neuer Zahnkarpfen aus dem Zoologischen Museum Berlin. Zoologischer Anzeiger (3/4): 53-58
H.-J. Paepke (1989): Zum Status von *Xiphophorus pseudomontezumae* Ahl, 1938 und zur Entstehung des Zeignungsmuster "liniert" bei Schwerträgern. Aquarien Terrarien (8): 271-273

Xiphophorus pygmaeus Hubbs & Gordon, 1943

- (1987): Zwaarddragers paren liever niet met eigen soort. Het Aquarium (12): 312-312
J.M. Artigas Azas (2014): Sie kamen aus Mexiko- die Schwerträger und ihr Lebensraum. Amazonas (März/April): 22-27
C.F. Baer, M. Dantzker & M.J. Ryan (1995): A test for preference of association in a color polymorphic poeciliid fish: laboratory study. Environmental Biology of Fishes (43): 207-212
C. Cheswright (0): Some observations on *Xiphophorus nigrensis*. Viviparous (37): 0.
C. Cheswright (2002): Mexico Christmas 1997. Livebearer News (2): 32-33
A.J. Chunco, J.S. McKinnon & M.R. Servedio (2007): Microhabitat variation and sexual selection can maintain male color polymorphisms. Evolution (11): 2504-2515
T. Coletti (2010): Livebearers unlimited The northern mountain swordtails. Tropical Fish Hobbyist (March): 32-35
D. Crapo de Caprona & M. J. Ryan (1990): Conspecific mate recognition in swordtails, *Xiphophorus nigrensis* and *X. pygmaeus* (Poeciliidae): olfactory and visual cues. Anim. Behav. (39): 290-296
I. Dibble (2008): Monterrey to Morelia, Mexico 2006. Livebearers (203): 12-25
L.A. Dries, M.R. Morris & M.J. Ryan (2001): Why are some male pygmy swordtails large?. Copeia (2): 355-364
D. Franck (1970): Verhaltensgenetische Untersuchungen an Artbastarden der Gattung *Xiphophorus* (Pisces). Z. Tierpsychol. (1): 1-34
M. Gordon (1953): The ecological niche of the Pygmy swordtail, *Xiphophorus Pygmaeus*, in the Rio Axtla, Mexico. copeia (3): 148-150
M. Gordon (1956): Swordtails. The care and breeding of swordtails. T.F.H. (): 1-24
M.S. Gordon & D.E. Rosen (1951): Genetics of species differences in the morphology of the male genitalia of Xiphophorin fishes. Bulletin American Museum of Natural History (95): 409-464
S.J. Hankinson & M.R. Morris (2002): Sexual selection and species recognition in the pygmy swordtail, *Xiphophorus pygmaeus*: conflicting preferences. Behav Ecol Sociobiol (51): 140-145
S.J. Hankinson & M.R. Morris (2003): Avoiding a compromise between sexual selection and species recognition: female swordtail fish assess multiple species-specific cues. Behavioral Ecology (2): 282-287
M. Heußen (2014): Aufgelesen.....in aquaristischen Zeitschriften. Das Lebendgebärenden Magazin (2): 26-27
H. Hieronimus (1992): Die kleinen Schwerträger. DGLZ-Rundschau (1): 8-10
H. Hieronimus (1993): Brutzyklus kleiner Schwerträger. DGLZ-Rundschau (3): 63-64
C.L. Hubbs & M. Gordon (1943): Studies of Cyprinodont Fishes. XIX. *Xiphophorus pygmaeus*, new species from Mexico. Copeia (1): 31-33
J.C. Jones et al (2013): The evolutionary history of Xiphoporus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
K. de Jong (2004): De zwaarddrager wildvormen voor iedere aquariaan interessant. Poecilia Nieuws (4): 8-16
K. de Jong (2009): De mannetjes van *Xiphophorus pygmaeus*. Poecilia Nieuws (4): 11-13
K. D. Kallman (1989): Genetic Control of Size at Maturity in *Xiphophorus*. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 163-184
K. D. Kallman (2005): Genetic control of adult size in swordtails, *Xiphophorus*. In M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 365-379
J.J. Kingston, G.G. Rosenthal & M.J. Ryan (2003): The role of sexual selection in maintaining a colour polymorphism in the pygmy swordtail, *Xiphophorus pygmaeus*. Anim. Behav. (65): 735-743
M. Köck (2012): Mit und ohne Schwert; Die Gattung *Xiphophorus* Teil 2: Die Nördlichen Schwerträger. Das Lebendgebärenden Magazin (2): 12-25
M. Köck (2013): Het geslacht *Xiphophorus* Deel 2 De noordelijke zwaarddragers. Poecilia Nieuws (5): 8-26
M. Köck (2015): Hin und zurück - die Geschichte zweier Österreicher in Mexiko. Das Lebendgebärenden Magazin (2): 37-43
C.R. Kramer & H. Potter (2003): Rodlet cells in the posterior intestine of embryos and neonates of two poeciliid species. Journal of Fish Biology (62): 1211-1216
I. Kristensen (1955): De dwergzwaarddrager *Xiphophorus pygmaeus* Hubbs & Gordon. Het Aquarium (6): 131-132
I. Kristensen (1956): De dwergzwaarddrager (*Xiphophorus pygmaeus*). NGK mededelingen (Jubileumboek): 30-31
I. Kristensen (1972): De dwergzwaarddrager (*Xiphophorus pygmaeus*). NGK mededelingen (aug): 6-72

- I. Kristensen (1972): De dwergzaarddrager (*Xiphophorus pygmaeus*). NGK mededelingen (1): 6-7
- D. Lambert (1994): *Xiphophorus pygmaeus* Hubbs & Gordon, 1943. Viviparous (27): 0-
- D. Lambert (1996): The search for *Skiffia francesae* The Aquarian Expedition 1996. Tropical Fish Hobbyist (november): 118-133
- D. Lambert (1997): A report on *Xiphophorus cortezii* & *X. pygmaeus*. Tropical Fish Hobbyist (May): 158-162
- C. Macías-García & C.A. González-Zuarth (2005): Reproductive behavior of viviparous fish and intersexual conflict. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 289-302
- L. van der Meer (2006): *Xiphophorus pygmaeus*. Poecilia Nieuws (5): 24-27
- M.K. Meyer (1986): Lebendgebärende Aquarienfische vom Rio Axtla in Mexiko. DATZ (2): 61-64
- M.K. Meyer (1988): Mexiko 1987, (Teil 2). DGLZ-Rundschau (3): 4-11
- M.K. Meyer (1996): Schwertträger *Xiphophorus helleri*- und *X. nigrensis*-Komplex. Das Aquarium (329): 14-17
- J. de Moree (1997): *Xiphophorus pygmaeus*. Poecilia Nieuws (3): 42-43
- M.R. Morris (1998): Further examination of female preference for vertical bars in swordtails: preference for 'no bars' in a species without bars. Journal of Fish Biology (53): 56-63
- M.R. Morris & K. Casey (2001): Phylogenetic relationships among populations of norther swordtails (*Xiphophorus*) as inferred from allozyme data. Copeia (1): 65-81
- M.R. Morris & M.J. Ryan (1992): Breeding cycles of natural populations of *X. nigrensis*, *X. multilineatus* and *X. pygmaeus*. Copeia (4): 1074-1077
- M.R. Morris & M.J. Ryan (1995): Large body size in the pygmy swordtail *Xiphophorus pygmaeus*. Biological Journal of the Linnean Society (54): 383-395
- M.R. Morris et al (1996): A negative correlation between trait and mate preference in *Xiphophorus pygmaeus*. Anim. Behav. (52): 1193-1203
- L. Nyari (2002): Mijn ervaringen met *Xiphophorus pygmaeus* (Hubbs & Gordon, 1943). Poecilia Nieuws (4): 59-60
- C. Osche (2014): Zwerg mit Charakter - der Zwergschwertträger *Xiphophorus pygmaeus*. Amazonas (März/April): 30-31
- C. Osche (2014): Dwarfs with character - *Xiphophorus pygmaeus*. Amazonas (sep/oct): 38-40
- A. Palner (1994): *Xiphophorus pygmaeus* Hubbs & Gordon, 1943. Poecilia Nieuws (5): 93-96
- P.H. Partridge & P.H. Harvey (1987): A case of mistaken identity in swordtail fish. Nature (328): 377-377
- A.C. Radda (1982): Synopsis der Gattung *Xiphophorus* Heckel. DGLZ-Rundschau (2): 25-30
- T. Rehbeck (1999): Der Rio Axtla und seine Fische. DGLZ-Rundschau (1): 12-13
- G.G. Rosenthal & M.J. Ryan (2010): Multiple visual clues, receiver psychology, and signal evolution in pygmy swordtails. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 13-30
- G.G. Rosenthal & M.J. Ryan (2011): Conflicting preferences within females: sexual selection versus species recognition. Biol. Lett. (7): 525-527
- M.J. Ryan (1993): Sexual selection on P-alleles and the evolution of mating asymmetries in swordtails (*Xiphophorus nigrensis* and *X. pygmaeus*). In: J.H. Schrader, J. Bauer, M. Schartl, editors, Trends in Ichthyology, An International Perspective. Blackwell Scientific
- M.J. Ryan & B.A. Causey (1989): "Alternative" mating behavior in the swordtails *Xiphophorus nigrensis* and *Xiphophorus pygmaeus*. Behav Ecol Sociobiol (24): 341-348
- M.J. Ryan & W.E. Wagner (1987): Asymmetries in mating preferences between species: female swordtails prefer heterospecific males. Science (236): 595-597
- C. van de Sande (1993): *Xiphophorus pygmaeus* (Hubbs & Gordon, 1943). Poecilia Nieuws (4): 95-96
- R. Serva (2005): The Genus *Xiphophorus* Part 1, the Swordtails. Livebearers (184): 4-25
- D. Speirs (1990): Cruising and choosing. Livebearers (113): 28-29
- H. Stallknecht (1970): *Xiphophorus pygmaeus*, Hubbs und Gordon 1943, der Zwergschwertträger. Aquarien Terrarien (10): 0-0
- H. Stallknecht (1972): *Xiphophorus pygmaeus* Hubbs und Gordon 1943. Aquarien Terrarien (2): 50-52
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. Livebearers (153): 21-31
- A.T. Tveteraas (0): The Mexican pearl. Viviparous (14): 0-
- A.T. Tveteraas (1991): The mexican pearl. Livebearers (117): 33-35
- J.J. Wiens (2001): Widespread loss of sexually selected traits: how the peacock lost its spots. Trends in Ecology & Evolution (9): 517-523
- L. Wischnath (1978): Wildvormen van zwaarddragers. TTH (14): 5-8
- L. Wischnath (1979): Onbekende problemen bij het houden van dwergzaarddragers. TTH (19): 10-10
- L. Wischnath (1982): Nieuwe zwaarddragers uit Mexico. TTH (29): 41-42
- L. Wischnath (1983): Gele en rode wildvormen van het geslacht *Xiphophorus*. Het Aquarium (9): 220-223
- L. Wischnath (1987): Lebendgebärende Zahnkarpfen aus Mexiko. Aquarien Magazin (8): 336-340
- L. Wischnath (1994): Wildformen Lebendgebärender Zahnkarpfen Teil 2: Schwertträger. Das Aquarium (302): 16-18
- L. Wischnath (1995): Zwaarddrager wildvormen, deel 2. Het Aquarium (12): 290-293

Xiphophorus 'roseni'

- G. Daul (1982): Zu: "Zwei neue Xiphophorusarten aus Nuevo Leon, Mexico". DGLZ-Rundschau (3): 36-37
- H. Hieronimus (1990): Zum Thema Kreuzungen bei Lebendgebärenden. DGLZ-Rundschau (4): 6-7
- W. Ladiges (1982): *Xiphophorus roseni*, die gele platy, Meyer & Wischnath, 1981. TTH (29): 37-37
- M.K. Meyer (1983): Xiphophorus-Hybriden aus Nord-Mexiko, mit einer Revision der Taxa *X. kossa* und *X. roseni*. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (18): 285-291

M.K. Meyer (1984): Xiphophorus-Hybriden aus Nord_Mexiko, mit einer Revision der Taxa X. kossa und X. roseni. DGLZ-Rundschau (2): 31-37

M.K. Meyer (1984): Natuurlijke hybriden bij Xiphophorus. TI'H (38): 35-35

M.K. Meyer & L. Wischnath (1982): Zwei neue Xiphophorus-Arten aus Nuevo Leon, Mexico. DGLZ-Rundschau (1): 9-14

L. Wischnath (1983): Gele en rode wildvormen van het geslacht Xiphophorus. Het Aquarium (9): 220-223

L. Wischnath & M. Meyer (1985): Xiphophorus-Natur-Hybriden. DGLZ-Rundschau (1): 15-17

Xiphophorus signum Rosen & Kallman, 1969

T. Coletti (2010): Livebearer unlimited The southern swordtails. Tropical Fish Hobbyist (Feb): 32-34

G. Daul (2004): Lebendgebärende in Zoologische Gärten V Die Geschichte des Berliner Zoo-Aquariums und die dort gehaltenen lebendgebärenden Karpfinge. DGLZ-Rundschau (3): 76-79

V. Gerecke (1975): Ein neue Unterart von Xiphophorus helleri. Aquarien Terrarien (4): 136-136

D. Hughes-Phillips (2010): Guatemala trip 2007. Livebearers (209): 28-41

D. Hughes-Phillips (2010): Guatemala trip 2007. Livebearer News (30): 11-32

K. Jacobs (1974): Ein neue Unterart unseres Schwerträgers. DATZ (1): 6-8

J.C. Jones et al (2013): The evolutionary history of Xiphophorus fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001

K. de Jong (1995): De kommazwaarddrager Xiphophorus signum. Het Aquarium (5): 100-102

K. de Jong (1995): De kommazwaarddrager, Xiphophorus signum Rosen & Kallman, 1969. Poecilia Nieuws (1): 5-11

K. de Jong (2004): De zwaarddrager wildvormen voor iedere aquariaan interessant. Poecilia Nieuws (4): 8-16

K. de Jong (2007): Xiphophorus signum Rosen & Kallman, 1969. Poecilia Nieuws (1): 19-24

K. de Jong (2021): Xiphophorus signum. Poecilia Nieuws Atlas (): -

K. de Jong (2021): Agressieve kommazwaarddragers. Poecilia Nieuws (4): 20-21

J. Klungers (2005): Portretten van levendbarenden Zwaarddragers deel 2. Het Aquarium (3): 79-80

M. Köck (2012): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 1: Die SüdlichenSchwerträger. Das Lebendgebärenden Magazin (1): 12-21

M. Köck (2012): Het geslacht Xiphophorus. Poecilia Nieuws (3): 11-27

D. Lambert (0): Xiphophorus signum Rosen & Kallman, 1969. Viviparous (42): 0-

J.A. Meador, R.B. Walter & D.L. Mitchell (2000): Induction, distribution and repair of UV photodamage in the platyfish, Xiphophorus signum. Photochemistry and Photobiology (2): 260-266

M.K. Meyer (1996): Schwerträger Xiphophorus helleri- und X. nigrensis-Komplex. Das Aquarium (329): 14-17

A.C. Radda (1982): Synopsis der Gattung Xiphophorus Heckel. DGLZ-Rundschau (2): 25-30

D.E. Rosen (1979): Fishes from the uplands and intermontane basins of Guatemala: Revisionary Studies and Comparative Geography. Bulletin American Museum of Natural History (162): 268-375

D.E. Rosen & K.D. Kallman (1969): A new fish of the genus Xiphophorus from Guatemala, with remarks on the Taxonomy of Endemic Forms. American Museum Novitates (2379): 1-29

H. Schillat (1975): X. helleri signum. ZAG Lebendgebärende Zahnkarpfen (2): 6-6

R. Serva (2005): The Genus Xiphophorus Part 1, the Swordtails. Livebearers (184): 4-25

M. Tobler (2021): Why are seks ratios off in some of my livebearers? Do temperature of pH skew sex ratios in livebearers like in some other fishes. Livebearers (250): 10-13

M.E. Valdez-Moreno, J. Pool-Canul & S. Contreras-Balderas (2005): A checklist of the freshwater ichthyofauna from El Petén and Alta Verapaz, Guatemala, with notes for its conservation and management. Zootaxa (1072): 43-60

U. Werner (1991): Was sind schon Schwerträger...?. TI (107): 11-15

F. Winter (2020): Levendbarende vissen in het aquarium - een ondergewaardeerde groep-. Het Aquarium (8): 48-55

L. Wischnath (1978): Wildvormen van zwaarddragers. TI'H (14): 5-8

L. Wischnath (1994): Wildformen Lebendgebärender Zahnkarpfen Teil 2: Schwerträger. Das Aquarium (302): 16-18

L. Wischnath (1995): Zwaarddrager wildvormen, deel 2. Het Aquarium (12): 290-293

Xiphophorus sp

F.N. Poeser (1996): Temple city Platypfish: extinct cities and endangered species. Poecilia Nieuws (2): 42-46

Xiphophorus sp apodaca

M. Köck (2013): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 3: Die Platys. Das Lebendgebärenden Magazin (2): 9-20

M. Köck (2014): Met en zonder zwaard: Het geslacht Xiphophorus deel 3 de platy's. Poecilia Nieuws (3): 21-41

M. Rejlková (2018): De noordelijke platy's reddens van uitsterven. Poecilia Nieuws (4): 13-20

M. Rejlková & L. Balnar (209): Saving the northern platyfish from extinction in your aquarium. Livebearers (243): 18-25

Xiphophorus sp regio

- T. Coletti (2010): Livebearers unlimited. The northern platies... and a new species?. Tropical Fish Hobbyist (1): 32-34
 M. Köck (2013): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 3: Die Platys. Das Lebendgebärenden Magazin (2): 9-20
 M. Köck (2014): The tunnel platy: Xiphophorus sp. "regio". Livebearers (224): 13-13
 M. Köck (2014): Met en zonder zwaard: Het geslacht Xiphophorus deel 3 de platy's. Poecilia Nieuws (3): 21-41
 A. Valdés Gonzalez (2008): The search for Xiphophorus couchianus and the discovery of a new species. Livebearer News (24): 4-11

Xiphophorus variatus (Meek, 1904)

- (1991): Euro-Standard 1989 für Xiphophorus-Zuchtformen. DGLZ-Rundschau (3): 52-59
 B. Allen (1999): One man's search for the elusive hifin blue Variatus. Livebearers (156): 12-13
 A. Anders, F. Anders & K. Klink (52): Regulation of gene expression in the Gordon-Kosswig melanoma system I. (33): 33-52
 A. Anders, F. Anders & K. Klink (1973): Regulation of gene expression in the Gordon-Kosswig melanoma system II. Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag 1973 (): 55-63
 R.A. Angus (1989): A Genetic Overview of Poeciliid Fishes. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 51-68
 O. Aronowitz, R.F. Nigrelli & M. Gordon (1951): A spontaneous epithelioma in the platyfish, Xiphophorus (Platypoecilus) variatus. Zoologica (18): 239-242
 M. Bachmann (1966): Eine neue und vielbeachtete Platy-Zuchtform. Aquarien Terrarien (10): 350-350
 H. Barth (1983): Auslesekriterien und Ergebnisse bei der Formenzucht von Prachtbarben und Papageienkärpflingen. Aquarien Terrarien (9): 301-303
 A. Bartsch (1963): Plaatjes. Het Aquarium (6): 138-141
 A.L. Basolo (1995): A further examination of a pre-existing bias favouring a sword in the genus Xiphophorus. Anim. Behav. (50): 365-375
 G. Baum (1966): --- und die "Xiphos"? ZAG Lebendgebärende Zahnkarpfen (1): 7-10
 T. Benages (1981): Hi-fin genetics, once and for all. Livebearers (57): 13-15
 J.J. Berghuis (1958): Zelf kweken... interessanter dan kopen!. Het Aquarium (8): 185-185
 G. de Beurs (1956): Onze levendbarende Xiphophorus variatus. Het Aquarium (2): 44-45
 G. de Beurs (1957): Iets over het uitkleuren van Xiphophorus variatus. Guppy (1): 6-8
 G. de Beurs (1957): Heeft de temperatuur invloed op de geslachtsvorming?. Guppy (4): 11-12
 G. de Beurs (1963): Xiphophorus (Platypoecilus) variatus. Het Aquarium (6): 136-137
 D. Bork (1988): Lebendgebärende Fische in Budapester Thermalwässern. ZAG Lebendgebärende Zahnkarpfen (2): 6-7
 D. Bork (1991): Aquarienfische und Planzen in Budapester Thermalwässern. DGLZ-Rundschau (2): 28-30
 R. Borowsky (1973): Melanomas in Xiphophorus variatus (Pisces, Poeciliidae) in the absence of hybridization. Cellular and Molecular Life Sciences (11): 1431-1433
 R. Borowsky (1973): Relative size and the development of fin coloration in Xiphophorus variatus. Physiological Zoology (1): 22-28
 R. Borowsky (1978): Social inhibition of maturation in natural populations of Xiphophorus variatus. Science (4359): 933-935
 R. Borowsky (1978): The tailspot polymorphism of Xiphophorus (Pisces: Poeciliidae). Evolution (4): 886-893
 R. Borowsky (1981): Tailspots of Xiphophorus and the evolution of conspicuous polymorphism. Evolution (2): 345-358
 R. Borowsky (1984): The evolutionary genetics of Xiphophorus. in: Turner, Bruce J. Evolutionary Genetics of Fishes (): 235-310
 R. Borowsky (1987): Genetic polymorphism in adult male size in Xiphophorus variatus. Copeia (3): 782-787
 R. Borowsky (1987): Agonistic behavior and social inhibition of maturation in fishes of the genus Xiphophorus (Poeciliidae). Copeia (3): 792-796
 R. Borowsky (1990): Habitat choice by allelic variants in Xiphophorus variatus (Pisces: Poeciliidae) and implications for maintenance of genetic polymorphism. Evolution (5): 1338-1345
 R. Borowsky (1997): Sangre De Cristo and Argent: new color varieties of platyfish. Tropical Fish Hobbyist (June): 123-134
 R. Borowsky & J. Diffley (1981): Synchronized maturation and breeding in natural populations of Xiphophorus variatus. Environmental Biology of Fishes (1): 49-51
 R. Borowsky & J. Khouri (1976): Patterns of mating in natural populations of Xiphophorus II. X. variatus from Tamaulipas, Mexico. Copeia (4): 727-734
 R. Borowsky & K.D. Kallman (1995): Energy storage and pigmentation polymorphism in Xiphophorus variatus (Teleostei: Poeciliidae). Physiological Zoology (5): 772-782
 M.P. Brewer (1981): Red tailed black hi-fin variatus. Livebearers (58): 10-10
 K. Chen & R.L. Borowsky (2004): Comparative phylogeography of Xiphophorus variatus and Heterandria jonesi using RAPD data. Ichthyol. Explor. Freshwaters (1): 25-40
 C. Clapsaddle (1983): Observations on cold resistance in livebearers. Livebearers (68): 7-8
 C. Clapsaddle (2013): Life with livebearers Raising and showing show-quality livebearers. Tropical Fish Hobbyist (5): 34-37
 C. Clapsaddle (2013): ALA show standards: it is time. Livebearers (218): 8-9
 C. Clapsaddle (2014): Life with livebearers. No genetics required. Tropical Fish Hobbyist (2): 30-32
 C. Clapsaddle (2015): Life with livebearers Swordtail/Variatus hybrids. Tropical Fish Hobbyist (3): 26-28
 G.M. Clayton & D.J. Price (1992): Interspecific and intraspecific variation in resistance to ichtyophthiriasis among poeciliid and goodeid fishes. Journal of Fish Biology (40): 445-453

Livebearer Literature List 202201

- G.M. Clayton & D.J. Price (1994): Heterosis in resistance to Ichthyophthirius multifiliis infections in poeciliid fish. *Journal of Fish Biology* (44): 59-66
- T. Coletti (2010): Livebearers unlimited. The northern platies... and a new species?. *Tropical Fish Hobbyist* (1): 32-34
- T. Coletti (2013): My summer with livebearers. *Livebearer News* (221): 16-19
- Z. Culumber (2015): Variation in the evolutionary integration of melanism with behavioral and physiological traits in *Xiphophorus variatus*. *Evol Ecol* (): -
- Z. Culumber (2016): Variation in the evolutionary integration of melanism with behavioral and physiological traits in *Xiphophorus variatus*. *Evol Ecol* (30): 9-20
- Z.W. Culumber & G.G. Rosenthal (2013): Mating preferences do not maintain the tailspot polymorphism in the platyfish, *Xiphophorus variatus*. *Behavioral Ecology* (6): 1286-1291
- Z.W. Culumber & M. Tobler (2016): Spatiotemporal environmental heterogeneity and the maintenance of the tailspot polymorphism in the variable platyfish (*Xiphophorus variatus*). *Evolution* (2): 408-419
- Z.W. Culumber & S. Monks (2014): Does fin coloration signal social status in a dominance hierarchy of the livebearing fish *Xiphophorus variatus*? *Behavioural Processes* (107): 158-162
- Z.W. Culumber & S. Monks (2014): Resilience to extreme temperature events: acclimation capacity and body condition of a polymorphic fish in response to thermal stress. *Biological Journal of the Linnean Society* (111): 504-510
- Z.W. Culumber et al (2014): Environmental heterogeneity generates opposite gene-by-environment interactions for two fitness-related traits with a population. *Evolution* (2): 541-550
- Z.W. Culumber, C.E. Buatista-Hernández & S. Monks (2014): Physiological stress and the maintenance of adaptive genetic variation in a livebearing fish. *Evol Ecol* (28): 117-129
- I. Dibble (2000): Fish Ark Project - Mexico. *Viviparous* (48): 5-10
- V. Diekmann (2010): Der Fisch in der Tonne. *DGLZ-Rundschau* (4): 115-117
- P. Duyff (1953): Iets over het geslacht Xiphophorus. *Het Aquarium* (4): 80-83
- A.N. Eastis, K.M. Fast & M.W. Sandel (2021): The complete mitochondrial genome of the Variable Platypfish *Xiphophorus variatus*. *Mitochondrial DNA Part B* (9): 2640-2642
- S. Evans (1972): Livebearers found in continental U.S. waters. *Livebearers* (4): 11-12
- A.A. Fernando (1991): Diets and feeding regimes of Poeciliid fishes in Singapore. *Asian Fisheries Science* (4): 99-107
- H.S. Fisher & G.G. Rosenthal (2009): Relative abundance of Xiphophorus fishes and its effect on sexual communication. *Ethology* (116): 32-38
- H.S. Fisher & G.G. Rosenthal (2010): Relative abundance of Xiphophorus fishes and its effect on sexual communication. *Ethology* (116): 32-38
- D. Franck (1970): Verhaltensgenetische Untersuchungen an Artbastarden der Gattung Xiphophorus (Pisces). *Z. Tierpsychol.* (1): 1-34
- K. Gentz (1970): Über die Hochflossenformen der Papageienplaty. *Aquarien Terrarien* (7): 240-240
- D. Gentzsch (1982): Die Zucht des Lyratailplaty. *Aquarien Terrarien* (8): 269-271
- D. Gentzsch (1985): Sommerhaltung von drei Wildformen in Gewächshaus. *ZAG Lebendgebärende Zahnkarpfen* (1): 6-7
- D. Gentzsch (1987): Zum Wurfrhythmus bei Lebendgebärenden Zahnkarpfen. *Aquarien Terrarien* (11): 378-380
- D. Gentzsch (1996): Einige Bemerkungen zum Lyra-Platy und Lyra-Variatus. *DGLZ-Rundschau* (4): 82-84
- D. Gentzsch (2004): The lyretail platy has been in Saxony (Germany) since 1981. *Livebearer News* (6): 12-16
- D. Gentzsch (2004): Den Lyratail-Platy gibt es bereits seit 1981 in Sachsen. *DGLZ-Rundschau* (3): 70-74
- D. Gentzsch (2017): Lebendgebärenden Zahnkarpfen: Taxonomie von Zuchtformen. *VDA-aktuell* (4): 34-36
- D. Gentzsch (2019): Die Geschichte der Xiphophorus-Zuchtformen und ihr Standard. *Aquaristik Fachmagazin* (5): 6-32
- M. Gibbs (1985): What are we doing?. *Livebearers* (79): 6-6
- M. Gordon (1953): The ecological niche of the Pygmy swordtail, *Xiphophorus Pygmaeus*, in the Rio Axtla, Mexico. *Copeia* (3): 148-150
- M. Gordon (1956): Platiés. A guide to the selection, care and breeding of platies. *T.F.H.* (): -24
- M. Gordon (1993): Search for the pygmy swordtail. *Livebearers* (127): 4-10
- M.S. Gordon & D.E. Rosen (1951): Genetics of species differences in the morphology of the male genitalia of Xiphophorin fishes. *Bulletin American Museum of Natural History* (95): 409-464
- M. Gordon & P. Benzer (1945): Sexual dimorphism in the skeletal elements of the gonopodial suspensoria in Xiphophorin fishes. *Zoologica* (2): 57-72
- R. & D. Graham (1984): Raising platies for shows. *Livebearers* (73): 5-6
- S.E. Halnes & J.L. Gould (1994): Female platys prefer long tails. *Nature* (370): 512-512
- D. Harper (2014): Pretty platies. *Popular Fishkeeping* (Summer): 8-13
- T. Hayes (1975): The marigold lyretail swordtail. *Livebearers* (20): 1-2
- R. Hendrix (1995): *Xiphophorus variatus*, de hoogvin-platy. *Poecilia Nieuws* (5): 90-91
- G. Hermann (1968): Beobachtungen bei X. variatus. *Aquarien Terrarien* (4): 136-136
- R.J. Herrera (1979): Preferential gene expression of an amylase allele in interspecific hybrids in *Xiphophorus* (Pisces: Poeciliidae). *Biochemical Genetics* (3/4): 223-227
- M. Heußen (2015): Beeinflusst die Form des Schwanzwurzelflecks die Partnerwahl bei *Xiphophorus variatus*? *Das Lebendgebärenden Magazin* (2): 45-45
- N. Hill (2014): Fish of the month: Platy. *Practical Fishkeeping* (9): 6-10
- G. Hoogervorst (1957): Slootinfusie ook voor levendbarenden!. *Het Aquarium* (11): 259-259
- J.C. Jones et al (2013): The evolutionary history of *Xiphophorus* fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. *Molecular Ecology* (22): 2986-3001
- K. de Jong (1989): *Xiphophorus couchianus* (Girard, 1859). In de natuur uitgestorven. *Poecilia Nieuws* (6): 0-2
- K. de Jong (1990): De papegaaiplaty, *Xiphophorus variatus* 'Cuantitlan Izcalli'. *Poecilia Nieuws* (4): 64-66
- K. de Jong (2003): Op zoek naar zwaarddragers in Mexico 2002. *Poecilia Nieuws* (4): 54-68

Livebearer Literature List 202201

- K. de Jong (2009): Charles Darwin en Xiphophorus variatus. Poecilia Nieuws (2): 13-16
K. de Jong (2016): Xiphophorus variatus (Meek, 1904). Poecilia Nieuws Atlas (): -
K. de Jong (2018): Charles Darwin en Xiphophorus variatus. Het Aquarium (1): 7-10
K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Het Aquarium (8): 62-66
S. de Jong (2019): Xiphophorus variatus La laguna een kleurreijke wild platyvorm. Poecilia Nieuws (4): 21-25
K. de Jong (2019): De invloed van temperatuur op de geslachtsverhouding bij levendbarende tandkarpers. Poecilia Nieuws (2): 8-13
B. Kabbes (1999): Een frisse neus halen. Poecilia Nieuws (4): 72-75
D. Kaden (1968): Mein Weg zu hochflossigen Platies. Aquarien Terrarien (7): 224-225
K. D. Kallman (1989): Genetic Control of Size at Maturity in Xiphophorus. Ecology & Evolution of Livebearing Fishes (Poeciliidae) (): 163-184
K.D. Kallman & R. Borowsky (1972): The genetics of gonopodial polymorphism in two species of poecilid fish. Heredity (28): 297-310
S. Kazianis et al (1996): Genetic mapping in Xiphophorus hybrid fish: assignment of 43 AP-PCR/RAPD and isozyme markers to multipoint linkage groups. Genome Research (6): 280-289
H. Koch (1964): Einiges zur Vererbung an Hand meiner Platyzucht. ZAG Lebendgebärende Zahnkarpfen (4): 6-10
M. Köck (2013): Mit und ohne Schwert: Die Gattung Xiphophorus Teil 3: Die Platys. Das Lebendgebärenden Magazin (2): 9-20
M. Köck (2014): Met en zonder zwaard: Het geslacht Xiphophorus deel 3 de platy's. Poecilia Nieuws (3): 21-41
I. Kristensen (1957): De geslachtsomkeer bij levendbarenden. Het Aquarium (6): 124-127
D. Lambert (1995): Perfect platies. Viviparous (31): 0-
D. Lambert (1996): The livebearer world: my favorite variatus platy. Tropical Fish Hobbyist (): 100-104
R. Levine (2007): Why it's so difficult to obtain great hi-fins. Livebearers (194): 8-16
G. Lübon & Harro Hieronimus (1991): Schwarze Zeichnungsmuster bei Xiphophorus Zuchtformen. DGLZ-Rundschau (2): 37-38
J. Lyons (2019): Livebearers: good and bad. Livebearers (244/245): 13-16
A. Maceda-Veiga & J. Cable (2001): Diseased fish in the freshwater trade: from retailers to private aquarists. Diseases of Aquatic Organisms (132): 157-162
R.D. MacLaren, J. Gagnon & R. He (2011): Female bias for enlarged male body and dorsal fins in Xiphophorus variatus. Behavioural Processes (87): 197-202
H.J.N. van Marksveld (1954): Ei-levendbarenden. Waterweelde (januari): 169-170
E.W.C. McAllister (1973): Avoidance conditioning in two species of platy (Xiphophorus maculatus and Xiphophorus variatus). Bull. Psychon. Soc. (6A): 389-390
S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
L. van der Meer & K. de Jong (2005): Xiphophorus variatus (Meek, 1904). Poecilia Nieuws (3): 27-28
D.E. Mefford (1988): Ruby nose variatus. Livebearers (100): 18-18
D.E. Mefford (1988): What is a good hifin platy?. Livebearers (102): 18-19
D.E. Mefford (1989): Hifin rubynose variatus. Livebearers (108): 20-20
D.E. Mefford (1990): Wide plumbtails?. Livebearers (111): 26-27
D.E. Mefford (1990): Plumetail problems. Livebearers (114): 12-13
D.E. Mefford (1991): Rubynose variatus plumbetails. Livebearers (119): 20-20
D.E. Mefford (1993): Albino variatus platies. Livebearers (129): 5-6
D.E. Mefford (1993): Albino variatus platy. Livebearers (131): 16-16
D.E. Mefford (1994): Fancy variatus. Livebearers (136): 10-11
D.E. Mefford (1996): Platies: Low-fins from hi-fin stock. Livebearers (144): 8-8
D.E. Mefford (1996): Culling to maintain good hi-fin variatus. Livebearers (142): 3-3
D.E. Mefford (1997): Breeding Hi-fin variatus platies. Livebearers (145): 8-10
D.E. Mefford (1997): Fancy platies: differentiation between maculatus and variatus. Livebearers (146): 22-23
D.E. Mefford (1997): Fancy platies.. hybrids?. Livebearers (149): 4-5
D.E. Mefford (1997): Quality hifin variatus. Livebearers (148): 5-6
D.E. Mefford (1997): Blue variatus. Livebearers (146): 6-6
D.E. Mefford (1998): Lowfin offspring from hifin stock. Livebearers (152): 19-20
D.E. Mefford (1998): Problems Crossing Strains. Livebearers (151): 18-18
D.E. Mefford (1999): Basic color strains of fancy Variatus. Livebearers (155): 29-30
D.E. Mefford (2006): Memoirs of a fancy Xiphophorus specialist. Tropical Fish Hobbyist (april): 9-10
D.E. Mefford (2009): Fancy Xiphophorus Facts and fiction. Livebearers (204): 34-37
D.E. Mefford (2013): Developing an albino Variatus. Livebearers (220): 12-13
K.-E. Meise (1970): Inzuchterscheinungen bei hochflossige Platies. Aquarien Terrarien (7): 240-241

- N. Mercado-Silva et al. (2006): Long-term changes in the fish assemblage of the Laja River, Guanajuato, central Mexico. *Aquatic Conservation: marine and freshwater ecosystems* (16): 533-546
- M.K. Meyer (1983): Xiphophorus-Hybriden aus Nord-Mexiko, mit einer Revision der Taxa *X. kosszanderi* und *X. roseni*. *Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden* (18): 285-291
- M.K. Meyer (1986): Lebendgebärende Aquarienfische vom Rio Axtla in Mexiko. *DATZ* (2): 61-64
- M.K. Meyer (1986): Levendbarende tandkarpers van de Rio Coy in Mexico. *TTH* (46): 6-9
- M.K. Meyer & L. Wischnath (1981): Zwei neue Xiphophorus-Arten aus Neuvo Leon, Mexiko. *Aquaria* (28): 129-134
- J. Moar (1997): Xiphophorus maculatus and Xiphophorus variatus. *Livebearers* (147): 20-23
- A. Morales (1981): Combination plumetail & highfin. *Livebearers* (60): 12-14
- H. Mulder (1938): Bij de kleurplaat van Platypoecilus variatus Meek.. *Aqua Terra* (10): 182-183
- A. van den Nieuwenhuizen (1965): Importen voor de lens. *Het Aquarium* (1): 8-11
- R.F. Nigrelli & M. Gordon (1951): Spontaneous neoplasms in fishes. V. Acaninar adenocarcinoma of the pancreas in a hybrid platyfish. *(6)*: 121-125
- J. Norton (1972): Breeding lyretail platys. *Livebearers* (1): 6-9
- J. Norton (1972): Comments on Kuniimoto's veiltail Xiphophorus. *Livebearers* (6): 7-11
- J. Norton (1973): Red-eyed and black-eyed platies. *Livebearers* (9): 6-7
- J. Norton (1990): Breeding lyretail platies. *Livebearers* (114): 29-33
- J. Norton (1992): Red-eyed and black-eyed platies. *Livebearers* (121): 14-16
- J. Norton (1996): Breeding lyretail platies. *Livebearers* (141): 31-34
- J. Norton (2002): Breeding lyretail platies. *Livebearer News* (2): 15-18
- H. Obregón-Barboza, S. Contreras-Balderas & M. Lozano-Vilano (1994): The fishes of northern and central Veracruz, Mexico. *Hydrobiologica* (286): 79-95
- R. Olcott (1975): Scientis in the fish room...again. *Livebearers* (19): 14-16
- H.-A. Pederzani (1967): Wie erziele ich neue Platy-Zuchtformen?. *Aquarien Terrarien* (3): 76-81
- H.-A. Pederzani (1968): Zur Beurteilung der Rückenflossenform bei hochflossigen Xiphophoriden. *Aquarien Terrarien* (2): 46-47
- H.-A. Pederzani (1982): Xiphos bewerten - so oder so?. *Aquarien Terrarien* (5): 150-151
- Pederzani/Stallknecht (1966): Xiphophorus variatus - Albino. *Aquarien Terrarien* (7): 241-241
- H.-W. Pelz (1972): III. Internationale Xiphoschau in Nordhausen. *Aquarien Terrarien* (4): 136-138
- K. Pfand (1972): Einheitliche Bewertungsrichtlinien für Xiphos. *Aquarien Terrarien* (1): 28-28
- M. Plath et al (2007): Sexual harassment in live-bearing fishes (Poeciliidae): comparing courting and noncourting species. *Behavioral Ecology* (March): 680-688
- A. Rachow (1937): Platypoecilus variatus S.E. Meek. Die Aquarienfische in Wort und Bild (editors: M. Holly, H. Meinken & A. Rachow (18Cc)): 145-147
- A.C. Radda (1982): Synopsis der Gattung Xiphophorus Heckel. *DGLZ-Rundschau* (2): 25-30
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, I. Reisen 1978 u. 1979. *DGLZ-Rundschau* (2): 12-21
- C. van de Sande (1987): Een verzamelreis naar Guatemala II. *Poecilia Nieuws* (3): 46-48
- A. Savastio (1994): Re-establishment of the blue variatus. *Livebearers* (138): 18-19
- F.F. Schmidt (1978): Mexico - een vissenparadijs. *Het Aquarium* (5): 121-125
- G. Schramm (1994): Lyretail-Variatus. *DGLZ-Rundschau* (1): 12-13
- G. Schramm (1997): Xiphophorus Zuchtformen aus der Sicht des Züchters. *DGLZ-Rundschau* (4): 83-86
- G. Schramm (1999): Neue Zuchtformen bei den Xiphophorus-Arten. *DGLZ-Rundschau* (4): 75-77
- M. Schwab (1982): Genome organization in Xiphophorus (Poeciliidae; Telostei). *Molec. Gen. Genetics* (188): 410-417
- A.F.J.R.B. Sloet tot Everlo (1948): Platypoecilus variatus Meek 1904. *Het Aquarium* (1): 1-2
- D. Speirs (1990): Churchill's platies. *Livebearers* (109): 5-6
- D. Speirs (1993): No gene is an island. *Livebearers* (129): 15-16
- H. Stallknecht (1968): Zur Beurteilung der Rückenflossen bei hochflossigen Xiphophoriden II. *Aquarien Terrarien* (3): 80-81
- H. Stallknecht (1968): Ethologie hilft richten. *Aquarien Terrarien* (6): 204-205
- H. Stallknecht (1977): Die "Goldbank" Ein Tip für den Xipho-Züchter. *Aquarien Terrarien* (12): 412-413
- H. Stallknecht (1981): Ein Xipho-hybrid. *Aquarien Terrarien* (6): 187-187
- H. Stallknecht (1983): Xiphophorus (variatus ?) xiphidium - Ein Beitrag zur Kenntnis des Schwertplaty. *Aquarien Terrarien* (9): 304-306
- H. Stallknecht (1989): Papageienkärpfinge Ein Rückblick nach 40 Jahren 2. *Aquarien Terrarien* (6): 193-195
- H. Stallknecht (1989): Papageienkärpfinge Ein Rückblick nach 40 Jahren 1. *Aquarien Terrarien* (5): 154-156
- H. Stallknecht (1989): Papageienkärpfinge Ein Rückblick nach 40 Jahren. *Aquarien Terrarien* (5): 154-156
- F.H. Stoye (1998): The fishes of the order Cyprinodontes part 3. The livebearers. *Livebearers* (153): 21-31
- G. Takeshita (1972): Kuniimoto's hi-fin veiltail sword x variatus hybrids. *Livebearers* (6): 3-6

- G. Takeshita (1972): The status of the Lyretail platy in Hawaii. Livebearers (1): 2-5
G. Takeshita (1984): Artificial insemination of fancy swords, variatus & moons. Livebearers (73): 3-5
G. Takeshita (1990): The status of the lyretail platy in Hawaii. Livebearers (113): 4-8
G. Takeshita (1996): The status of the lyretail platy in Hawaii. Livebearers (141): 27-30
G. Takeshita (2000): The present status of fancy livebearers in Hawaii. Livebearers (162): 13-15
W.N. Tavolga (1949): Embryonic development of the platyfish (*Platypoecilus*), the swordtail (*Xiphophorus*) and their hybrids. Bulletin American Museum of Natural History (94): 161-230
W.C. Terry (1987): The platy corner. Livebearers (93): 3-6
S. Teutloff (1985): Ein Sommer im Freiland. ZAG Lebendgebärende Zahnkarpfen (4): 1-4
M. Tobler (2018): Just ask a scientist!. Livebearers (240): 15-17
M. Trauzettel (1988): Gefleckte Zeichnungsmuster(s). ZAG Lebendgebärende Zahnkarpfen (3): 7-8
M. Trauzettel (1991): Geschlechtsgebundene Vererbung bei *Xiphophorus*-Zuchtformen. DGLZ-Rundschau (2): 35-36
K.W. Trochu (209): hybrids. Livebearers (243): 12-17
K.W. Trochu (2013): Insaiissable platy albinos!. Le Vivipare (119): 8-12
K.W. Trochu (2013): To be or not to be (hi-fin). Livebearers (219): 11-12
K.W. Trochu (2016): Cultivated strains of *Xiphophorus variatus* and it's hybrids..... yet again. Livebearers (231): 5-8
M. Vanderwalmen et al (2020): Effect of a water conditioner on ornamental fish behaviour during commercial transport. Aquaculture (514): 1-9
R. Weber & M. Meyer (1993): Hochflosser und andere Formen bei *Xiphophorus variatus*. Das Aquarium (februar): 21-
H. Wilson (1976): If you can't afford to buy it, cross it. The results may tickle you pink. Livebearers (30): 4-5
F. Winter (2020): Levendbarende vissen in het aquarium - een ondergewaardeerde groep-. Het Aquarium (8): 48-55
L. Wischnath (1982): Wildvormen van platy's. TTH (30): 6-9
L. Wischnath (1996): De kweekvormen van het geslacht *Xiphophorus* Deel 2. Het Aquarium (6): 155-158
L. Wischnath (1996): Wildvormen van het geslacht *Xiphophorus* deel 3 - platy's. Het Aquarium (1): 7-9
O. Wojtkowiak (2016): Creating another color variety of variatus. Livebearers (233): 5-6
B.M. Wong, H.S. Fisher & G.G. Rosenthal (2005): Species recognition by male swordtails via chemical cues. Behavioral Ecology (april): 818-822

Xiphophorus xiphidium (Gordon, 1932)

- O. Böhm (1978): Erleben die Wildformen Lebendgebärender Zahnkarpfen einen neuen Frühling?. Aquarien Magazin (9): 432-436
R. Borowsky (1984): The evolutionary genetics of *Xiphophorus*. in: Turner, Bruce J. Evolutionary Genetics of Fishes (): 235-310
C. Cheswright (0): A Christmas trip to Mexico. Viviparous (42): 0-
T. Coletti (2010): Livebearers unlimited. The northern platies... and a new species?. Tropical Fish Hobbyist (1): 32-34
G. Daul (1979): *Xiphophorus xiphidium*, platys met een zwaard. TTH (19): 0-1
I. Dibble (2008): Monterrey to Morelia, Mexico 2006. Livebearers (203): 12-25
V. Diekmann (2009): Aquarienbedingte Verhaltensweisen - Beobachtungen bei *Xiphophorus xiphidium*. DGLZ-Rundschau (4): 106-109
V. Elek (1978): *Xiphophorus xiphidium*, een zeldzame gast. Het Aquarium (1): 6-7
H. Flöthmann (2007): Aquarienbedingte Aggressionen und Verhaltensweisen Lebendgebärender. DGLZ-Rundschau (2): 64-67
D. Franck (1970): Verhaltungsgenetische Untersuchungen an Artbastarden der Gattung *Xiphophorus* (Pisces). Z. Tierpsychol. (1): 1-34
M. Gordon (1932): Dr. Myron Gordon going on expedition. Aquatic Life (15): 287-288
M. Gordon (1956): Platies. A guide to the selection, care and breeding of platies. T.F.H. (): -24
M.S. Gordon & D.E. Rosen (1951): Genetics of species differences in the morphology of the male genitalia of Xiphophorin fishes. Bulletin American Museum of Natural History (95): 409-464
M. Gordon & P. Benzer (1945): Sexual dimorphism in the skeletal elements of the gonopodial suspensoria in Xiphophorin fishes. Zoologica (2): 57-72
M. Gordon, H. Cohen & R.F. Nigrelli (1943): A hormone-produced taxonomic character in *Platypoecilus maculatus* Diagnostic of wild P. *xiphidium*. The American Naturalist (773): 569-572
P. Hartman (1989): The picoted Goodeid *Zoogoneticus quitzeoensis*. Livebearers (103): 6-8
H. Hieronymus (1990): Zu einigen Fragen der Erstbeschreiber im Buch "Lebendgebärende Zierfische" von Meyer, Wischnath & Förster. DGLZ-Rundschau (3): 21-22
J.C. Jones et al (2013): The evolutionary history of *Xiphophorus* fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. Molecular Ecology (22): 2986-3001
J. Keulemans (1999): *Xiphophorus xiphidium*. Aquariumwereld (7-8): 194-195
M. Köck (2013): Mit und ohne Schwert: Die Gattung *Xiphophorus* Teil 3: Die Platys. Das Lebendgebärenden Magazin (2): 9-20
M. Köck (2014): Met en zonder zwaard: Het geslacht *Xiphophorus* deel 3 de platy's. Poecilia Nieuws (3): 21-41
D. Lambert (0): *Xiphophorus xiphidium* - A truly polymorphic fish. Viviparous (42): 0-
D. Lambert (0): *Xiphophorus xiphidium* (Gordon, 1932). Viviparous (9): 0-1

Livebearer Literature List 202201

- J.K. Langhammer (1999): New Phylogenetic relationships proposed for Xiphophorine species. Livebearers (155): 27-28
- L.Z. de Liefde (1996): Xiphophorus 'kosszanderi' of toch X. xiphidium. Poecilia Nieuws (1): 16-22
- L.Z. de Liefde (1997): Hybriden van Xiphophorus xiphidium en Xiphophorus maculatus. Poecilia Nieuws (1): 10-15
- L.Z. de Liefde (1999): Het Sunset-plaatje: Xiphophorus var. "Sunset. Poecilia Nieuws (6): 113-114
- L.Z. de Liefde (2008): Xiphophorus xiphidium (Gordon, 1932). Poecilia Nieuws (3): 22-23
- M.K. Meyer (1983): Xiphophorus-Hybriden aus Nord-Mexiko, mit einer Revision der Taxa X. kosszanderi und X. roseni. Zoologische Abhandlungen, Staatliches Museum für Tierkunde Dresden (18): 285-291
- M.K. Meyer & L. Wischnath (1981): Zwei neue Xiphophorus-Arten aus Neuvo Leon, Mexiko. Aquaria (28): 129-134
- J. de Moree (2005): Xiphophorus xiphidium. Poecilia Nieuws (3): 29-30
- K. Neidert (1975): Xiphophorus xiphidium - een aardige, zelden gehouden soort. TTH (1): 16-16
- R.F. Nigrelli & M. Gordon (1951): Spontaneous neoplasms in fishes. V. Ancinar adenocarcinoma of the pancreas in a hybrid platyfish. (6): 121-125
- H.-W. Pelz (1958): Ein selten gepflepter Lebendgebärender: Xiphophorus (Platypoecilus) xiphidium Hubbs und Gordon. Aquarien Terrarien (): 0-
- A.C. Radda (1982): Synopsis der Gattung Xiphophorus Heckel. DGLZ-Rundschau (2): 25-30
- M. Rejlková (2020): Lebendgebärende von Tamaulipas. Das Lebendgebärenden Magazin (1): 30-35
- J. Sabisch (2002): Die Gattung Xiphophorus hat viel mehr zu bieten als den Schwerträger und den Platyp. Das Aquarium (3): 22-25
- A. Scholl (1974): Biochemical evolution in the genus Xiphophorus (Poeciliidae, Teleostei). Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer Verlag 1973 (): 277-299
- A. Scholl & F. Anders (1974): Tissue-specific preferential expression of the Xiphophorus xiphidium allele for 6-phosphogluconate dehydrogenase in interspecific hybrids of platyfish (Poeciliidae, Teleostei). Genetics and mutagenesis of fish (ed. J.H. Schröder) Springer
- C. Sciarone (1992): Het zwaardplaty, Xiphophorus xiphidium (Gordon, 1932). Poecilia Nieuws (6): 5-6
- C. Sciarone (1992): Xiphophorus xiphidium (Gordon, 1932). Picasso onder water (): 0-
- H. Stallknecht (1983): Xiphophorus (variatus?) xiphidium - Ein Beitrag zur Kenntnis des Schwertplatys. Aquarien Terrarien (9): 304-306
- H. Stallknecht (1984): Xiphophorus (variatus?) Xiphidium - Ein Beitrag zur Kenntnis des Schwertplatys. DGLZ-Rundschau (1): 18-18
- H. Stallknecht (1984): Xiphophorus xiphidium - fundort vorläufig fraglich. Aquarien Terrarien (9): 315-315
- K.-H. Stein (1964): Namensänderungen bei Lebendgebärenden Zahnkarpfen (Poeciliidae). ZAG Lebendgebärende Zahnkarpfen (4): 5-6
- G. Streibel (1982): Freilandhärtung einiger lebendgebärender Zahnkarpfen. DGLZ-Rundschau (4): 64-65
- W.N. Tavolga (1949): Embryonic development of the platyfish (Platypoecilus), the swordtail (Xiphophorus) and their hybrids. Bulletin American Museum of Natural History (94): 161-230
- K.W. Trochu (2015): Going wild four times over. Livebearers (229): 8-11
- L. Wischnath (1982): Xiphophorus xiphidium Gordon 1932. Het Aquarium (10): 285-286
- L. Wischnath (1994): Wildformen Lebendgebärender Zahnkarpfen Teil 1: Guppy, Platys und Gambusen. Das Aquarium (299): 16-19
- L. Wischnath (1996): Wildvormen van het geslacht Xiphophorus deel 3 - platy's. Het Aquarium (1): 7-9

Zenarchopterus sp

- N.C. Aschliman, I.R. Tibbets & B.B. Colette (2005): Relationships of sauries and needlefishes to the internally fertilizing halfbeaks (Zenarchopteridae) based on the pharyngeal jaw apparatus. Proceedings of the Biological Society of Washington (2): 416-427
- H. Fowler (1933): Descriptions of new fishes obtained 1907 to 1910, chiefly in the Philippine islands and adjacent seas. Proc. Acad. Nat. Sci. Phila. (85): 233-367
- H. Fowler (1937): Zoological results of the third Schauensee Siamese expedition. Part VIII: Fishes obtained in 1936. Proc. Acad. Nat. Sci. Phila. (89): 125-264
- H.J. Grier & B.B. Colette (1987): Unique spermatozeugmata in testes of halfbeaks of the genus Zenarchopterus (Teleostei: Hemirhamphidae). Copeia (2): 300-311
- H. Hieronimus (2001): Halbschnäbler - einmal anders. Aquaristik-Aktuell (3-4): 66-69
- H. Hieronimus (2013): Neues bei Halbschnäblern. DGLZ-Rundschau (2): 58-59
- J. Huylebrouck (2014): Viviparous halfbeaks of the family Zenarchopteridae. Amazonas (jan/feb): 20-28
- B.G.M. Jamieson & H.J. Grier (1993): Influence of phylogenetic position and fertilization biology on spermatozoal ultrastructure exemplified by exocoetoid and poeciliid fish. Hydrobiologia (271): 11-25
- B.G.M. Jamieson & H.J. Grier (1993): Influences of phylogenetic position and fertilization biology on spermatozoal ultrastructure exemplified by exocoetoid and poeciliid fish. Hydrobiologia (271): 11-25
- U. Körber (1990): Ein Halbschnabelhecht der Gattung Zenarchopterus. DATZ (5): 276-277
- M. Kottelat & K.K.P. Lim (1994): Mating behavior of Zenarchopterus gilli and Zenarchopterus buffonis and function of the modified dorsal and anal fin rays in some species of Zenarchopterus (Teleostei: Hemiramphidae). Copeia (4): 1097-1101
- J.K. Langhammer (0): The livebearing halfbeaks. Viviparous (18): 0-
- J.K. Langhammer (1985): The livebearing halfbeaks. Livebearers (80): 18-19
- N.V. Parin & D.A. Astakhov (1982): Studies on the acoustico-lateralis system of Beloniform fishes in connection with their systematics. Copeia (2): 276-291
- F. Schäfer (2015): Fischimporte aus Südostasien unter besonderer Berücksichtigung der Halbschnäbler. Das Lebendgebärenden Magazin (2): 18-28
- W.A. Tomey (2007): Halfsnavelbekken uit de volgelkop van Indonesisch Papua. Het Aquarium (4): 10-14
- P. Vandewalle, V. Lambert & E. Parmentier (2002): Particularities of the bucco-pharyngeal apparatus in Zenarchopterus kampeni and their probable significance in feeding. Belg. J. Zool. (2): 125-132
- J. Wiegert (2015): Halfbeaks: a whole lot of fun for the home aquarium. Tropical Fish Hobbyist (5): 48-52

Zoogeneticus purhepechus Domínguez-Domínguez, Pérez-Rodríguez & Ignacio 2008

- L. Boto, Domínguez-Domínguez & I. Doadrio (2011): Exploring the effect of microsatellite size homoplasy on reconstruction of phylogenetic relationships of picote splitfin Zoogeneticus quitzeoensis. *Journal of Fish Biology* (78): 673-679
- T. Coletti (2013): My summer with livebearers. *Livebearer News* (221): 16-19
- O. Domínguez-Domínguez, R. Pérez-Rodríguez & D. Ignacio (2008): Morphological and genetic comparative analyses of populations of Zoogeneticus quitezeoensis (Cyprinodontiformes: Goodeidae) from Central Mexico, with description of a new species. *Revista Mexicana*
- U. Dost (2000): In der Heimat des Flitterkäpfings Ameca splendens. *Aquaristik-Aktuell* (11-12): 56-59
- H. Hieronimus (2009): Aus eins mach zwei: eine neue Zoogeneticus-Art. *DGLZ-Rundschau* (1): 7-8
- K. de Jong (2009): Zoogeneticus purhepechus Domínguez-Domínguez, Pérez-Rodríguez & Doadrio, 2008. *Poecilia Nieuws* (2): 7-10
- K. de Jong (2014): Von Morelia bis Barra de Navidad. *Das Lebendgebärenden Magazin* (2): 18-25
- K. de Jong (2014): Mexico 2013, deel 3 Van Morelia naar Barra de Navidad en weer terug (1). *Poecilia Nieuws* (1): 11-17
- M. Kempkes (2016): Jalisco Eine Exkursion zu den Hochlandkäpflingen. *DATZ* (Oktober): 34-40
- M. Köck (2012): Von hinten aufgerollt: Die Goodeiden von Z bis A Die Gattung Zoogeneticus. *Das Lebendgebärenden Magazin* (1): 30-41
- M. Köck (2015): Hin und zurück - die Geschichte zweier Österreicher in Mexiko. *Das Lebendgebärenden Magazin* (2): 37-43
- F. Liberge (2018): Mexikanische Reise - auf der Suche nach Goodeiden - 2. Teil
- F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 3. Teil. *DGLZ-Rundschau* (1): 1-29
- F. Liberge (2019): Mexikanische Reise - auf der Suche nach Goodeiden - 4. Teil. *DGLZ-Rundschau* (3): 61-70
- F. Liberge (2021): Zoogeneticus purhepechus "Sayula 2016". *Das Lebendgebärenden Magazin* (2): 32-33
- F. Liberge (2021): Zoogeneticus purhepechus Domínguez-Domínguez, Perez- Rodriguez & Doadrio, 2008. *Das Lebendgebärenden Magazin* (2): 28-31
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- A. Ramírez-García et al (2020): Reproductive biology of three native livebearer fish species (Actinopterygii: Cyprinodontiformes: Goodeidae) in the Teuchitlán River, Mexico. *Acta ichthyologica et piscatoria* (1): 1-12
- G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. *Das Lebendgebärenden Magazin* (2): 8-23

Zoogeneticus quitzeoensis (Bean, 1898)

- T. Bauer (2007): Beobachtungen zur einfacher Unterscheidung von Weibchen einiger Goodeidenarten. *DGLZ-Rundschau* (1): 41-41
- B.A. Bean (1898): Notes on a collection of fishes from Mexico, with description of new species of Platypoecilus. *Proceedings of the National Museum* (1159): 539-542
- L. Boto & I. Doadrio (2003): Polymorphic microsatellites in two different species of the genus Zoogeneticus Meek, 1902. *Molecular Ecology Notes* (3): 70-72
- L. Boto, Domínguez-Domínguez & I. Doadrio (2011): Exploring the effect of microsatellite size homoplasy on reconstruction of phylogenetic relationships of picote splitfin Zoogeneticus quitzeoensis. *Journal of Fish Biology* (78): 673-679
- J.G.A. Caballos Corona et al (1994): Análisis limnológico de lago de Cuitzeo, Michoacan, Mexico. *Universidad Michoacana de San Nicolás de Hidalgo Facultad de Biología* (1): 1-45
- I. Dibble (0): Goodeid conservation project Diary 25th May to 6th June 1998. *Viviparous* (44): 0-
- I. Dibble (2000): Fish Ark Project - Mexico. *Viviparous* (49): 0-
- N. Dokoupil (1991): Der Goldsaum-Hochlandkäpfling Systematik und Aquarienerfahrungen. *Das Aquarium* (Juni): 12-11
- O. Domínguez-Domínguez et al (2007): Human impacts on drainages of the Mesa Central, Mexico, and its genetic effects on an endangered fish, Zoogeneticus quitzeoensis. *Conservation Biology* (1): 168-180
- O. Domínguez-Domínguez et al (2008): Evolutionary history of the endangered fish Zoogeneticus quitzeoensis (Bean, 1898) using a sequential approach to phylogeography based on mitochondrial and nuclear DNA data. *BMC Evolutionary Biology* (161): 0-
- O. Domínguez-Domínguez, R. Pérez-Rodríguez & D. Ignacio (2008): Morphological and genetic comparative analyses of populations of Zoogeneticus quitezeoensis (Cyprinodontiformes: Goodeidae) from Central Mexico, with description of a new species. *Revista Mexicana*
- K.-H. Eckhardt (1997): 5 bis 35° - Freilandhaltung von Juni bis Oktober. *DGLZ-Rundschau* (4): 77-79
- C. Grimes (1992): Casual success in summer ponds. *Livebearers* (121): 4-7
- A. Grieco (2009): Biodiversity, a case study - Zoogeneticus quitzeoensis. *Livebearer News* (28): 56-61
- R.M. Hamill et al (2007): Comparison of genetic diversity at microsatellite loci in near-extinct and non-endangered species of Mexican goodeine fishes and prediction of cross-amplification within the family. *Journal of Fish Biology* (70): 16-32
- P. Hartman (1989): The picoted Goodeid Zoogeneticus quitzeoensis. *Livebearers* (103): 6-8
- P. Hartman (1996): The picoted Goodeid Zoogeneticus quitzeoensis. *Livebearers* (144): 9-11
- F. Hollenberg & J.P. Wourms (1994): Ultrastructure and protein uptake of the embryonic trophotaenia of four species of goodeid fishes. *Journal of Morphology* (219): 105-129
- B. Iepenga (2001): Zomaar over vissies houden (Zoogeneticus quitzeoensis, Bean 1898), deel 5. *Poecilia Nieuws* (4): 66-72
- K. de Jong (2015): Das 4. Internationale Symposium über Lebendgebärende Fische und das GWG-Treffen in Morelia 2014. *Das Lebendgebärenden Magazin* (1): 34-38
- B. Kabbes (1999): Vangreis Brian en Simone Kabbes, Mexico 1998 Conclusies en bevindingen Familie Goodeidae. *Poecilia Nieuws* (2): 22-35
- B. Kabbes (2000): San Juan de los Arcos. *Poecilia Nieuws* (2): 20-26
- M. Kempkes (2007): Die aquaristisch bedeutsamen Goodeiden-Arten. *Aquaristik Fachmagazin* (197): 12-17
- M. Köck (2012): Von hinten aufgerollt: Die Goodeiden von Z bis A Die Gattung Zoogeneticus. *Das Lebendgebärenden Magazin* (1): 30-41
- P. Lambert (0): The lake of delights. *Viviparous* (4): 0-
- W.F. Langer (1913): Beiträge zur Morphologie der viviparen Cyprinodonten. *Gegenbaurs Morphologisches Jahrbuch. Zeitschrift für Anatomie und Entwicklungsgeschichte* (1-2): 193-307

- J.K. Langhammer (1982): The lost treasure of the Aztecs Part II - The elfin and sawfin Goodeids. Livebearers (65): 3-5
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). ZooKeys (885): 115-158
- M. Medina-Nava et al (2005): Conservation of two sites in central Mexico with a high diversity of livebearing fishes. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes. New Life Publications. Homestead Florida (): 499-504
- S.E. Meek (1902): A contribution to the ichthyology of Mexico. Field Columbian Museum - Zoology (6): 63-1128
- S.E. Meek (1904): The fresh water fishes of Mexico north of the Isthmus of Tehuantepec. Field Columbian Museum - Zoology (5): 1-252
- E. Meinema (1992): Die aus die kalte kommen. Poecilia Nieuws (4): 17-20
- R. Moncayo-Estrada et al. (2014): Status and trends in biotic integrity in a sub-tropical river drainage: analysis of the fish assemblage over a three decade period. River Res. Applic. (): -
- A.C. Radda (1986): Cyprinodonten vissen in Mexico 2. Poecilia Nieuws (2): 28-30
- A.C. Radda (1990): Studien an cyprinodonten Fischen in Mexico, 1. Reisen 1978 u. 1979. DGLZ-Rundschau (2): 12-21
- A. Ramírez-García & O. Domínguez-Domínguez (2019): Zacapu lake, a hot spot of native fishes. American Currents (Summer): 8-10
- A. Ramírez-García et al (2021): Reproductive cycle of native viviparous fish species (Actinopterygii: Cyprinodontiformes: Goodeidae) in a subtropical Mexican lake. Neotropical Ichthyology (4): 1-20
- A. Ramírez-García, R. Moncayo-Estrada, O. Domínguez-Domínguez (2020): Small lake, high biodiversity: Lake Zacapu, México. Livebearers (246): 12-15
- J.P. Ramírez-Herrejón et al (2010): Historical assessment of livebearing fishes in Zacapu Lake, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 476-479
- M.G. Ritchie et al (2007): Sex and differentiation: population genetic divergence and sexual dimorphism in Mexican goodeid fish. European Society for Evolutionary Biology (20): 2048-2055
- Z. Rodríguez Álvarez et al (2010): Current status of the viviparous fish species in the Cuitzeo basin of Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida (): 472-475
- A.J. Rothwell (0): Observations on spawning Zoogoneticus quitzeoensis. Viviparous (2): 0-
- C.I. Salazar-Tinoco, M. Medina-Nava & J.P. Ramírez-Herrejón (2010): Reproductive biology of the subfamily Goodeinae in La Mintzita Dam, Morelia, Michoacán, Mexico. In: M.C. Uribe & H.J. Grier (eds) Viviparous Fishes II. New Life Publications. Homestead Florida ():
- C. van de Sande (1998): Zoogoneticus quitzeoensis (Bean, 1898). Poecilia Nieuws (2): 23-26
- C. van de Sande (2003): Zoogoneticus quitzeoensis (Bean, 1898). Das Lebendgebärenden Magazin (3/4): 67-71
- J.F. Schindler & W.C. Hamlett (1993): Maternal-embryonic relations in viviparous teleosts. Journal of Experimental Biology (266): 378-393
- E. Schouten (2008): Zoogoneticus quitzeoensis Bean, 1898. Poecilia Nieuws (3): 58-59
- P. Schubert (1990): Bericht über eine erfolgreiche Zucht bei Zoogoneticus quitzeoensis. DGLZ-Rundschau (4): 11-13
- P. Schubert (1991): Der Goldsaum-Hochlandkärlpling Erfahrungen bei der Haltung und Zucht. Das Aquarium (Juni): 14-15
- P. Schubert (1991): Auslese und gezielte Zucht von Wildformen Lebendgebärender - Ja oder Nein?. DGLZ-Rundschau (1): 21-22
- P. Schubert (1992): Kannibalismus unter Lebendgebärenden - das Beispiel Zoogoneticus quitzeoensis. DGLZ-Rundschau (2): 38-40
- E. Soto-Galera et al (1998): Fish as indicators of environmental quality in the Río Lerma Basin, México. Aquatic Ecosystem Health and Management (1): 267-276
- E. Soto-Galera et al (1999): Change in fish fauna as indication of aquatic ecosystem condition in Río Grande de Morelia - Lago de Cuitzeo Basin, Mexico. Environmental Management (1): 133-140
- A. Stoll (1981): Weinigbekende levendbarende. Het Aquarium (10): 273-273
- E.C. Taylor (1984): Hooglandkarpers (vervolg). Poecilia Nieuws (3): 4-7
- A.T. Tveteraas (0): Collecting goodeids in the area near Morelia, Mexico. Viviparous (23): 0-
- S.A. Webb & R.R. Miller (1998): Zoogoneticus tequila, a new goodeid fish from the Ameca drainage of Mexico, and a rediagnosis of the genus. Occasional papers of the museum of zoology University of Michigan (725): 1-23
- L. Wischnath (1996): Hooglandkarpers uit Mexico. Het Aquarium (2): 32-36

Zoogoneticus tequila Webb & Miller 1998

- A. Arbuatti et al (2011): Contribution to the biology of the endangered Mexican fish, Zoogoneticus tequila, and suggestions for its indoor management. AACL Bioflux (5): 670-682
- A. Arbuatti et al (2013): Pathology survey on a captive-bred colony of the Mexican goodeid, nearly extinct in the wild, Zoogoneticus tequila (Webb & Miller 1998). The Scientific World Journal (): 1-6
- A. Arbuatti et al (2015): Contribution à la biologie d'une espèce mexicaine menacée, Zoogoneticus tequila, et suggestions quant à son élevage en captivité. Le Vivipare (124): 4-154
- K. Arnold (1997): Frustrations with the orange-crescent Goodeid. Livebearers (147): 32-33
- N.W. Bailey, C. Macías Garcia & M.G. Ritchie (2007): Beyond the point of no return? A comparison of genetic diversity in captive and wild populations of two nearly extinct species of Goodeid fish reveals that one is inbred in the wild. Heredity (98): 360-367
- T. Bauer (2007): Beobachtungen zur einfacher Unterscheidung von Weibchen einiger Goodeidenarten. DGLZ-Rundschau (1): 41-41
- L. Boto & I. Doadrio (2003): Polymorphic microsatellites in two different species of the genus Zoogoneticus Meek, 1902. Molecular Ecology Notes (3): 70-72
- M. Camacho-Cervantes et al (2014): Exotic invaders gain foraging benefits by shoaling with native fish. R. Soc. Open sci (1): 1-9
- T. Coletti (2010): Livebearers unlimited Six goodeids you should try this summer. Tropical Fish Hobbyist (May): 36-38
- T. Contreras-MacBeath et al (2014): Richness and endemism of the freshwater fishes of Mexico. Journal of Threatened Taxa (2): 5421-5433
- I. Dibble (0): Goodeid conservation project Diary 25th May to 6th June 1998. Viviparous (44): 0-
- O. Domínguez-Domínguez et al (2017): Zoogoneticus tequila ist seit dem 2. November wieder in der Wildernis. Das Lebendgebärenden Magazin (1): 36-36
- O. Domínguez-Domínguez et al (2017): Zoogoneticus tequila: back to the wild!. Livebearers (236): 19-21
- O. Domínguez-Domínguez et al (2018): Erfolg der Wiederansiedlung von Zoogoneticus tequila in seinen ursprünglichen Lebensraum. DGLZ-Rundschau (4): 151-157

Livebearer Literature List 202201

- O. Domínguez-Domínguez, R. Pérez-Rodríguez & D. Ignacio (2008): Morphological and genetic comparative analyses of populations of *Zoogoneticus quitezeoensis* (Cyprinodontiformes: Goodeidae) from Central Mexico, with description of a new species. *Revista Mexicana L.H. Escalera-Vázquez & L. Zambrano* (2010): Competition for food between invasive and native viviparous fishes. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 293-302
- L.H. Escalera-Vázquez et al (2019): Een succesvolle herintroductie van *Zoogoneticus tequila* in zijn natuurlijke omgeving. *Poecilia Nieuws* (2): 14-20
- C. Grist (2010): Viviparous fish programs at Chester Zoo. In: M.C. Uribe & H.J. Grier (eds) *Viviparous Fishes II*. New Life Publications. Homestead Florida (): 423-430
- R.M. Hamill et al (2007): Comparison of genetic diversity at microsatellite loci in near-extinct and non-endangered species of Mexican goodeine fishes and prediction of cross-amplification within the family. *Journal of Fish Biology* (70): 16-32
- P. Hartman (2018): Musings from an old fella. Thoughts from Guadalajara. *Livebearers* (241): 16-18
- H. Hieronimus (1998): *Zoogoneticus tequila*, ein neubeschriebener Hochlandkäpfpling. *DGLZ-Rundschau* (3): 56-57
- H. Hieronimus (2004): *Zoogoneticus tequila* wiederentdeckt. *DGLZ-Rundschau* (1): 10-11
- D. Hughes-Phillips (2011): Freilandhaltung von Goodeiden. *DGLZ-Rundschau* (1): 19-25
- K. de Jong (1994): Nieuwe soorten in Nederland. *Poecilia Nieuws* (4): 75-78
- B. Kabbes (1999): *Zoogoneticus tequila*, in de natuur uitgestorven?. *Poecilia Nieuws* (2): 42-45
- B. Kabbes (2000): Hij is niet dood, hij leeft! (maar hoe lang nog?). *Poecilia Nieuws* (1): 14-16
- B. Kabbes & M. Kempkes (1999): Geplantes Zuchtbuchprogramm zum Erhalt von *Zoogoneticus tequila* im Aquarium. *DGLZ-Rundschau* (1): 5-6
- B. Kabbes & M. Kempkes (1999): Plannen betreffende een kweekprogramma met *Zoogoneticus tequila*. *Poecilia Nieuws* (2): 45-46
- H. Kaper (1998): *Zoogoneticus tequila* (Webb en Miller, 1998). *Poecilia Nieuws* (5): 87-91
- M. Kempkes (1998): Interessante Beobachtungen zum agonistischen Verhalten und zum Erreichen der Geschlechtsreife beim Tequila-Käpfling. *DGLZ-Rundschau* (4): 81-82
- M. Kempkes (2000): Ein Jahr Zuchtbuchprojekt "Zoogoneticus tequila"-. *DGLZ-Rundschau* (2): 37-39
- M. Kempkes (2000): *Zoogoneticus tequila* - ein "neuer" Hochlandkäpfpling. *DATZ* (10): 8-10
- M. Kempkes (2001): Zwei Jahre Zuchtbuchprogramm *Zoogoneticus tequila* - kein Grund zum Optimismus. *DGLZ-Rundschau* (2): 32-34
- M. Kempkes (2003): Interessante waarnemingen van agonistisch gedrag tot het bereiken van de geslachtsrijpe leeftijd van de Tequila karpers, *Zoogoneticus tequila* (Webb & Miller, 1998). *Poecilia Nieuws* (2): 24-27
- M. Köck (2012): Von hinten aufgerollt: Die Goodeiden von Z bis A Die Gattung *Zoogoneticus*. *Das Lebendgebärenden Magazin* (1): 30-41
- F. Krönke (2011): Erhaltungszuchten im Aquarium?. *DATZ* (2): 24-26
- D. Lambert (0): Look out! Look out! There's a scientist about. *Viviparous* (43): 0-
- D. Lambert (1994): *Zoogoneticus* n. sp.. *Viviparous* (26): 1-3
- P. Loiselle (1993): Spawning the crescent Zoe, a new Goodeid from western Mexico. *Livebearers* (132): 12-14
- J. Lyons (209): The sad story of the Sayula Springs (and their goodeids). *Livebearers* (243): 9-11
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- J. Lyons et al (2019): Distribution and current conservation status of the Mexican Goodeidae (Actinopterygii, Cyprinodontiformes). *ZooKeys* (885): 115-158
- A. Maceda-Velga, O. Domínguez-Domínguez et al (2015): Can sinners become saints in freshwater conservation?. *Livebearers* (229): 12-15
- A.E. Magurran (2009): Threats to freshwater fish. *Science* (325): 1215-1216
- J. de Moree (2004): Zoögeneticus tequila. *Poecilia Nieuws* (3): 12-12
- P. Mudde (1998): Overleven gaat niet over rozen. Onder het palmlad (2): 32-34
- M. Pedley (2021): Tequila slammers!. *Practical Fishkeeping* (May): 30-32
- M. Pedley (2021): Tequila slammers!. *Practical Fishkeeping* (May): 30-32
- J. Pint (2016): Britse dierentuin. *Poecilia Nieuws* (2): 30-32
- C. van Putten & K. de Jong (2017): *Zoogoneticus tequila* Webb & Miller, 1998. *Poecilia Nieuws Atlas* () :-
- G. Roebuck (2018): Bericht über die GWG-Erkundungsreise nach Jalisco, Mexiko, März 2016. *Das Lebendgebärenden Magazin* (2): 8-23
- M. Romanucci et al (2016): Ovarian teratoma in an adult female *Zoogoneticus tequila* (Webb & Miller 1998): histological and immunohistochemical features. *Journal of fish diseases* (): 1-4
- A. Routh (2013): Managing mycobacteriosis and associated biosecurity in the care and breeding of threatened freshwater fishes in public aquariums: an overview. *Int. Zoo. Yb.* (47): 102-111
- G. Schleussner & F. Krönke (2010): Der Tequilakäpfling - ein Juwel aus dem Schatz der Azteken. *Amazonas* (2): 42-48
- R.B. Socolof (1988): Collecting Goodeids at Lake Chapala, Mexico. *Livebearers* (98): 3-8
- M. Tobler (2004): Neue Population von *Zoogoneticus tequila* entdeckt. *DATZ* (1): 23-23
- Universidad Michoacana Team (2016): Advances in the reintroduction of *Zoogoneticus tequila* Part 2. *Livebearers* (233): 7-13
- Universidad Michoacana Team (2016): Advances in the reintroduction of *Zoogoneticus tequila* Part 1. *Livebearers* (232): 9-11
- Universidad Michoacana Team (2017): Advances in the reintroduction of *Zoogoneticus tequila* Part 3. *Livebearers* (234): 11-15
- Universidad Michoacana Team (2017): Zoogoneticus deel 2 Voortgang in de herintroductie van *Zoogoneticus tequila* in de bronnen van Teuchitlán, Jalisco Mexico. *Poecilia Nieuws* (3): 15-28
- Universidad Michoacana Team (2017): Voortgang van de herintroductie van *Zoogoneticus tequila* in de bronnen van Teuchitlán, Jalisco, Mexico. *Poecilia Nieuws* (2): 18-25
- A. Valdés (1995): Follow-up from Arcadio Valdés. *Aquatic Survival* (3): 12-14
- A. Valdés Gonzalez , S. Castillo Alvarado & M. Ángeles Villeda (2010): Production environment, anatomy, and diet for the crescent zoogy, *Zoogoneticus tequila*, (Goodeidae), suggestions before a reintroduction attempt is made. In: M.C. Uribe & H.J. Grier (eds) *Viviparous*

Livebearer Literature List 202201

- M.Y. De La Vega-Salazar et al. (2003): Ecological evaluation of local extinction: the case of two genera of endemic Mexican fish, *Zoogeneticus* and *Skiffia*. *Biodiversity and Conservation* (12): 2043-2056
- M.Y. De La Vega-Salazar, E.G. Avila-Luna & C. Macías-García (2003): Threatened fishes of the world: *Zoogeneticus tequila* Webb & Miller 1998 (Goodeidae). *Environmental Biology of Fishes* (68): 14-14
- S.A. Webb (1998): A phylogenetic analysis of the Goodeidae. (0): 1-280
- S.A. Webb & R.R. Miller (1998): *Zoogeneticus tequila*, a new goodeid fish from the Ameca drainage of Mexico, and a rediagnosis of the genus. *Occasional papers of the museum of zoology University of Michigan* (725): 1-23
- R. Winter (0): Crescent zoe's and a new beginning. *Viviparous* (43): 0-